

INTERMEDIATE STATE PERMIT TO OPERATE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth here in.

Intermediate Operating Permit Number: OP2008-059
Expiration Date: DEC - 4 2013
Installation ID: 071-0087
Project Number: 2007-07-084

Installation Name and Address

Bull Moose Tube Company
406 E. Industrial Dr.
Gerald, MO 63037
Franklin County

Parent Company's Name and Address

Bull Moose Tube Company
1819 Clarkson Road
Chesterfield, MO 63017

Installation Description:

Bull Moose Tube Company produces fusion welded steel tubing from purchased material.

DEC - 5 2008

Effective Date



Director or Designee
Department of Natural Resources

Table of Contents

I. INSTALLATION DESCRIPTION AND EQUIPMENT LISTING	3
INSTALLATION DESCRIPTION	3
EMISSION UNITS WITH LIMITATIONS	3
EMISSION UNITS WITHOUT LIMITATIONS.....	3
DOCUMENTS INCORPORATED BY REFERENCE.....	3
II. PLANT WIDE EMISSION LIMITATIONS.....	4
PERMIT CONDITION PW001	4
10 CSR 10-6.065(2)(C) and 10 CSR 10-6.065(5)(A) Voluntary Limitation(s)	4
III. EMISSION UNIT SPECIFIC EMISSION LIMITATIONS	5
EU0010 THROUGH EU0020 SURFACE COATING.....	5
PERMIT CONDITION EU0010-001.....	5
10 CSR 10-6.060 Construction Permits Required.....	5
Construction Permit 112001-027, Issued November 29, 2001	5
PERMIT CONDITION EU0010-002.....	6
10 CSR 10-6.220, Restriction of Emissions of Visible Air Contaminants.....	6
PERMIT CONDITION EU0010-003 and EU0020-001	6
10 CSR 10-5.330, Control of Emissions From Industrial Surface Coating Operations	6
EU0030-PARTS WASHERS (EP-04)	7
PERMIT CONDITION EU0030-001.....	7
10 CSR 10-5.300, Control of Emissions From Solvent Metal Cleaning.....	7
IV. CORE PERMIT REQUIREMENTS	10
V. GENERAL PERMIT REQUIREMENTS.....	19
VI. ATTACHMENTS	24
ATTACHMENT A	25
ATTACHMENT B	26
ATTACHMENT C	27
ATTACHMENT D	28
ATTACHMENT E:.....	29
ATTACHMENT F.....	30
ATTACHMENT G.....	31
ATTACHMENT H.....	32
ATTACHMENT I.....	33
ATTACHMENT J.....	34
ATTACHMENT K	35
ATTACHMENT L.....	36

I. Installation Description and Equipment Listing

INSTALLATION DESCRIPTION

Bull Moose Tube Company produces fusion welded steel tubing from purchased material.

The installation has accepted a voluntary limitation on volatile organic compounds (VOC) and hazardous air pollutants (HAPs) to obtain this Intermediate Operating Permit.

Reported Air Pollutant Emissions, tons per year							
Year	Particulate Matter ≤ Ten Microns (PM-10)	Sulfur Oxides (SO _x)	Nitrogen Oxides (NO _x)	Volatile Organic Compounds (VOC)	Carbon Monoxide (CO)	Lead (Pb)	Hazardous Air Pollutants (HAPs)
2007	0.68	--	0.58	23.54	0.08	--	--
2006	0.65	--	0.4	12.56	0.05	--	--
2005	0.81	0	0.78	16.83	0.11	--	--
2004	0.94	0	1.03	17.26	0.14	--	--
2003	0.95	0	0.87	15.3	0.12	--	--

EMISSION UNITS WITH LIMITATIONS

The following list provides a description of the equipment at this installation, which emits air pollutants and identified as having unit-specific emission limitations.

Emission Unit #	Description of Emission Unit
EU0010	Tube coating process (EP-02)
EU0020	Rust Preventative Application (EP-06)
EU0030	Parts Washers (EP-04)

EMISSION UNITS WITHOUT LIMITATIONS

The following list provides a description of the equipment/emission unit, which does not have unit specific limitations at the time of permit issuance.

Description of Emission Source
Cold Cleaning of Slit Coils (EP-01)
Haul Roads (EP-05)
Space Heating and Fork Lifts Using Propane (EP-07)
One Table Saw (Whirlwind)
Two Radial Arm Saws (DeWalt)
Dado Saw for making grooves

DOCUMENTS INCORPORATED BY REFERENCE

This permit incorporates the following documents by reference:
 Construction Permit 112001-027

II. Plant Wide Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect on the date of permit issuance.

PERMIT CONDITION PW001

10 CSR 10-6.065(2)(C) and 10 CSR 10-6.065(5)(A) Voluntary Limitation(s)

Emission Limitation:

- 1) The permittee shall emit less than ten tons of any individual hazardous air pollutant (HAP) and less than twenty-five tons of any combination of HAPs in any consecutive twelve-month period.
- 2) The permittee shall emit less than one hundred tons of volatile organic compounds (VOC) in any consecutive twelve-month period.

Monitoring:

The permittee shall monitor the HAP and VOC emissions.

Recordkeeping:

- 1) The permittee shall maintain an accurate record of the VOC and HAP emissions. Attachments E, F, and G, or their equivalents shall be used to demonstrate compliance with the emission limit.
- 2) These records shall be made available immediately for inspection to the Department of Natural Resources' personnel upon request.
- 3) All records shall be maintained for five years.

Reporting:

The permittee shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, Missouri 65102, no later than ten days after any exceedance of any limitation established by this permit condition.

III. Emission Unit Specific Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect on the date of permit issuance.

EU0010 through EU0020 Surface Coating			
Emission Unit	Description	Manufacturer/Model #	2007 EIQ Reference #
EU0010	Automatic spray unit equipped with 6 spray guns, a diaphragm pump, and paint reservoir, constructed 2001; controlled by a fabric filter	Mfr: Dubois, Model: UVSP-6	EP02
EU0020	Rust preventative application		EP-06

<p style="text-align: center;">PERMIT CONDITION EU0010-001 10 CSR 10-6.060 Construction Permits Required Construction Permit 112001-027, Issued November 29, 2001</p>

Emission Limitation

- 1) The permittee shall not discharge into the atmosphere from this tube coating process (EP2), volatile organic compounds (VOC), in excess of forty tons in any consecutive twelve-month period.
[Special Condition 1.A.]
- 2) The permittee shall control emissions from the tube coating process (EP2) using fabric filters as specified in the permit application. These filters shall be maintained in accordance with the manufacturer's specifications. Replacement filters shall be kept on hand at all times.
[Special Condition 2]

Monitoring/Recordkeeping:

- 1) The permittee shall maintain an accurate record of VOC emitted into the atmosphere from the tube coating process (EP2). The permittee shall record the monthly and rolling twelve-month totals of VOC emissions from this tube coating process. [Special Condition 1.B.]
- 2) Attachment H or an equivalent form shall be used for this purpose. The permittee shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request.
[Special Condition 1.C.]

Reporting:

The permittee shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, Missouri 65102, no later than ten days after the end of the month during which the records from Special Condition 1.B. indicate that the source exceeds the limitation of Special Condition 1.A. [Special Condition 1.D.]

PERMIT CONDITION EU0010-002

10 CSR 10-6.220, Restriction of Emissions of Visible Air Contaminants

Emission Limitation:

- 1) No owner or other person shall cause or permit emissions to be discharged into the atmosphere from any new source any visible emissions with an opacity greater than twenty percent.
- 2) Exception: A person may discharge into the atmosphere from any source of emissions for a period(s) aggregating not more than six minutes in any sixty minutes, air contaminants with an opacity up to sixty percent.

Monitoring/Record Keeping/Reporting:

As detailed in Core Permit Requirements.

PERMIT CONDITION EU0010-003 and EU0020-001

10 CSR 10-5.330, Control of Emissions From Industrial Surface Coating Operations

Emission Limitation:

The permittee shall not emit or discharge into the atmosphere any VOC from EU0010 in excess of 3.0 pounds VOC per gallon of coating (minus water and non-VOC organic compounds)¹ and from EU0020 in excess of 3.5 pounds VOC per gallon of coating (minus water and non-VOC organic compounds).²

Monitoring:

The permittee shall determine the composition of the coatings by formulation data supplied by the manufacturer of the coating or from data determined by an analysis of each coating, as received, by EPA Reference Method 24.

Record Keeping:

- 1) The permittee shall maintain a record of the VOC content, in pounds per gallon (Material Safety Data Sheets, etc.), of all coatings applied from this emission unit.
- 2) All records shall be maintained for a minimum of five years.
- 3) These records shall be made available to Department of Natural Resources' personnel upon request.

Reporting:

Reports of any deviations from the equipment specifications and record keeping requirements of this permit condition shall be submitted in the annual compliance certification, as required by Section IV of this permit.

¹ VOC Emission Limitation from 10 CSR 10-5-330(4)(B) Table B – VOC Emission Limit Based on Weight of VOC per Gallon of Coating (minus water and non-VOC organic compounds)

² VOC Emission Limitation from 10 CSR 10-5-330(4)(B) Table B – VOC Emission Limit Based on Weight of VOC per Gallon of Coating (minus water and non-VOC organic compounds)

EU0030-Parts Washers (EP-04)
Description
Cold Cleaning in parts washers

PERMIT CONDITION EU0030-001 10 CSR 10-5.300, Control of Emissions From Solvent Metal Cleaning

Emission Limitation:

- 1) No owner or operator shall operate a cold cleaner using a solvent with a vapor pressure greater than 1.0 mm Hg at twenty degrees Celsius.
- 2) Exception: The permittee may use an alternative method for reducing cold cleaning emissions if the level of emission control is equivalent to or greater than the requirements listed above. The director must approve the alternative method.

Operational Limitation/Equipment Specifications:

- 1) Each cold cleaner shall have a cover, which prevents the escape of solvent vapors from the solvent bath while in the closed position, or an enclosed reservoir, which limits the escape of solvent vapors from the solvent bath whenever parts are not being processed in the cleaner.
- 2) When one or more of the following conditions exist, the design of the cover shall be such that it can be easily operated with one hand such that minimal disturbing of the solvent vapors in the tank occurs. (For covers larger than ten square feet, this shall be accomplished by either mechanical assistance such as spring loading or counter weighing or by power systems):
 - a) The solvent vapor pressure is greater than 0.3 psi measured at 37.8 degrees Celsius (37.8°C) (100 degrees Fahrenheit (100°F)), such as in mineral spirits.
 - b) The solvent is agitated; or
 - c) The solvent is heated.
- 3) Each cold cleaner shall have a drainage facility, which will be internal so that parts are enclosed under the cover while draining.
- 4) If an internal drainage facility cannot fit into the cleaning system and the solvent vapor pressure is less than 0.6 psi measured at 37.8°C (100°F), then the cold cleaner shall have an external drainage facility which provides for the solvent to drain back into the solvent bath.
- 5) Solvent sprays, if used, shall be a solid fluid stream (not a fine, atomized or shower-type spray) and at a pressure which does not cause splashing above or beyond the freeboard.
- 6) A permanent conspicuous label summarizing the operating procedures shall be affixed to the equipment or in a location readily visible during operation of the equipment.
- 7) Any cold cleaner which uses a solvent that has a solvent vapor pressure greater than 0.6 psi measured at 37.8°C (100°F) or is heated above 48.9°C (120°F), must use one of the following control devices:
 - a) A freeboard ratio of at least 0.75;
 - b) Water cover (solvent must be insoluble in and heavier than water); or
 - c) Other control systems with a mass balance demonstrated overall VOC emissions reduction efficiency greater than or equal to sixty-five percent. These control systems must receive approval from the director prior to their use.

- 8) Each cold cleaner shall be operated as follows:
 - a) Cold cleaner covers shall be closed whenever parts are not being handled in the cleaners or the solvent must drain into an enclosed reservoir except when performing maintenance or collecting solvent samples.
 - b) Clean parts shall be drained in the freeboard area for at least fifteen seconds or until dripping ceases, whichever is longer. Parts having cavities or blind holes shall be tipped or rotated while the part is draining. During the draining, tipping or rotating, the parts shall be positioned so that the solvent drains directly back to the cold cleaner.
 - c) Whenever a cold cleaner fails to perform within the operating parameters established by this regulation, the unit shall be shut down immediately and shall remain shut down until trained service personnel are able to restore operation within the established operating procedures.
 - d) Solvent leaks shall be repaired immediately or the cleaner shall be shut down and leaks secured until the leaks are repaired.
 - e) Any waste material removed from a cold cleaner shall be disposed of by one of the following methods in accordance with the Missouri Hazardous Waste Management Commission Rules codified as 10 CSR 25, as applicable:
 - i) Reduction of the waste material to less than twenty percent VOC solvent by distillation and proper disposal of the still bottom waste, or
 - ii) Stored in closed containers for transfer to a contract reclamation service or disposal facility approved by the director.
 - iii) Waste solvent shall be stored in covered containers only.
- 9) Operators must be trained as follows:
 - a) Only persons trained in at least the operation and equipment requirements specified in this rule for their particular solvent metal cleaning process shall be permitted to operate this equipment;
 - b) The supervisor of any person who operates a solvent metal cleaning process shall receive equivalent or greater operational training than the operators; and
 - c) Refresher training shall be given to all solvent metal cleaning equipment operators at least once every twelve-month period.

Monitoring:

The permittee shall monitor the throughputs of the solvents monthly and maintain material safety data sheets of the cleanup solvents used at the installation.

Record Keeping:

- 1) The permittee shall maintain the following records for each purchase of cold cleaner solvent (Attachment K):
 - a) Name and address of the solvent supplier,
 - b) Date of purchase,
 - c) Type of solvent purchased, and
 - d) Vapor pressure of solvent in mm Hg at 20°C or 68°F.
- 2) The permittee shall keep monthly inventory records of solvent types and amounts purchased and solvent consumed. The records shall include all types and amounts of solvent containing waste material transferred to either a contract reclamation service or to a disposal installation and all amounts distilled on the premises (see Attachment I). The record also shall include maintenance and repair logs that occurred on the cold cleaner (Attachment J).
- 3) The permittee shall keep training records of solvent metal cleaning for each employee on an annual basis (Attachment L).

4) All records shall be maintained for five years.

Reporting:

Reports of any deviations from or exceedance of any of the terms imposed by this regulation, or any malfunction, which causes a deviation from, or exceedance of this regulation shall be submitted in the annual compliance certification, as required by Section IV of this permit.

IV. Core Permit Requirements

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR), Code of State Regulations (CSR), and local ordinances for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect on the date of permit issuance.

10 CSR 10-6.050 Start-up, Shutdown and Malfunction Conditions

- 1) In the event of a malfunction, which results in excess emissions that exceed one hour, the permittee shall submit to the director within two business days, in writing, the following information:
 - a) Name and location of installation;
 - b) Name and telephone number of person responsible for the installation;
 - c) Name of the person who first discovered the malfunction and precise time and date that the malfunction was discovered;
 - d) Identity of the equipment causing the excess emissions;
 - e) Time and duration of the period of excess emissions;
 - f) Cause of the excess emissions;
 - g) Air pollutants involved;
 - h) Best estimate of the magnitude of the excess emissions expressed in the units of the applicable requirement and the operating data and calculations used in estimating the magnitude;
 - i) Measures taken to mitigate the extent and duration of the excess emissions; and
 - j) Measures taken to remedy the situation that caused the excess emissions and the measures taken or planned to prevent the recurrence of these situations.
- 2) The permittee shall submit the paragraph 1 information list to the director in writing at least ten days prior to any maintenance, start-up or shutdown, which is expected to cause an excessive release of emissions that exceed one hour. If notice of the event cannot be given ten days prior to the planned occurrence, it shall be given as soon as practicable prior to the release. If an unplanned excess release of emissions exceeding one hour occurs during maintenance, start-up or shutdown, the director shall be notified verbally as soon as practical during normal working hours and no later than the close of business of the following working day. A written notice shall follow within ten working days.
- 3) Upon receipt of a notice of excess emissions issued by an agency holding a certificate of authority under Section 643.140, RSMo, the permittee may provide information showing that the excess emissions were the consequence of a malfunction, start-up or shutdown. The information, at a minimum, should be the paragraph 1 list and shall be submitted not later than fifteen days after receipt of the notice of excess emissions. Based upon information submitted by the permittee or any other pertinent information available, the director or the commission shall make a determination whether the excess emissions constitute a malfunction, start-up or shutdown and whether the nature, extent and duration of the excess emissions warrant enforcement action under Section 643.080 or Section 643.151, RSMo.
- 4) Nothing in this rule shall be construed to limit the authority of the director or commission to take appropriate action, under Sections 643.080, 643.090 and 643.151, RSMo, to enforce the provisions of the Air Conservation Law and the corresponding rule.
- 5) Compliance with this rule does not automatically absolve the permittee of liability for the excess emissions reported.

10 CSR 10-6.060 Construction Permits Required

The permittee shall not commence construction, modification, or major modification of any installation subject to this rule, begin operation after that construction, modification, or major modification, or begin operation of any installation, which has been shut down longer than five years without first obtaining a permit from the permitting authority.

10 CSR 10-6.065 Operating Permits

The permittee shall file a complete application for renewal of this operating permit at least six months before the date of permit expiration. In no event shall this time be greater than eighteen months. [10 CSR 10-6.065(5)(B)1.A(III)] The permittee shall retain the most current operating permit issued to this installation on-site. [10 CSR 10-6.065, §(5)(C)(1) and §(6)(C)1.C(II)] The permittee shall immediately make such permit available to any Missouri Department of Natural Resources' personnel upon request. [10 CSR 10-6.065, §(5)(C)(1) and §(6)(C)3.B]

10 CSR 10-6.110 Submission of Emission Data, Emission Fees and Process Information

- 1) The permittee shall complete and submit an Emission Inventory Questionnaire (EIQ) annually.
- 2) The permittee may be required by the director to file additional reports.
- 3) Public Availability of Emission Data and Process Information. Any information obtained pursuant to the rule(s) of the Missouri Air Conservation Commission that would not be entitled to confidential treatment under 10 CSR 10-6.210, shall be made available to any member of the public upon request.
- 4) The permittee shall pay an annual emission fee per ton of regulated air pollutant emitted according to the schedule in the rule. This fee is an emission fee assessed under authority of RSMo 643.079 to satisfy the requirements of the Federal Clean Air Act, Title V.
- 5) The permittee shall complete required reports on state supplied EIQ forms or in a form satisfactory to the director and the reports shall be submitted to the director by June 1 after the end of each reporting period.
- 6) The reporting period shall end on December 31 of each calendar year. Each report shall contain the required information for each emission unit for the twelve-month period immediately preceding the end of the reporting period.
- 7) The permittee shall collect, record and maintain the information necessary to complete the required forms during each year of operation of the installation.

10 CSR 10-6.130 Controlling Emissions During Episodes of High Air Pollution Potential

This rule specifies the conditions that establish an air pollution alert (yellow/orange/red/purple), or emergency (maroon) and the associated procedures and emission reduction objectives for dealing with each. The permittee shall submit an appropriate emergency plan if required by the director.

10 CSR 10-6.150 Circumvention

The permittee shall not cause or permit the installation or use of any device or any other means, which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes an emission or air contaminant, which violates a rule of the Missouri Air Conservation Commission.

10 CSR 10-6.170

Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin

Emission Limitation:

- 1) The permittee shall not cause or allow to occur, any handling, transporting or storing of any material; construction, repair, cleaning or demolition of a building or its appurtenances; construction or use of a road, driveway or open area; or operation of a commercial or industrial installation without applying reasonable measures as may be required to prevent, or in a manner which allows or may allow, fugitive particulate matter emissions to go beyond the premises of origin in quantities that the particulate matter may be found on surfaces beyond the property line of origin. The nature or origin of the particulate matter shall be determined to a reasonable degree of certainty by a technique proven to be accurate and approved by the director.
- 2) The permittee shall not cause nor allow to occur any fugitive particulate matter emissions to remain visible in the ambient air beyond the property line of origin.
- 3) Should it be determined that non-compliance has occurred, the director may require reasonable control measures as may be necessary. These measures may include, but are not limited to, the following:
 - a) Revision of procedures involving construction, repair, cleaning and demolition of buildings and their appurtenances that produce particulate matter emissions;
 - b) Paving or frequent cleaning of roads, driveways and parking lots;
 - c) Application of dust-free surfaces;
 - d) Application of water; and
 - e) Planting and maintenance of vegetative ground cover.

Monitoring:

The permittee shall conduct inspections of its facilities sufficient to determine compliance with this regulation. If the permittee discovers a violation, the permittee shall undertake corrective action to eliminate the violation.

The permittee shall maintain the following monitoring schedule:

- 1) The permittee shall conduct weekly observations for a minimum of eight consecutive weeks after permit issuance.
- 2) Should no violation of this regulation be observed during this period then-
 - a) The permittee may observe once every two weeks for a period of eight weeks.
 - b) If a violation is noted, monitoring reverts to weekly.
 - c) Should no violation of this regulation be observed during this period then-
 - i) The permittee may observe once per month.
 - ii) If a violation is noted, monitoring reverts to weekly.
- 3) If the permittee reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner to the initial monitoring frequency.

Recordkeeping:

The permittee shall document all readings on Attachment A, or its equivalent, noting the following:

- 1) Whether air emissions (except water vapor) remain visible in the ambient air beyond the property line of origin.
- 2) Whether the visible emissions were normal for the installation.
- 3) Whether equipment malfunctions contributed to an exceedance.
- 4) Any violations and any corrective actions undertaken to correct the violation.

10 CSR 10-6.180 Measurement of Emissions of Air Contaminants

- 1) The director may require any person responsible for the source of emission of air contaminants to make or have made tests to determine the quantity or nature, or both, of emission of air contaminants from the source. The director may specify testing methods to be used in accordance with good professional practice. The director may observe the testing. All tests shall be performed by qualified personnel.
- 2) The director may conduct tests of emissions of air contaminants from any source. Upon request of the director, the person responsible for the source to be tested shall provide necessary ports in stacks or ducts and other safe and proper sampling and testing facilities, exclusive of instruments and sensing devices as may be necessary for proper determination of the emission of air contaminants.
- 3) The director shall be given a copy of the test results in writing and signed by the person responsible for the tests.

10 CSR 10-5.040 Use of Fuel in Hand-Fired Equipment Prohibited

It shall be unlawful to operate any hand-fired fuel-burning equipment in the St. Louis, Missouri metropolitan area. This regulation shall apply to all fuel-burning equipment including, but not limited to, furnaces, heating and cooking stoves and hot water furnaces. It shall not apply to wood-burning fireplaces and wood-burning stoves in dwellings, nor to fires used for recreational purpose, nor to fires used solely for the preparation of food by barbecuing. Hand-fired fuel-burning equipment is any stove, furnace, or other fuel-burning device in which fuel is manually introduced directly into the combustion chamber.

10 CSR 10-5.060 Refuse Not to be Burned in Fuel Burning Installations (Contained in State Implementation Plan)

No person shall burn or cause or permit the burning of refuse in any installation, which is designed for the primary purpose of burning fuel.

10 CSR 10-6.045 Open Burning Requirements

- 1) General Provisions. The open burning of tires, petroleum-based products, asbestos containing materials, and trade waste is prohibited, except as allowed below. Nothing in this rule may be construed as to allow open burning which causes or constitutes a public health hazard, nuisance, a hazard to vehicular or air traffic, nor which violates any other rule or statute.
- 2) Refer to the regulation for a complete list of allowances. The following is a listing of exceptions to the allowances:
 - a) Burning of household or domestic refuse. Burning of household or domestic refuse is limited to open burning on a residential premises having not more than four dwelling units, provided that the refuse originates on the same premises, with the following exceptions:
 - i) Kansas City metropolitan area. The open burning of household refuse must take place in an area zoned for agricultural purposes and outside that portion of the metropolitan area surrounded by the corporate limits of Kansas City and every contiguous municipality;
 - ii) Springfield-Greene County area. The open burning of household refuse must take place outside the corporate limits of Springfield and only within areas zoned A-1, Agricultural District;
 - iii) St. Joseph area. The open burning of household refuse must take place within an area zoned for agricultural purposes and outside that portion of the metropolitan area surrounded by the corporate limits of St. Joseph; and
 - iv) St. Louis metropolitan area. The open burning of household refuse is prohibited;

-
- b) Yard waste, with the following exceptions:
 - i) Kansas City metropolitan area. The open burning of trees, tree leaves, brush or any other type of vegetation shall require an open burning permit;
 - ii) Springfield-Greene County area. The City of Springfield requires an open burning permit for the open burning of trees, brush or any other type of vegetation. The City of Springfield prohibits the open burning of tree leaves;
 - iii) St. Joseph area. Within the corporate limits of St. Joseph, the open burning of trees, tree leaves, brush or any other type of vegetation grown on a residential property is allowed during the following calendar periods and time-of-day restrictions:
 - (1) A three (3)-week period within the period commencing the first day of March through April 30 and continuing for twenty-one (21) consecutive calendar days;
 - (2) A three (3)-week period within the period commencing the first day of October through November 30 and continuing for twenty-one (21) consecutive calendar days;
 - (3) The burning shall take place only between the daytime hours of 10:00 a.m. and 3:30 p.m.; and
 - (4) In each instance, the twenty-one (21)-day burning period shall be determined by the director of Public Health and Welfare of the City of St. Joseph for the region in which the City of St. Joseph is located provided, however, the burning period first shall receive the approval of the department director; and
 - iv) St. Louis metropolitan area. The open burning of trees, tree leaves, brush or any other type of vegetation is limited to the period beginning September 16 and ending April 14 of each calendar year and limited to a total base area not to exceed sixteen (16) square feet. Any open burning shall be conducted only between the hours of 10:00 a.m. and 4:00 p.m. and is limited to areas outside of incorporated municipalities;
 - 3) Certain types of materials may be open burned provided an open burning permit is obtained from the director. The permit will specify the conditions and provisions of all open burning. The permit may be revoked if the owner or operator fails to comply with the conditions or any provisions of the permit.
 - 4) Bull Moose Tube Company may be issued an annually renewable open burning permit for open burning provided that an air curtain destructor or incinerator is utilized and only tree trunks, tree limbs, vegetation or untreated wood waste are burned. Open burning shall occur at least two hundred (200) yards from the nearest occupied structure unless the owner or operator of the occupied structure provides a written waiver of this requirement. Any waiver shall accompany the open burning permit application. The permit may be revoked if Bull Moose Tube Company fails to comply with the provisions or any condition of the open burning permit.
 - a) In a non-attainment area, as defined in 10 CSR 10-6.020, paragraph (2)(N)5., the director shall not issue a permit under this section unless the owner or operator can demonstrate to the satisfaction of the director that the emissions from the open burning of the specified material would be less than the emissions from any other waste management or disposal method.
 - 5) Reporting and Record Keeping. New Source Performance Standard (NSPS) 40 CFR Part 60 Subpart CCCC establishes certain requirements for air curtain destructors or incinerators that burn wood trade waste. These requirements are established in 40 CFR 60.2245-60.2260. The provisions of 40 CFR Part 60 Subpart CCCC promulgated as of September 22, 2005 shall apply and are hereby incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401. To comply with NSPS 40 CFR 60.2245-60.2260, sources must conduct an annual Method 9 test. A copy of the annual Method 9 test results shall be submitted to the director.

- 6) Test Methods. The visible emissions from air pollution sources shall be evaluated as specified by 40 CFR Part 60, Appendix A–Test Methods, Method 9–Visual Determination of the Opacity of Emissions from Stationary Sources. The provisions of 40 CFR Part 60, Appendix A, Method 9 promulgated as of December 23, 1971, is incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401.

10 CSR 10-5.120 Information on Sales of Fuels to be Provided and Maintained

Every delivery of coal or residual fuel oil when first delivered to a consumer or wholesaler in the St. Louis metropolitan area must be accompanied by a ticket prepared in triplicate and containing at least the name and address of the seller and the buyer; the grade of fuel; ash content of coal, the source of the fuel, which must be an approved source, and such other information as the Air Conservation Commission may require. One copy of each ticket shall be kept by the person delivering the fuel and be retained for one year; one copy is to be given to the recipient of the fuel to be retained for one year; and, upon request, within thirty days after delivery of the fuel, the delivering party shall mail one copy to the Air Conservation Commission.

10 CSR 10-5.130 Certain Coals to be Washed

The permittee shall not import, sell, offer for sale, expose for sale, exchange, deliver or transport for use and consumption in the St. Louis metropolitan area or use or consume in the said area any coal which as mined contains in excess of two percent sulfur or twelve percent ash calculated as described in 10 CSR 10-5.110, unless it has been cleaned by a process known as "washing" so that it shall contain no more than twelve percent ash on a dry basis. The term "washing" is meant to include purifying, cleaning, or removing impurities from coal by mechanical process, regardless of cleaning medium used.

10 CSR 10-5.160 Control of Odors in the Ambient Air

This requirement is not federally enforceable.

No person shall emit odorous matter as to cause an objectionable odor on or adjacent to:

- 1) Residential, recreational, institutional, retail sales, hotel or educational premises.
- 2) Industrial premises when air containing odorous matter is diluted with twenty or more volumes of odor-free air; or
- 3) Premises other than those in bullets 1) and 2) above when air containing odorous matter is diluted with four or more volumes of odor-free air.

The previously mentioned requirement shall apply only to objectionable odors. An odor will be deemed objectionable when thirty percent or more of a sample of the people exposed to it believe it to be objectionable in usual places of occupancy; the sample size to be at least twenty people or seventy-five percent of those exposed if fewer than twenty people are exposed.

10 CSR 10-5.240 Additional Air Quality Control Measures May be Required When Sources Are Clustered in a Small Land Area

The Air Conservation Commission may prescribe more restrictive air quality control requirements that are more restrictive and more extensive than provided in regulations of general application for:

- 1) Areas in which there are one or more existing sources and/or proposed new sources of particulate matter in any circular area with a diameter of two miles (including sources outside metropolitan areas) from which the sum of particulate emissions allowed from these sources by regulations of general application are or would be greater than 2,000 tons per year or 500 pounds per hour.

- 2) Areas in which there are one or more existing sources and/or proposed new sources of sulfur dioxide in any circular area with a diameter of two miles from which the sum of sulfur dioxide emissions from these sources allowed by regulations of general application are or would be greater than 1,000 tons for any consecutive three months or 1,000 pounds per hour.

10 CSR 10-6.100 Alternate Emission Limits

Proposals for alternate emission limitations shall be submitted on Alternate Emission Limits Permit forms provided by the department. An installation owner or operator must obtain an Alternate Emission Limits Permit in accordance with 10 CSR 10-6.100 before alternate emission limits may become effective.

10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants

Emission Limitation:

No owner or other person shall cause or permit to be discharged into the atmosphere from any source any visible emissions in excess of the limits specified by this rule. This permit will contain the opacity limits identified (ten, twenty or forty percent) for the specific emission units.

Monitoring:

- 1) The permittee shall conduct opacity readings on each emission unit using the procedures contained in U.S. EPA Test Method 22. The permittee is only required to take readings when the emission unit is operating and when the weather conditions allow. If the permittee observes no visible or other significant emissions using these procedures, then no further observations are required. For emission units with visible emissions perceived or believed to exceed the applicable opacity standard, the source representative would then conduct a Method 9 observation.
- 2) The permittee must maintain the following monitoring schedule:
 - a) The permittee shall conduct weekly observations for a minimum of eight consecutive weeks after permit issuance.
 - b) Should the permittee observe no violations of this regulation during this period then-
 - i) The permittee may observe once every two weeks for a period of eight weeks.
 - ii) If a violation is noted, monitoring reverts to weekly.
 - iii) Should no violation of this regulation be observed during this period then-
 - (1) The permittee may observe once per month.
 - (2) If a violation is noted, monitoring reverts to weekly.
- 3) If the source reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner from the initial monitoring frequency.

Recordkeeping:

The permittee shall maintain records of all observation results using Attachments B, C, and D (or equivalents), noting:

- 1) Whether any air emissions (except for water vapor) were visible from the emission units;
- 2) All emission units from which visible emissions occurred;
- 3) Whether the visible emissions were normal for the process;
- 4) The permittee shall maintain records of any equipment malfunctions, which may contribute to visible emissions; and,
- 5) The permittee shall maintain records of all U.S. EPA Method 9 opacity tests performed.

Title VI – 40 CFR Part 82 Protection of Stratospheric Ozone

- 1) The permittee shall comply with the standards for labeling of products using ozone-depleting substances pursuant to 40 CFR Part 82, Subpart E:
 - a) All containers in which a class I or class II substance is stored or transported, all products containing a class I substance, and all products directly manufactured with a class I substance must bear the required warning statement if it is being introduced into interstate commerce pursuant to §82.106.
 - b) The placement of the required warning statement must comply with the requirements pursuant to §82.108.
 - c) The form of the label bearing the required warning statement must comply with the requirements pursuant to §82.110.
 - d) No person may modify, remove, or interfere with the required warning statement except as described in §82.112.
- 2) The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners (MVACs) in Subpart B:
 - a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to §82.156.
 - b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to §82.158.
 - c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to §82.161.
 - d) Persons disposing of small appliances, MVACs, and MVAC-like appliances must comply with record keeping requirements pursuant to §82.166. ("MVAC-like" appliance as defined at §82.152).
 - e) Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to §82.156.
 - f) Owners/operators of appliances normally containing fifty or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to §82.166.
- 3) If the permittee manufactures, transforms, imports, or exports a class I or class II substance, the permittee is subject to all the requirements as specified in 40 CFR Part 82, Subpart A, Production and Consumption Controls.
- 4) If the permittee performs a service on motor (fleet) vehicles when this service involves ozone-depleting substance refrigerant (or regulated substitute substance) in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements as specified in 40 CFR Part 82, Subpart B, Servicing of Motor Vehicle Air conditioners. The term "motor vehicle" as used in Subpart B does not include a vehicle in which final assembly of the vehicle has not been completed. The term "MVAC" as used in Subpart B does not include the air-tight sealed refrigeration system used as refrigerated cargo, or system used on passenger buses using HCFC-22 refrigerant.

The permittee shall be allowed to switch from any ozone-depleting substance to any alternative that is listed in the Significant New Alternatives Program (SNAP) promulgated pursuant to 40 CFR Part 82, Subpart G, Significant New Alternatives Policy Program. *Federal Only - 40 CFR Part 82*

10 CSR 10-6.280 Compliance Monitoring Usage

- 1) The permittee is not prohibited from using the following in addition to any specified compliance methods for the purpose of submission of compliance certificates:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) Monitoring method(s) approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Any other monitoring methods approved by the director.
- 2) Any credible evidence may be used for the purpose of establishing whether a permittee has violated or is in violation of any such plan or other applicable requirement. Information from the use of the following methods is presumptively credible evidence of whether a violation has occurred by a permittee:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) A monitoring method approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Compliance test methods specified in the rule cited as the authority for the emission limitations.
- 3) The following testing, monitoring or information gathering methods are presumptively credible testing, monitoring, or information gathering methods:
 - a) Applicable monitoring or testing methods, cited in:
 - i) 10 CSR 10-6.030, "Sampling Methods for Air Pollution Sources";
 - ii) 10 CSR 10-6.040, "Reference Methods";
 - iii) 10 CSR 10-6.070, "New Source Performance Standards";
 - iv) 10 CSR 10-6.080, "Emission Standards for Hazardous Air Pollutants"; or
 - b) Other testing, monitoring, or information gathering methods, if approved by the director, that produce information comparable to that produced by any method listed above.

V. General Permit Requirements

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

10 CSR 10-6.065, §(5)(C)1 and §(6)(C)1.B Permit Duration

This permit is issued for a term of five years, commencing on the date of issuance. This permit will expire at the end of this period unless renewed.

10 CSR 10-6.065, §(5)(C)1 and §(6)(C)1.C General Record Keeping and Reporting Requirements

- 1) Record Keeping
 - a) All required monitoring data and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report or application.
 - b) Copies of all current operating and construction permits issued to this installation shall be kept on-site for as long as the permits are in effect. Copies of these permits shall be made immediately available to any Missouri Department of Natural Resources' personnel upon request.
- 2) Reporting
 - a) All reports shall be submitted to the Air Pollution Control Program's Enforcement Section, P. O. Box 176, Jefferson City, Missouri 65102.
 - b) The permittee shall submit a report including status of all required monitoring by:
 - i) April 1st for monitoring which covers the January through December time period.
 - ii) Exception. Monitoring requirements, which require reporting more frequently than annually shall report no later than thirty days after the end of the calendar quarter in which the measurements were taken.
 - c) Each report shall identify any deviations from emission limitations, monitoring, record keeping, reporting, or any other requirements of the permit.
 - d) Submit supplemental reports as required or as needed. Supplemental reports are required no later than ten days after any exceedance of any applicable rule, regulation or other restriction. All reports of deviations shall identify the cause or probable cause of the deviations and any corrective actions or preventative measures taken.
 - i) Notice of any deviation resulting from an emergency (or upset) condition as defined in paragraph (6)(C)7 of 10 CSR 10-6.065 (Emergency Provisions) shall be submitted to the permitting authority either verbally or in writing within two working days after the date on which the emission limitation is exceeded due to the emergency, if the permittee wishes to assert an affirmative defense. The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that indicate an emergency occurred and the permittee can identify the cause(s) of the emergency. The permitted installation must show that it was operated properly at the time and that during the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or requirements in the permit. The notice must contain a description of the emergency, the steps taken to mitigate emissions, and the corrective actions taken.

- ii) Any deviation that poses an imminent and substantial danger to public health, safety or the environment shall be reported as soon as practicable.
- iii) Any other deviations identified in the permit as requiring more frequent reporting than the permittee's annual report shall be reported on the schedule specified in this permit, and no later than ten days after any exceedance of any applicable rule, regulation, or other restriction.
- e) Every report submitted shall be certified by the responsible official, except that, if a report of a deviation must be submitted within ten days after the deviation, the report may be submitted without a certification if the report is re-submitted with an appropriate certification within ten days after that, together with any corrected or supplemental information required concerning the deviation.
- f) The permittee may request confidential treatment of information submitted in any report of deviation.

10 CSR 10-6.065 §(5)(C)1 and §(6)(C)1.D Risk Management Plan Under Section 112(r)

The permittee shall comply with the requirements of 40 CFR Part 68, Accidental Release Prevention Requirements. If the permittee has more than a threshold quantity of a regulated substance in process, as determined by 40 CFR Section 68.115, the permittee shall submit a Risk Management Plan in accordance with 40 CFR Part 68 no later than the latest of the following dates:

- 1) June 21, 1999;
- 2) Three years after the date on which a regulated substance is first listed under 40 CFR Section 68.130; or
- 3) The date on which a regulated substance is first present above a threshold quantity in a process.

10 CSR 10-6.065(5)(C)1.A General Requirements

- 1) The permittee must comply with all of the terms and conditions of this permit. Any non-compliance with a permit condition constitutes a violation and is grounds for enforcement action, permit termination, permit revocation and re-issuance, permit modification or denial of a permit renewal application.
- 2) The permittee may not use as a defense in an enforcement action that it would have been necessary for the permittee to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit
- 3) The permit may be modified, revoked, re-opened, re-issued or terminated for cause. Except as provided for minor permit modifications, the filing of an application or request for a permit modification, revocation and re-issuance, or termination, or the filing of a notification of planned changes or anticipated non-compliance, does not stay any permit condition.
- 4) This permit does not convey any property rights of any sort, nor grant any exclusive privilege.
- 5) The permittee shall furnish to the Air Pollution Control Program, upon receipt of a written request and within a reasonable time, any information that the Air Pollution Control Program reasonably may require to determine whether cause exists for modifying, re-opening, re-issuing or revoking the permit or to determine compliance with the permit. Upon request, the permittee also shall furnish to the Air Pollution Control Program copies of records required to be kept by the permittee. The permittee may make a claim of confidentiality for any information or records submitted under this rule.
- 6) Failure to comply with the limitations and conditions that qualify the installation for an Intermediate permit make the installation subject to the provisions of 10 CSR 10-6.065(6) and enforcement action for operating without a valid part 70 operating permit.

10 CSR 10-6.065(5)(C)1.C Reasonably Anticipated Operating Scenarios

None

10 CSR 10-6.065, §(5)(B)4; §(5)(C)1, §(6)(C)3.B; and §(6)(C)3.D; and §(5)(C)3 and §(6)(C)3.E.(I) – (III) and (V) – (VI) Compliance Requirements

- 1) Any document (including reports) required to be submitted under this permit shall contain a certification signed by the responsible official.
- 2) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized officials of the Missouri Department of Natural Resources, or their authorized agents, to perform the following (subject to the installation's right to seek confidential treatment of information submitted to, or obtained by, the Air Pollution Control Program):
 - a) Enter upon the premises where a permitted installation is located or an emissions-related activity is conducted, or where records must be kept under the conditions of this permit;
 - b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
 - c) Inspect, at reasonable times and using reasonable safety practices, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
 - d) As authorized by the Missouri Air Conservation Law, Chapter 643, RSMo or the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the terms of this permit, and all applicable requirements as outlined in this permit.
- 3) All progress reports required under an applicable schedule of compliance shall be submitted semi-annually (or more frequently if specified in the applicable requirement). These progress reports shall contain the following:
 - a) Dates for achieving the activities, milestones or compliance required in the schedule of compliance, and dates when these activities, milestones or compliance were achieved, and
 - b) An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventative or corrective measures adopted.
- 4) The permittee shall submit an annual certification that it is in compliance with all of the federally enforceable terms and conditions contained in this permit, including emissions limitations, standards, or work practices. These certifications shall be submitted annually by June 1st, unless the applicable requirement specifies more frequent submission. These certifications shall be submitted to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, Missouri 65102. All deviations and exceedances must be included in the compliance certifications. The compliance certification shall include the following:
 - a) The identification of each term or condition of the permit that is the basis of the certification;
 - b) The current compliance status, as shown by monitoring data and other information reasonably available to the installation;
 - c) Whether compliance was continuous or intermittent;
 - d) The method(s) used for determining the compliance status of the installation, both currently and over the reporting period; and
 - e) Such other facts as the Air Pollution Control Program will require in order to determine the compliance status of this installation.

10 CSR 10-6.065, §(5)(C)1 and §(6)(C)7 Emergency Provisions

- 1) An emergency or upset as defined in 10 CSR 10-6.065(6)(C)7.A shall constitute an affirmative defense to an enforcement action brought for non-compliance with technology-based emissions limitations. To establish an emergency- or upset-based defense, the permittee must demonstrate, through properly signed, contemporaneous operating logs or other relevant evidence, the following:
 - a) That an emergency or upset occurred and that the permittee can identify the source of the emergency or upset,
 - b) That the installation was being operated properly,
 - c) That the permittee took all reasonable steps to minimize emissions that exceeded technology-based emissions limitations or requirements in this permit, and
 - d) That the permittee submitted notice of the emergency to the Air Pollution Control Program within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.
- 2) Be aware that an emergency or upset shall not include non-compliance caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

10 CSR 10-6.065(5)(C)5 Off-Permit Changes

- 1) Except as noted below, the permittee may make any change in its permitted installation's operations, activities or emissions that is not addressed in, constrained by or prohibited by this permit without obtaining a permit revision. Off-permit changes shall be subject to the following requirements and restrictions:
 - a) The change must meet all applicable requirements of the Act and may not violate any existing permit term or condition; the permittee may not change a permitted installation without a permit revision if this change is a Title I modification. Please note: Changes at the installation which affect the emission limitation(s) classifying the installation as an intermediate source (add additional equipment to the record keeping requirements, increase the emissions above major source level) do not qualify for off-permit changes.
 - b) The permittee must provide written notice of the change to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, Missouri 65102, as well as EPA Region VII, 901 North 5th Street, Kansas City, Kansas 66101, no later than the next annual emissions report. This written notice shall describe each change, including the date, any change in emissions, pollutants emitted and any applicable requirement that would apply as a result of the change; and
 - c) The permittee shall keep a record describing all changes made at the installation that result in emissions of a regulated air pollutant subject to an applicable requirement and the emissions resulting from these changes.

10 CSR 10-6.020(2)(R)12 Responsible Official

The application utilized in the preparation of this permit was signed by Terry Rowles, Senior Vice President. If this person terminates employment, or is re-assigned different duties such that a different person becomes the responsible person to represent and bind the installation in environmental permitting affairs, the owner or operator of this air contaminant source shall notify the director of the Air Pollution Control Program of the change. Said notification shall be in writing and shall be submitted within thirty days of the change. The notification shall include the name and title of the new person assigned by the source owner or operator to represent and bind the installation in environmental permitting affairs. All representations, agreement to terms and conditions and covenants made by the former responsible

person that were used in the establishment of limiting permit conditions on this permit will continue to be binding on the installation until such time that a revision to this permit is obtained that would change said representations, agreements and covenants.

10 CSR 10-6.065 §(5)(E)4 and §(6)(E)6.A(III)(a)-(c) Reopening-Permit for Cause

This permit may be re-opened for cause if:

- 1) The Missouri Department of Natural Resources (MDNR) or EPA determines that the permit contains a material mistake or that inaccurate statements were made which resulted in establishing the emissions limitation standards or other terms of the permit,
- 2) Additional applicable requirements under the Act become applicable to the installation; however, re-opening on this ground is not required if—:
 - a) The permit has a remaining term of less than three years;
 - b) The effective date of the requirement is later than the date on which the permit is due to expire;or
 - c) The additional applicable requirements are implemented in a general permit that is applicable to the installation and the installation receives authorization for coverage under that general permit,
- 3) The Missouri Department of Natural Resources or EPA determines that the permit must be re-opened and revised to assure compliance with applicable requirements.

10 CSR 10-6.065 §(5)(E)1.A and §(6)(E)1.C Statement of Basis

This permit is accompanied by a statement setting forth the legal and factual basis for the permit conditions (including references to applicable statutory or regulatory provisions). This Statement of Basis, while referenced by the permit, is not an actual part of the permit.

VI. Attachments

Attachments follow.

Attachment C

This attachment may be used to demonstrate compliance with 10 CSR 10-6.220, *Restriction of Emission of Visible Air Contaminants*

Method 9 Opacity Emissions Observations								
Company					Observer			
Location					Observer Certification Date			
Date					Emission Unit			
Time					Control Device			
Hour	Minute	Seconds				Steam Plume (check if applicable)		Comments
		0	15	30	45	Attached	Detached	
	0							
	1							
	2							
	3							
	4							
	5							
	6							
	7							
	8							
	9							
	10							
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							
SUMMARY OF AVERAGE OPACITY								
Set Number	Time				Opacity			
	Start	End		Sum	Average			

Readings ranged from _____ to _____ % opacity.

Was the emission unit in compliance at the time of evaluation? _____
 YES NO Signature of Observer

STATEMENT OF BASIS

Voluntary Limitations

In order to qualify for this Intermediate State Operating Permit, the permittee has accepted voluntary, federally enforceable emission limitations. Per 10 CSR 10-6.065(5)(C)1.A.(VI), if these limitations are exceeded, the installation immediately becomes subject to 10 CSR 10-6.065(6) and enforcement action for operating without a valid part 70 operating permit. It is the permittee's responsibility to monitor emission levels and apply for a part 70 operating permit far enough in advance to avoid this situation. This may mean applying more than eighteen months in advance of the exceedance, since it can take that long or longer to obtain a part 70 operating permit.

Permit Reference Documents

These documents were relied upon in the preparation of the operating permit. Because they are not incorporated by reference, they are not an official part of the operating permit.

- 1) Intermediate Operating Permit Application, received July 18, 2007;
- 2) 2007 Emissions Inventory Questionnaire, received May 30, 2008; and
- 3) U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*; Volume I, Stationary Point and Area Sources, Fifth Edition.

Applicable Requirements Included in the Operating Permit but Not in the Application or Previous Operating Permits

In the operating permit application, the installation indicated they were not subject to the following regulation(s). However, in the review of the application, the agency has determined that the installation is subject to the following regulation(s) for the reasons stated.

None

Other Air Regulations Determined Not to Apply to the Operating Permit

The Air Pollution Control Program (APCP) has determined that the following requirements are not applicable to this installation at this time for the reasons stated.

10 CSR 10-5.455, *Control of Emissions from Solvent Cleanup Operations*

This installation is not subject to this regulation because it emits less than 500 pounds VOC per day from cleaning solvents. [see 5.455(2)(B)]

Construction Permit History

The following construction permits were issued to this installation:

Construction Permit 012000-014

Bull Moose Tube Company proposes to construct a new Dubois model coating machine to replace the existing tube-coating machine at this facility. The new machine is an automatic spray paint unit consisting of six spray guns, a diaphragm pump, paint reservoir and air pollution filter housing. This new line will replace the Ultra-Violet Curing System and will be located in Mill 5. The end product of this coating line is used in overhead sprinkler systems. All special conditions are included as Permit Condition EU0010-001.

New Source Performance Standards (NSPS) Applicability

None

Maximum Available Control Technology (MACT) Applicability

40 CFR Part 63 Subpart MMMM—*National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products*

This regulation applies to surface coating of metal parts and products at major sources of HAPs. The installation is not a major source of HAPs, therefore this rule does not apply.

40 CFR Part 63 Subpart HHHHHH—*National Emission Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources*

This regulation applies to area sources involved in any of the following activities:

- (a) Paint stripping operations that involve the use of chemical strippers that contain methylene chloride (MeCl), Chemical Abstract Service number 75092, in paint removal processes;
- (b) Autobody refinishing operations that encompass motor vehicle and mobile equipment spray-applied surface coating operations;
- (c) Spray application of coatings containing compounds of chromium (Cr), lead (Pb), manganese (Mn), nickel (Ni), or cadmium (Cd), collectively referred to as the target HAP to any part or product made of metal or plastic, or combinations of metal and plastic that are not motor vehicles or mobile equipment.

This installation does not perform these activities, therefore this regulation does not apply.

40 CFR Part 63, Subpart T—*National Emission Standards for Halogenated Solvent Cleaning*

This regulation does not apply to the parts washer because it does not use any of the materials detailed in the applicability section of the rule.

National Emission Standards for Hazardous Air Pollutants (NESHAP) Applicability

In the permit application and according to Air Pollution Control Program records, there was no indication that any Missouri Air Conservation Law, Asbestos Abatement, 643.225 through 643.250; 10 CSR 10-6.080, Emission Standards for Hazardous Air Pollutants, Subpart M, National Standards for Asbestos; and 10 CSR 10-6.250, Asbestos Abatement Projects - Certification, Accreditation, and Business Exemption Requirements apply to this installation. The installation is subject to these regulations if they undertake any projects that deal with or involve any asbestos containing materials. None of the installation's operating projects underway at the time of this review deal with or involve asbestos containing material. Therefore, the above regulations were not cited in the operating permit. If the installation should undertake any construction or demolition projects in the future that deal with or involve any asbestos containing materials, the installation must follow all of the applicable requirements of the above rules related to that specific project.

Other Regulatory Determinations

10 CSR 10-6.400, *Restriction of Emission of Particulate Matter From Industrial Processes*

The Tube coating process (EU0010) is exempt from this regulation per 6.400(1)(B)11., as shown below:

$$3.24 \frac{\text{lb PM}}{\text{gallon}} \times 9.55 \frac{\text{gallon}}{\text{hr}} \times (1 - .988) = 0.37 \frac{\text{lb PM}}{\text{hr}}$$

Woodcutting Operations:

The table saw, one radial arm saw and Dado saw are located in the wood shop area. Emissions from cutting wood at the table and radial arm saws in the wood shop area are exhausted through a cyclone (located outside the building) and then through a polyester felt bag filter (located inside the building). Emissions from the Dado saw are not connected to any control device. They are fugitive emissions in the wood shop area. Fugitive emissions are exempt from the process weight rule per 10 CSR 10-6.400(1)7. One radial arm saw is located in the shipping area. Emissions from this saw are routed to a drum equipped with a vacuum blower and then through a bag filter. The purpose of cutting wood at the plant is to provide skids for the finished tube bundles which are then banded, and for making truck blocks. The skids are required by some customers only.

The maximum hourly design rate for wood cutting is 230.4 pounds or 0.115 tons per hour. Based on filter bag manufacture's information (i.e. American Fabric Filter Company), the PM_{10} control efficiency of the filter bag is at least 99.5 percent. Using an emission factor for total particulates of 8.8 pounds per ton of wood:

$$E = 4.10 P^{0.67}$$

$$E = 4.1 (0.115)^{0.67} = 0.96 \text{ lb/hr}$$

Maximum particulate emission rate at design capacity = 0.115 tons per hour x 8.8 pounds per ton x (1-0.995) = 0.005 pounds per hour. This is less than 0.5 pounds per hour, therefore these units are exempt.

10 CSR 10-5.300, *Control of Emissions From Solvent Metal Cleaning*

The cold cleaning accounted for under EP-01 is exempt from this rule per 5.300(1)(D)1.E. as it is a wiping operation.

Other Regulations Not Cited in the Operating Permit or the Above Statement of Basis

Any regulation which is not specifically listed in either the Operating Permit or in the above Statement of Basis does not appear, based on this review, to be an applicable requirement for this installation for one or more of the following reasons.

- 1) The specific pollutant regulated by that rule is not emitted by the installation.
- 2) The installation is not in the source category regulated by that rule.
- 3) The installation is not in the county or specific area that is regulated under the authority of that rule.
- 4) The installation does not contain the type of emission unit which is regulated by that rule.
- 5) The rule is only for administrative purposes.

Should a later determination conclude that the installation is subject to one or more of the regulations cited in this Statement of Basis or other regulations which were not cited, the installation shall determine and demonstrate, to the Air Pollution Control Program's satisfaction, the installation's compliance with that regulation(s). If the installation is not in compliance with a regulation which was not previously cited, the installation shall submit to the Air Pollution Control Program a schedule for achieving compliance for that regulation(s).

Prepared by:



Nicole Voyles, P.E.
Environmental Engineer