

Division of Environmental Quality
Monthly Air Pollution Control Program Summary Report

For ALL REGIONS - 01/01/2016 to 02/15/2016

Number of Concerns Received RE:

<i>Asbestos</i>	16
<i>Burning</i>	36
<i>Fugitive Dust</i>	2
<i>Odors</i>	22
<i>Particulate</i>	1
<i>Toxics</i>	0
<i>Other</i>	31

Of the above, 20 concerns involved multiple emissions.

Total of Concerns Received:. 84

Number of Investigations of Concerns:

<i>Received during report period.</i>	62
<i>Received prior to report period.</i>	7

Total number of investigations completed: 69

Number of formal notices of violation issued: 12

Please note, the information provided in this report reflects all concerns received during the reporting period as well as all inspection activities that occurred during the reporting period regardless of the date in which the original concern was received.

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
KCRO	2016-01-11	2016-01-11	Jim Kidwell Construction and De	Kansas City	Jackson	Fugitive Dust	MC	
Concern No.	25601	Concern Info	CP states that a company called Jim Kidwell recycling and demo, Inc. is doing either blasting or fracking causing dust and soot to leave the property and enter neighbors property. This also causes a great deal of noise and causes homes to shake, many foundations already damaged from this activity.					
Comments	The company is located at Blue Parkway and 63rd. St. Referred to Kansas City Missouri Health Department - Air Quality Program							
KCRO	2016-02-04	2016-01-15	Davis & Pearce Dye Service	Platte City	Clay	Burning	CO	
Concern No.	25686	Concern Info	The CP contact me and stated that Davis & Pearce Dye Service utilizes a laser to burn off excess plywood and plexiglass in an indoor portion of the facility. CP stated that this is vented directly to the outside air, and does not utilize filtration. The facility only burns using the laser equipment late at night and early morning hours, or on days that its raining. CP states that it seems fishy to operate that way. CP states that the fumes from this operation have cause them to be sick and miss work. CP is planning to contact OSHA as well.					
Comments	could not find this facility in ACE or MOEIS No visible emissions were observed from outside the facility. A plant walkthrough was conducted. The laser cutting operation was observed in operation. Emissions are vented outside; however, this does not appear to violate any Air Conservation regulations. No violations observed.							
KCRO	2016-01-26	2016-01-25	Unknown	Kansas City	Jackson	Burning	MC	
Concern No.	25773	Concern Info	CP states that responsible party is burning construction material in a 55 gallon drum, which is emitting noxious odor that cover the entire neighborhood. Black smoke can be seen from a block away.					
Comments	!!!NOTE!!! When approached the responsible party became agitated and verbally abusive. Referred to Kansas City Air Quality Program							
KCRO		2016-01-25	Main Street Car Wash	Sedalia	Pettis	Asbestos	CO	
Concern No.	25777	Concern Info	Demolition of car wash. Concerned about asbestos in this old car wash building.					
Comments								
KCRO	2016-02-01	2016-01-25	Main Street Car Wash	Sedalia	Pettis	Asbestos	CO	KC166
Concern No.	25796	Concern Info	Demolition of car wash. Concerned about asbestos in this old car wash building.					
Comments	At the time of the investigation, demolition was complete and all demolition waste had been removed from the site. Interviews were conducted with the owner and demolition contractor. The facility was not inspected for asbestos and a demolition notification was not submitted to the department. Notices of Violation will be issued to the property owner and to the demolition contractor for failing to inspect for the presence of asbestos prior to demolishing the car wash and for failing to submit a demolition notification.							

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
KCRO		2016-02-01	Richmond South Waste Water T	Richmond	Ray	Air Odors / Water Odors	CW	
Concern No.	26037	Concern Info	Jesse Jefferson of Richmond Missouri called in and stated that he was experiencing odors from the Richmond WWTF. He said that the odors started on Friday January 28, around 17:00 hours.					
Comments								
KCRO		2016-02-05	Chris Richards	Liberty	Clay	Burning	SN	
Concern No.	26045	Concern Info	The concern party believes neighbor who runs plumbing business from property is open burning debris from the plumbing business, i.e., rubber, plastic, etc. The burning normally takes place after the plumbing trucks return at the end of the day (after 4 PM). You can not observe the burn pile from the road. It is a rural area. When burning occurs it looks like a building is on fire. There is no pattern to the burning					
Comments								
KCRO	2016-02-09	2016-02-05	Chris Richards	Liberty	Clay	Burning	SN	
Concern No.	26055	Concern Info	The concern party believes neighbor who runs plumbing business from property is open burning debris from the plumbing business, i.e., rubber, plastic, etc. The burning normally takes place after the plumbing trucks return at the end of the day (after 4 PM). You can not observe the burn pile from the road. It is a rural area. When burning occurs it looks like a building is on fire. There is no pattern to the burning					
Comments	The investigations found no evidence that trade waste from Mr. Richard's business was being burned. However, Mr. Richards was burning some prohibited construction and demolition waste from his own residence. A letter of warning will be issued for violations of the open burning regulation.							
	The open burning regulation was explained to Mr. Richards, and he agreed to return to compliance.							
	I arrived on site and met with Mr. Chris Richards. Mr. Richards is the owner of Westland Plumbing. I asked him if he has been burning any waste on his property. He admitted to me that he burned some household items including bottles, paper, cardboard, and some construction and demolition waste. He told me he wasn't burning any waste that was generated from his business.							
	Mr. Richards gave me permission to visit the burn site. The burn site was mostly household refuse with some construction and demolition waste mixed in the burn pile. Mr. Richards told me that the property was zoned agricultural.							
KCRO	2016-02-09	2016-02-07	David Kurtz	Jamesport	Daviess	Burning	SN	KC1610
Concern No.	26049	Concern Info	Last night Feb. 6, 2016, at 9:30 PM the house at 705 South Myrtle Street, Jamesport MO 64648, was being torn down with a skid loader and burned. They are burning shingles, wiring, and slate siding, and it smells pretty bad.					
Comments	An approximately 25-foot diameter burn pile was observed. The burn pile contained construction and demolition waste. Mr. Kurtz admitted to burning the material. An NOV will be issued for violations of the open burning regulation, including disposal of construction and demolition waste by open burning.							
	I arrived at the property in Jamesport. I could see a house that had been partially demolished and a burn pile from the road. I was unable to make contact with anyone at the property, so I was only able to take pictures from the road. The burn pile had construction and demolition waste and appeared to be approximately 25 feet in diameter. I went to the county courthouse to obtain the owner's information of the property, Mr. David Kurtz. I drove to his house in Trenton, MO, but was unable to make contact with him. I left my phone number with a person who was at the residence. I was able to talk to Mr. Kurtz on the phone on February 11, 2016. He admitted to burning on the property and demolishing the house. The burn pile was mostly vegetative waste with some construction and demolition waste in it according to Mr. Kurtz.							

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
KCRO	2016-02-09	2016-02-08	David Kurtz	Jamesport	Daviess	Burning	SN	KC1610
Concern No. 26320 Concern Info Saturday PM, David Kurtz demolished a house and has hauled it to a spot on his property and burned half of it. The burn pile is right near the road.								
Comments An approximately 25-foot diameter burn pile was observed. The burn pile contained construction and demolition waste. Mr. Kurtz admitted to burning the material. An NOV will be issued for violations of the open burning regulation, including disposal of construction and demolition waste by open burning.								
KCRO		2016-02-10	Bryce Soendker	Dover	Lafayette	Burning		
Concern No. 26073 Concern Info Bryce Soendker is burning his household trash with his poultry litter. The burning takes place at all hours and has a bad odor. Caller has spoken to the county sheriff and has not gotten help. Caller has asked neighbor to stop burning and nothing has worked.								
Comments								
KCRO		2016-02-10	Commodity Transport Specialist	Rayville	Ray	Color of Water / Air Odors		
Concern No. 26083 Concern Info CP recently purchased property that previously belonged to Dan Knoll and his company Canyon Creek Properties. According to CP, Mr. Knoll sold wet corn gluten and rotten corn gluten from this location, and he was in trouble before with DNR for the horrible smells coming from his property. Mr. Knoll passed away last year and the property was divided in two. CP purchased half of the property this past fall and has noticed a putrid smell from the back property when cutting the brush. CP states that one of the former workers for Mr. Knoll told him that the rotten corn gluten was dumped into a pond on the property which turned the water black, sludge-like, and putrid. Last summer, they cut a dike on the pond and let the rancid water pour out (CP called it sludge), which then entered CP's property. He's not sure if anyone has been informed at DNR but he didn't think that this was a normal process. He's more than willing to help the inspector assigned to this.								
Comments								
KCRO	2016-02-18	2016-02-11	Lori Young	Excelsior Estates	Ray	Burning	DR	
Concern No. 26089 Concern Info Lawson Fire responded to a fire last night. They have been out to the same property in December to put out a similar fire. Items identified in the fire include, bags of wood and construction debris, household waste, propane canisters, and other misc. It is unsure who exactly is responsible for the fires but he knows Ms. Lori Young has at least some involvement. Her house is being remodeled little and it is believe the waste being burned is from her house.								
Comments Open burning in violation of Missouri regulations was observed. Ms. Young admitted to burning countertops, but the responsible party for the other construction and demolition waste could not be determined. Also, Ms. Young stated that permission was given by the mayor to burn household trash. A letter of warning will be issued along with fact sheets and the open burn regulation.								
NERO		2016-01-06	Sandy Burmeyer	Bowling Green	Pike	Burning / Open Dumps	DB	
Concern No. 25499 Concern Info Caller reports neighbor has been dumping solid waste on property for 3 months and today decided to burn. Caller states the material consist of shingles and other regulated solid waste. Thick yellow smoke from the burning is causing health problems in the town.								
Comments								

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
NERO	2016-01-07	2016-01-07	Unknown	Mexico	Audrain	Asbestos / Open Dumps	SB	
Concern No.	25554	Concern Info	I have a neighbor that is tearing asbestos siding off of a house. He is dropping the tiles down an old well behind the house. I already have a cancer kid in my house I really don't want to deal with anymore child deaths from cancer or poison to the water. Is this a concern? Or is it ok for him to do that.					
Comments	No investigation conducted. No information was provided about the location of the dumping.							
NERO	2016-01-13	2016-01-11	Steven Fuhlman	Greentop	Schuyler	Burning / Open Dumps	CB	
Concern No.	25570	Concern Info	From Email: This house at the corner of Marion and Sixth Street has what looks to be carpet/padding and possibly other construction materials on a burn pile in their yard. Visible from the street. Could possibly be in Adair County instead of Schuyler - not sure where the line is.					
Comments	An informational letter will be sent to Mr. Fuhlman.							
NERO	2016-01-13	2016-01-11	James Beeler	Greentop	Schuyler	Burning / Open Dumps	CB	
Concern No.	25571	Concern Info	From Email: The stucco house at the corner of Ninth Street and Highway 63 has furniture piled in the lot north of the house. Bright red furniture, and it looks piled as if to burn later. Clearly visible from the highway.					
			Note: On line of Adair County and Schuyler County.					
Comments	An informational letter will be sent to Mr. Beeler.							
NERO	2016-01-13	2016-01-11	Dwight Athey	Kirksville	Adair	Burning	CB	
Concern No.	25572	Concern Info	Caller reports a man burning construction waste in front of his mobile home. Caller said the man burns every now and then. Caller is sick and tired of driving through smoke.					
Comments	A Letter of Warning will be issued to Mr. Dwight Athey for violation of the Missouri Air Conservation Commission regulations. An Open Burning Acknowledgement Letter and landfill receipts will be required.							
NERO	2016-01-14	2016-01-14	Unknown	Jacksonville	Randolph	Air Odors	DB	
Concern No.	25606	Concern Info	Caller reports that there is a strong gassy odor along Highway 63 south of Jacksonville (halfway between Moberly and Macon) near where White's Carpet used to be. Unknown source.					
Comments	No violation of the odor rule- source is exempt under the agricultural exemption.							
NERO	2016-01-19	2016-01-15	Lauhoff Construction	Jamesport	Grundy	Burning	PM	
Concern No.	25672	Concern Info	Caller reports last week a house was on fire and the fire department responded and put it out. The owner of the house is now using a bulldozer to push the remaining materials and debris into a pile. Caller is worried the owner will burn the pile.					
Comments	At time of investigation, no violation of the Missouri Air Conservation Commission regulation 10 CSR 10-6.045, Open Burning Requirements. Both owner and contractor were made aware of the open burning requirements, and how to properly manage demolition waste.							

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
NERO	2016-01-19	2016-01-22	Brady Fairgrounds	Boonville	Cooper	Fugitive Dust	PM	
Concern No.	25737	Concern Info	<p>Caller reports that he has had significant dust problems from a nearby private road and from Brady Fairgrounds near Boonville. The dust problem has been ongoing for multiple years during dry weather and makes his lawn so dusty it is difficult to mow. He stated that the fairground has been hauling in fill for their lots and the road is normally very dusty, especially in summer. The dust is currently being suppressed by the snow on the ground. Requested inspector call him before inspection so he could provide pictures and to show air filters with heavy dust to the inspector.</p>					
Comments	No violation of the dust regulation.							
NERO	2016-01-28	2016-01-27	T&T Pallet Recycling	Jefferson City	Callaway	Burning	DB	
Concern No.	25770	Concern Info	<p>Caller reports that this morning (Jan 27, 2016) at about 6:45 a pallet company on 63 just north of Jefferson City was emitting significant amounts of thick black smoke, covering the river bottom in the area. Caller stated it was like tire smoke or oil and could not have been just wood. Visible from highway. Caller stated he has observed similar smoke occasionally during winter months over the past year.</p>					
Comments	I found no evidence of violation of the incinerator rule. A letter will be sent.							
NERO	2016-02-04	2016-01-28	Chris Ritoch	Holts Summit	Callaway	Burning	DB	
Concern No.	25807	Concern Info	<p>via email: Concern received--12747 County Road #4021, Holt's Summit I just received a phone call with a concern of open burning at the above address (it is a small white house on the left-hand side of the road as you go up #4031 from Highway 94). It was reported to me that the occupants have been burning chairs and other debris in a burn pile next to their driveway—and that there is a mattress on top of the burn pile/location currently (not burned, but presumably staged to be burned).</p>					
Comments	Violation of 10 CSR 10-6.045 Open Burning Requirements. A Letter of Warning is being issued.							
NERO	2016-02-04	2016-02-02	Unknown	Atlanta	Macon	Burning	DB	
Concern No.	25954	Concern Info	<p>Caller reports that a property east of Atlanta is for sale and he expects that the house on it will be pushed down and burned. Site is 1/2 mile east of Necklace and Nuthatch. Google Maps shows this as an overgrown building on the north side of the road.</p>					
Comments	No violation alleged or found. Sent info letter.							

Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
NERO	2016-02-05	2016-02-05	Den Columbia Apartments	Columbia	Boone	Asbestos	PM	
Concern No.	25995	Concern Info	<p>2/5/2016 - MEERTS 1602050915EJS, call received at 9:15:00 AM, Duty Officer: Eric Sappington, EER On-Scene Coordinator. 2/5/2016 - Mr. Sappington reports taking call from Greg Hall, 703-687-7092, Creations by Design 703-687-7092. Mr. Hall told him that; "The caller is a building inspector who was hired to inspect the Den Columbia Apartments. He found numerous violations of concern including bird infestations/feces, fire hazards, faulty construction issues, etc. He raised the issues that he found with those who hired him and was fired as a result. He claims that the local city inspectors and health department have turned a blind eye to the issues that he raised. His biggest concern seemed to be related to the biohazards/disease associated with the large amount of bird feces and it being spread to the living areas where Missouri students reside in the building. He stated that extensive repairs and renovations were needed in order to make the living areas safe for occupation. He was also going to call the State DHSS, EPA, OSHA, and local news stations in an effort to raise awareness and get some got agency to take action and protect the citizens who live in the apartments. He was very animated on the phone and insistent that someone listen to his concerns and take action."</p>					
Comments	<p>No violation of the Missouri Air Conservation Commission regulations. Informed source of asbestos inspection requirements for demolition and renovation. Referred indoor health concern to City of Columbia, Environmental Public Health (EPH).</p>							
NERO	2016-02-10	2016-02-08	Jerry Wilkerson	Auxvasse	Callaway	Burning	DB	
Concern No.	26015	Concern Info	<p>Caller states that property owner (Jerry Wilkerson) and his nephew Jason Garner were observed burning regulated wastes consisting of building wastes as well as scrap tires at approximately 2:30 pm on 2/7/16. Caller could not provide an exact address for Mr. Garner other than the white house across from 505 Maple Street. Caller had been working to clean up and properly disposing of the portion of solid waste that he had dumped on the property (as per required from findings of investigation referenced as ACE 25853 investigated on 2/5/16) but was unable to completely remove everything by the time he was banned from obtaining access to the property on 2/6/16 @ 5pm, as per a court order. The property owner agreed to remove and properly dispose of any remaining waste on the property after 5pm on 2/5/16 and was told by DNR staff the regulated waste could not be burned. Caller wanted to make sure he was not blamed for the improper disposal of the regulated waste by burning.</p>					
Comments	<p>No evidence of new burning. No violation of the Open Burning Rule was found.</p>							
NERO	2016-02-09	2016-02-09	Christy Garrett & Sheila Sykes	Hurdland	Knox	Burning	DB	
Concern No.	26016	Concern Info	<p>These people are burning construction waste, tires and many other harmful items. The wait till after dark and burn. They burn furniture, mattresses and the smell is horrible. We have a small town that has many elderly and copd and asthma patients that can't enjoy a nice evening outside because these folks are burning. you can see the burn pit 20 feet from the house and garage which in itself creates a fire danger to their own house which has small kids in it. First noticed on October 13, 2015.</p>					
Comments	<p>No violation of the Open Burning Rule was found at the time of investigation. An informational letter is being sent.</p>							

Monthly Air Pollution Control Program Detail Report

<i>Region</i>	<i>Inspection Date</i>	<i>Date Received</i>	<i>Suspected Source Owner/Operator</i>	<i>City</i>	<i>County Name</i>	<i>Type of Concern</i>	<i>INSP Initials</i>	<i>NOV</i>
NERO	2016-02-09	2016-02-09	Christy Garrett & Sheila Sykes	Hurdland	Knox	Burning / Scrap Tire Dump	DB	
Concern No.	26017	Concern Info	They are burning waste construction and numerous other items that create a heavy black smoke and have small children running around playing in the smoke. they also have 3 numerous tires dumped in the back along the alley heading to the east and a very large pool that has sat dormant for years which has God knows what growing and breeding in it. They have no regard for the impact they are having on this town and their neighbors. They are right on the Southeast Corner of intersection at 2nd and Knox St in Hurdland MO. First noticed on Monday February 1, 2016.					
Comments	No violation of the Open Burning Rule was found at the time of investigation. An informational letter is being sent.							
NERO		2016-02-10	Scott Thiel	Louisiana	Pike	Burning	DB	
Concern No.	26082	Concern Info	Caller reports Scott Teal is burning C&D waste at a location off of Hwy UU near Louisiana. Mr. Teal owns a business where he cleans out houses that have foreclosed. Instead of taking the waste to the landfill he waits until the pile is big enough and then burns it. Mr. Teal is burning today and the smoke can be seen for miles.					
Comments	Note: The caller wasn't sure how to spell the last name and was not sure of the business name. Previously investigated OB at this property October 2013, LOW issued to Richard Scott Thiel, ACE# 16787. See file for details.							
NERO		2016-02-11	Continental Cement Company	Hannibal	Ralls	Air Odors	DB	
Concern No.	26087	Concern Info	Caller stated that the air emissions from the stack today, and often, smells like burning electronics. He reports winds on this day are blowing towards Hwy 79 and he lives in that area. Caller reported that he would like the department to investigate the odors because he believes that the local population is breathing the company's pollution and that he knows if there is odor, then that means particulate is in the air.					
Comments	Because the caller wanted to remain anonymous, I explained to him that he could call the NERO in 5-10 days and ask about the results of the investigation.							
NERO	2016-02-18	2016-02-15	City of Columbia Sanitary Landfil	Columbia	Boone	Air Odors	CB	
Concern No.	26238	Concern Info	The caller reports bad odors coming from the nearby Columbia Sanitary Landfill. The caller states that the odors are frequent, but are particularly bad on this day (10:27 a.m., 2/15/16).					
Comments	No violation was found of the Missouri Air Conservation odor regulation at the time of the investigation. A letter will be sent to the complainant explaining the investigation results.							

Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO	2016-01-06	2016-01-04	City of Leadwood	Leadwood	St. Francois	Other	TR	SE164
Concern No.	25477	Concern Info	(SP #7231) The City (acting Mayor) and some volunteers are tearing down a commercial building. It clearly has asbestos all in it. They are using a backhoe to take the debris off to unknown locations. CP has called the landfill and they are not taking it there. They didn't get it inspected or anything.					
Comments	At the time of the investigation, the building had been partially demolished. A dumpster on site contained apparent demolition waste. Acting Mayor of Leadwood, Charlie Lewis, stated that the asbestos building inspection had not been conducted. The failure to inspect for the presence of asbestos and to notify a regulated demolition project is a violation of Title 40 Code of Federal Regulations Subpart M: National Emission Standard for Asbestos, which is adopted by the Code of State Regulations at Missouri Air Conservation Commission Regulation 10 CSR 10-6.080 Emission Standards for Hazardous Air Pollutants.							
Notice of Violation No. SE164 was issued.								
SERO	2016-01-06	2016-01-05	City of Leadwood	Leadwood	St. Francois	Other	TR	SE164
Concern No.	25482	Concern Info	(SP #7238) A building torn down on corner of East St. and Birch St. in Leadwood, MO. The mayor of this town wants it gotten rid of without getting it checked out, board meeting last night basically said don't care what DNR says just get rid of it!!!! Please help!!!					
Comments	At the time of my investigation, the building had been partially demolished. A dumpster on site contained apparent demolition waste. Acting Mayor of Leadwood, Charlie Lewis, stated that the asbestos building inspection had not been conducted. The failure to inspect for the presence of asbestos and to notify a regulated demolition project is a violation of Title 40 Code of Federal Regulations Subpart M: National Emission Standard for Asbestos, which is adopted by the Code of State Regulations at Missouri Air Conservation Commission Regulation 10 CSR 10-6.080 Emission Standards for Hazardous Air Pollutants.							
Notice of Violation SE164 was issued.								
SERO	2016-01-06	2016-01-05	Unknown	Cuba	Crawford	Asbestos	SBV	SE162
Concern No.	25483	Concern Info	(SP #7237) Caller alleges that a large strip mall in Cuba is being demolished and is concerned about the demolition's compliance with the asbestos rules and regulations. Caller did not state how the demolition waste was being handled.					
Comments	On January 6, 2016, I investigated demolition activities at the strip mall of concern. The general contractor, Mr. Kevin Brittin of AK Brittin, stated that an asbestos inspection had not been performed of the structures. He stated that there was a fire in August 2015 and they were just granted permission through insurance and adjusters to proceed with demolition. Mr. Brittin stated that some of the metal was recycled that could be, as the roof was damaged and had collapsed in places. The contractor was filling approximately the 18th 40 yard dumpster load at the time of investigation. The demolition waste was being hauled to Prairie Valley Landfill, just north of Cuba by waste hauler, Swinger Sanitation.							
I told Mr. Brittin to cease demo activities at 10:00 a.m. on January 6, 2016 until an asbestos inspection could be performed on the remaining debris and buildings. I informed him that an NOV for failure to inspect and notify would be issued. He agreed to have an inspection performed and submit the notification along with a copy of the inspection to the APCP and a faxed copy to the Rolla Satellite Office and then he could proceed. I would grant permission to waive the ten days for the demo if there is no abatement necessary as they have been dealing with vagrants and vandalism.								
Mr. Jim Tennyson of Tennyson Realty is the owner of the property and will also be issued an NOV for failure to inspect and notify as both owners and operators are held liable.								
PUB02157 Asbestos Requirements for Demolition and Renovation Projects was also given to Mr. Brittin along with the NESHAP notification of demolition form.								
NOV #161 issued to Kevin Brittin, AK Britton Development NOV #162 issued to Jim Tennyson, Tennyson Realty								

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO	2016-01-06	2016-01-05	Bluff City Honda	Poplar Bluff	Butler	Other	JD	
Concern No.	25487	Concern Info	(SP #7242) Business behind their building are burning their trade wastes and wooden crates that ATV's are shipped in.					
Comments	I spoke with Sam Griffin, Owner/Manager of Bluff Honda. Mr. Griffin stated they are not open burning any debris at the facility. They are using "cardboard only" dumpsters and selling the pallets. This issue was addressed during a routine hazardous waste inspection conducted in 2015 at this location. Mr. Griffin referred to the conversation he had with Ms. Amy Baker and me about the issue. At the time of the inspection Mr. Griffin inquired about proper disposal of the cardboard and the pallets. Ms. Baker and I informed him that open burning was a violation of 10 CSR 10-6.045. Mr. Griffin stated he would find proper method of disposal.							
	I did not find any evidence of open burning occurring at Bluff Honda. The surrounding private property on 3 sides was open burning land clearing waste. This is not associated with Bluff Honda. No violations observed, no further action.							
SERO	2016-01-08	2016-01-06	Strack Quarry/J. W. Strack	Fruitland	Cape Girardeau	Other	JD	
Concern No.	25494	Concern Info	(SP #7251) The rock quarry has very thick dust coming from it. The dust just floats everywhere. It gets all over everything when the wind blows.					
Comments	Strack Excavating DBA Strack Stone was watering the haul roads during the investigation. I did not observe dust leaving the property boundary during the investigation. Mr. Strack stated they had a large blast on Monday, January 4, 2016 some dust was in the air after the blast, but it dissipated quickly.							
	No violations observed							
SERO	2016-01-08	2016-01-07	Brandon Williams	Gordonville	Cape Girardeau	Other	JD	
Concern No.	25502	Concern Info	(SP #7256) RP is preparing to open burn.					
Comments	I observed a pile of land clearing debris on the premises of the subdivision being developed by Brandon Williams. No open burning was occurring at the time of the investigation. I spoke to Mr. Williams and explained the purpose of my visit. Mr. Williams was sure there was over 200 yards to the surrounding homes. I used the range finder to check the distance. There were 15 homes within 200 yards of the debris pile. I informed Mr. Williams of the situation and he stated he would use a ACD and get a permit prior to open burning the debris.							
	No violations observed, no further action required.							
SERO	2016-01-12	2016-01-12	Baygents Automotive	Poplar Bluff	Butler	Burning	AB	
Concern No.	25576	Concern Info	Burning unknown material.					
Comments	Mr. Tim Baygent was burning some flood related tree limbs and other material that had washed up on his property. The pile was mostly vegetative but did contain part of a table and some pressed wood. There may have been some plastic in the pile that burned before we arrived. Mr. Baygent was informed of the Open Burning regulations and asked to put out the fire. He said he would remove anything that was not vegetative and put it in the dumpster.							
	No further action at this time.							

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO	2016-01-06	2016-01-19	City of Leadwood	Leadwood	St. Francois	Asbestos	TR	SE164
Concern No.	25673	Concern Info	(SP #7322) I know you were here a couple weeks ago checking on a building that was torn down by Charlie Lewis on his own without board approval and hadn't been inspected for asbestos. At the board meeting tonight people ask why DNR hadn't done the test on the building so it can be cleaned up! According to the mayor Charlie Lewis he says he is not getting it done please help the city get this mess cleaned up!! This man thinks he is above the law we are seeing more every day!! Thank you!! This is the building on the corner of birch and east St., Leadwood Mo.					
Comments	At the time of the investigation, the building had been partially demolished. A dumpster on site contained apparent demolition waste. The Acting Mayor of Leadwood, Charlie Lewis, stated that the asbestos building inspection had not been conducted. The failure to inspect for the presence of asbestos and to notify a regulated demolition project is a violation of Title 40 Code of Federal Regulations Subpart M: National Emission Standard for Asbestos, which is adopted by the Code of State Regulations at Missouri Air Conservation Commission Regulation 10 CSR 10-6.080 Emission Standards for Hazardous Air Pollutants.							
Missouri Department of Natural Resources staff do not conduct asbestos building inspections since that would be a conflict of interest. The same staff person would then be checking up on his/her own work in the field as part of the overall regulatory mission of the Missouri Department of Natural Resources.								
Notice of Violation No. SE164 was issued.								
SERO	2016-01-22	2016-01-19	IES Timber Ridge LF	Richwoods	Washington	Other	SBV	
Concern No.	25682	Concern Info	(SP #7332) Odor from landfill was smelled at 9:30 p.m. on Saturday. No address was left on the voicemail for the CP, but he stated that he lived on WW Highway east of the landfill.					
Comments	On January 22, 2016, I investigated the landfill odors of Timber Ridge Landfill in Richwoods. I stopped at six different locations from Hwy 47 to Hwy WW and did not detect any odors until driving past the entrance to the facility. I could smell the landfill passing by and a faint smell just past the landfill at Area 3. I then stopped and visited with the lead operators of the landfill and discussed with them the reason for the visit. They mentioned that they have the flare ready to be installed once the permit is approved. The flare will increase the vacuum pressure as the capability of the new flare is a lot higher than the current flare. I told them that I had also been copied on emails from their associate engineer with the plans for the new equipment. They are also planning to increase the header pipe from an 8" to an 18" pipe. They are just waiting on the green light to proceed forward.							
No further action necessary from this investigator at this time.								

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO	2016-01-22	2016-01-25	Timber Ridge Landfill	Richwoods	Washington	Air Odors	SBV	
Concern No.	25740	Concern Info	(SP #7369) The smell from the dump, which is 3 miles away, is so obnoxious right now that I cannot stand to be outside. Three miles that stench is traveling. I have been promised increased efforts by the dump to improve our air quality. Clearly this is not working as it is getting worse, not better. I am tired of hearing that the dump doesn't smell ON SITE. Stop the lies. It does not smell every day here, so please don't bother to offer to come here. And if you think I am some ignorant, uneducated, backwoods hick who will just drop this because the dump somehow convinces the state that there is no odor anywhere, much less 3 miles away, you are mistaken.					
Comments	On January 22, 2016, I investigated the landfill odors of Timber Ridge Landfill in Richwoods. I stopped at six different locations from Hwy 47 to Hwy WW and did not detect any odors until driving past the entrance to the facility. I could smell the landfill passing by and a faint smell just past the landfill at Area 3. I then stopped and visited with the lead operators of the landfill and discussed with them the reason for the visit. They mentioned that they have the flare ready to be installed once the permit is approved. The flare will increase the vacuum pressure as the capability of the new flare is a lot higher than the current flare. I told them that I had also been copied on emails from their associate engineer with the plans for the new equipment. They are also planning to increase the header pipe from an 8" to an 18" pipe. They are just waiting on the green light to proceed forward. No further investigation required at this time by this investigator.							
SERO	2016-01-25	2016-01-26	Timber Ridge Landfill	Richwoods	Washington	Air Odors	AB	
Concern No.	25751	Concern Info	(SP #7380) Odors from the landfill are preventing him from going outdoors. Mr. Wilson complained about odors affecting him and his dogs but then said that he smells the odor on Hwy H.					
Comments	Rick Pretz and I spoke with Mr. Wilson and informed him that the landfill is currently working through the permit process to add additional active gas wells that will help to remedy the odor issues but that the process takes some time. I also explained the air regulations involving the use of the Nasal Ranger to detect odors. Mr. Wilson informed me that he is a combat veteran and deserved clean air. He also stated that he had consulted an attorney to discuss a possible lawsuit against the landfill. On Friday, January 22, 2016, Sara Veasman conducted an odor survey and did not find any violations at the time of her visit. No further action at this time.							
SERO	2016-01-27	2016-01-27	Timber Ridge Landfill	Richwoods	Washington	Other	AB	
Concern No.	25763	Concern Info	(SP #7385) There is a very bad odor coming from the landfill. It has been this way for the last few weeks. There is a stack of smoke that looks like they are burning coal.					
Comments	Rick Pretz was at the landfill site on the day this concern was received. He said that the compost pile that they place in a tub grinder and then open with a track hoe has steam that rises from that pile and it is black looking. The only odors he detected at the landfill were normal landfilling odors around the active area. I spoke with Mr. Murray and he said that he already new they were putting in more gas wells. He was not happy that the process was taking so long.							

Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO	2016-01-06	2016-01-29	Charlie Lewis	Leadwood	St. Francois	Asbestos	TR	SE164

Concern No. 25818

Concern Info (SP #7416)

On or about January 2nd, 2016, Mayor pro tempore Charlie Lewis of Leadwood partially tore down an old auto parts structure. The building was in terrible shape and in danger of falling down into the street, according to the Mayor pro tempore. He pulled the part of the building down that was leaning over the street next to it and then proceeded to load a dumpster from the St Francois County Landfill with the debris. To the best of my knowledge no testing for asbestos was performed. A concerned citizen notified the landfill of the possible asbestos contamination and the landfill refused to take the dumpster without it's contents being tested. To date, no testing has been performed, to the best of my knowledge.

The building has been exposed to the elements since Jan 2nd. If asbestos is present in the material, it is being blown about by the wind to neighboring houses or is being washed into the neighboring creek with the heavy rains we've had.

I would appreciate someone from the State of Missouri looking into this. My concerns are that the building could lay like this for months before it is cleaned up, if ever. And if asbestos is present in the waste it will just continue to spread.

Comments At the time of the investigation, the building had been partially demolished. A dumpster on site contained apparent demolition waste. The Acting Mayor of Leadwood, Charlie Lewis, stated that an asbestos building inspection had not been conducted. The failure to inspect for the presence of asbestos and to notify a regulated demolition project is a violation of Title 40 Code of Federal Regulations Part 61 Subpart M: National Emission Standard for Asbestos, which is adopted by the Code of State Regulations at Missouri Air Conservation Commission Regulation 10 CSR 10-6.080 Emission Standards for Hazardous Air Pollutants.

Missouri Department of Natural Resources staff do not conduct asbestos building inspections since that would be a conflict of interest. The same staff person would then be investigating and evaluating his/her own building inspection work in the field as part of the overall regulatory mission of the Missouri Department of Natural Resources.

Notice of Violation No. SE164 was issued.

SERO	2016-02-01	Doe Run - Fletcher	Bunker	Reynolds	Other
------	------------	--------------------	--------	----------	-------

Concern No. 25834

Concern Info (SP #7423)

We are a family that lives approximately one mile below Doe Run's Fletcher tailings damn. The amount of lime that blows off the damn during a windy day has gotten worse and worse. Also since they have done work above our creek, the creek rock seems to have turned a different color. Concerns are for our children of course, who spend a lot of time on the land and in these creeks. Have the creeks and soil as far as our home been tested recently?

I have attached a video that shows how it looks like the woods are on fire during a windy day.

Comments

Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO	2016-01-06	2016-02-03	City of Leadwood	Leadwood	St. Francois	Asbestos	TR	SE164
Concern No.	25939	Concern Info	(SP #7453) Still waiting on asbestos to be checked on the building on birch and east st leadwood, mo. The board approved for someone to do it but Mr lewis has not contacted the company to do it city clerk has no idea who or when nor do other alderman can somebody please get this done there are children who live close to that building and a park down the street!!!! Please help!					
Comments	At the time of the investigation, the building had been partially demolished. A dumpster on site contained apparent demolition waste. The Acting Mayor of Leadwood, Charlie Lewis, stated that an asbestos building inspection had not been conducted. The failure to inspect for the presence of asbestos and to notify a regulated demolition project is a violation of Title 40 Code of Federal Regulations Part 61 Subpart M: National Emission Standard for Asbestos, which is adopted by the Code of State Regulations at Missouri Air Conservation Commission Regulation 10 CSR 10-6.080 Emission Standards for Hazardous Air Pollutants. The Acting Mayor was given sufficient information necessary to contact a state-certified asbestos building inspector. The Acting Mayor also was informed that any non-asbestos containing demolition wastes would need to go to the landfill for disposal.							
	Missouri Department of Natural Resources staff do not conduct asbestos building inspections since that would be a conflict of interest. The same staff person would then be investigating and evaluating his/her own building inspection work in the field as part of the overall regulatory mission of the Missouri Department of Natural Resources. Missouri Department of Natural Resources staff will answer any regulatory questions in regards to this situation, however.							
	Notice of Violation No. SE164 was issued.							
SERO	2016-02-05	2016-02-03	Rental property managed by Inv	Rolla	Phelps	Asbestos	SBV	
Concern No.	25959	Concern Info	(SP# 7459) CP stated RP is tearing down 3 houses that have asbestos. CP stated a company on 10th street in Rolla did the study and have all the reports. He also stated about 10 years ago the house at 2019 Maxwell was remodeled. During the remodel he thought it was EPA stopped them. They covered the house and wore protective gear and cleaned it up.					
Comments	On Thursday, February 4, 2016 the concerned party contacted me at the Rolla Satellite Office about the three residences about to be demolished. He stated that the house on the end had been renovated years ago and asbestos removed at the time. Therefore, he knows that these other homes also have asbestos from a survey that was performed previously. At the time of the call, Shanks Contracting was apparently at the homes removing appliances and preparing for demo. I drove to the residences and by the time of my arrival, the contractor was not on site. I then went by Investment Realty in Rolla to see if they still managed the homes. They are not the property owner and I gathered that Development Contractors is the Owner of the properties.							
	On Friday morning, February 5, 2016, I visited the homes again and no one was on site. I then went by the City of Rolla to see if Shanks had obtained a demolition permit with the city. Mr. Andy Shanks of Shanks Contracting had on February 4, 2016 applied and received a demolition permit with the City of Rolla. See Attachment. I then called Mr. Shanks with the phone number on the City permit. He was just leaving the Rolla Satellite Office looking for me to discuss any asbestos and demolition requirements and was unaware that I had been looking for him. We met up then on Maxwell Street at the three homes. Some of his workers were removing trash and debris at the 2017 Maxwell home. I discussed with Mr. Shanks the requirements for asbestos removal and notification requirements to the APCP along with a copy of the asbestos inspection. Mr. Shanks had a copy of an asbestos inspection and the only asbestos materials to be removed was nonfriable mastic under the flooring in the kitchen and bathrooms. The siding of the homes is a masonite material and is not asbestos containing transite. Shanks believed they could take the subfloor up with the material intact without disturbing the asbestos. I informed him that he could do so but recommended respirators and wet methods during removal. Mr. Shanks is also the owner of Development Contractors, the owner of these properties.							
	I gave Mr. Shanks a copy of PUB02157 Asbestos Requirements for Demolition and Renovation Projects and a copy of the Asbestos NESHAP Notification of Demolition and Renovation Form and explained that the notification must be received at least ten working days prior to the start of demolition activities.							

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO	2016-02-08	2016-02-08	Doe Run Resource Recycling	Boss	Iron	Other	SBV	
Concern No.	26005	Concern Info	SP # 7511 Strong bad smell of the evenings coming from the facility. Causing health problems with neighbors.					
Comments	I emailed Genevieve Bodnar of Buick Resource Recycling on 2/11/16 about this concern and one other that was received on 2/10/16. She sent a reply on 2/17/16 and stated the following. "We have been reviewing the data for those two days and from what I can figure, we did have a slight spike in SO2 and H2S emissions in the stack in the 8:00 hour on 2/10 and a slight rise in SO2 in the early morning and in H2S in the evening. However, both days had very low wind speed, indicating anything in the air would have "hung" and not dispersed. Do you have any times or locations associated with the complaints? When we receive a call about the odors, the furnace does adjust the oxygen levels. However, depending on weather and windspeed, there may not be any appreciable difference in what the neighbors are observing for some time."							
	I responded to Genevieve on 2/19/16 that this was an anonymous concern and that the concerned party's location was unknown.							
	No further investigation on this concern at this time by this investigator.							
SERO	2016-02-11	2016-02-10	Doe Run Resource Recycling	Bixby	Dent	Air Odors	SBV	
Concern No.	26075	Concern Info	(SP #7546) Ongoing issue with strong odor from SO2 emissions among other toxins.					
Comments	I emailed Genevieve Bodnar of Buick Resource Recycling on 2/11/16 about this concern and one other that was received on 2/8/16. She sent a reply on 2/17/16 and stated the following. "We have been reviewing the data for those two days and from what I can figure, we did have a slight spike in SO2 and H2S emissions in the stack in the 8:00 hour on 2/10 and a slight rise in SO2 in the early morning and in H2S in the evening. However, both days had very low wind speed, indicating anything in the air would have "hung" and not dispersed. Do you have any times or locations associated with the complaints? When we receive a call about the odors, the furnace does adjust the oxygen levels. However, depending on weather and windspeed, there may not be any appreciable difference in what the neighbors are observing for some time."							
	I responded to Genevieve on 2/19/16 that this concern came from an address located on County Road 5300, Boss, MO.							
	No further investigation required by this investigator at this time.							
SLRO	2016-01-05	2016-01-04	MOST, Inc.	Troy	Lincoln	Air Odors	LZ	
Concern No.	25931	Concern Info	During the morning of 1-4-16, burning metal odor was strong at complainant's home. This was the 4th time this odor was noticed as strong since May 2015. Source of the odor could also be from Bodine Aluminum (113-0029) at 100 Cherry Blossom Way. Complainant lives southeast of the two suspected facilities from where the wind was blowing, during this morning.					
Comments	I drove around Bodine Aluminum, Inc. located at 100 Chery Blossom Way and Most, Inc. located at 50 Chery Blossom Way, a block away to the west of Bodine Aluminum. I met Ms. Sarah Medler, Environmental Specialist at Bodine Aluminum. Ms. Medler stated that the facility has installed an odor scrubber to control odor. The facility has also developed a procedure to monitor odor in and around the facility where a team of employees monitor odor daily at 8 identified spots around the facility. If odor or smell is reported, Ms. Medler goes out to that particular location and uses a nasal ranger and verify the reported odor. Ms. Medler indicated the plant was shut down for the holiday weekend, and the startup was conducted in the morning of January 4, 2016. I walked through the facility and verified that emission control devices including baghouses and odor scrubber are operating properly.							
	I also visited Most, Inc. at 50 Cherry Blossom Way. I met Mr. Jim Clements, Plant Manager and Mr. Chao Gilliatt, EHS Manager. There was no odor or smell in and around the two facilities.							

Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2016-01-08	2016-01-08	St. Louis University DuBourg Hal	St. Louis	St. Louis City	Asbestos	SW	
Concern No.	25929	Concern Info	Anonymous called and described a renovation in DuBourg Hall at St. Louis University where floor tile was being removed by flooring contractors by sawing, then the floor was replaced. No water being used and no attempt to prevent breakage or prevent emissions. Floor tile was placed in open top dumpster and hauled off site. After this had gone on for some time (days or weeks?) someone took samples of the floor tile and test results were positive for asbestos so now SLU has brought in contractors who have put up asbestos warning signs and are finishing the floor removal in PPE and apparent containment. Anonymous was concerned about the exposure of the flooring crew and contractors as well as the students, staff and parents in the building. He felt like it was being kept quiet. I told him that I would investigate the areas of concern related to DNR's authority; however, I cautioned him that he should contact OSHA if he had concerns about worker exposure to asbestos emissions.					
Comments	<p>Upon receipt of the concern I called Paula Milligan at Cardinal Environmental who has an annual notification A6294-2015 for the Frost Campus of SLU to see if they were working at DuBourg Hall. She said they were not and she was not aware of the project so I called Dan Goodman at SLU. He was aware of the flooring project at DuBourg and described the past week to me. According to him, they were replacing the floor due to structural issues down to the joists. They were removing it in sections when they noticed there were more layers of Floor Tile than they realized and that some was suspect ACM. He said they stopped and had core samples taken that were tested and found positive for ACM so they hired a certified contractor. He said that he felt they could have done a better job of communicating the area of the hazard by signage so the building occupants would not be concerned. He said he told them that at no time was there a hazard to the occupants. He explained that the floor was at ground level so that the "basement" was exposed when the floor was removed. He told me he would have Dustin Montgomery email the report of the core sample test and that GenCorp is the abatement contractor.</p> <p>I spoke to Michael Renfroe, the owner of GenCorp Services (phone 314.739.1155; cell 636.346.0508). He stated that the core sample test result was available before he was contacted by SLU and that they had been contracted to remove over 800 sq. ft. of 9X9" floor tile on a wood floor. No beams or joists or other structural members are being removed. They are working nights now, 4:30 pm to 12:30 pm using manual methods to remove the floor tile under full containment with negative air and 3rd party air testing. They expected to complete Sunday night. Since GenCorp did not plan to render the floor tile friable he said they did not submit an asbestos project notification.</p> <p>Mr. Montgomery sent me chain of custody and analytical paperwork for the core samples and air monitoring data dated January 6 & 7, 2016 via email. Upon request, he also emailed an inspection report dated Dec. 15, 2016 that indicated there was 4,000 sq. ft. of brown 9X9" floor tile in fair, non-friable condition with 6% Chrysotile asbestos and stated "it appears this floor tile may be present under the subfloor in the corridor. Prior to renovations, this material should be accessed in order to confirm the presence under the subfloor."</p> <p>I did not perform a site visit; however, based on the information that was available in reports and during conversations it appears that 9X9" floor tile that contains asbestos was removed without adequate emission controls or supervision by a competent person to ensure there was no ACM that had not been previously identified that would be impacted or disturbed by the flooring project. As required, an asbestos inspection had been performed prior to commencing floor removal; however, this project does not appear to involve floor tile made friable in excess of threshold amounts as described in the asbestos NESHAP.</p>							
SLRO	2016-01-12	2016-01-08	Landfill Equipment	Herculaneum	St. Louis	Burning	DB	
Concern No.	25930	Concern Info	Business called Landfill Equipment burning something that is creating large clouds of black smoke. Has witnessed for a few days. Can see it from Highway 55.					
Comments	The facility has an APCP approved wood burning stove that they use for building heat. The unit is five times the size of a normal stove and they start it with diesel fuel. The fire puts out a lot of smoke when it is started in the mornings before it begins to burn more completely. The facility is following all of the rules outlined by the regulation.							

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2016-01-19	2016-01-14	Joseph Buehler	Chesterfield	St. Louis	Burning	DB	
Concern No.	25942	Concern Info	The caller stated that Mr. Joseph Buehler is burning a mixture of construction waste and yard waste in a commercially manufactured burn pit. The burning is causing the concerned party's household to suffer due to their sensitivity to the smoke. The caller understands that recreational fires are not regulated by our department, but the concerned party wants his neighbor to cease burning trash and construction waste in his fire pit. According to the caller, the caller has also spoken to our Department before about this issue. Mr. Buehler is not home during the Department's normal business hours. This burning generally takes place on weekends and evenings which would make a site visit most likely useless.					
Comments	Due to the time that the burning is allegedly occurring and the low likelihood that a violation would be found, a letter will be mailed to Mr. Buehler describing the concern and describing the open burning rules.							
SLRO	2016-01-19	2016-01-15	Big Nasty Motor Sports	Hillsboro	Jefferson	Burning	DB	
Concern No.	25943	Concern Info	Talked to Darryl Reed with Mappaville Fire Department. They had to put out a very large fire that was allegedly started by Dylan Sharpe. Burning pile had headboards, mattresses, and tires, among other things. The Fire Dept had to use around 16,000 gallons of water today to put it out. It sounded like they were still working on putting it out. Darryl said he would call back on Tuesday (1/19/16) to give us an update. I asked him to take pictures of the scene. The burning pile is visible from the road. Darryl's contact info below. Lieutenant on the scene: Brad Heartman, 314-620-5712.					
Comments	I met Mr. Darryl Reed, Fire Chief Mapaville Fire District, at the fire station in Mapaville. Mr. Reed accompanied me to the site where the fire occurred. I went into Mr. Sharpe's business and presented my identification. I stated my reason for visiting his site. Mr. Sharpe denied starting the fire. Mr. Sharpe said that the fire began by an unknown reason. Mr. Reed responded that Mr. Sharpe admitted to starting the fire to him when his fire department responded to the fire on 1/15/2016. Mr. Sharpe stated in response to Mr. Reed's recollection that he must have misunderstood and that he did not start the fire. The fire was mostly out. There was still some areas that was smoldering. I told Mr. Sharpe to put the fire out completely. He stated that he would tear apart the fire that evening when he got access to his neighbor's bobcat. I called on 1/20/2016 to follow up and Mr. Sharpe stated that he used the bobcat to remove the smoldering logs and with the snow fall, the fire is completely out.							
SLRO	2016-01-27	2016-01-15	Unknown	Troy	Lincoln	Air Odors / Land Disturbance	LZ	
Concern No.	25987	Concern Info	Mr. Mike Runge is concerned about the unbearable rotten egg odors that are coming from a nearby farm.					
Comments	He is also concerned that the area along the river bank has been cleared without a permit. At about noon on the 27th of January, 2016 I met Mr. Runge at his home located at 119 Madden Road, Troy, MO (photo#2) and went down to the farm where the odor is coming from with him. The farm is owned by Mr. Dale Geeding and his family. The farm was planted with filed radish (photo1) as a cover crop after June 2015 crop failure in the area per the recommendation of the County Soil and Water District. Mr. Jeremy Weinrich at the Lincoln County Soil and Water District Office in Troy, MO was contacted through Mr. Paul Mueller, Environmental Specialist at Cuivre River State Park Satellite Office of SLRO. Mr. Weinrich stated that while farmers are not obligated to plant any particular type of crop on their farms when crop failure happens, his office recommended field radish as one of the cover crops to be planted in this area after crop failures so that the soil will not be exposed for further erosion. He stated that this is part of the soil and water conservation plan in the area. Mr. Weinrich said that his office is aware that filed radish may produce some milled odor at the end of its life cycle. The odor is temporary and will go away once the next crop is planted.							

Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2016-01-25	2016-01-25	Multiple Farms	New Florence	Montgomery	Air Odors	SO	
Concern No.	25944	Concern Info	Very bad smell from many farms in area from rotting radishes. Has contacted USDA, APCP in Jefferson City, and Attorney Generals Office. He knows regulations exempt farmers, but he is fighting to get regulations changed. Even if they would switch to turnips, the smell would be much less. Has contacted AGO to file a lawsuit. Has a group of around 100 people behind him. This call was just to file a formal complaint and to ask for any assistance in the case. He will also be contacting the media.					
Comments	Informed Mr. Brian Maskey, during initial interview, of the odor exemption for farmers and DNR cannot perform any action against them.							
SLRO	2016-01-26	2016-01-25	Unknown	St. Louis	St. Louis City	Air Odors	SW	
Concern No.	25945	Concern Info	Strong odor, smells like gasoline/petroleum. Could smell it this morning when got off at Loughborough Ave. from Hwy 55. Smell got stronger on S Broadway. Tenants at 7128, 7130 S. Broadway and 6505 Minnesota are complaining of the odor. Is a storage tank leaking?					
Comments	On Tuesday, January 26, 2016 (approximately 1:30 to 2:00 pm), I drove I-55 to Loughborough, lingered about 15 minutes at Loughborough Commons, drove Loughborough to S. Broadway and headed north on S. Broadway (to Jefferson) with windows open. I did not smell any odor of gasoline or other petroleum product. On my return trip to the office I drove south on S. Broadway to River City Blvd. I detoured down the 62xx to 67xx blocks Minnesota (near Brenntag) and turned down E. Nagel (7128-7130 S. Broadway are on the corner) to Blue Knight Energy Partners (BKEP), an asphalt terminal. BKEP has been the subject of numerous odor complaints from certain people in the area; and they are working on an engineered odor mitigation plan. On 1/26/2015; however, the wind was strong and blowing from the northwest so any odors generated in the area would have been blown towards Illinois (that also has sources that may contribute to odor issues along S. Broadway due to proximity to the river). The only odor I smelled was at the BKEP fence corner farthest away from the intersection of E. Nagel & S. Broadway; however, I could not smell it closer to occupied structures. This asphalt odor would not normally be mistaken for gasoline. Gasoline leaks are a fire hazard that should be reported to the fire department. Random and intermittent odors are difficult to confirm at a different time or day with different weather conditions. The gasoline terminals are further north of the area of the complaint and in the opposite direction from the wind on the day of the complaint.							
SLRO	2016-01-28	2016-01-25	Unknown	Fenton	Jefferson	Burning	DB	
Concern No.	25949	Concern Info	Neighbor is burning everyday, looks like furniture, fabrics, cardboard. Creates smoke visible from road and blows into her yard (100 Miller Drive), it smells and is difficult to breath. Smell comes inside her house. Waste pile is not visible from road, but if look through her backyard, can see pile.					
Comments	I arrived at 31 New Sugar Creek Road in Fenton, MO at approximately 2:45 PM. When I arrived, there was a fire in the back of the property. All of the entrances were marked "No Trespassing" and no one was at the site attending the fire. I called 911 and reported the unattended fire. The High Ridge Fire Department arrived at approximately 3:00 PM. I spoke with one of the firemen who said that the fire was only vegetative waste and the pile was less than 16 square feet. The location is in unincorporated Jefferson County. The fire department put the fire out since it was unattended; however, based on the open burning rules, no violations were found. The owner of the residence was not at the site and the fire department did not have his name.							
SLRO	2016-01-28	2016-01-25	Unknown	Maplewood	St. Louis	Burning	SO	
Concern No.	26085	Concern Info	Neighbor is burning waste in backyard in Maplewood. Smells like trash, might have furniture in it. Can see flames from road. Occurs about every other week. I asked the concerned to take photos if possible and call Fire Department.					
Comments	Darren Bernat and I arrived at the house and could not see any evidence of burning from the front of the house. There was a wooden fence surrounding the yard in the front and sides. We noticed a park behind the house and drove around to the next street over. We walked through the park up to a chain link fence and could see into the alleged source of concern's backyard. There was no evidence of burning, no trash pile, no furniture, no fire pit.							

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2016-02-01	2016-01-27	Unknown	St. Louis	St. Louis City	Asbestos	PD	
Concern No.	25951	Concern Info	<p>The original concern was related to Drinking Water. However it has since expanded to include a concern with asbestos.</p> <p>The Railton is a historic registered structure that seems to suffer from exterior iron girdling and hazardous toppling from brick and cornice with a three year sidewalk protection scaffold offering no apparent progress to stabilized the structure. There may be subsidence and evidence to mitigate by a corner cinder block chamber effort. I am guessing the metallic taste may come from flushing of pipes no longer up to code This same tasting experience may be compared to drinking from a City fire hydrant or your garden hose. There may be other concerns here like heat shields on wires and stove placements where, I am guessing asbestos was not abated and is integrated with plaster construction techniques of the period. There does seem to be an excellent fire sprinkler system paired with reliance on the fire annunciater.</p> <p>Look at the girdling and you may look up and imagine the super structure spiraling.</p> <p>But, yes, the water is the concern that the City Water Department believed was a property management issue.</p> <p>I have lived here for three years</p> <p>Is this PG&E or Love Canal related to the aging infrastructure of St Louis City hesitant to acknowledge? What can be done and I can not afford a \$500.00 water test.</p> <p>Sincerely, Jay Lynn Evans, Jr. 205 N 18TH ST #901 St Louis, MO. 63103</p>					
Comments	Tom Sims response is: "I don't see an asbestos complaint" Thus, I, Patrick Dwyer closed out the concern form as Tom Sims returned the concern form to me and did not want to address, close out the form, or investigate.							
SLRO	2016-01-29	2016-01-29	Industrial Environmental	O'Fallon	St. Charles	Asbestos	DB	
Concern No.	25952	Concern Info	<p>The caller identified herself as a nurse from Jefferson City. She stated that she was calling of behalf of an individual who wanted to stay anonymous. The caller stated that the anonymous individual wanted someone to look into a demolition of a gas station that is occurring at the intersection of N. Main and Tom Ginnever Avenue in O'Fallon, MO.</p> <p>The initial call came from the Director's office at approximately 12:00 PM. This was noted when the Director's office called back at 4:00 PM. At that time the director's office transferred Arnie Dienoff, the concerned party, to my phone. Mr. Dienoff was upset that someone had not made a site visit. He was upset that we do not have the staff to make immediate site visits. He believed that the demo contractor was in violation of the asbestos rules because they were not using a water spray curtain over the demo project and wanted to know if they had permission to pull the USTs on the site. During the 4:00 phone call, Mr. Dienoff told me that the site is being purchased by Plaza Tire.</p>					
Comments	Upon finding out the name of the purchasing company, Plaza Tire, at 4:00 PM I contacted Plaza Tire's corporate office. Plaza Tire's corporate office told me that they are indeed purchasing the property; however the seller, Warrenton Oil Company, was responsible for demolition of the site. Plaza Tire Corporate also gave me the name of the demolition contractor, Paul Sheets, and contact number. I contacted Mr. Sheets and he provided me with the demolition notification number. I reviewed the notification and noted that the site had an asbestos survey which indicates that no asbestos was found. Laura Luther with the Tanks program, contacted me and stated that Warrenton Oil had permission to pull the USTs.							
SLRO	2016-02-01	2016-02-01	Terry Wright	Troy	Lincoln	Treatment Plant Operation / Air Odors	PM	
Concern No.	26113	Concern Info	The wwtf is stinking again.					
Comments	Malodor observed at the WWTF. Sludge deeper in the creek then was observed on my January 12th visit.							

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2016-02-01	2016-02-01	Glen Meadows, Inc.	Troy	Lincoln	Treatment Plant Operation / Air Odors	PM	
Concern No. 26118		Concern Info The wwtf is stinking again.						
Comments Malodor observed at the WWTF. Sludge deeper in the creek then was observed on my January 12th visit.								
SLRO	2016-02-01	2016-02-01	Glen Meadows, Inc.	Troy	Lincoln	Treatment Plant Operation / Air Odors	PM	
Concern No. 26126		Concern Info Bad odor from wwtf.						
Comments Malodor observed at the WWTF. Sludge deeper in the creek then was observed on my January 12th visit								
SLRO	2016-02-09	2016-02-04	Carstar Auto Body	Overland	St. Louis	Air Odors	DK	
Concern No. 26086		Concern Info USEPA region 7 received on line complaint concerning Carstar Auto Body at 9425 Midland Blvd. in Overland MO.						
<p>Bay doors are left open early in the morning allowing the stripping chemicals and others, to escape without using the filtration system. This happens on a fairly regular basis. Today it is like a cloud of mist. Our street slopes downward and the mist seems to hang at the bottom of the hill area for several hours. We have been reporting to EPA St. Louis for several years. My understanding is that body shops typically do this to save money on the filtration systems.</p>								
Comments								
Mr. Bonnarens stated Carstar does not have and does not use stripping chemicals and does not understand how the concerned party could have smelled stripping chemicals coming from the Carstar facility.								
Mr. Bonnarens also stated Carstar performs all surface coating in their SPICO down draft spray booth.								
No stripping chemical or solvent odors were detected during the investigation.								
SLRO	2016-02-08	2016-02-05	Timothy Quitmeyer	House Springs	Jefferson	Burning	SO	
Concern No. 26112		Concern Info Call from Saline Valley FPD, Joe LaPlant, regarding Timothy Quitmeyer burning large brush piles (see image attached) in unincorporated House Springs, Jefferson County. Mr. Quitmeyer claimed he talked with someone from MDNR who stated he didn't need a permit. Mr. LaPlant is mainly concerned with the size of the piles, as they are much larger than 4x4. Mr. Quitmeyer has cleared about 5 acres. The burn piles are about 1000 feet from occupied buildings.						
The FPD extinguished the large pile while on scene, the owner broke up the smaller piles. The piles are very close to trees and the FPD is also concerned a brush fire could be started.								
Mr. Quitmeyer was advised by the FPD not to burn until MDNR could assess the area.								
Please keep Joe LaPlant informed of any updates from us.								
Comments On Monday, 2/8/2016, I tried calling the number Timothy Quitmeyer gave to Joe LaPlant, and the person who answered said I had the wrong phone number. I called Mr. LaPlant to confirm the correct number and he returned my call on 2/9/2016 and said that is the number Mr. Quitmeyer gave him.								

Monthly Air Pollution Control Program Detail Report

<i>Region</i>	<i>Inspection Date</i>	<i>Date Received</i>	<i>Suspected Source Owner/Operator</i>	<i>City</i>	<i>County Name</i>	<i>Type of Concern</i>	<i>INSP Initials</i>	<i>NOV</i>
SWRO	2016-01-08	2016-01-06	Brian Turner	Hartville	Wright	Open Dumps / Burning / Littering	MK	
Concern No.	25491	Concern Info	Caller states Brian Tuner was issued a letter to stop dumping/burning by creek - see concern 6278. However, he brought in several more loads of cardboard drums and junk to burn, but the flood came and has washed it down to the bridge (on both sides) Can be seen from roadway.					
Comments	majority of the waste washed into the nearby stream given 30 days to clean up the waste observed in the stream area							
SWRO	2016-02-05	2016-01-08	Empire Building	Lebanon	Laclede	Asbestos	RB	
Concern No.	25558	Concern Info	Caller stated that they just started to demolish the Empire Building on Jefferson Street at the junction of HWY 5 and Hwy 32. Caller stated there is asbestos and tile and all kinds of other materials all piled together. Concerned that they are not demolishing asbestos properly. As far as he can tell all waste material is still left on site, has not been taken off site yet. The company performing the work is unknown.					
Comments	Demolition contractor has permission to demolish the parts of the building that do not contain asbestos. no violation							
SWRO		2016-01-10	Hodges Cabinets LLC	Stover	Morgan	Particulate / Burning / Open Dumps		
Concern No.	25567	Concern Info	Message form email: This facility is spraying finish products on wooden cabinets, they are using an exhaust fan that pulls these chemicals to the outside with out filtering it at all. They have been doing this process for several months. They also are taking the buckets that these products come in and are just dumping them on the north side of the building in a hole that had been dug. When this hole gets full enough with buckets and scrap wood products then they burn this site. However there is no way they are getting all these products out of the buckets, so what is left has to be leaking into the ground and the water supply. This is a very unsafe environment that needs to have something done about the issues that they are creating for the water supply as well as the wildlife that is in the area.					
Comments								
SWRO		2016-01-11	Richard Thompson	Springfield	Greene	Burning / Open Dumps		
Concern No.	25565	Concern Info	Caller indicated he had been in the area of the concern and noticed the burning pile of mattresses. He said it is not the first time and would like someone to investigate the issue. The pictures below were emailed to Clinton Finn from Mr. Lonnie Vandiver, Code Compliance, Greene County Resource Management Department.					
Comments								

Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SWRO	2016-01-15	2016-01-13	Kimberly Bauer	Osage Beach	Camden	Burning	RB	
Concern No.	25599	Concern Info	<p>Caller reports that his neighbors refuse to pay for monthly trash pick-up and are burning household trash and business wastes at their residence. Caller stated that he has photos of them burning wooden pallets from their business (he does not know the name of their business). According to the concerned party, the incinerator they are using to burn in is approximately 20 feet from his residence. Caller stated that the local fire department recommended he call DNR to resolve this matter. Concerned party requests he be notified once an investigator has been to the site and investigated the matter.</p> <p>Comments material burned was almost exclusively residential</p> <p>No violation documented.</p>					
SWRO		2016-01-20	Animal By-Products Cooking Fa	Nevada	Vernon	Industrial Site Specific / Sewer line / Air Odors		
Concern No.	25688	Concern Info	<p>Transferred from Report an Environmental Concern [#612]</p> <p>Complainant would like to be contacted.</p> <p>First Noticed April 1, 2015</p> <p>Months ago our neighborhood started experiencing a foul obnoxious odor that seeps into our homes. I have contacted the City of Nevada numerous times and was told the odor is from an Animal By-Products Cooking Facility located in the Nevada, Mo. Industrial park. They have a 4 inch high pressure sewer line that connects to the sewer main located at 111 E Hardin Place. I have watched the city workers open the manhole lid and witnessed a high pressure stream of thick, black, foul smelling liquid being pumped into the sewer main. This liquid is then dispersed south through the sewer main causing an obnoxious odor for blocks.</p> <p>When we first noticed the odor I was put into contact with the manager of the by-product plant, Dan Scannell at 219-242-5121, and he told me repeatedly over a few months, that the problem would be corrected and that no product discharge through the sewer line should even be occurring. He stated that crews would be instructed and the problem would stop. It hasn't, it has only increased over the months.</p> <p>City workers and staff say nothing can be done because the business is not within city limits, even though they are in the Nevada Industrial Park and dumping this foul animal by-product into our city sewers. Assistant City manager stated that the City of Nevada is working with this company for pre-treatment but nothing will be changing very quickly, if at all.</p> <p>The sewer contractors come to our neighborhood from time to time to high pressure wash the sewer main, which always blows the water from our traps and cause worse odors in our homes. One neighbor had to go through the expense of placing a back-flow preventor on her home sewer after sewage was blown throughout her bathroom during a washing process.</p> <p>Comments</p>					

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SWRO		2016-01-20	Earl Witt	Eldon	Miller	Burning		
Concern No.	25690	Concern Info	Moreau Fire Protection District Chief Randy Scott (cell phone 573/216-2659, office 573/392-5511) is on the scene of an illegal burn, located at 3035 Hwy 52, Eldon MO. It is just south of Eldon, immediately south of the intersection of Hwy 52 and Hays Drive. The business conducting the burn is reportedly called U Rent It, owned by Earl Witt. Mr. Witt also has a mechanic shop on the site. Chief Scott stated that Mr. Witt is a habitual violator, burning trade wastes, shingles, trash, etc. on his property frequently. Chief Scott would like assistance from the Dept to help get this practice stopped. He has convinced Mr. Witt to take efforts today to remove shingles from the burn pile and extinguish the fire using a skidloader and smothering the fire with soil.					
Comments								
Chief Scott thinks that he can provide copies of past fire reports that will help show this is a habitual violator. He can certainly attest to the fact based upon his personal experiences in responding to the site. He can be reached on scene right now by calling the cell phone number listed above.								
SWRO		2016-01-22	Opal Foods	Neosho	Newton	Air Odors		
Concern No.	25764	Concern Info	Horrible odors from Opal Foods along D highway and also about a mile in each direction from the farm. Since Opal Foods bought out MoArk, the odors have gotten worse. There is odor every day, with some days being so bad you can smell it inside your car after you're a mile away, and your windows are up and vents closed.					
Comments								
SWRO		2016-01-26	IDF	Monett	Barry	Air Odors		
Concern No.	25765	Concern Info	Caller states odor from IDF is horrible today. Caller did not state their name, or exactly where they smelled the odor, but alleged there were strong odors from IDF					
Comments								
SWRO		2016-01-26	Opal Foods (formerly Moark)	Neosho	Newton	Air Odors		
Concern No.	25766	Concern Info	Received text at 1:42 p.m. from Janet Moyer stating: "One mile away in a car, windows up you can still smell MoArk"					
Comments								
SWRO		2016-01-28	Unknown	Conway	Laclede	Burning / Open Dumps		
Concern No.	25797	Concern Info	Caller was told by his son that the person at 202 Porter Ave in Conway took the siding off their house and burned it recently on the property. Was concerned about asbestos as well in the material.					
Comments								
SWRO		2016-01-28	Unknown	Mansfield	Wright	Used Oil / Burning		
Concern No.	25798	Concern Info	Caller said that one of the cops in town has a car detailing shop across from a Retirement home area. They have contacted the city, etc, but can't get anything done. Caller stated that the responsible party burns the plastic containers from the chemicals at night in the wood stove in the shop.					
Comments								

Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SWRO		2016-02-08	Don Kimmel	Rocky Mount	Morgan	Open Dumps / Burning / Asbestos	LG	
Concern No.	26007	Concern Info	<p>Mr. Kimmel tore down two trailers without owner permission and was prosecuted for that and was requested submit receipt for proper disposal by the court. The waste from the trailers has appeared, partially burned on property owned by Mr. Kimmel and his wife. Mrs. Kimmel was concerned that this may negatively impact her and felt we should be aware and investigate. They are going through a divorce. Mr. Kimmel has Alzheimer's and has had strokes and he has become violent and confused. He has become unmanageable and unable to know right from wrong. The caller is concerned trailer has asbestos debris mixed in with the construction waste that has been dumped on the property. Mr. Kimmel has alleged that he has also burned down the family home that used to exist on that property. The debris pile has appeared since Thursday February 4th. Caller states that it is possible that 3Ts's construction may have disposed of the construction waste on the property. Keith with 3 T's construction has worked with Mr. Kimmel, he also owns the construction site bar and grill. Caller states that it is possible because her father does not own anything with the ability to transport the large pile of construction debris that has now appeared at the property. Caller wants to protect her mother.</p> <p>Mr. Kimmel has a history with the department. Caller is visiting the fire department today to investigate if the pile of debris was burned at the property or was burned at the original location and then moved to their property.</p>					
Comments								
SWRO		2016-02-08	Charles Friend	Springfield	Greene	Open Dumps	AS	
Concern No.	26009	Concern Info	<p>From internet concern: "Illegal dumping. Fire destroyed trailer on property and individual (Charles Friend) is taking remnants (insulation, trash, other items, etc) of the fire damage and dumping on a property that is touching his property. The dump site is NorthWest of his property on a large brush pile. This property that he is dumping on does not belong to him."</p> <p>Greene county assessors site shows 1273 N State Highway AB owned by Carolyn Harris at a Springfield address on Atlantic. Assessors office has no listing for Charles Friend.</p>					
Comments								
SWRO		2016-02-09	3M Plant	Nevada	Vernon	Air Odors / Toxics	CG	
Concern No.	26025	Concern Info	<p>Received a call from Gary Bertrum at Region 7 EPA at 918 551 7003 (ask for extension). He said that he received a call from a complainant in Nevada by the name of Ella Keeseley at 417 321-0316. She stated that the 3M plant there in Nevada is emitting an odor that smells like plastics and she thinks it is toxic. She says that there are a high number of cancers in the community and she thinks it is related to the 3M. She would like it investigated. She has called the City of Nevada and the 3M Company but has not called MDNR before nor the EPA until now.</p>					
Comments								

Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.

Monthly Air Pollution Control Program Detail Report

<i>Region</i>	<i>Inspection Date</i>	<i>Date Received</i>	<i>Suspected Source Owner/Operator</i>	<i>City</i>	<i>County Name</i>	<i>Type of Concern</i>	<i>INSP Initials</i>	<i>NOV</i>
SWRO		2016-02-10	Unknown	Carthage	Jasper	Air Odors / Burning		
Concern No.	26078	Concern Info	North and East of the Dyno Nobel property, caller wonders if the odor is coming from them. Dyno Nobel does currently have a burn permit, may check to ensure they are burning at the correct times. Odors and burning seem to occur between 4 and 6 am caller smells odors that are like a metallic or a strange burning smell like tar or shingles. The odor has occurred off and on for several months. Caller lives west of Carthage in the Brooklyn Heights area, approximately 4 miles from downtown Carthage. Caller states the odor and burning seem to stop at daylight, he also speculated that it may be from a meth lab due to the strange odors and the time in which they occur. I advised him to also contact his local police department in case it is a meth lab. I let him know that we can check on the odors but tracking down where the burning is occurring could be difficult and we can not guarantee we can locate the source based on following smells.					

Comments

Please note, the information provided in this report reflects all concerns received during the reporting period as well as all inspection activities that occurred during the reporting period regardless of the date in which the original concern was received.



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

Air Pollution Control Program
Ongoing Negotiations

Responsible Party	Facility	Negotiations Initiated	Region
Asbestos			
Archway Construction and Remodeling LLC	Commercial Building	4/21/2015	SLRO
Birk Trucking, Inc.	MFA Oil Company Building (former)	8/12/2015	SERO
Bryan Weirich	Scuba Adventure	3/27/2015	NERO
Cooperative Service Center, Inc.	MFA Oil Company Building (former)	8/21/2015	SERO
Daniel Turner	Daniel Turner	12/17/2015	KCRO
Golds St. Louis LLC	Gold's Gym	11/13/2015	NERO
Great Plains Asbestos Control, Inc.	Knox County Nursing Home	7/21/2015	NERO
Jake Hunget	Curt Wallis Property	3/1/2016	SWRO
Landmark Building and Developing	Vacant Commercial - East Sunshine	4/6/2015	SWRO
Matt Davis	Curt Wallis Property	3/2/2016	SWRO
META	Mayhew Environmental Training Associates, Inc.	3/31/2015	OUT
Michael Stelte	Stelte Property	1/29/2016	SWRO
Morgan Taylor	Lost Cause Customs, Mr. Morgan Taylor Co-Owner	1/21/2016	SERO
Rameshbhai "Ricky" Patel	G R P Petroleum, Inc. (DBA Phillips 66 Motel)	11/9/2015	KCRO
Signature Demolition & Trucking Company	LRA Home Demolition	8/21/2015	SLRO
St. Louis Development Corp/LRA	LRA Home Demolition	8/21/2015	SLRO
Troy Murdock	Troy Murdock and Craig Blevins	8/5/2014	KCRO
United Construction Ent Co of St Louis	Gold's Gym	11/13/2015	NERO
Asbestos and Open Burning			
Curt Wallis	Curt Wallis Property	3/2/2016	SWRO
Construction Permit			
Jeff Goodwin	Complete Home Concepts	2/25/2016	KCRO
Jon Melham	Northland Coating Solutions	3/10/2016	KCRO
Excess Emissions			
Kevin Hendrix	O'Dell Publishing / Axiom Impressions	7/8/2014	KCRO
Lennie Rosenkrans	Continental Cement Co LLC/Green America Recycling	10/28/2015	NERO
Sullivan Precision Metal Finishing	Sullivan Precision Metal Finishing	1/6/2015	SLRO
Fugitive Dust			
Bob London	Central Missouri Sanitary Landfill	11/10/2015	KCRO
Kim Smith	Jadwin Sawmill	12/17/2015	SERO
Mari Macomber	Beelman Trucking Company	2/22/2016	NERO
Scott Walker	Beelman Trucking Company	3/1/2016	NERO
Inspection/Maintenance - Clean Scanning			
Jay Brown	St. Charles Hyundai (GVIP# 092027)	1/22/2016	SLRO

Maximum Achievable Control Technology (MACT)



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

**Air Pollution Control Program
Ongoing Negotiations**

Responsible Party	Facility	Negotiations Initiated	Region
Noranda Aluminum, Inc. Son Kim	Noranda Aluminum, Inc PRESTIGE CLEANERS (095-2160)	7/14/2015 2/23/2016	SERO KCRO
Open Burning			
Danny Sisk	Sisk Mobile Home Service & Transport	10/6/2014	KCRO
David Johnson	John Rector	10/28/2015	KCRO
David Thomas	David Thomas	11/17/2014	KCRO
James Smith	Joseph Schwartz	11/5/2015	NERO
Jim Hough	John Rector	10/28/2015	KCRO
Jon Ohmes	CHAMPION PRECAST, INC	3/8/2016	SLRO
Joseph Schwartz	Joseph Schwartz	11/5/2015	NERO
Marvin Winger	Marvin James Winger	11/5/2015	KCRO
Michael French	Michael French	9/3/2015	KCRO
Randy Easley	Easley's Auto Recycling and Auction	8/4/2015	KCRO
Randy Tanguay	Randy Tanguay	3/1/2016	KCRO
Ronald Hill	Ronald Hill	12/21/2015	KCRO
Ryan Smith	Ryan Smith	2/13/2015	KCRO
Scott Simnitt	Scott Simnitt	10/1/2015	KCRO
Vladimir Dub	Word of Life Evangical Christian Church	3/8/2016	KCRO
Wendell Scott Belisle, Sr.	Scott Belisle, Sr	3/1/2016	NERO
Part 70 Operating Permit			
Chad Dykes	TEVA Pharmaceuticals USA	9/23/2015	NERO
John Burns	Missouri Center for Waste to Energy	8/21/2015	KCRO
Tim Baer	TG Missouri	3/3/2016	SERO
Stage I Vapor Recovery			
Max Solomon	Phillips 66	9/17/2015	KCRO
Mike Assiz	BP	9/17/2015	KCRO
Stage II Vapor Recovery			
Bob Howe	SPEEDIE FOOD MART	6/9/2015	SLRO



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

Air Pollution Control Program

Finalized Agreements between January 01, 2016 and February 15, 2016

Responsible Party	Facility	Negotiation Initiated	Settled	Total Amount	Suspended Amount	Region
Asbestos						
Earthworks Excavation and Associate	MFA buildings - Glasgow	7/31/2015	1/5/2016	4000	2500	NERO
MFA, Inc.	MFA buildings - Glasgow	8/5/2015	2/9/2016	4000	2500	NERO
STN, LP	St. Elizabeth Hospital (former)	10/7/2014	1/21/2016	6000	3500	NERO
Construction Permit						
Nancy Laubenthal	GENERAL MOTORS LLC WENTZVILLE	11/5/2015	1/25/2016	24000		SLRO
Open Burning						
Alonzo Harris	Alonzo Harris	8/31/2015	1/21/2016	2000	2000	KCRO
Clayton P. Landgraf	Landgraf & Son, LLC	8/4/2015	1/14/2016	4000	3000	SERO
John Rector	John Rector	10/28/2015	1/29/2016	2000	2000	KCRO
William Nelson	Nelson Tire Center	10/8/2014	2/10/2016	10000	10000	SERO



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

Air Pollution Control Program
Pending Cases Referred to Attorney General's Office

Responsible Party	Facility	Referred to AGO	Region
Asbestos			
Didion and Sons Foundry Company	DIDION AND SONS FOUNDRY CO	6/30/2011	SLRO
Asbestos and Open Burning			
Perry Agricultural Labs Inc.	Perry Agricultural Labs Inc.	8/19/2015	NERO
Emissions Inventory Questionnaire			
Cany Blazar	RENEWABLE ENVIRONMENTAL SOLUTIONS	9/18/2015	SWRO
Edward Potter	White Rock Quarries	9/5/2014	SLRO
Inspection/Maintenance - Fraud			
Mr. Woodrow Jones, Sr.	360 Brake Service (GVIP #115444)	4/24/2014	SLRO
Open Burning			
Debbie Branson	Debbie D. (Stillman) Branson	4/7/2014	NERO
Greg and Karrie Casey	Pallet Connection	10/31/2014	SERO
Ray Edward Smith	Smith, Ray Edward et al	12/6/2012	NERO
Stage I Vapor Recovery			
Alpha Petroleum	Everyday Conoco ST13520	6/24/2014	KCRO
Alpha Petroleum	Everyday Store # 1090 ST3619	6/24/2014	KCRO
Javaid B Chaudhri, AJ Partnership	Everyday Conoco	3/27/2014	KCRO
Javaid B. Chaudhri & Arshad Chaudhri	Everyday Store # 1090 ST3619	3/27/2014	KCRO
Javaid B. Chaudhri & Arshad Chaudhri	Sinclair Retail Station #24060 ST12977	3/27/2014	KCRO
Javaid B. Chaudhri, Premier Petroleum	Service Oil Company #12	3/27/2014	KCRO
Javaid B. Chaudhri, Premier Petroleum	Inner City Oil	3/27/2014	KCRO

