



Missouri Department of Natural Resources  
Missouri Air Conservation Commission  
Air Pollution Control Program

# PERMIT TO CONSTRUCT

PERMIT BY RULE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct and operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth here in.

**Construction**      **Permit Number:** 08 2 0 1 0 - 0 0 6  
**Project Number:** 2010-08-001  
**Installation ID:** 023-0067

**Installation Name and Address**

Cotrell Funeral Service  
701 Vine Street or P.O. Box 548  
Poplar Bluff, MO 63901  
Butler County

**Parent Company's Name and Address**


Mr. Randy Schulz, President  
Cotrell Funeral Service  
701 Vine Street or P.O. Box 548  
Poplar Bluff, MO 63901  
Butler County

**Installation Description:**

B & L Cremation System, Inc. – Human Cremation Model N-20AA, Natural Gas Fired

AUG 17 2010

Effective Date

  
Director or Designee  
Department of Natural Resources

## STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

**You will be in violation of 10 CSR 10-6.060 and 10 CSR 10-6.062 if you fail to adhere to the specifications and conditions listed in your permit by rule application and this permit.** Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Department of Natural Resources Regional office responsible for the area within which the equipment is located within 15 days after the actual start up of this air contaminant source.


A copy of this permit and permit notification shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions as provided in RSMo 643.075. If you choose to appeal, the Air Pollution Control Program must receive your written declaration within 30 days of receipt of this permit.

If you choose not to appeal, this certificate, the project review, your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant sources(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Department of Natural Resources has established the Outreach and Assistance Center to help in completing future applications or fielding complaints about the permitting process. You are invited to contact them at 1-800-361-4827 or (573) 526-6627, or you can write to the Outreach and Assistance Center, P.O. Box 176, Jefferson City, Missouri 65102-0176.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Air Pollution Control Program, P.O. Box 176, Jefferson City, Missouri 65102-0176, attention: Construction Permit Unit.



MISSOURI DEPARTMENT OF NATURAL RESOURCES  
AIR POLLUTION CONTROL PROGRAM

P.O. BOX 176, JEFFERSON CITY, MO 65102-0176

**APPLICATION FOR AUTHORITY TO CONSTRUCT  
PERMIT BY RULE NOTIFICATION**

CREMATORIES AND ANIMAL INCINERATORS

**APCP USE ONLY**

CHECK NO. 2692	CHECK RECEIVED (MM/DD/YY) 7-30-10
CHECK AMOUNT \$ 700.00	CHECK DATE (MM/DD/YY) 7-27-10
PROJECT NO. 2010-08-001	PERMIT NO.

**SECTION A: GENERAL NOTIFICATION INFORMATION - ALL NOTIFICATIONS MUST BE ACCOMPANIED BY A \$700 FEE.**

**SECTION A-1: GENERAL INSTALLATION INFORMATION**

1. INSTALLATION NAME Cotrell Funeral Service		2. FIPS 023 0067	3. PLANT NO.
4. INSTALLATION STREET ADDRESS 701 Vine St			
5. INSTALLATION MAILING ADDRESS PO Box 548			
6. CITY Poplar Bluff		STATE MO	ZIP CODE 63901
7. COUNTY NAME Butler	8. 1/4, of	1/4, of	SECTION 2 TOWNSHIP 24 RANGE 6
9. PARENT COMPANY R&L Schulz LLC dba Cotrell Funeral Service			
10. PARENT COMPANY MAILING ADDRESS PO Box 548			
11. CITY Poplar Bluff		STATE MO	ZIP CODE 63901
12. INSTALLATION CONTACT PERSON Randy Schulz		13. CONTACT PERSON'S TITLE President	
14. CONTACT PERSON'S MAILING ADDRESS PO BOX 548 Poplar Bluff MO 63901			
15. INSTALLATION CONTACT TELEPHONE NO. ( 573 ) 785 8484		16. INSTALLATION CONTACT FAX NO. ( 573 ) 7850808	
17. INSTALLATION CONTACT E-MAIL ADDRESS			
18. PROJECTED DATE TO COMMENCE CONSTRUCTION 8/10		19. PROJECT DATE OF OPERATION STARTUP 11/10	

RECEIVED  
 2010 JUL 30 AM 11:53  
 AIR POLLUTION  
 CONTROL DISTRICT

**SECTION A-2: INSTALLATION DESCRIPTION**

20. B&L Cremation Systems Inc. Human Crematory Model N-20AA Natural Gas Fired

**SECTION A-3: CERTIFICATION STATEMENT**

I certify that I have personally examined and am familiar with the information in this application and believe that the information submitted is accurate and complete. I am aware that making a false statement or misrepresentation in this application is grounds for denying or revoking this permit.

21. SIGNATURE OF RESPONSIBLE OFFICIAL <i>Randall D. Schulz</i>		22. DATE 7-27-2010
23. TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL Randy Schulz		24. RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER ( 573 ) 785 8484
25. TITLE OF RESPONSIBLE OFFICIAL President		

**SECTION B: SPECIAL CONDITIONS FOR CREMATORIES AND ANIMAL INCINERATORS**

Construction and operation of this new air pollution source is subject to the special conditions listed below. These special conditions are based on the authority granted to the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically RSMo. 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.062 "Construction Permits by Rule").

Please indicate by marking the appropriate box as to whether or not the emission source complies with the rule listed in the applicable emission limit or standard. If any of the applicable emission source boxes are checked no, your source is not eligible for a crematories and animal incinerators permit by rule.

This Permit By Rule applies only to Crematories and Animal Incinerators constructed after October 31, 2003.

SPECIAL CONDITION	EMISSION SOURCE COMPLY?	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-6.062(3)(B)2.A.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	The materials to be disposed of shall be limited to noninfectious human materials removed during surgery, labor and delivery, autopsy, or biopsy including body parts, tissues and fetuses, organs, bulk blood and body fluids, blood or tissue laboratory specimens, and other noninfectious anatomical remains or animal carcasses in whole or in part. The owner or operator shall minimize the amount of packaging fed to the incinerator, particularly plastic containing chlorine. The incinerators shall not be used to dispose of other non-biological medical wastes including, but not limited to, sharps, rubber gloves, intravenous bags, tubing, and metal parts.	Proper work practice.
10 CSR 10-6.062(3)(B)2.B.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	The manufacturer's rated capacity (burn rate) shall be two hundred (200) pounds per hour or less.	Proper work practice.
10 CSR 10-6.062(3)(B)2.C.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	The incinerator shall be a dual-chamber design.	Proper work practice.
10 CSR 10-6.062(3)(B)2.D.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Burners shall be located in each chamber, sized to manufacturer's specifications, and operated as necessary to maintain the minimum temperature requirements of subparagraph 10 CSR 10-6.062(3)(B)2.E. at all times when the unit is burning waste.	Proper work practice.
10 CSR 10-6.062(3)(B)2.E.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Excluding crematories, the second chamber must be designed to maintain a temperature of one thousand six hundred degrees Fahrenheit (1,600°F) or more with a gas residence time of one-half (1/2) second or more. The temperature shall be monitored with equipment that is accurate to plus or minus two percent ( $\pm 2\%$ ) and continuously recorded. The thermocouples or radiation pyrometers shall be fitted to the incinerator and wired into a manual reset noise alarm such that if the temperature of either of the two (2) chambers falls below the minimum temperature above, the alarm will sound at which time plant personnel shall take immediate measures to either correct the problem or cease operation of the incinerator until the problem is corrected	Proper work practice and maintenance of proper alarm records. These records shall be maintained for not less than five (5) years, and they shall be immediately available to any Missouri Department of Natural Resources personnel upon request.
10 CSR 10-6.062(3)(B)2.F.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	There shall be no obstruction to stack flow, such as by rain caps, unless such devices are designed to automatically open when the incinerator is operated. Properly installed and maintained spark arresters are not considered obstructions.	Proper work practice.

**SECTION B: SPECIAL CONDITIONS FOR CREMATORIES AND ANIMAL INCINERATORS (CONTINUED)**

SPECIAL CONDITION	EMISSION SOURCE COMPLY?	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-6.062(3)(B)2.G.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<p>Each incinerator operator shall be trained in the incinerator operating procedures as developed by the American Society of Mechanical Engineers (ASME), by the incinerator manufacturer, or by a trained individual with more than one (1) year experience in the operation of the incinerator that the trainee will be operating. Minimum training shall include basic combustion control parameters of the incinerator and all emergency procedures to be followed should the incinerator malfunction or exceed operating parameters. An operator who meets the training requirements of this condition shall be on duty and immediately accessible during all periods of operation. The manufacturer's operating instructions and guidelines shall be posted at the unit and the unit shall be operated in accordance with these instructions.</p>	<p>Proper work practice and maintenance of proper operator training records. These records shall be maintained for not less than five (5) years, and they shall be immediately available to any Missouri Department of Natural Resources personnel upon request.</p>
10 CSR 10-6.062(3)(B)2.H.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<p>The incinerator shall have an opacity of less than ten percent (10%) at all times.</p>	<p>Proper work practice such that no opacity violations are noted.</p>
10 CSR 10-6.062(3)(B)2.I.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<p>Heat shall be provided by the combustion of natural gas, liquid petroleum gas, or Number 2 fuel oil with less than three-tenths percent (0.3%) sulfur by weight, or by electric power.</p>	<p>Proper work practice.</p>
10 CSR 10-6.062(3)(B)2.J.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<p>The operator shall maintain a log of all alarm trips and the resulting action taken. A written certification of the appropriate training received by the operator, with the date of training, that includes a list of the instructor's qualifications or ASME certification school shall be maintained for each operator. The operator shall maintain an accurate record of the monthly amount and type of waste combusted.</p>	<p>Determined through proper alarm and operator training record keeping. These records shall be maintained for not less than five (5) years, and they shall be immediately available to any Missouri Department of Natural Resources personnel upon request.</p>

**SECTION C: OTHER POTENTIALLY APPLICABLE REQUIREMENTS**


This section is intended to identify regulations that may apply to this installation. There may be others not listed that apply. To determine rule applicability and specific standards please consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements.

Please note: this permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources, and other applicable federal, state, and local laws and ordinances.

REGULATION OR CONSTRUCTION PERMIT REFERENCE	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-2.100, 10-3.030, or 10-4.090, 10-5.070 Open Burning Restrictions	Shall not conduct, cause, permit or allow a salvage operation, the disposal of trade wastes or burning of refuse by open burning.	Any person intending to engage in open burning shall submit a request to the Director.
10 CSR 10-2.070, 10-3.090 or 10-4.070, Restriction of Emission of Odors	No person may cause, permit or allow the emission of odorous matter in concentrations and frequencies or for durations that odor can be perceived when air is diluted to 1:7 volumes of odorous to odor-free air for 2 separate trials not less than 15 minutes apart within 1 hour.	No odor violations noted, if and when scintometer readings are taken.
10 CSR 10-5.160 Control of Odors in the Ambient Air	No person shall emit odorous matter as to cause an objectionable odors unless within the limits established by this rule.	No odor violations noted, if and when scintometer readings are taken.
10 CSR 10-5.170 Control of Odors From Processing Animal Matter	No person shall operate or use any device, machine, equipment, or other contrivance for the reduction of animal matter unless all gases, vapors, and gas-entrained effluents from the facility are incinerated at a temperature of not less than 1,200°F for a period of not less than 0.3 seconds and otherwise in compliance with this rule.	Proper work practice.
10 CSR 10-6.050, Start-up, Shutdown and Malfunction Conditions	Shall not commence construction or modification of any installation subject to this rule; begin operation after construction or modification; or begin operation of any installation which has been shut down longer than 5 years without first obtaining a permit.	In the event of a malfunction, which results in excess emissions that exceed 1 hour, the permittee shall implement corrective action and submit reports.
10 CSR 10-6.065, Operating Permits	The permittee shall comply with all applicable requirements identified in the operating permit (OP); file for timely renewal of this OP; and retain a copy of the OP on-site and make available to any MDNR personnel upon request.	The permittee shall submit an annual compliance certification in accordance with the regulation. The permittee shall maintain a current equipment list on-site with the date of installation of the equipment.
10 CSR 10-6.110, Submission of Emission Data, Emission Fees and Process Information	Submission of Emission Inventory Questionnaire (EIQ) and emission fees by frequency noted in 10 CSR 10-6.110.	The permittee shall complete and submit an EIQ in accordance with 10 CSR 10-6.110.
10 CSR 10-6.200 Hospital, Medical, Infectious Waste Incinerators	No owner or operator shall cause to be discharged into the atmosphere any gases that contain stack emissions in excess of those listed in 10 CSR 10-6.200(3)(A).	Proper work practice and maintenance of appropriate performance test results.
10 CSR 10-6.070 New Source Performance Regulations	The following federal NSPS standards may apply: (Ec) Medical Waste Incinerators. Standards of Performance for Incinerators.	As required by regulations.

**NOTIFICATION FORM INSTRUCTIONS (CONTINUED)**

- 17.) **Installation Contact Person's E-Mail Address:** Enter the Contact Person's e-mail address.
- 18.) **Projected Date to Commence Construction:** Enter the date you intend to commence construction of your installation.
- 19.) **Projected Date of Operation Startup:** Enter the date you plan to begin operation with the installation.
- 20.) **Installation Description:** Enter the general product manufactured, the material handled by your installation and principal activity that is performed at this installation.
- 21.) **Signature of Responsible Official:** Enter the signature of the installation's official, certifying that the notification is accurate and complete. Notifications without a signed certification are not considered complete. A responsible official is:
1. The president, secretary, treasurer or vice-president of a corporation in charge of a principal business function, or any other person who performs similar policy and decision-making functions for the corporation or a duly authorization representative of this person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit and either-
    - a) The facilities employ more than 250 person or have a gross annual sales or expenditures exceeding twenty-five million dollars (in second quarter 1980 dollars); or
    - b) The delegation of authority to his representative is approved in advance by the permitting authority.
  2. A general partner in a partnership or the proprietor in a sole proprietorship.
  3. Either a principal executive officer or a ranking elected official in a municipality, state, federal, or other public agency. For the purpose of this part, a principal executive officer of a federal agency includes the chief executive officer having responsibility for the operations of a principal geographic unit of the agency; or
  4. The designated representative of an affected source insofar as actions, standards, requirements or prohibitions under Title IV of the Clean Air Act or the regulations promulgated under the Act are concerned or the designated representative for any purposes under Part 70.
- 22.) **Date:** Enter the date that the Signature of the Responsible Official was obtained.
- 23.) **Type or Print Name of Responsible Official:** Type or print the name of the Responsible Official signing in item 21.
- 24.) **Responsible Official's Telephone Number:** Enter the telephone number where the Responsible Official may be contacted who signed in item 21.
- 25.) **Title of Responsible Official:** Enter the official title of the Responsible Official from item 21.



MISSOURI DEPARTMENT OF NATURAL RESOURCES  
 AIR POLLUTION CONTROL PROGRAM  
**EMISSIONS INVENTORY QUESTIONNAIRE, OR EIQ**  
**FORM 1.0 GENERAL PLANT INFORMATION**

RECEIVED  
 2010 JUL 30 AM 11:54

Request Confidentiality - see instructions to initiate the confidentiality request.

FACILITY NAME Cotrell Funeral Service		FIPS COUNTY NO.	PLANT NO.	YEAR OF DATA 2010
FACILITY STREET ADDRESS 701 Vine Street		COUNTY NAME Butler		
CITY Poplar Bluff	ZIP CODE +4 63901	PHONE NUMBER WITH AREA CODE 573-785-8484	EXT.	FAX NUMBER WITH AREA CODE 573-785-0808
FACILITY MAILING ADDRESS PO Box 548		CITY Poplar Bluff	STATE MO	ZIP CODE +4 63901
FACILITY CONTACT NAME Randy Schulz	FACILITY CONTACT TITLE President	FACILITY CONTACT E-MAIL	WHERE TO SEND EIQ IN FUTURE (CHECK ONE) <input checked="" type="checkbox"/> Facility Mailing Address <input type="checkbox"/> Parent Company Mailing Address	
PRODUCT/PRINCIPAL ACTIVITY Human Cremation	SIC 7261	NAICS 812210	NUMBER OF EMPLOYEES	
LATITUDE		LONGITUDE		
DEGREES		UTM COORDINATES		
MINUTES		ZONE	EASTING (M)	NORTHING (M)
SECONDS			ACC (M)	HORIZONTAL DATUM (CHECK ONE) <input type="checkbox"/> NAD27 <input type="checkbox"/> WGS84 <input type="checkbox"/> NAD83
PARENT COMPANY NAME R&L Schulz LLC		PHONE NUMBER WITH AREA CODE 573785 8484	EXT.	FAX NUMBER WITH AREA CODE 573 785 0808
MAILING ADDRESS PO BOX 548		CITY Poplar Bluff	STATE MO	ZIP CODE +4 63901
CONTACT PERSON NAME Randy Schulz	CONTACT PERSON TITLE President	CONTACT PERSON E-MAIL	COUNTRY USA	
<b>TOTAL PLANT EMISSIONS FROM FORM 3.0 (TONS PER YEAR)</b>				
PM <sub>10</sub> 0.016	SO <sub>x</sub> 0.016	NO <sub>x</sub> 0.08	VOC 0.0008	CO 0.001
			LEAD N/A	HAPs N/A
			PM <sub>2.5</sub> 0.016	NH <sub>3</sub> N/A
The undersigned hereby certifies that they have personally examined and are familiar with the information and statements contained herein and further certifies that they believe this information and statements to be true, accurate and complete. The undersigned certifies that knowingly making a false statement or misrepresenting the facts presented in this document is a violation of state law.				
PRINT NAME OF PERSON COMPLETING FORM Randy Schulz		TITLE President	PAYMENT AMOUNT \$700.00	
SIGNATURE <i>Randy Schulz</i>		DATE 7-27-2010	CHECK/AUTH. NO.	
PRINT NAME OF AUTHORIZED COMPANY REPRESENTATIVE Randy Schulz		TITLE President	PAYMENT DATE	
SIGNATURE <i>Randy Schulz</i>		DATE 7-27-2010		
CONTACT INFORMATION Missouri Department of Natural Resources Air Pollution Control Program 1659 E. Elm St. Jefferson City, MO 65101 573-751-4817 www.dnr.mo.gov/env/apcp/moeis/emissionsreporting.htm eiq@dnr.mo.gov			OFFICE USE ONLY LOGGED IN BY DATE	