


STATE OF MISSOURI
DEPARTMENT OF NATURAL RESOURCES
MISSOURI AIR CONSERVATION COMMISSION



PERMIT BOOK

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: **042006-006** Project Number: 2006-01-045
055-9001
Owner: Capital Quarries Co., Inc.
Owner's Address: 822 West Stadium Blvd, Jefferson City, MO 65109
Installation Name: Capital Quarries Co., Inc.
Installation Address: Hwy FF, Bourbon, MO 65441
Location Information: Crawford County, S32, T40N, R2W


Application for Authority to Construct was made for:

The modification of an existing stationary rock-crushing plant. The rock-crushing plant is a Generic Plant. Rock is processed through no more than 1 pugmill, 1 grizzly, 4 crushers, 5 screens, 50 conveyors, and 8 bins. The rock-crushing plant has a maximum hourly design rate (MHDR) of 600 tons per hour (tph). Best Management Practices will be used to control fugitive emissions from haul roads, storage piles, and vehicular activity areas. This review was conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

- Standard Conditions (on reverse) are applicable to this permit.
- Standard Conditions (on reverse) and Special Conditions (listed as attachments starting on page 2) are applicable to this permit.

APR 17 2006

EFFECTIVE DATE


DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available not more than 60 days but at least 30 days in advance of this date. Also, you must notify the Department of Natural Resources Regional Office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed Special Conditions as provided in RSMo 643.075. If you choose to appeal, the Air Pollution Control Program must receive your written declaration within 30 days of receipt of this permit.

If you choose not to appeal, this certificate, the project review, your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Department of Natural Resources has established the Outreach and Assistance Center to help in completing future applications or fielding complaints about the permitting process. You are invited to contact them at 1-800-361-4827 or (573) 526-6627, or in writing addressed to Outreach and Assistance Center, P.O. Box 176, Jefferson City, MO 65102-0176.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention Construction Permit Unit.

2006-01-045
055-9001

Capital Quarries Co., Inc.

822 West Stadium Blvd, Jefferson City, MO 65109

Capital Quarries Co., Inc.

Hwy FF, Bourbon, MO 65441

Crawford County, S32, T40N, R2W

The modification of an existing stationary rock-crushing plant. The rock-crushing plant is a Generic Plant. Rock is processed through no more than 1 pugmill, 1 grizzly, 4 crushers, 5 screens, 50 conveyors, and 8 bins. The rock-crushing plant has a maximum hourly design rate (MHDR) of 600 tons per hour (tph). Best Management Practices will be used to control fugitive emissions from haul roads, storage piles, and vehicular activity areas. This review was conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Page No.	2
Permit No.	
Project No.	2006-01-045

GENERAL SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075); by the Missouri Rules listed in Title 10, Division 10 of the Codes of State Regulations (specifically 10 CSR 10-6.060); by 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority"; by 10 CSR 10-6.010 "Ambient Air Quality Standards" and 10 CSR 10-6.060 subsections (5)(D) and (6)(A); and by control measures requested by the applicant, in their permit application, to reduce the amount of air pollutants being emitted, in accordance with 10 CSR 10-6.060 paragraph (6)(E)3. Furthermore, one or more of the Subparts of 40 CFR Part 60, New Source Performance Standards (NSPS), applies to this installation.

1. Generic Plant Designation and Maximum Combined Hourly Design Rate
Capital Quarries Co., Inc.'s stationary rock-crushing plant (055-9001) has been designated to be a Generic Plant Operation. The combined Maximum Hourly Design Rate (MHDR) for the primary unit(s) and each of the following generic equipment types shall not exceed the maximum installation capacities listed below at any time the installation is in operation.

Equipment Type	Maximum Combined Hourly Design Rate	Maximum Number of Units
Primary Unit(s) (Primary Crusher)	600 tons per hour	1
Feeder/Grizzly	600 tons per hour	1
Crusher(s) including primary crusher	2400 tons per hour	4
Conveyor(s), Stacker(s)	20000 tons per hour	50
Screen(s)	2400 tons per hour	5
Pugmill(s)	600 tons per hour	1
Storage Bin(s)	1200 tons per hour	8
Diesel Engine(s)	1662 horsepower	1

2. Generic Plant Equipment Identification Requirement
 - A. Within fifteen (15) days of actual startup, Capital Quarries Co., Inc. shall submit to the Air Pollution Control Program's (APCP) Permitting Section, and the Southeast Regional Office, the following information for the generic plant (055-9001):
 - 1.) A Master List of all equipment that will be permitted for use with the generic plant (055-9001). This master list shall include the following information for each piece of equipment. The manufacturer's name, the model number, the serial number, the actual MHDR, the date of manufacture, any company-assigned equipment number, and any other additional information such as sizes and/or dimensions that is necessary to uniquely identify all of the equipment.
 - 2.) A list of the core equipment that will always be utilized with the generic plant (055-9001). The core equipment associated with the generic plant shall include at least one (1) primary unit. Core equipment items are rate-controlling components of the process flow (e.g., primary crusher and/or primary screen). The maximum hourly design rate of the generic plant is defined to be the sum of the MHDR(s) of the core equipment. Any arrangement of the generic plant's equipment must be such that the core equipment is not bypassed in the process flow.
 - 3.) A determination on the applicability of 40 CFR Part 60, Subpart "OOO", *Standards of Performance for Nonmetallic Mineral Processing Plants*, for each piece of equipment. Capital Quarries Co., Inc. shall indicate whether or not each piece of equipment is subject to Subpart "OOO" and provide the justification for this applicability determination.
 - 4.) Capital Quarries Co., Inc. shall submit notification to the APCP and the Regional Office if the core equipment is changed and/or if new equipment is added to the supplemental equipment list.
 - B. To assure that each piece of equipment is properly identified as being a part of this generic stationary rock-crushing plant (055-9001), Capital Quarries Co., Inc. shall provide and maintain suitable, easily read permanent markings on each component of the plant. These markings shall be the equipment's serial number or a company assigned identification number that uniquely identifies the individual component. These identification numbers must be submitted to the APCP and the Regional Office no later than fifteen (15) days after start-up of the generic plant.

Page No.	3
Permit No.	
Project No.	2006-01-045

GENERAL SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- C. Capital Quarries Co., Inc. shall at all times maintain a list of the specific equipment currently being utilized with the generic stationary rock-crushing plant (055-9001). The installation shall immediately make this list of currently used equipment available to any Missouri Department of Natural Resources' personnel upon request.

- 3. Record Keeping Requirement
The operator(s) shall maintain all records required by this permit for not less than five (5) years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request.

- 4. Superseding Condition
The conditions of this permit supersede all special conditions found in the previously issued construction permit(s) (0584-001, 0784-011, 0286-011, 0493-014, 0494-017, 0494-017A, 0396-029, 0396-029A, 0198-036, 0198-036A, 0198-036B, 052000-001, 062001-009) from the Air Pollution Control Program.

Page No.	4
Permit No.	
Project No.	2006-01-045

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

Site ID No.: 055-9001
Site Name: Capital Quarries Co.
Site Address: Hwy Ff, Bourbon, MO 65441
Site County: Crawford County, S32, T40N, R2W

1. **Best Management Practices**
Capital Quarries Co., Inc. shall control fugitive emissions from all of the haul roads and stockpiles at this site by performing *Best Management Practices*, which include the usage of paving, chemical dust suppressants, or documented watering. These practices are defined in Attachment AA.
2. **National Ambient Air Quality Standards (NAAQS) Limitation for Particulate Matter Less Than Ten Microns in Diameter (PM₁₀)**
 - A. The operator(s) for Capital Quarries Co., Inc.'s rock-crushing plant (055-9001) shall ensure, while operating at this site, that the ambient impact of PM₁₀ at or beyond the nearest property boundary does not exceed 150 µg/m³ in any 24-hour period, in accordance with the Federal NAAQS requirements (40 CFR 50.6).
 - B. The total daily ambient impact of PM₁₀ at this site shall include the combined impact of the rock-crushing plant and any ambient background concentration from installations or equipment located on the same site as the rock-crushing plant.
 - C. To demonstrate compliance, the operator(s) shall maintain a daily record of material processed. Attachment A, *Daily Ambient PM₁₀ Impact Tracking Record (Concurrent Operation)*, or other equivalent form(s), will be used for this purpose.
3. **Annual Emission Limit of Particulate Matter Less Than Ten Microns in Diameter (PM₁₀)**
 - A. The operator(s) shall ensure that Capital Quarries Co., Inc.'s rock-crushing plant (055-9001) emits less than 50 tons of PM₁₀ into the atmosphere in any 12-month period.
 - B. To demonstrate compliance, the operator(s) shall maintain a daily record of material processed and PM₁₀. Attachment B, *Monthly PM₁₀ Emissions Tracking Record*, or other equivalent form(s), will be used for this purpose.
4. **Moisture Content Testing Requirement for Inherent Moisture Content**
 - A. The inherent moisture content of the rock will reduce particulate emissions. Capital Quarries Co., Inc. claimed the inherent moisture content of the processed rock to be greater than or equal to 1.5 wt%, which shall be verified by testing.
 - B. Testing shall be conducted according to approved methods, such as those prescribed by the *American Society for Testing Materials (ASTM D-2216 or C-566)*, EPA AP-42 Appendix C.2, or other method(s) approved by the Director. The first test shall be no later than 45 days after startup. Testing shall be conducted for three consecutive years during the months of June through September, while the rock-crushing plant is active at this site. If the test results have been consistently greater than 1.5 wt% and there is no reported emission exceedances from the plant, then no further testing is required and this site shall be deemed to have met this condition on all subsequent permits. Verification of the results will be performed during a routine inspection. If the test results have been less than 1.5 wt% and/or there is substantial change in the emissions from the plant, then Capital Quarries Co., Inc. shall apply for a new construction permit to account for the revised information or operate a wet suppression system capable of maintaining visible emissions standards for each unit within 30 days.
 - C. The operator shall obtain test samples before processing (before entering the Primary Crusher, EP01) and after processing (prior to load-in to bins and/or storage piles). During the sample processing run only, any spray devices shall be turned off during the processing from which test samples are obtained. The written analytical report shall include the raw data and moisture content (wt.%) of each sample, the test date, and the original signature of the individual performing the test. Within 30 days of completion of the required tests, the report shall be submitted to the Enforcement section of the Air Pollution Control Program, and a copy shall be sent to the Regional Office.

Page No.	5
Permit No.	
Project No.	2006-01-045

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

5. Prohibition Against Concurrent Operations Without Further APCP Review
The rock-crushing plant (055-9001) is prohibited from operating whenever any other plant(s) are located at this site, except for the following plant:
A. N. B. West Contracting Co., Inc.'s stationary asphalt plant, 055-P027, (Project #2005-12-056)
6. Restriction on Process Configuration of Primary Emission Point(s)
The maximum hourly design rate of the plant is equal to the sum of the design rate(s) of the primary emission point(s). Capital Quarries Co., Inc. has designated the following unit(s) as the primary emission point(s) of the rock-crushing plant: primary crusher (EP01). Bypassing the primary emission point(s) for processing is prohibited.
7. Restriction on Minimum Distance to Nearest Property Boundary
The primary emission point of the rock-crushing plant, which is the primary crusher (EP01), shall be located at least 800 feet from the nearest property boundary whenever it is operating at this site.

TECHNICAL REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT

PROJECT DESCRIPTION

Rock, composed of non-metallic minerals, is drilled/blasted, loaded into haul trucks, and transported to processing. Rock is processed through feeder(s), crusher(s), screen(s), conveyor(s), and bin(s). Processing equipment is powered with electrical lines and not diesel engine(s), but the company requested to include a 1662 horsepower diesel engine in the permit for future power needs, if necessary. The emission points are listed in the attached spreadsheet summary. This installation is not on the List of Named Installations [10 CSR 10-6.020(3)(B), Table 2]. The installation is located in Crawford County, an attainment area for all criteria air pollutants.

The stationary rock-crushing plant was formerly a portable plant, PORT-0088. The plant has been operating at this site since 1999 under a series of construction permits (#052000-001, #062001-009). An operating permit application was submitted by PORT-0088 in 2004 and the status of the plant was changed from portable to stationary. The rock-crushing plant will operate concurrently with N. B. West Contracting Co. Inc's stationary asphalt plant, 055-P027, (Project #2005-12-056) at this site. Historically, both of these plants have had their own separate property boundaries. The companies requested to combine the two properties into one so that they will be considered concurrent operations. The two plants have volunteered to share the 150 $\mu\text{g}/\text{m}^3$ of PM_{10} allowed for the site and also share the aggregate storage piles, high line power, and haul roads.

Table 1: Other Permits Issued for the Site (055-9001)

Permit Number	Completed	Description
0897-003	08/04/1997	Replacing crusher.

The following Notices of Violations (NOV) were issued for the rock-crushing plant at this site in the last five (5) years. .

Table 2: NOV's Issued for the Rock-Crushing Plant at This Site (055-9001)

NOV Number	Date	Regulation Number	Violation Description
0758JC	5/22/2001	10 CSR 10-6.060	Construction without a permit.
3061SE	9/26/2003	10 CSR 10-6.060	Construction without a permit.
3061SE	9/26/2003	10 CSR 10-6.070	Failure to notify the start-up date of new equipment.

EMISSIONS EVALUATION

Criteria air pollutants will be emitted from this operation. The main air pollutant of concern is PM_{10} . The potential emissions were calculated from the maximum hourly design rate (MHDR) of the equipment, appropriate emission factors, control device efficiencies, and the limiting operating hours at MHDR. The sources of the emission factors and control efficiencies are listed in the section "Permit Documents". Based on the conditioned potential emissions, the operation is considered a minor source under 10 CSR 10-6.060 section (6).

The rock-crushing plant has an annual emission limit of less than 50 tons of PM_{10} in any 12-month period. A composite PM_{10} emission factor was developed for the rock-crushing plant. The composite emission factor is incorporated into the monthly record keeping table, Attachment B. If the conditioned potential emissions of PM_{10} were 50 tons per year or greater, then the owner would be required to submit dispersion modeling results.

Table 3: Emissions Summary (tons per year)

Air Pollutant	Regulatory De Minimis Levels	Existing Potential Emissions	Existing Actual Emissions (2004 EIQ)	Potential Emissions of the Application	*New Installation Conditioned Potential	Emission Factor (lb/ton)
PM_{10}	15.0	170.12	7.32	170.12	<50	0.0124
SO_x	40.0	21.37	N/D	21.37	6.28	N/A
NO_x	40.0	169.28	N/D	169.28	49.76	N/A
VOC	40.0	4.33	N/D	4.33	1.27	N/A
CO	100.0	44.97	N/D	44.97	13.22	N/A
HAPs	10.0/25.0	0.08	N/D	0.08	0.02	N/A

Note: N/A = Not Applicable; N/D = Not Determined

* PM_{10} Conditioned potential based on limit in permit conditions. Other pollutants proportionately reduced.

AMBIENT AIR QUALITY IMPACT ANALYSIS

Screening tools were used to evaluate the ambient air impact of the hourly emissions from this operation. The ambient impact was evaluated at a distance of 800 feet to the nearest property boundary. The ambient impact at this site shall not exceed the National Ambient Air Quality Standard (NAAQS) of 150 $\mu\text{g}/\text{m}^3$ of PM_{10} at or beyond the nearest property boundary in any single 24-hour period. The screening tools were used to develop an ambient impact factor for the rock-crushing plant. This ambient impact factor is incorporated into the daily record keeping table, Attachment A. An ambient background level of PM_{10} from the operation(s) of N. B. West Contracting Co., Inc.'s stationary asphalt plant, 055-P027, (Project #2005-12-056) is included in Attachment A.

For sources agreeing to use Best Management Practices (BMPs), as defined in Attachment AA, haul roads and stockpiles are not modeled with screening tools. Instead, they are addressed as a background level of 20 $\mu\text{g}/\text{m}^3$ of PM_{10} . To ensure conformity with NAAQS, the remaining process emissions are limited to an impact of less than 130 $\mu\text{g}/\text{m}^3$ of PM_{10} at or beyond the nearest property boundary.

Table 4: Ambient Air Quality Impact Analysis of PM_{10} , 24-Hour Averaging Time

Operation	Ambient Impact Factor ($\mu\text{g}/\text{m}^3/\text{ton}$)	Modeled Impact ($\mu\text{g}/\text{m}^3$)	*Background ($\mu\text{g}/\text{m}^3$)	NAAQS ($\mu\text{g}/\text{m}^3$)	Daily Production Limit (tons)
1. Concurrent, Separate Owners	0.0124	113.44	36.56	150.00	9181

* Background PM_{10} level of 20.00 $\mu\text{g}/\text{m}^3$ from haul roads and stockpiles and 16.56 $\mu\text{g}/\text{m}^3$ from the operation of N. B. West Contracting Co., Inc.'s stationary asphalt plant, 055-P027, (Project #2005-12-056).

Ambient air quality modeling was performed to determine the ambient impact of Nitrogen Oxides (NO_x). The plant currently does not run on diesel engine(s), but the company requested that a 1662 horsepower diesel engine be included in the analysis for future needs, if necessary. Ambient impact modeling was performed using Screen View, the interface for EPA screen3 modeling. The result of this modeling shows that the plant will be in compliance with NO_x limits set by NAAQS.

Table 5: Ambient Air Quality Impact Analysis of Nitrogen Oxides (NO_x)

Modeled Impact ($\mu\text{g}/\text{m}^3$)	*Background Impact ($\mu\text{g}/\text{m}^3$)	**Total Impact ($\mu\text{g}/\text{m}^3$)	NAAQS Limitation ($\mu\text{g}/\text{m}^3$)	Averaging Time
29.52	10.36	39.88	100.00	Annual

*Background Impact from the operation of N. B. West Contracting Co. Inc.'s stationary asphalt plant, 055-P027, (Project #2005-12-056).

**Total Impact is the sum of modeled impact and background impact.

APPLICABLE REQUIREMENTS

The owner is subject to compliance with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements.

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110
- *Operating Permits*, 10 CSR 10-6.065
- An Operating Permit application is required for this installation within 30 days of equipment startup.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-3.090
- *Restriction of Emission of Particulate Matter From Industrial Processes*, 10 CSR 10-6.400
- 40 CFR Part 60 Subpart "OOO", *Standards of Performance for Nonmetallic Mineral Processing Plants*, of the New Source Performance Standards (NSPS)
- The National Emission Standards for Hazardous Air Pollutants (NESHAPs) and the currently promulgated Maximum Achievable Control Technology (MACT) regulations do not apply to the proposed equipment.

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

Chia-Wei Young
Environmental Engineer

Date

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, designating Capital Quarries Co., Inc. as the owner and operator of the installation.
- Environmental Protection Agency (EPA) AP-42, *Compilation of Air Pollutant Emission Factors; Volume I, Stationary Point and Area Sources, Fifth Edition*.
- Noyes Data Corp. book, Orlemann, et al. 1983, *Fugitive Dust Control*.
- EPA Factor Information Retrieval (FIRE) Version 6.21.
- Spreadsheet calculations of potential-to-emit and ambient impact.
- Southeast Regional Office Site Survey.
- Best Management Practices.

Attachment AA: Best Management Practices (BMPs)- Construction Industry Fugitive Emissions

Construction Industry Sites covered by the Interim Relief Policy shall maintain Best Management Control Practices (BMPs) for fugitive emission areas at their installations when in operation. Options for BMPs are at least one of the following:

For Haul Roads:

1. Pavement of Road Surfaces –
 - A. The operator(s) may pave all or any portion of the haul roads with materials such as asphalt, concrete, and/or other material(s) after receiving approval from the program. The pavement will be applied in accordance with industry standards for such pavement so as to achieve “Control of Fugitive Emissions¹” while the plant is operating.
 - B. Maintenance and/or repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator(s) shall periodically water, wash and/or otherwise clean all of the paved portions of the haul road(s) as necessary to achieve control of fugitive emissions from these areas while the plant is operating.

2. Usage of Chemical Dust Suppressants –
 - A. The operator(s) shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to all the unpaved portions of the haul roads. The suppressant will be applied in accordance with the manufacturer’s suggested application rate (if available) and re-applied as necessary to achieve control of fugitive emissions from these areas while the plant is operating.
 - B. The quantities of the chemical dust suppressant shall be applied, re-applied and/or maintained sufficient to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator(s) shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator(s) shall keep these records with the plant for not less than five (5) years, and the operator(s) shall make these records available to Department of Natural Resources personnel upon request.

3. Usage of Documented Watering –
 - A. The operator(s) shall control the fugitive emissions from all the unpaved portions of the haul roads at the installation by consistently and correctly using the application of a water spray. Documented watering will be applied in accordance with a recommended application rate of 100 gallons per day per 1,000 square feet of unpaved/untreated surface area of haul roads as necessary to achieve control of fugitive emissions from these areas while the plant is operating. For example, the operator(s) shall calculate the total square feet of unpaved vehicle activity area requiring control on any particular day, divide that product by 1,000, and multiply the quotient by 100 gallons for that day.
 - B. The operator(s) shall maintain a log that documents daily water applications. This log shall include, but is not limited to, date and volumes (e.g., number of tanker applications and/or total gallons used) of water application. The log shall also record rationale for not applying water on day(s) the plant is in operation (e.g., meteorological situations, precipitation events, freezing, etc.)
 - C. Meteorological precipitation of any kind, (e.g. a quarter inch or more rainfall, sleet, snow, and/or freeze thaw conditions) which is sufficient in the amount or condition to achieve control of fugitive emissions from these areas while the plant is operating.
 - D. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads. The operator(s) shall record a brief description of such events in the same log as the documented watering.
 - E. The operator(s) shall record the date and the amount of water applied for each application on the above areas. The operator(s) shall keep these records with the plant for not less than five (5) years, and the operator(s) shall make these records available to Department of Natural Resources personnel upon request.

¹ For purposes of this document, Control of Fugitive Emissions means to control particulate matter that is not collected by a capture system and visible emissions to the extent necessary to prevent violations of the air pollution law or regulation. (Note: control of visible emission is not the only factor to consider in protection of ambient air quality.)

For Vehicle Activity Areas around Open Storage Piles:

1. Pavement of Stockpile Vehicle Activity Surfaces –
 - A. The operator(s) may pave all or any portion of the vehicle activity areas around the storage piles with materials such as asphalt, concrete, and/or other material(s) after receiving approval from the program. The pavement will be applied in accordance with industry standards for such pavement so as to achieve control of fugitive emissions while the plant is operating.
 - B. Maintenance and/or repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator(s) shall periodically water, wash and/or otherwise clean all of the paved portions of the vehicle activity areas around the storage piles as necessary to achieve control of fugitive emissions from these areas while the plant is operating.

2. Usage of Chemical Dust Suppressants –
 - A. The operator(s) shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to all the vehicle activity areas around the open storage piles. The suppressant will be applied in accordance with the manufacturer's suggested application rate (if available) and re-applied as necessary to achieve control of fugitive emissions from these areas while the plant is operating.
 - B. The quantities of the chemical dust suppressant shall be applied, re-applied and/or maintained sufficient to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator(s) shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator(s) shall keep these records with the plant for not less than five (5) years, and the operator(s) shall make these records available to Department of Natural Resources personnel upon request.

3. Usage of Documented Watering –
 - A. The operator(s) shall control the fugitive emissions from all the vehicle activity areas around the storage piles at the installation by consistently and correctly using the application of a water spray. Documented watering will be applied in accordance with a recommended application rate of 100 gallons per day per 1,000 square feet of unpaved/untreated surface area of vehicle activity areas around the storage piles as necessary to achieve control of fugitive emissions from these areas while the plant is operating. (Refer to example for documented watering of haul roads.)
 - B. The operator(s) shall maintain a log that documents daily water applications. This log shall include, but is not limited to, date and volumes (e.g., number of tanker applications and/or total gallons used) of water application. The log shall also record rationale for not applying water on day(s) the plant is in operations (e.g., meteorological situations, precipitation events, freezing, etc.)
 - C. Meteorological precipitation of any kind, (e.g. a quarter inch or more rainfall, sleet, snow, and/or freeze thaw conditions) which is sufficient in the amount or condition to achieve control of fugitive emissions from these areas while the plant is operating.
 - D. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads. The operator(s) shall record a brief description of such events in the same log as the documented watering.
 - E. The operator(s) shall record the date and the amount of water applied for each application on the above areas. The operator(s) shall keep these records with the plant for not less than five (5) years, and the operator(s) shall make these records available to Department of Natural Resources personnel upon request.

Mr. Tommy Crouch
Compliance and Safety Manager
Capital Quarries Co., Inc.
822 West Stadium Blvd
Jefferson City, MO 65109

RE: New Source Review Permit - Project Number: 2006-01-045

Dear Mr. Crouch:

Enclosed with this letter is your New Source Review permit. Please review your permit carefully and note the special conditions, if any, and the requirements in your permit.

Operation in accordance with the conditions and requirements in your permit, the New Source Review application submitted for project 2006-01-045, and your amended operating permit, if required, is necessary for continued compliance. Please review your amended operating permit, as it will contain all applicable requirements for your rock-crushing plant, including any special conditions from your New Source Review permit.

The section of the permit entitled "Technical Review of Application for Authority to Construct" should not be separated from the main portion of your permit. The entire permit must be retained in your files. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

If you have any questions regarding this permit, please do not hesitate to contact me at (573) 751-4817, or you may write to me at the Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102. Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Kendall B. Hale
New Source Review Unit Chief

KH:cwyl

Enclosures

c: Southeast Regional Office
PAMS File 2006-01-045

Permit Number: