

Figure E-7i. PSAT contributions by source region and source category to the average 2000-2004 Baseline extinction (Mm^{-1}) for the Best 20% visibility days at Mingo (MING), Missouri.




Figure E-7j. PSAT contributions by source region and source category to the average 2018 extinction (Mm^{-1}) for the Best 20% visibility days at Mingo (MING), Missouri.




Figure E-8a. PSAT source categories by PM species contributions to the average 2000-2004 Baseline extinction (Mm^{-1}) for the Worst 20% visibility days at Wichita Mountains (WIMO), Oklahoma.




Figure E-8b. PSAT source category by PM species contributions to the average 2018 projected extinction (Mm^{-1}) for the Worst 20% visibility days at Wichita Mountains (WIMO), Oklahoma.




Figure E-8c. PSAT source region by source category contributions to the average 2000-2004 Baseline extinction (Mm^{-1}) for the Worst 20% visibility days at Wichita Mountains (WIMO), Oklahoma.




Figure E-8d. PSAT source region by source category contributions to the average 2018 extinction (Mm^{-1}) for the Worst 20% visibility days at Wichita Mountains (WIMO), Oklahoma.




Figure E-8e. Ranked PSAT source region by source category contributions to the average 2018 extinction (Mm^{-1}) for the Worst 20% visibility days at Wichita Mountains (WIMO), Oklahoma.




Figure E-8f. Ranked PSAT source region by source category contributions to the average 2018 SO₄ (left) and NO₃ (right) extinction (Mm^{-1}) for the Worst 20% visibility days at Wichita Mountains (WIMO), Oklahoma.




Figure E-8g. PSAT contributions by source category and PM species to the average 2000-2004 Baseline extinction (Mm^{-1}) for the Best 20% visibility days at Wichita Mountains (WIMO), Oklahoma.




Figure E-8h. PSAT contributions by source category and PM species to the average 2018 extinction (Mm^{-1}) for the Best 20% visibility days at Wichita Mountains (WIMO), Oklahoma.




Figure E-8i. PSAT contributions by source region and source category to the average 2000-2004 Baseline extinction (Mm^{-1}) for the Best 20% visibility days at Wichita Mountains (WIMO), Oklahoma.




Figure E-8j. PSAT contributions by source region and source category to the average 2018 extinction (Mm^{-1}) for the Best 20% visibility days at Wichita Mountains (WIMO), Oklahoma.