



---

*Number of Complaints Received RE:*

<i>Asbestos</i>	27
<i>Burning</i>	42
<i>Fugitive Dust</i>	12
<i>Odors</i>	21
<i>Particulate</i>	4
<i>Toxics</i>	2
<i>Other</i>	7

*Of the above, 22 complaints involved multiple emissions.*

*Total of Complaints Received: 90*

*Number of Investigations of Complaints:*

<i>Received during report period.</i>	37
<i>Received prior to report period.</i>	6

*Total number of investigations completed: 43*

*Number of formal notices of violation issued: 1*

## Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

<i>Region</i>	<i>Inspection Date</i>	<i>Date Received</i>	<i>Suspected Source Owner/Operator</i>	<i>City</i>	<i>County Name</i>	<i>Type of Concern</i>	<i>INSP Initials</i>	<i>NOV</i>
KCRO	2014-01-07	2013-10-26	Andrew Breshears	Excelsior Springs	Ray	Burning	CW	
<b>Concern No.</b>	16908	<b>Concern Info</b>	Wood Heights FPD responded to a fire on 10/26/2013. Mattress springs, wire, brush and other miscellaneous items were found in the burn pile after it was extinguished. The son of the property owner has been advised not to burn prohibited items in the past and that he needs a burn permit to burn brush.					
<b>Comments</b>	Violations of the Missouri open burning requirements were determined at the time of the investigation. KCRO will issue a Letter of Warning for the violations. Immediately cease the open burning of prohibited items. Apply and obtain a permit to open burn vegetative waste prior to burning vegetative waste.							
KCRO		2014-01-03	Unknown	Hamilton	Caldwell	Burning	CW	
<b>Concern No.</b>	17233	<b>Concern Info</b>	Anonymous CP left voicemail on COD line at 4:29 p.m. 1/3/14: Someone living at the Northwest corner of 36 Highway and 13 Highway in Hamilton was told to haul off his trailer, but instead he burned the trailer down on New Year's Day 1/1/2014.					
<b>Comments</b>								
KCRO		2014-01-21	Remington Arms	Lexington	Lafayette	Air Odors	SN	
<b>Concern No.</b>	17378	<b>Concern Info</b>	Remington Arms (formerly S& K Industries), emits a wood and chemical odor (a varnish smell) that can be detected at the CP's property. Remington Arms is located just north of the CP, and any day that the wind blows from the north, they can smell the facility. On the night of 1/20/14, the odors permeated the CP's residence and smelled of burning plastic. Several businesses surround the facility, including Sonic and a gas station to the east, and a Chinese restaurant to the north.					
<b>Comments</b>								
KCRO		2014-01-22	Ash Grove Aggregates – Butler/	Butler	Bates	Blasting	SN	
<b>Concern No.</b>	17377	<b>Concern Info</b>	Dust is leaving the property, plus the noise is terrible. The blasting rattles the house. Concerned party tried to fill out an online form earlier today. Concerned party said that neighbors have gotten lawyers previously but nothing ever came of it. The concerned party said the company is always nice when you call them but they never do anything about the problems.					
<b>Comments</b>								
KCRO		2014-01-22		Oak Grove	Jackson	Burning	DG	
<b>Concern No.</b>	17468	<b>Concern Info</b>	The Sni Valley FPD was called 1/19/2014, at 4:38 pm to extinguish a large debris fire. It was found that tires, appliances, demolition debris and rubbish had been ignited. The Fire Chief stated that "we have had a lot of problems with the tenant as well as the owner of this property in the past."					
<b>Comments</b>	Conflicting statements were given by the RP to local officials. First, the female renter stated that her husband was burning dimensional lumber and left the scene, after which the fire had spread. Later, she stated she did not know how it started.  Dee Ann has the incident report and photos in an e-mail.							

## Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
KCRO		2014-01-27	E and S Quarries	Holden	Johnson	Fugitive Dust	SN	
<b>Concern No.</b>	17495	<b>Concern Info</b>	E&S Quarries has a problem with fugitive dust. The concerned party states that when the wind is out of the Northwest the fugitive dust reaches his property. This has been an ongoing problem since the quarry opened. He noticed dust leaving the quarries property on 01/27/2014.					
<b>Comments</b>								
KCRO		2014-01-27	CTL Truck Repair	Bethany	Harrison	Burning	CW	
<b>Concern No.</b>	17523	<b>Concern Info</b>	Caller informed the Department that several burning events have occurred last week and all day today. Caller thinks they were burning demolition debris from a convenience store that was recently torn down. Caller said they were burning on the CTL Truck Repair's property, which is located at the intersection of 39th and Miller Street. Caller also mentioned that the City informed them that they cannot burn the demolition debris and they still did it.					
<b>Comments</b>								
KCRO		2014-01-28	Butch Shore	Holden	Johnson	Burning	CW	
<b>Concern No.</b>	17524	<b>Concern Info</b>	A telephone call was received on 1/28/2014, from Fire Chief Glen Ralston, who said the same person is burning again. The local officials are taking action and would like DNR to investigate. CP tore down a structure, which may have been a former residence, garage or barn at 3rd Street in Holden near Lexington and Buffalo. They took the material to 404 Lindy Lane in Holden after dark and burned the material (without a burn permit).  The Fire Chief said that both the Sheriff's office incident report and Fire Department incident report are available as well as photographs showing the violation, which he sent to the KCRO.  The Fire Chief said that the CP had already been reported by the Sheriff's office to the KCRO for prior incidents of open burning prohibited items.					
<b>Comments</b>								
KCRO		2014-02-03	Johnson Controls	Albany	Gentry	Air Odors / Fugitive Dust	SN	
<b>Concern No.</b>	17549	<b>Concern Info</b>	CP states that air handling units are painted inside this plant, the paint booths are not properly maintained, and the filters are insufficient to protect the environment. The paint booths run every day all day over 2 or 3 shifts. The paint booths would be shut down if inspected, as they were during a recent air quality study.  The paint booths cause odors in the area and a haze in the air surrounding the plant. The emissions cause a hard, paint-like film to accumulate on nearby vehicles, ruining vehicle paint jobs. The CP stated that such vehicles would have to be completely stripped and re-painted due to these emissions.  Additionally, used hydraulic oil and other automotive fluids are dumped on the gravel parking lot on the east end of the building, causing the gravel to be discolored, which is easily visible.					
<b>Comments</b>								

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

<i>Region</i>	<i>Inspection Date</i>	<i>Date Received</i>	<i>Suspected Source Owner/Operator</i>	<i>City</i>	<i>County Name</i>	<i>Type of Concern</i>	<i>INSP Initials</i>	<i>NOV</i>
KCRO		2014-02-06	Cameron Insurance Company	Cameron	Clinton	Asbestos	MC	
<b>Concern No.</b>	17575	<b>Concern Info</b>	Cameron Insurance Company is scraping up floor tile today and sanding the glue off of the floor. Mrs. Janet Castleman says that they are throwing the trash in the dumpster. Work is occurring at the employee's entrance. There are two sets of doors at this entrance, and the work is occurring between the two sets of doors. This is an area about 70 – 100 ft.					
<b>Comments</b>								
KCRO		2014-02-10	Chris Mare	Deepwater	Henry	Air Odors / Burning	SN	
<b>Concern No.</b>	17583	<b>Concern Info</b>	Mobile home park owner demolishing trailers and burning the debris and making the neighbors sick. Contact C P for directions to location and further information.					
<b>Comments</b>								
KCRO		2014-02-14		Sedalia	Pettis	Asbestos	CW	
<b>Concern No.</b>	17634	<b>Concern Info</b>	Caller reports a house is being renovated and the asbestos is not being handled properly. Workers started working on the project about a week ago and have been working on it every day. The caller is concerned about the health of the workers and that they are taking all of the waste to the landfill. Caller reported that the structure is and has been a residential structure as far as he knows.					
<b>Comments</b>								
KCRO		2014-02-24	E & S Quarries	Holden	Johnson	Fugitive Dust	DM	
<b>Concern No.</b>	17695	<b>Concern Info</b>	Caller reports large amounts of fugitive dust emissions from limestone quarry operation. The dust is especially bad after blasting, but also occurs from crushing operation.					
<b>Comments</b>								
KCRO		2014-02-24	Tyson Foods	Sedalia	Pettis	Air Odors	SN	
<b>Concern No.</b>	17696	<b>Concern Info</b>	Caller reports extremely strong odor of burnt feathers and rotten meat almost on a weekly basis. The odor usually begins on Friday evenings and becomes extremely bad by Saturday evening. Caller has contacted the suspect responsible party and was informed it was the facility rendering plant and nothing could be done.					
<b>Comments</b>								
KCRO		2014-02-24	O'dell Publishing	Liberty	Clay	Particulate	CW	
<b>Concern No.</b>	17708	<b>Concern Info</b>	Concerned party reported that the responsible party has been generating a chemical odor and discharging blue smoke from their facility for the last month.					
<b>Comments</b>								

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
KCRO		2014-02-24	EnTire Recycling	Phelps City	Atchison	Particulate / Burning	CW	
<b>Concern No.</b>	17731	<b>Concern Info</b>	Copied from email sent to EPA:  I am emailing to ask a question of which I feel is very important. Phelps City Missouri has a Tire Recycling plant and is always burning waste material so black smoke billows from the stacks often. I am concerned that this is not being regulated.  Also the entire area looks like a dump and they have several semi trailers blocking your vision of the train tracks - you can't see west on 136 if a train is approaching the tracks. I believe this in itself is a major problem. Please check into the problems. Thank You.  Gary Bertram of Region 7 looked this up and it is EnTire Recycling, Inc.					
<b>Comments</b>								
KCRO		2014-02-25	Remington Arms	Lexington	Lafayette	Particulate / Air Odors	SN	
<b>Concern No.</b>	17732	<b>Concern Info</b>	Concerned party submitted photographs, which appear to show excess emissions from the facility's wood-burning boiler's stack. The concerned party said the pipe (stack from boiler) emits a burnt like plastic smell, similar to burning toy army men and fireworks. He said the smell was so bad at his house outdoors that he had to cover his nose and he can smell the odor upstairs indoors. He said it also made a dark cloud of smoke around his back door and concrete area.					
<b>Comments</b>								
KCRO		2014-02-26	Fred Messner and Chris Padgett	St. Joseph	Buchanan	Burning	SN	
<b>Concern No.</b>	17761	<b>Concern Info</b>	Neighbor burned construction debris and other trash today, which smoked up the whole area. Caller reports that he has photographs and video of the incident. The burn location is visible from the caller's property. The Buchanan County Codes Enforcement Officer and Sheriff's Department also have additional information (See Additional Comments on Page 4).					
<b>Comments</b>								
KCRO		2014-02-27	Boys and Girls Club of Independ	Independence	Jackson	Asbestos	SN	
<b>Concern No.</b>	17762	<b>Concern Info</b>	Concerned party believes a roofing project is underway at the Boy and Girls Club in Independence. Concerned party thinks this roof may contain asbestos and saws are being used to remove the roof.					
<b>Comments</b>								
NERO	2014-01-17	2013-11-25	John Lybarger	New London	Ralls	Burning	SB	
<b>Concern No.</b>	17033	<b>Concern Info</b>	Someone at this address is burning junk such as mattresses, furniture and cabinets on a regular basis.					
<b>Comments</b>	No violation found. Send informational letter.							

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

### Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
NERO	2014-01-08	2013-12-27	Columbia Landfill	Columbia	Boone	Air Odors	DB	
<b>Concern No.</b>	17231	<b>Concern Info</b>	A caller reports a foul odor, worse than rotten eggs, that he smells at his house at night and in the morning. He's not sure if it's from a nearby landfill (active) or the nearby PVC plant. He suspects burning. The smell has only been there since about Thanksgiving.					
<b>Comments</b>	No violation at the time of investigation. A letter was sent. Additional investigations will be conducted.							
NERO	2014-01-17	2013-12-31	Mary Trenhaile	Shelbyville	Shelby	Burning	CB	
<b>Concern No.</b>	17199	<b>Concern Info</b>	A report was received that a barn was burned and then buried by Ms. Trenhaile. Now she has purchased an 80 acres farm that had a barn located on it that was burned before it was purchased. The report also states that the remains of this barn are going to be buried.					
<b>Comments</b>	No violation was found. An informational letter and the following fact sheets will be sent to Ms. Trenhaile: Facts on Open Burning Under Missouri Regulations Managing Construction and Demolition Waste							
NERO		2014-01-02	Truitt's Dirt Works	Trenton	Grundy	Asbestos	DB	
<b>Concern No.</b>	17230	<b>Concern Info</b>	The following report was filed electronically: Truitt's dirt works is disposing of building debris that contains asbestos (wet demo) from houses in Ludlow and Trenton (during 2013 spring and fall) and possible other locations. They are taking debris to a landfill that does not accept any asbestos material (Pink Hill in Blue Springs, MO). This landfill does not have knowledge of asbestos in loads being dumped.					
<b>Comments</b>								
NERO	2014-01-08	2014-01-07	Columbia Landfill	Columbia	Boone	Air Odors	DB	
<b>Concern No.</b>	17240	<b>Concern Info</b>	Caller states that he smelled odors last night starting at 12:30 and continuing until he left for work this morning. He stated that he was able to smell it inside his house. On a scale of 1-10, he rated the odors as a 7, with the odors he reported for concern ACE# 17231 being rated as a 10. He stated that he was sure the odors are coming from the landfill. He stated that the wind changed direction when he smelled the odors.					
<b>Comments</b>	No violation at the time of investigation. A letter was sent. Additional investigations will be conducted.							
NERO	2014-01-08	2014-01-08	Columbia Landfill	Columbia	Boone	Air Odors	DB	
<b>Concern No.</b>	17529	<b>Concern Info</b>	At about 10 a.m., a call was received from the Ameren UE Gas Service Supervisor for the Columbia area. He said that they have had multiple crews out checking for gas odors in the area around the Columbia Landfill since 1 a.m. this morning. Three crews are out checking for odors right now. They believe that the odors are gas odors from the Columbia Landfill. By law, they must respond to reports of gas leaks. They are concerned that overtime is being paid to workers for responding to odors that are believed to be coming from the Columbia Landfill.					
<b>Comments</b>	No violation found during investigations.							
NERO	2014-01-09	2014-01-09	Earthworks	Trenton	Grundy	Asbestos	CB	
<b>Concern No.</b>	17257	<b>Concern Info</b>	The caller reports that the Wright Hospital is about to be demolished. Our records do not show a demolition notification for the building. Abatement project #A6318-2013 was received for asbestos removal at the building to take place from 1/6 to 1/17.					
<b>Comments</b>	No violation found. Mr. Scott Rasa, Earthworks, has been alerted to submit the demolition notification at least 10 days prior to demolition.							

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

### Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
NERO		2014-01-09	Unknown Contractor	Columbia	Boone	Asbestos	PM	
<b>Concern No.</b>	17258	<b>Concern Info</b>	Caller reports that demolition has begun on what they believe to be the former Rust & Martin Furniture Store, located off I-70 in the Midway area. Caller says he is concerned that no asbestos inspection has been done and that workers may be exposed to asbestos.					
<b>Comments</b>								
NERO	2014-01-10	2014-01-10	Wave Lengths	Jefferson City	Cole	Air Odors	DB	
<b>Concern No.</b>	17265	<b>Concern Info</b>	The caller reports a very strong odor coming from a beauty shop located in an alcove of a strip mall. The odor is causing asthma attacks. The caller would like for the beauty shop to close the door to their store so it does not affect shoppers in nearby stores.					
<b>Comments</b> Referred to DHSS for follow up.								
NERO	2014-01-14	2014-01-14	Steve Owsley	Hannibal	Marion	Asbestos / Haz Waste Generators	SB	08122952 - G
<b>Concern No.</b>	17281	<b>Concern Info</b>	Someone has come into this former hospital building and removed the asbestos pipes for salvage of metals. Asbestos insulation is laying all over the floor. At the same time, the owner is allowing a band to use the building for a practice location. Also, the same salvage person has apparently spilled oil out of a transformer located on-site. This was discovered yesterday afternoon about 4:30 p.m. The City of Hannibal has restricted access to the building.					
<b>Comments</b> Mr. Phillip Gholston and Mr. Steve Owsley (STN, LP) are in violation of the asbestos rules for failure to inspect and for failure to properly remove RACM. Issue Notice of Violations to Gholston and Owsley. Require that an asbestos inspector be hired to conduct an inspection of materials that have been disturbed and provide an inspection report to NERO within 30 days. Require an abatement contractor to remove any RACM that is found to have been disturbed by salvaging activities.								
Issue of oil spill and management of Hazardous Wastes in the building are being referred to the NERO Land Unit for further follow-up and possible action.								
NERO		2014-01-17	Ameren	Columbia	Boone	Asbestos	PM	
<b>Concern No.</b>	17311	<b>Concern Info</b>	by Email: I saw this Columbia Tribune article today. I couldn't find a record of receiving a demo notice for the location given in the article.  Article states: Workers demolish a building at 210 Orr St. yesterday on Ameren Missouri property where a manufactured-gas plant once stood. Cleanup at the Superfund site involves moving about 36,000 tons of dirt to Jefferson City.  Photograph from article attached. Article was published January 16, 2014.					
<b>Comments</b>								

## Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
NERO	2014-01-27	2014-01-21	Guy Wake	Fortuna	Moniteau	Burning	PM	
<b>Concern No.</b>	17336	<b>Concern Info</b>	Call Date: 1/19/2014 Call Time: 4:15:00 PM Additional Information: Caller reports the responsible party works for the Department of Corrections and as a side job conducts demolition of buildings. Caller reports the responsible party brings the demolition waste back to his residence and open burns the waste for disposal. The open burning is conducted on the property southwest of the callers property. Burning was occurring at the time of the call. The responsible party lives in a gray house south of the Baptist Church on Highway 5.					
<b>Comments</b>	Violation of Missouri Air Conservation Commission regulation, 10 CSR 10 6.045, Open Burning Requirements, (3).  Letter of Warning should be issued and provide copies of; 1. 10 CSR 10-6.045, Open Burning Requirements 2. Factsheet, Open Burning Under the Missouri Regulations 3. Factsheet, Managing Construction and Demolition Waste							
NERO	2014-01-24	2014-01-21	Unknown	Brookfield	Linn	Burning	CB	
<b>Concern No.</b>	17337	<b>Concern Info</b>	From email: Abandoned building was set on fire Friday night and the fire department responded. Then, Saturday the remaining debris was pushed in a pile and the fire was lit again. Fire department responded three times that evening for this location.  Date-observed: 01/18/14					
<b>Comments</b>	No violation found. A letter will be sent to property owner, Charles Quinn, Jr. requesting he follow the Solid Waste Management Law by properly disposing of ash and debris. The following fact sheets will be sent with the letter: Facts on Open Burning Under Missouri Regulations Managing Construction and Demolition Waste							
NERO		2014-01-27	Unknown	Fortuna	Moniteau	Burning	PM	
<b>Concern No.</b>	17490	<b>Concern Info</b>	Caller states people are burning construction waste, including siding and asbestos materials, on Highway 5 across from the Baptist Church. Caller states he asked them to stop but they ignored him. Burning started about a month ago and continues.  A similar concern was called in on January 21, 2014 - ACE#17336.					
<b>Comments</b>								
NERO	2014-01-29	2014-01-29	Darrell Wilbers Excavating	Jefferson City	Cole	Fugitive Dust / Asbestos	SB	
<b>Concern No.</b>	17537	<b>Concern Info</b>	The caller reported dust from a house demolition on Miller Street (facing Highway 50 and behind the Immaculate Conception School). The concern was that there was dust in the air in the adjacent parking lot. The demolition is almost finished. The contractor is Wilber's Contracting and Excavating.					
<b>Comments</b>	Send an informational letter informing contractor and Immaculate Conception Church of the requirements.							

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
NERO	2014-02-03	2014-01-31	Unknown	Salisbury	Chariton	Burning	DB	
<b>Concern No.</b>	17548	<b>Concern Info</b>	<p>Online report: Date-observed: January 30, 2014</p> <p>Facility name: Unknown Contact name: Unknown Contact address: Highway 24</p> <p>Comments: They burn behind the trailer up on the east end of the trailer park. They are burning carpets, tables, and junk torn off trailers in the park. The smoke does not leave the trailer park.</p>					
<b>Comments</b> No violation observed at the time of investigation. An informational letter will be sent to Ms. Box.								
NERO	2014-02-10	2014-02-10	Roger and Mia Johnston	Clarence	Shelby	Burning	CB	
<b>Concern No.</b>	17574	<b>Concern Info</b>	<p>MEERTS Incident Number: 1402071845BWH Call Date: 2/7/2014 Call Time: 6:45:00 PM The caller reports the RP had someone tear down a barn. The RP reportedly set the razed barn on fire. The barn is fully engulfed in flames upon the call to EER. The caller was advised to contact the local fire department should the fire threaten his property.</p>					
<b>Comments</b> No violation found. An informational letter will be sent to Roger and Mia Johnston. The following fact sheets will also be sent: Managing Construction and Demolition Waste and Facts on Open Burning under Missouri Regulations. An informational letter, fact sheets, and fire department posters will be sent to Clarence Fire Department.								
NERO		2014-02-13	Unknown	Shelbina	Shelby	Burning	DB	
<b>Concern No.</b>	17628	<b>Concern Info</b>	<p>Sergeant Erin Johnson from the Shelbina Police Department called to report a structure fire at the Shelbina Fairgrounds that took place on February 12, 2014. She stated the police department was told an old trailer was to be part of a controlled burn and was asked if the police department would call dispatch and let them know of the controlled burn. They (police department) stated they would, however; they also said the fairgrounds was not part of their jurisdiction and they did not know what exactly was to be burned.</p>					
<b>Comments</b>								
NERO		2014-02-13	Ness Construction	Shelbina	Shelby	Burning / Asbestos	DB	
<b>Concern No.</b>	17629	<b>Concern Info</b>	<p>Deputy Sheriff Allen Barton from the Shelby County Sheriff's Department called to report a structure fire at the Shelbina Fairgrounds that took place on February 12, 2014. He stated a man from Ness Construction was hired by the Old Threshers Association to remove a structure and other materials. The man from Ness Construction visited with the Shelbina Police Department about the controlled burn. The man did not knock down the structure first before he set it on fire. Dispatch received calls that a structure fire was in progress. The deputy has not been out to observe the burn site. But he has learned that tires and other materials may have been burned along with the old trailer.</p> <p>John Rubison is the Vice President of the Old Threshers Association and can be reached by calling 573-588-4444. He also owns 4RD Implement, which is a business in town.</p>					
<b>Comments</b>								

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
NERO	2014-02-13	2014-02-13	Murphy Brown Whitetail	Unionville	Putnam	Air Odors	CB	
<b>Concern No.</b> 17752 <b>Concern Info</b> At 6:00 AM on February 13, 2014, caller stated strong hog barn odors were present on February 12, 2014.								
<b>Comments</b> All complaints are logged and reviewed for development of an effective investigation strategy. Staff will conduct an odor investigation at a later date when weather conditions are predicted to be similar to the conditions noted by the complainant.								
NERO		2014-02-14	Septagon Construction Compan	Marshall	Saline	Asbestos	PM	
<b>Concern No.</b> 17610 <b>Concern Info</b> Caller reports that the new owner and Septagon Company are remodeling the closed Phillips 66 gas station on West College Street and workers may be exposed to asbestos.								
<b>Comments</b>								
NERO	2014-02-19	2014-02-14	Stephen Owsley	Hannibal	Marion	Asbestos	SB	
<b>Concern No.</b> 17622 <b>Concern Info</b> Caller reports that the St. Elizabeth Hospital is full of asbestos and now that windows are broken, doors are open and the inside is all torn up, the property is easy access to the public and town juveniles are entering property.								
In addition, caller sates that a homeless person is occupying the second floor at night and is visible by candle light. Caller said that the police have been informed but the police were told that the owner of the hospital is permitting the homeless man to live there.								
<b>Comments</b> No violations. Referred to City of Hannibal for enforcement of local ordinances.								
NERO		2014-02-14	Septagon Construction Compan	Marshall	Saline	Asbestos	PM	
<b>Concern No.</b> 17627 <b>Concern Info</b> Caller reports that the new owner and Septagon Company are remodeling the closed Phillips 66 gas station on West College Street and workers may be exposed to asbestos.								
<b>Comments</b>								
NERO	2014-02-17	2014-02-17	Murphy Brown Whitetail	Unionville	Putnam	Air Odors	CB	
<b>Concern No.</b> 17751 <b>Concern Info</b> At 5:09 PM on February 16, 2014, caller stated strong hog manure odor coming from Murphy Brown Whitetail.								
<b>Comments</b> All complaints are logged and reviewed for development of an effective investigation strategy. Staff will conduct an odor investigation at a later date when weather conditions are predicted to be similar to the conditions noted by the complainant.								
NERO		2014-02-19	Hannibal Industrial Painting	Hannibal	Ralls	Fugitive Dust / Air Odors	SB	
<b>Concern No.</b> 17642 <b>Concern Info</b> The caller reports that Hannibal Industrial Painting has been sandblasting outside and has been painting with their doors open. This has happened especially when the weather is nice outside like it was yesterday. Paint odors are strong and dust blows off the property. They do not seem to be using filters for their paint system.								
<b>Comments</b>								

## Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
NERO		2014-02-28	Unknown	Marceline	Linn	Burning	CB	
<b>Concern No.</b>	17767	<b>Concern Info</b>	Caller states a nearby resident burns regularly and the smoke makes individuals in neighborhood sick. The smoke has a terrible odor and keeps caller up at night. The burning mostly takes place at night but sometimes during day. People come and go from the residence and the caller doesn't know who owns or lives at the property. The property is across from a daycare and school. The burning has been taking place all winter long. The caller has contacted officials at the City of Marceline and Linn County Health Department but the party keeps burning. A Linn County Sheriff's office vehicle has been seen at the house recently.					
<b>Comments</b>								
SERO	2014-01-09	2014-01-06	Rodney Baremore/Missouri Plast	Jackson	Cape Girardeau	Burning	AW	
<b>Concern No.</b>	17232	<b>Concern Info</b>	Fire department responded to a controlled fire on a concrete pad. Believes the recycling facility was burning material that was not completely destroyed in the structure fire that occurred in October of 2013.					
<b>Comments</b>	Observed a large pile of debris, what appeared to be material from previous fire at the site. The pile of plastic and paper had been smoldering for days. Owner began to scatter the waste and it flared up. Water and foam did not squelch the fire long. The site originally had five or six piles burning, but all but one went out. The flames were only 1/2 foot high and mostly smoldering. Owner had pushed pile on concrete pad. A contractor was going to bring in excavator and scatter the pile to help put out flames. Once spread out, water would most likely put out remaining fires. Once out, material waste will be sent to Dexter landfill.							
SERO	2014-01-15	2014-01-15	Bauman Investments, Inc. & Jok	Park Hills	St. Francois	Asbestos	TR	
<b>Concern No.</b>	17296	<b>Concern Info</b>	Caller reports that there is a demolition project scheduled for Park Hills that was the subject of news article. The caller wants to make sure that the project is in conformance with the asbestos regulations.					
<b>Comments</b>	On January 15, 2014, I spoke with Mr. Timothy Pekios, a state-certified asbestos contractor and inspector. Mr. Pekios stated that the 5 residential structures involved in the demolition project had been inspected and most of the asbestos found that was category had been removed by Midwest Environmental Studies. The remaining asbestos was roofing material to be removed by the demolition contractor. The project's demolition notification was received by the Missouri Department of Natural Resources' Air Pollution Control Program and was assigned the number D6375-2014. I also spoke with Mr. Greg Jokerst of Jokerst Paving and Contracting who stated that the demolition of the five structures involved would not begin prior to the start date assigned by the Air Pollution Control Program in accordance with the applicable state and federal regulations.							
SERO		2014-01-21	Jason Keith	Poplar Bluff	Butler	Burning		
<b>Concern No.</b>	17380	<b>Concern Info</b>	RP has a pile of 50 or more tires and is burying them. He also has a pile of trash that he is burning.					
<b>Comments</b>								

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO	2014-02-06	2014-01-27	Unknown	Cape Girardeau	Cape Girardeau	Burning	JD	
<b>Concern No.</b>	17487	<b>Concern Info</b>	<p>Dear Missouri Department of Natural Resources, Hi, this is Nicolai Love, a citizen in the greater area of Cape Girardeau. My email is concerning whether it is proper waste disposal for construction sites to be burning all of their trash. This trash includes left over treated wood, plastic containers, siding, and miscellaneous other construction debris.</p> <p>The subdivision I currently live in has seen quite a bit of construction over the last two years with new duplexes and homes being built. They basically burn anything they end up not using. There were days this last summer where I brought my kids inside because burnt trash remains were falling in our backyard. I contacted the owner of the subdivision last June and last week and both times was basically told he does not think this is a problem and told me to take it to the next level if I want to see it changed. Hence, I am contacting you.</p> <p>From what I have read, it sounds like they should not be able to burn their trash, but I am looking for verification as well as what I need to do to stop the burning of the trash in the subdivision.</p> <p>Thanks for your assistance and timely response.</p> <p>Nicolai Love</p>					
<b>Comments</b>	<p>Contractor was open burning construction debris behind the homes being built. Discussed the open burning requirements with the contractor/owner and he agreed not to open burn any more.</p> <p>No further action required.</p>							
SERO	2014-01-31	2014-01-28	Unknown	Cuba	Crawford	Burning	SBV	
<b>Concern No.</b>	17505	<b>Concern Info</b>	<p>I live at Indian Hills Lake. We have some people who are burning construction waste on their property. We see piles of the waste and then later all that's left is ash. We have caught one doing it but have others who we haven't seen actually burn. How should we handle this? From what I see in the Open Burning section I assume this is illegal.</p>					
<b>Comments</b>	<p>No open burning was occurring at the time of investigation. Investigator spoke with the couple that lived at the residence of concern about the reason for the visit. The woman stated that there are 25 doors out back that were donated from a nursing home. The doors may have looked like construction waste was being dumped on the property. However, they are just at this location until they are delivered to a local food pantry to be used for shelving. The man has burnt a small amount of scrap material from the doors recently. The couple was informed not to burn the doors and was given an open burning fact sheet PUB002047.</p>							
SERO	2014-02-03	2014-02-05	Baldrige Scrap Metal	West Plains	Howell	Haz Waste Generators	AB	
<b>Concern No.</b>	17555	<b>Concern Info</b>	<p>Baldrige Scrap Metal is removing the window air conditioning units from the old Ramada Inn and cutting the Freon lines releasing the Freon to the air. There are about 81 window units.</p>					
<b>Comments</b>	<p>DNR does not regulate Freon. Referred to EPA.</p> <p>A telephone call and follow-up email sent to EPA.</p>							
SERO		2014-02-11	Dave Basler	Perryville		Burning / Asbestos		
<b>Concern No.</b>	17589	<b>Concern Info</b>	<p>Burning mobile homes.</p>					
<b>Comments</b>								

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

### Monthly Air Pollution Control Program Detail Report

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO	2014-02-18	2014-02-14	Unknown	West Plains	Howell	Burning	SBV	
<b>Concern No.</b>	17623	<b>Concern Info</b>	The caller reports that the RP is open burning man-made materials in burn barrels and that the burning releases toxic odors. Caller believes that insulation is being burned off of wire. Location is a white rental house with an unknown occupant as the RP. Caller additionally reports that the Howell County Rural Fire Department #1 (Ph. 417-257-1270) has previously investigated this burning issue.					
<b>Comments</b>	<p>On February 21, 2014, Investigator drove by the source of concern. There was no open burning at the time of investigation. Investigator then stopped and spoke with the concerned party, Mr. Ray Garrison and his son. Mr. Garrison stated that the neighbors of concern burn at the southeast corner of their lot at least once/month and usually late at night. The odors come directly across his RV Park and are a nuisance to RV campers in the park.</p> <p>Investigator then called and spoke with Captain Verlin Bunch of the Howell County Rural Fire Department. Captain Bunch stated that he has been to the property of concern numerous times and keeps an eye on the place as they have had a history of burning. He stated that a couple years ago they were burning insulation off of wire and other items, but since he has only witnessed household waste materials being burnt in a burn barrel. Captain Bunch said that the residence was highly warned of not burning anything that wasn't household waste on the property.</p> <p>The FD will contact the SERO as soon as anything but household waste is documented as being burned on the property.</p>							
SERO		2014-02-18	Unknown	Ironton	Iron	Asbestos		
<b>Concern No.</b>	17624	<b>Concern Info</b>	RP bought the old Catholic Hospital. They have put on a new roof, and are in the process of gutting it out. There are no windows in it. CP is concerned about the asbestos flying through the air. This is in a residential area, in the middle of town.					
<b>Comments</b>								
SERO		2014-02-19	Jadwin Sawmill	Salem	Dent	Fugitive Dust		
<b>Concern No.</b>	17632	<b>Concern Info</b>	Dust from sawmill is still coming over.					
<b>Comments</b>								
SERO		2014-02-21	Mississippi Lime	Ste. Genevieve	Ste. Genevieve	Particulate / Fugitive Dust		
<b>Concern No.</b>	17665	<b>Concern Info</b>	CP called EPA Gary Bertram to say the emissions are bad. CP wants someone from here to call him.					
<b>Comments</b>								
SERO		2014-02-25	Unknown Pallet Mill	Poplar Bluff	Butler	Burning		
<b>Concern No.</b>	17711	<b>Concern Info</b>	A new pallet mill just went up in the last six months. Now they are burning all the time and the smoke is really bad.					
<b>Comments</b>								
SERO		2014-02-27	Zack & Dakota Brandon	Harviell	Butler	Burning		
<b>Concern No.</b>	17741	<b>Concern Info</b>	Burning plastic off copper wire.					
<b>Comments</b>								

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SERO		2014-02-28	McGinnis Wood Products	Cuba	Crawford	Fugitive Dust		
<b>Concern No.</b>	17755	<b>Concern Info</b>	Saw dust crosses boundary line and causes breathing discomfort. 10 years ago the EPA tested the dust and found it less than 10 microbes and said that they would follow up. EPA was contacted in 2012 with no response. City of Cuba has been contacted on several occasions with no results.					
<b>Comments</b>								
SLRO	2014-01-22	2013-12-19	UNKNOWN	Marthasville	Warren	Burning	KA	
<b>Concern No.</b>	17130	<b>Concern Info</b>	His neighbor is burning 8 or 9 tires, 8 or 9 times/year.					
<b>Comments</b> RP was provided with a copy of the open burning technical bulletin. RP agreed to not burn any prohibited materials in the future.								
SLRO	2014-01-14	2013-12-19	UNKNOWN	Old Monroe	Lincoln	Asbestos	SH	
<b>Concern No.</b>	17197	<b>Concern Info</b>	Per electronic complaint form: Asbestos tiles broken from a fire house remodeling. Broken tiles are dumped on neighboring property (127 Green Acres). Tiles laying all over ground-improper disposal.					
<b>Comments</b> No further action required.								
SLRO	2014-01-08	2014-01-06	CONCORDIA PUBLISHING HO	St. Louis	St. Louis City	Asbestos	SW	
<b>Concern No.</b>	17249	<b>Concern Info</b>	Anonymous complaint was received from EPA R-7 via email on 1/6/2014n and by telephone on 1/7/2014. Concordia Publishing House (CPH) had employees remove ACM/TSI from hot water pipe elbows and joints following a water pipe break during the past couple of weeks. Complainant is an employee who prefers to remain anonymous. He said he also contacted OSHA. He did not know the amount of material removed, so I mentioned there are threshold amounts for regulated asbestos abatement projects. I told him the City of St. Louis Health Department may enforce City Ordinances that regulate smaller quantities. He suggested I call Ms. Dana Newhouse (sp?), Human Resources Director for CPH. I attempted to contact her by telephone and left a message. Complainant said the ACM waste was in glove bags that identified the contents as "asbestos" and that the bags are still on site. Pipes impacted go from the basement to the third floor.					
<b>Comments</b> Concordia Publishing House (CPH) utilized untrained personnel who were not certified asbestos workers and were not supervised with trained or certified personnel to remove an unknown amount of asbestos containing materials (ACM) during a renovation following a pipe break. CPH failed to inspect for ACM prior to performing the renovation. After I informed CPH of the requirements to confirm materials impacted by the inspection were not regulated asbestos-containing materials (RACM) prior to renovation they obtained an analysis of materials representative of those that they had removed and subsequently had a certified asbestos inspector perform a survey of the materials in the impacted area of the women's restroom pipe chase. Based on the survey it appears that only 8 linear feet of ACM were removed and the remainder was probably not ACM. Since the area impacted was estimated at 135 linear feet, which is below regulated quantities, notification would not have been required under the NESHAP 40 CFR Part 61 Subpart M and no further action will be required at this time by MDNR APCP. A Letter Of Warning will be sent to facility.								
SLRO	2014-01-09	2014-01-07	ZISSER TIRE	St. Louis	St. Louis City	Burning / Air Odors	KA	
<b>Concern No.</b>	17250	<b>Concern Info</b>	Anonymous email sent to EPA Region 7 at 0915 hours on 1/7/14, stating burning tire/petroleum odor coming from furnace stack located at Zisser Tire.					
<b>Comments</b> Issue appeared to be temporarily limited to the early morning hour(s) on 01-07-14. No additional action should be required at this time.								

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2014-01-09	2014-01-08	UNKNOWN	Maryland Heights	St. Louis	Air Odors	KA	
<b>Concern No.</b>	17276	<b>Concern Info</b>	Complainant alleged noting the malodor of trash. Malodor reminiscent of what may be noted while being passed by a trash hauling truck. Malodor noted morning of 01-08-14.					
<b>Comments</b>	Unable to validate the complaint at the time of the investigation. Complainant was asked during the complaint interview on 1-8-14, to contact the SLRO-SWMP should additional malodor episodes occur as the malodor may be related to the operation of two local Sanitary Landfills.							
SLRO	2014-01-21	2014-01-21	UNKNOWN	St. Louis	St. Louis City	Burning / Asbestos	KA	
<b>Concern No.</b>	17386	<b>Concern Info</b>	Complainant alleged a nearby house is being renovated or cleaned out for possible demolition. Persons cleaning out the house are burning some of the unspecified wastes. Structure is a home abandoned for at least 20 years (per complainant).					
<b>Comments</b>	Open burning appears to have been addressed by the Fire Department. Complainant will contact the Fire Department if again needed. NFAN.							
SLRO	2014-01-28	2014-01-22	SCOTTS LAWN & GARDEN W	Wright City	Warren	Fugitive Dust	LZ	
<b>Concern No.</b>	17385	<b>Concern Info</b>	Sarah Peper, Department of Conservation, 636-300-1953, ext 4130, relayed complaint about dust from loading and unloading operations at the Scott's Lawn & Garden Warehouse, south service road of I-70 in Wright City. Complainant is concerned about dust collecting on his vehicles, and on his frozen pond. Complainant, Mr. John Maze, 636-299-6196, also says his workers get "red eyes," cough, and have respiratory problems whenever Scott's creates dust when loading and unloading mulch and fertilizer.					
<b>Comments</b>	The issue of migration of dust/fugitive emissions beyond property line (as a violation of state law) was discussed with Mr. Gerald Struttman (Scott Miracle-Gro site Plant Manager). Mr. Struttman indicated that his facility is already communicating and working with Maze Collision Repair Shop to address the concern. The Plant Manager said that more frequent watering of the pave roads and the stock piles will be done in the future. In addition, dust suppressant chemicals will be used to minimize dust from paved roads. Trees will be planted as barriers. Mr. Tony Lorenz at Maze Collision Repair was informed of the actions Scotts Miracle-Gro will take to address the concern. Preliminary permit need determination will be made after potential to emit is calculated to see if Scotts Miracle-Gro needs to apply for a construction permit. An inspection report will be sent to Scotts Miracle-Gro.							
SLRO	2014-01-24	2014-01-23	TONY DAVIS	St. Louis	St. Louis	Asbestos	DB	
<b>Concern No.</b>	17519	<b>Concern Info</b>	The concern came in by email from Paul Jeffrey. I called the concerned party: Dan Coplin. Dan is a day care inspector for the city of St. Louis. He stated that during one of his routine inspections, he noted that the boiler room in the Church building/day care facility at 6116 Michigan Street, St. Louis, MO has asbestos that he believed was being abated by the owner. He stated that there was a three foot section of asbestos pipe insulation that was missing.					
<b>Comments</b>	There were no violations noted during the inspection. The amount of suspect ACM was less than 260 In feet. I spoke with Mr. Coplin by telephone about my conclusions.							

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2014-01-24	2014-01-23	CONTINENTAL LIFE BUILDING	St. Louis	St. Louis City	Asbestos	SW	
<b>Concern No.</b>	17734	<b>Concern Info</b>	USEPA Region 7 received an anonymous electronic complaint that they forwarded electronically to SLRO. "Building experienced flood, residents must use stairwell, construction workers working in stairwell to clean up. Stairwell is original to building in 1930. Concerned that they are disturbing walls with work, causing residents to be forced to breath [sic] in air contaminated with possible asbestos."					
<b>Comments</b>	Riverstone Residential management was cooperative and obtained verification from Diversified Painting that the ceiling tiles they removed were replaced with like-kind and supplied an MSDS for USG "Radar" Ceiling Tiles. Cause for concern was not confirmed. NFAN at this time.							
SLRO	2014-01-28	2014-01-28	VACANT "ALVERNE" BUILDIN	St. Louis	St. Louis City	Asbestos / Fugitive Dust	SW	
<b>Concern No.</b>	17720	<b>Concern Info</b>	The caller stated that the building at 1014 Locust Street, St. Louis is currently being remodeled. The workers are at the top floor and are throwing construction debris out of the window. Some of the debris is missing the 30 yard roll off container and causing dust to blow across the street onto an apartment complex at 317 N. 11th. The caller was particularly concerned about a white dust that was coming down from white blocks that are breaking up when they hit the ground. The caller also stated that he gathered a sample of the dust and is in the process of testing the material for the presence of asbestos. The caller does not want to be bothered with us calling him again. He just wants to make the workers stop. He also said that the workers do not speak English and does not know the owner of the building.  (Initial interview by DB. Retyped by SW after original document, Concern #1443, was accidentally overwritten due to a computer glitch.)					
<b>Comments</b>	No violations were observed. Owner provided required information and documents in a timely manner and acted to prevent emission of fugitive dusts. Asbestos Project Notification No. A6338-2014, postmarked 1/28/2014, was received by the Air Pollution Control Program, Asbestos Section noting a start date of 2/17/2014, for actual asbestos abatement to begin. During a telephone conversation on 2/25/2014, BH said he would amend the start date to 3/19/2014, since work had not actually started yet. NFAN at this time.							
SLRO	2014-01-30	2014-01-29	FB WILLIAMS ELECTRIC CO	St. Louis	St. Louis	Air Odors / Burning	KA	
<b>Concern No.</b>	17539	<b>Concern Info</b>	Complainant alleged a nearby business has an unknown type of shop heater or perhaps a wood burning appliance. On Monday and sometimes on Tuesday mornings the exhaust stack serving this appliance produces malodor, which enters the work space of the complainant. No indication provided that the exhaust emissions are visible.  Facility is not permitted through the St. Louis County Air Pollution Control Program.					
<b>Comments</b>	No violations noted. NFAN.							
SLRO	2014-02-03	2014-01-30	DAN MCCONNELL	High Ridge	Jefferson	Burning	KA	
<b>Concern No.</b>	17581	<b>Concern Info</b>	High Ridge Fire Protection District responded to a non-permitted open burning incident on 1-29-14. The RP, Mr. Dan McConnell, was open burning vegetative wastes from his tree trimming service. The FPD estimated the burn pile to be approximately 15' X 20' and contained mulch, wood chips and logs.					
<b>Comments</b>	NOV #SLR095223552 for violation of MACC regulation 10 CSR 10-6.045 "Open Burning Requirements," to be sent as soon as possible. An "Enforcement Action Request," will be submitted to the APCP for appropriate action.							

**Monthly Air Pollution Control Program Detail Report**

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2014-02-03	2014-01-30	DAN MCCONNELL	High Ridge	Jefferson	Burning	KA	
<b>Concern No.</b>	17582	<b>Concern Info</b>	High Ridge Fire Protection District responded to a non-permitted open burning incident on 1-29-14. The RP, Mr. Dan McConnell, was open burning vegetative wastes from his tree trimming service. The FPD estimated the burn pile to be approximately 15' X 20' and contained mulch, wood chips and logs.					
<b>Comments</b>	NOV #SLR095223552 for violation of MACC regulation 10 CSR 10-6.045 "Open Burning Requirements," to be sent as soon as possible. An "Enforcement Action Request," will be submitted to the APCP for appropriate action.							
SLRO	2014-02-11	2014-02-10	DENISE PINNELL	St. Charles	St. Charles	Air Odors	KA	
<b>Concern No.</b>	17601	<b>Concern Info</b>	Anonymous complainant to the EPA alleged a resident (name not provided) is painting cars (number unknown). Odor is alleged to be emitted. No indication provided as to if visible emissions are created. No information provided as to if vehicles are being painted in the open or painted within an enclosed space such as a shop or garage. It was not reported if the property of origin is a business or if the alleged source is an individual within a residential area. No information provided as to if the complainant contacted any local city building code enforcement department.					
	2-11-14. Contacted the St. Charles office of Neighborhood Preservation (Code Enforcement) and spoke with Sheila at (636) 949-7345. Sheila indicated that their records did not show any citizen complaint concerning the address provided. A building code inspector would visit the location and determine if a zoning/building code violation is occurring as the address showed the area to be zoned as residential only.							
	Address record showed the resident to be a Ms. Denise Pinnell.							
<b>Comments</b>	Additional site investigation may be conducted should the EPA-7 representative place a return call to the SLRO to provide additional information asked for by voice mails left on 2-10-14, and 2-11-14. NFAN planned at this time.							
SLRO	2014-02-20	2014-02-14	MITCHELL FOX	Owensville	Gasconade	Open Dumps / Burning / Domestic Sewage, Small	KA	
<b>Concern No.</b>	17631	<b>Concern Info</b>	Complainant alleged there are three residences that have an "illegal dump," consisting of misc. household wastes generated on the site and other trash including tires and white goods. The material is/has been burned and unspecified remaining waste is/has been buried next to an unspecified creek.					
	Sewage is allegedly being discharged from these same three residences. Complainant indicated there may not be any septic tank or drain field.							
	RECOMMENDATION WAS MADE TO CONTACT SHERIFF'S DEPARTMENT PRIOR TO INVESTIGATION FOR LAW ENFORCEMENT OFFICER PARTICIPATION.							
	It was not specified if the recommendation was made by the complainant. If so, no indication was provided as to why the recommendation was made.							
<b>Comments</b>	Information provided by Mrs. Fox suggested the complainant is likely connected to the family and the complaint was made as a sort of retribution attempt.							
	Unable to validate the complaint as made to the SLRO.							
	NFAN.							

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2014-02-19	2014-02-18	MCMANUS CONSTRUCTION I	St. Louis	St. Louis	Burning / Air Odors	KA	
<b>Concern No.</b>	17636	<b>Concern Info</b>	Nearby resident reporting that one or both of the following businesses occupying the building at 4100 Seibert Ave. is burning some sort of material besides wood in their wood-burning furnaces used for building heat that is emitting a strong burning creosote odor:  Snow Pro Parts and Service ph. 544-1101  McMannis Construction, Inc. ph. 822-1161					
<b>Comments</b>	Not able to validate the complaint of improper fuel usage. NFAN.							
SLRO	2014-02-25	2014-02-20	THE MILLENNIUM BUILDING	St. Louis	St. Louis City	Asbestos	SW	
<b>Concern No.</b>	17722	<b>Concern Info</b>	An email was received from Randall Whipple, Senior Asbestos Inspector & Regional Coordinator at US EPA Region 7 as follows: "Therefore, I am referring this information to ... St. Louis' Regional Office for MDNR's decision as to an appropriate asbestos investigation or enforcement action. The complaint alleged asbestos renovation or demolition activity that is currently occurring at the downtown Gallery-Apartments-at-the Millennium-Center's commercial office and residential building located at 515 Olive Street and Locust, St. Louis, MO. Unfortunately, little specific information was provided, but I am including the text description as it appeared in the complaint and I am also including three web links with photos of the alleged building on Olive Street. 02/20/2014 HQ LEAD NUMBER: FY14-114898-3714-CV SUBJECT: Referred to Region - Missouri Alleged Violator's Name: Brian Hayden Alleged Violator's Address: 515 Olive Alleged Violator's City: St.Louis Alleged Violator's State: Missouri Alleged Violator's Zip: unknown Tip or Complaint: Lead paint, asbestos, rat infestation in the back of the building on the back side of the building on Locust where the workers enter secretly thru the garage door and walk thru the lead paint chipping off on the floors of the stairways. Asbestos dust from demo still on metal to be recycled and improper asbestos removal on 10th to 20th floor. Violation Still Occurring? Yes State DEP/DEQ/DEM Notified? No <a href="http://www.bizjournals.com/stlouis/blog/2013/04/millennium-center-undergoing-10.html">http://www.bizjournals.com/stlouis/blog/2013/04/millennium-center-undergoing-10.html</a> <a href="http://www.apartments.com/Missouri/St-Louis/The-Gallery-Apartments-at-Millennium-Center/1367568">http://www.apartments.com/Missouri/St-Louis/The-Gallery-Apartments-at-Millennium-Center/1367568</a> "					
<b>Comments</b>	The anonymous complainant seems to have misunderstood what was occurring at the site.  NFAN at this time.							
SLRO	2014-02-25	2014-02-24	UNKNOWN	Ellisville	St. Louis	Air Odors / Burning	KA	
<b>Concern No.</b>	17703	<b>Concern Info</b>	Complainant travels through area indicated almost daily. Complainant indicated that he notes the odor of burning trash on a regular basis. Odor and/or smoke does not appear to be an issue during warmer weather periods. Some smoke has been noted in the area during the air odor episodes. Complainant did not know of any facility in the area that may be producing smoke and/or air odors. Area is mostly residential and the complainant has not diverted from Highway 109 or Manchester Road to investigate and identify a possible source.  Source may be a private residence using a wood stove or furnace as the complaint issue diminishes during warmer temperatures.					
<b>Comments</b>	Unable to validate the complaint.							

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

Region	Inspection Date	Date Received	Suspected Source Owner/Operator	City	County Name	Type of Concern	INSP Initials	NOV
SLRO	2014-02-24	2014-02-24	FORMER OWENSVILLE K-2 EL	Owensville	Gasconade	Asbestos	SW	
<b>Concern No.</b> 17729		<b>Concern Info</b> Anonymous complainant stated that asbestos was being removed from HVAC and floors in the former elementary school in Owensville at West Monroe and 2nd Streets. He said he thought it was being remodeled to become a preschool and that the owner's name was Voss.						
<b>Comments</b>		Facility was conducting a renovation that was not impacting any ACM and appropriate inspection records were available to demonstrate compliance with regulations. No notification is required if no Regulated ACM will be disturbed. NFAN at this time.						
SLRO		2014-02-26	UNKNOWN	Maryland Heights	St. Louis	Air Odors / Burning		
<b>Concern No.</b> 17736		<b>Concern Info</b> Complainant indicated that an odor of trash and/or burning trash was noted this morning while driving through the area. Complainant indicated not noting the odors previously. No smoke noted by the complainant. No knowledge of any possible source indicated by the complainant.						
<b>Comments</b>								
SWRO		2014-01-02	Fedex Trade Networks	Springfield	Greene	Asbestos		
<b>Concern No.</b> 17207		<b>Concern Info</b> Renovation possible without an asbestos inspection and/or notification.						
<b>Comments</b>								
SWRO		2014-01-02	Unknown	El Dorado Springs	Cedar	Burning / Scrap Tire Dump		
<b>Concern No.</b> 17208		<b>Concern Info</b> Burning tires.						
<b>Comments</b>								
SWRO		2014-01-03	American Flooring	Mount Vernon	Lawrence	Burning		
<b>Concern No.</b> 17225		<b>Concern Info</b> Open burning at a business.						
<b>Comments</b>								
SWRO		2014-01-15	Liz Rork	Viola	Vernon	Burning / Asbestos		
<b>Concern No.</b> 17298		<b>Concern Info</b> Caller said owner of landscape business is hauling in business waste and burning it. She said they are burning tree limbs and also creosote ties. This has happened in the past. Caller said rp piles waste until it gets taller than the house then burns it. Caller has asthma and husband has a throat breathing tube, concerned for both of their healths. Caller talked to Rusty at the Shell Knob Fire Department last night and he gave her the Departments number. Caller lives at 2968 State Highway 39 and said the business/residence of Liz Rork was right behind her, didn't know address. Rork also had construction/demolition waste in pile after house renovation. Looked on web and found Landscape & Design by Liz Rork 24330 Green Lane, Shell Knob (417) 858-8890.						
<b>Comments</b>								

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

<i>Region</i>	<i>Inspection Date</i>	<i>Date Received</i>	<i>Suspected Source Owner/Operator</i>	<i>City</i>	<i>County Name</i>	<i>Type of Concern</i>	<i>INSP Initials</i>	<i>NOV</i>
SWRO	2014-01-17	2014-01-17	B&D Yard Builders	Joplin	Jasper	Open Dumps	CG	
<b>Concern No.</b> 17307 <b>Concern Info</b> Placing demo waste in Bull Frog Pond. See attached incident report 1401151350PAH.								
<b>Comments</b> No violations were identified.								
SWRO		2014-01-21	Unknown	Springfield	Greene	Burning		
<b>Concern No.</b> 17373 <b>Concern Info</b> Caller reports observing construction waste and tires being open burned behind motel and video store northwest of the intersection of West Bypass and Sunshine. Caller said they called Brookline Fire Protection District and were told they were aware of the burning and it was not a problem.								
<b>Comments</b>								
SWRO		2014-01-22	Larry McConnell	Brookline	Greene	Burning		
<b>Concern No.</b> 17374 <b>Concern Info</b> Chief of Brookline Fire Protection District knew and gave permission for the burning of tires and construction and demolition waste.								
<b>Comments</b>								
SWRO		2014-01-23	Matt ??	Pleasant Hope	Polk	Burning		
<b>Concern No.</b> 17400 <b>Concern Info</b> Burning mattresses that he takes out of apartment. He keeps burning mattresses even when he has been told not to by the fire department, EPA and DNR. He has about 75 mattresses piled up now ready to burn. He burns these at night. He burns these next to his house, which is located on the southwest corner of Highway H and farm road 558.								
<b>Comments</b>								
SWRO		2014-01-28	Cherry Street Baptist Church	Springfield	Greene	Asbestos		
<b>Concern No.</b> 17499 <b>Concern Info</b> "Church pastor (Cherry Street Baptist 1201 South Oak Grove) wanted to put down new carpet and floor treatments in the hallways. I didn't think too much about it until I walked in this Sunday morning and saw that they had removed the tile flooring and put on a floor leveling compound. Heretofore, we always replaced broken tile, sealed it and put down carpet. The building was built in the early 60's. I didn't measure to see if the tile was 8x8 or 9x9. I do have a sample of tile that I found on the ground outside of the building." See email.								
<b>Comments</b>								
SWRO		2014-01-31	Unknown	Joplin	Jasper	Air Odors		
<b>Concern No.</b> 17545 <b>Concern Info</b> Foul sewer/chemical odor started this morning. She is in Joplin and has heard that Carthage and Webb City can smell it too. They are near Turkey Creek, which is the only common link between these cities because the wind is not blowing right now.								
<b>Comments</b>								
SWRO		2014-02-03	Unknown	Joplin	Jasper	Fugitive Dust		
<b>Concern No.</b> 17551 <b>Concern Info</b> Dumping wastes from old St. John's hospital. Now covering with dirt. Tracking mud in street which, after drying, is creating dust problem that is settling on all the cars in the neighborhood.								
<b>Comments</b>								

### Monthly Air Pollution Control Program Detail Report

*Note: "Concern Info" refers to the information provided to the department by the concerned party. The information seeks to accurately reflect the nature of the allegation as it was made. Those statements of allegations do not necessarily reflect the legal standard upon which inspections would be made.*

<i>Region</i>	<i>Inspection Date</i>	<i>Date Received</i>	<i>Suspected Source Owner/Operator</i>	<i>City</i>	<i>County Name</i>	<i>Type of Concern</i>	<i>INSP Initials</i>	<i>NOV</i>
SWRO		2014-02-10	Victor Pollack	Brookline	Greene	Burning		
<b>Concern No.</b>	17577	<b>Concern Info</b>	Neighbor is tearing down 4 mobile homes and burning the construction debris. Piles have contained treated lumber, siding, etc.					
<b>Comments</b>								
SWRO		2014-02-11	Carey Michael	Joplin	Jasper	Asbestos		
<b>Concern No.</b>	17595	<b>Concern Info</b>	Demolition of old motel cottages, now apartments without an asbestos inspection or demo notification.					
<b>Comments</b>								
SWRO		2014-02-11	Allen Filters	Springfield	Greene	Burning / Air Odors / Toxics		
<b>Concern No.</b>	17599	<b>Concern Info</b>	Odor possibly from burning but maybe also a product they are making. City utilities has been out to look for a gas leak and did not find one. However, they said they think it's from something they are burning.					
<b>Comments</b>								
SWRO		2014-02-11	Allen Filters	Springfield	Greene	Burning / Air Odors / Toxics		
<b>Concern No.</b>	17600	<b>Concern Info</b>	Odor possibly from burning but maybe also a product they are making. City utilities has been out to look for a gas leak and did not find one. However, they said they think it's from something they are burning.					
<b>Comments</b>								
SWRO		2014-02-13	MFA Mill	Aurora	Lawrence	Fugitive Dust		
<b>Concern No.</b>	17614	<b>Concern Info</b>	Caller asserts that heavy soot and sediment are being produced by MFA Mill in Aurora and is covering everything, even the roofs.					
<b>Comments</b>								
SWRO		2014-02-19	Jeremy Eck	Rogersville	Greene	Burning		
<b>Concern No.</b>	17639	<b>Concern Info</b>	Jeremy Eck has been burning limbs, brush and other items from his commercial business of lawn care, "Spruce It Up". This has been going on for years and years. Neighbors are getting tired of the constant burning and smoke. It is not known if he has a burn permit but this a monthly occurrence. The most recent occurrence has been smoldering daily for over a week. It is smoldering and emitting smoke at the time of this telephone call. Plus there is a burn ban at this time.					
<b>Comments</b>								

*Please note, the information provided in this report reflects all concerns received during the reporting period as well as all inspection activities that occurred during the reporting period regardless of the date in which the original concern was received.*

Missouri Department of Natural Resources  
Air Pollution Control Program  
Ongoing Negotiations

Responsible Party	Facility	Negotiations Initiated	Region
<b>Asbestos</b>			
Advanced Environmental Services, Inc.	2200 Locust Street	9/19/2013	SLRO
Bowman Demolition Company	Bowman Demolition	3/12/2012	KCRO
Brandt, Jerry	COMMERCIAL BUILDING 1300 N MAIN DESOTO	2/28/2014	SLRO
Bright Flooring	Macon R-1 Schools	11/4/2013	NERO
Chad Davis	City of Trenton	11/4/2013	NERO
David R. Fuhr	Feed Store (former)	7/5/2013	NERO
Evans, Kurt	Kurt Evans	3/6/2012	KCRO
Gordon Sanborn	Sanborn Property	12/20/2012	SWRO
Grissom, Helen	Helen Grissom	3/1/2012	KCRO
Horizon Medical Holdings, LLC	Latham Hospital	12/20/2012	NERO
Jerry Brandt	COMMERCIAL BUILDING 1300 N MAIN DESOTO	2/28/2014	SLRO
Macon R-1 School District	Macon R-1 Schools	11/4/2013	NERO
Sam LaFrank	Karsch Center	7/16/2013	SERO
Tammy McLaughlin	Latham Hospital	12/20/2012	NERO
Thu-Trong T. Dang	Karsch Center	7/16/2013	SERO
<b>Asbestos and Open Burning</b>			
Bullock, Danny	Thomas Graham	8/28/2012	SERO
Graham, James	Thomas Graham	8/28/2012	SERO
Graham, Thomas	Thomas Graham	8/28/2012	SERO
<b>Compliance Certifications</b>			
Duane Kiewitt	SPORLAN VALVE DIVISION - PLANT #2 - WEST MAIL	10/3/2013	SLRO
<b>Construction Permit</b>			
Cale Seymour	Southside Red-E-Mix	2/18/2014	KCRO
Tony Keller	Keller Supply	2/7/2014	KCRO
<b>Excess Emissions</b>			
Michael Townley	Metropolitan Sewer District (MSD) - Bissell Point Treat	7/19/2013	SLRO
<b>Fugitive Dust</b>			
Jorge Pedraza	REPUBLIC SERVICES RECYCLING SOUTHSIDE RE	3/7/2014	SLRO
<b>Intermediate Operating Permit</b>			
Kerry Bauman	Base Rock Minerals - Bonne Terre Plant	12/27/2013	SERO
Roy Smith	Sullivan Precision Metal Finishing	9/17/2013	SLRO
<b>Maximum Achievable Control Technology (MACT)</b>			
James M. Lanzafame	DOE RUN COMPANY - Buick	11/13/2013	SERO
<b>Open Burning</b>			
Brandon Street	Brandon Street	8/7/2012	SWRO
Chris Collins	Chris Collins	2/20/2014	KCRO
Dale Brewer	Dale Brewer	1/3/2013	NERO

Missouri Department of Natural Resources  
Air Pollution Control Program  
Ongoing Negotiations

Responsible Party	Facility	Negotiations Initiated	Region
Debbie Branson	Debbie D. (Stillman) Branson	1/3/2013	NERO
Debra Burnett	Burnett Property	3/15/2013	KCRO
Ernest & Maryln Wheat	Ernest Wheat	3/10/2014	NERO
Gary Eugene Alley	Gary Eugene Alley	9/25/2013	KCRO
Harvey Skirvin	Harvey Skirvin	12/9/2013	NERO
Jamie Turner	Jamie Turner	9/12/2012	NERO
Jerry Swinney	Jerry Swinney	12/3/2012	KCRO
John Burton	John Burton, Burton's Tree Service	12/6/2012	KCRO
Paul Reed	Paul Reed	3/3/2014	NERO
Raymond McNamara	Raymond McNamara	9/24/2012	SWRO
Ron Knight	Ron Knight	12/9/2013	KCRO
Ryan Lamb	Ryan Lamb	3/15/2013	KCRO
Steven Sehorn	Steven B. Sehorn	2/20/2014	KCRO
Tammy Wolfmeier	Tammy Wolfmeier	11/13/2013	NERO
Traci and Marty Jones	Marty and Traci Jones	2/11/2013	NERO
William Beeson	William Beeson	7/6/2012	KCRO
<b>Part 70 Operating Permit</b>			
Clavin R. Keller	THE DOE RUN COMPANY	11/13/2013	SLRO
Innocent Chikunya	Exide Tech-Canon Hollow	8/21/2013	KCRO
<b>Stage I Vapor Recovery</b>			
Dale Braun, DKD Trucking, Inc.	KIRKWOOD SERVICE CENTER	1/27/2014	SLRO
Javaid B Chaudhri, AJ Partnership	Everyday Conoco	4/18/2013	KCRO
Javaid B. Chaudhri & Arshad Chaudhri	Everyday Store # 1090 ST3619	4/18/2013	KCRO
Javaid B. Chaudhri & Arshad Chaudhri	Sinclair Retail Station #24060 ST12977	4/18/2013	KCRO
Javaid B. Chaudhri, Premier Petroleum	Service Oil Company #12	4/18/2013	KCRO
Javaid B. Chaudhri, Premier Petroleum	Inner City Oil	4/18/2013	KCRO
<b>Stage II Vapor Recovery</b>			
Parker Petroleum	GAS MART #9 Formerly AMOCO #5578	4/18/2013	SLRO
Thoele Oil Company	MOBIL FORMERLY ZX	7/11/2013	SLRO
Thoele Oil Company	MID RIVERS ZX	7/11/2013	SLRO
Thoele Oil Company	ZX	7/11/2013	SLRO

Missouri Department of Natural Resources  
 Air Pollution Control Program  
 Finalized Agreements between January 01, 2014 and February 28, 2014

Responsible Party	Facility	Negotiation Initiated	Settled	Total Amount	Suspended Amount	Region
<b>Asbestos</b>						
Lashley, Dave	Printing Company, The	4/18/2013	1/17/2014	4000	4000	SERO
Roger Painter	Roger Painter	9/20/2013	1/3/2014	4000	3500	NERO
<b>Open Burning</b>						
Paul Glenn	Paul Glenn	2/25/2013	1/13/2014	8000	8000	KCRO
<b>Stage II Vapor Recovery</b>						
Mike McNutt	MPC #88	12/11/2013	2/6/2014	4000	4000	SLRO

Missouri Department of Natural Resources  
 Air Pollution Control Program  
 Pending Cases Referred to Attorney General's Office

Responsible Party	Facility	Referred to AGO	Region
<b>Asbestos</b>			
Chris Parker, Performance Diesel	BUTLER COUNTY LANDFILL	8/30/2012	SERO
Didion and Sons Foundry Company	DIDION AND SONS FOUNDRY CO	6/30/2011	SLRO
Hussein, Safdar	Old car lot	3/29/2012	KCRO
<b>Construction Permit</b>			
Americold Logistics, LLC	Americold Logistics, LLC	4/30/2009	SWRO
<b>Fugitive Dust</b>			
Glen Miller	Precision Lumber and Pallet	2/5/2013	SERO
<b>Maximum Achievable Control Technology (MACT)</b>			
Mr. Bryan Herbert	Bon Ton Cleaners, LLC	2/13/2009	KCRO
<b>Open Burning</b>			
George Rensch	George Rensch	7/25/2012	SWRO
Howard Allen	Howard Allen	3/29/2012	SERO
Ray Edward Smith	Smith, Ray Edward et al	12/6/2012	NERO
<b>Stage I Vapor Recovery</b>			
Manjula G. Patel	Ishree Inc (BP America) ST10232	5/30/2013	KCRO
Mr.Nooroin Lakhani	L & D Conoco	2/19/2013	KCRO