



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: **06 2008 - 005** Project Number: 2007-12-018

Parent Company: Lafarge North America, Inc.

Parent Company Address: 15100 E. Courtney Atherton Road, Sugar Creek, MO 64058

Installation Name: Lafarge North America, Inc.

Installation Address: 22600 Snow Road, Sedalia, MO 65302


Location Information: Pettis County, Section, Township, Range

Application for Authority to Construct was made for:
The installation of a new 550 tons per hour portable rock crushing plant. This review was conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

-
- Standard Conditions (on reverse) are applicable to this permit.
- Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

JUN 12 2008

EFFECTIVE DATE


DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the departments' Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available not more than 60 days but at least 30 days in advance of this date. Also, you must notify the Department of Natural Resources Regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

STATE OF MISSOURI



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number:

Project Number: 2007-12-018

Parent Company: Lafarge North America, Inc.

Parent Company Address: 15100 E. Courtney Atherton Road, Sugar Creek, MO 64058

Installation Name: Lafarge North America, Inc.

Installation Address: 22600 Snow Road, Sedalia, MO 65302

Location Information: Pettis County, Section, Township, Range

Application for Authority to Construct was made for:

The installation of a new 550 tons per hour portable rock crushing plant. This review was conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

EFFECTIVE DATE

DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the departments' Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available not more than 60 days but at least 30 days in advance of this date. Also, you must notify the Department of Natural Resources Regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

| | |
|-------------|-------------|
| Page No. | 3 |
| Permit No. | |
| Project No. | 2007-12-018 |

GENERAL SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075); by the Missouri Rules listed in Title 10, Division 10 of the Codes of State Regulations (specifically 10 CSR 10-6.060); by 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority"; by 10 CSR 10-6.010 "Ambient Air Quality Standards" and 10 CSR 10-6.060 subsections (5)(D) and (6)(A); and by control measures requested by the applicant, in their permit application, to reduce the amount of air pollutants being emitted, in accordance with 10 CSR 10-6.060 paragraph (6)(E)3. Furthermore, one or more of the Subparts of 40 CFR Part 60, New Source Performance Standards (NSPS), applies to this installation.

1. **Portable Equipment Identification Requirement**
To assure that each component is properly identified as being a part of this portable rock crushing plant, (PORT-0605) Lafarge North America, Inc. shall provide and maintain suitable, easily read permanent markings on each component of the plant. These markings shall be the equipment's serial number or a company assigned identification number that uniquely identifies the individual component. These identification numbers must be submitted to the Air Pollution Control Program no later than 15 days after start-up of the portable rock crushing plant.
2. **Relocation of Portable Rock Crushing Plant**
 - A. The portable rock crushing plant shall not be operated at any site location longer than 24 consecutive months without an intervening relocation.
 - A. A complete "Portable Source Relocation Request" application must be submitted to the Air Pollution Control Program prior to any relocation of this portable rock crushing plant.
 - 1.) If the portable rock crushing plant is moving to a site previously permitted, and if there are no other new plants at the site, then the application must be received by the Air Pollution Control Program at least seven (7) days prior to the relocation.
 - 2.) If the portable rock crushing plant is moving to a new site, or if there are other plants or equipment at the site that have not been evaluated for concurrent operation, then the application must be received by the Air Pollution Control Program at least twenty-one (21) days prior to the relocation. The application must include written notification of any concurrently operating plants.
3. **Record Keeping Requirement**
The operator(s) shall maintain all records required by this permit for not less than five (5) years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request.

| | |
|-------------|-------------|
| Page No. | 4 |
| Permit No. | |
| Project No. | 2007-12-018 |

SITE-SPECIFIC SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- Site ID No.: PORT-0605
Site No. 1: Sedalia Site (22600 Snow Road, Sedalia, MO 65302) Pettis County, S23, T46N, R22W
Site No. 2: Marshall Site (North Outer Road, Hwy 65 and I-70, Sweet Spring, MO 65351) Saline County, S4, T48N, R21W
1. **Best Management Practices**
Lafarge North America, Inc. shall control fugitive emissions from all of the haul roads and stockpiles at both sites by performing *Best Management Practices*, which include the usage of paving, chemical dust suppressants, or documented watering. These practices are defined in Attachment AA.
 2. **National Ambient Air Quality Standards (NAAQS) Limitation for Particulate Matter Less Than Ten Microns in Diameter (PM₁₀)**
 - A. The operator(s) for Lafarge North America, Inc.'s portable rock crushing plant (PORT-0605) shall ensure, while operating at these sites, that the ambient impact of PM₁₀ at or beyond the nearest property boundary does not exceed 150 µg/m³ in any 24-hour period, in accordance with the Federal NAAQS requirements (40 CFR 50.6).
 - B. The portable rock crushing plant is permitted to operate under four (4) scenarios at these two sites: Solitary, concurrent (same owner), concurrent (separate owners), and concurrent (same **and** separate owner) operations. The total daily ambient impact of PM₁₀ at these sites shall include the combined impact of the portable rock crushing plant and any ambient background concentration from installations or equipment located on the same site as the portable rock crushing plant.
 - C. To demonstrate compliance during concurrent operations, the operator(s) shall maintain a daily record of material processed. Attachment A, or other equivalent form(s), shall be used for this purpose during solitary and concurrent (same owner) operations. Attachment B, or other equivalent form(s), shall be used for this purpose during concurrent (separate owners) and concurrent (same **and** separate owners) operations.
 3. **Annual Emission Limit of Nitrogen Oxides (NOx)**
 - A. The operator(s) shall ensure that Lafarge North America, Inc.'s portable rock crushing plant emits less than 40 tons of NOx into the atmosphere in any 12-month period.
 - B. To demonstrate compliance, the operator(s) shall maintain a monthly record of material processed and PM₁₀. Attachment C, or other equivalent form(s), will be used for this purpose.
 4. **Usage of Wet Suppression Control System on Equipment**
 - A. Lafarge North America, Inc. shall install and operate wet spray devices to restrict the emission of particulate matter. These wet spray devices must be used to control fugitive emissions whenever these units are in operation. The wet spray devices shall be installed on the following units:
 - 1.) All Crushers
 - 2.) All Screens
 - B. Watering may be suspended during periods of freezing conditions, when use of the wet spray devices may damage the equipment. During these conditions, the operator(s) shall adjust the production rate to control fugitive emissions from these units. The operator shall record a brief description of such events in a daily log.
 5. **Performance Testing for New Source Performance Standards (NSPS)**
Lafarge North America, Inc. shall comply with all appropriate monitoring, testing, reporting, and record keeping requirements of 40 CFR 60, Subpart OOO – *Standards of Performance for Nonmetallic Mineral Processing Plants*.
 6. **Restriction on Process Configuration of Primary Emission Point(s)**
The maximum hourly design rate of the plant is equal to the sum of the design rate(s) of the primary emission point(s). Lafarge North America, Inc. has designated the following unit(s) as the primary emission point(s) of the portable rock crushing plant: Primary Crusher (CR1). Bypassing the primary emission point(s) for processing is prohibited.

| | |
|-------------|-------------|
| Page No. | 5 |
| Permit No. | |
| Project No. | 2007-12-018 |

SITE-SPECIFIC SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

7. **Restriction on Minimum Distance to Nearest Property Boundary**
The primary emission point of the portable rock crushing plant, which is the primary crusher (CR1), shall be located at least 600 feet from the nearest property boundary whenever it is operating at the Sedalia Site and at least 586 feet from the nearest property boundary whenever it is operating at the Marshall Site.

8. **Reporting Requirement**
The operator(s) shall report to the Air Pollution Control Program Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten (10) days after any exceedances of the limitations imposed by this permit.

TECHNICAL REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT

PROJECT DESCRIPTION

The installation proposes to install a new rock crushing plant. The installation is permitted to operate at a site in Pettis County (Sedalia Site) and a site in Saline County (Marshall Site). Both of these sites are in attainment areas for all criteria air pollutants. This installation is not on the List of Named Installations [10 CSR 10-6.020(3)(B), Table 2]. The portable rock crushing plant is permitted to operate under the following four (4) scenarios at each site.

- Solitary Operations: Operations when the portable plant is the only plant at the sites.
- Concurrent (Same Owner) Operations: Operations when other plants owned by Lafarge North America, Inc. are located at the sites at the same time as the portable plant.
- Concurrent (Separate Owners) Operations: Operations when other plants owned by other companies are located at the sites at the same time as the portable plant.
- Concurrent (Same **and** Separate Owners) Operations: Operations when other plants owned by Lafarge North America, Inc. **and** plants owned by other companies are located at these sites at the same time as the portable plant.

A diesel engine rated at 1,600 horsepower will be used by the plant and it can only be used to power equipment during production.

EMISSIONS EVALUATION

Criteria air pollutants will be emitted from this operation. The main air pollutants of concern are PM₁₀ and NO_x. The potential emissions were calculated from the maximum hourly design rate (MHDR) of the equipment, appropriate emission factors, control device efficiencies, and the limiting operating hours at MHDR. The sources of the emission factors and control efficiencies are listed in the section "Permit Documents". Based on the conditioned potential emissions, the operation is considered a minor source under 10 CSR 10-6.060 section (6).

Lafarge North America, Inc. accepted a limit of less than 40 tons of NO_x in any 12-month period. A composite NO_x emission factor was developed for the portable rock crushing plant and is incorporated into the monthly record keeping table, Attachment C. If the conditioned potential emissions of NO_x were 40 tons per year or greater, then the owner would be required to submit stack parameters for all combustion sources so that an ambient impact analysis can be performed on NO_x.

Table 1: Emissions Summary (tons per year)

| Air Pollutant | Regulatory <i>De Minimis</i> Levels | Sites | *Existing Potential Emissions | Potential Emissions of the Application | **New Installation Conditioned Potential | Emission Factor (lb/ton) |
|------------------|-------------------------------------|----------|-------------------------------|----------------------------------------|------------------------------------------|--------------------------|
| PM ₁₀ | 15.0 | Sedalia | NA | 97.55 | 24.83 | NA |
| PM ₁₀ | 15.0 | Marshall | NA | 99.25 | 27.60 | NA |
| SO _x | 40.0 | Both | NA | 25.72 | 6.31 | NA |
| NO _x | 40.0 | Both | NA | 162.97 | <40.00 | 0.0677 |
| VOC | 40.0 | Both | NA | 4.17 | 1.02 | NA |
| CO | 100.0 | Both | NA | 43.29 | 10.63 | NA |
| HAPs | 10.0/25.0 | Both | NA | 0.08 | 0.02 | NA |

Note: N/A = Not Applicable

* Existing potential emissions is not applicable since this is a new installation.

** NO_x conditioned potential based on voluntary limit. Other pollutants proportionately reduced.

AMBIENT AIR QUALITY IMPACT ANALYSIS

Screening tools were used to evaluate the ambient air impact of the hourly emissions from this operation. The ambient impact was evaluated at a distance of 600 feet to the nearest property boundary for the site in Pettis County and 586 feet to the nearest property boundary for the site in Saline County. The ambient impact at these sites shall not exceed the National Ambient Air Quality Standard (NAAQS) of 150 µg/m³ of PM₁₀ at or beyond the nearest property boundary in any single 24-hour period. For sources agreeing to use Best Management

Practices (BMPs), as defined in Attachment AA, haul roads and stockpiles are not modeled with screening tools. Instead, they are addressed as a background level of 20 µg/m³ of PM₁₀. To ensure conformity with NAAQS, the remaining process emissions are limited to an impact of less than 130 µg/m³ of PM₁₀ at or beyond the nearest property boundary.

The screening tools were used to ambient impact factors for the portable rock crushing plant during each operating scenario at each site. The ambient impact factors shall be used in the daily record keeping tables, Attachment A and B, to ensure NAAQS compliance. The following record keeping procedures shall be used for each operating scenario.

- During solitary operations at both sites, the rock crushing plant shall track its own daily PM₁₀ ambient impact to ensure NAAQS is not exceeded.
- During concurrent (same owner) operations at both sites, the rock crushing plant shall track its own daily PM₁₀ ambient impact and the daily PM₁₀ ambient impact of all other plants at the site to ensure that the combined ambient impact from both sites does not exceed NAAQS.
- During concurrent (separate owners) operations at both sites, the rock crushing plant is permitted for 90 µg/m³ of PM₁₀ and plants owned by other companies are permitted for 40 µg/m³. The rock crushing plant shall track its own daily PM₁₀ ambient impact to ensure that it does not exceed 90 µg/m³.
- During concurrent (same **and** separate owners) operations at both sites, the plants owned by Lafarge North America, Inc. are permitted for a combined 90 µg/m³ of daily PM₁₀ ambient impact. Plants owned by other companies are permitted for a combined 40 µg/m³ of daily PM₁₀ ambient impact. The portable plant shall track its own daily PM₁₀ ambient impact **and** the daily PM₁₀ ambient impact of all other plants owned by Lafarge North America, Inc. to ensure that the combined daily PM₁₀ ambient impact does not exceed 90 µg/m³.

Table 2: Ambient Air Quality Impact Analysis of PM₁₀, 24-Hour Averaging Time, Sedalia Site

| Operation | Ambient Impact Factor (µg/m ³ /ton) | Modeled Impact (µg/m ³) | *Background (µg/m ³) | NAAQS (µg/m ³) | Daily Production Limit (tons) |
|-------------------------------------------------|------------------------------------------------|-------------------------------------|----------------------------------|----------------------------|-------------------------------|
| 1. Solitary | 0.01145 | 130.00 | 20.00 | 150.00 | 11,349 |
| 2. Concurrent (Same Owner) | 0.01145 | ** | 20.00 | 150.00 | ** |
| 3. Concurrent (Separate Owners) | 0.01096 | 90.00 | 60.00 | 150.00 | 8,214 |
| 4. Concurrent (Same and Separate Owners) | 0.01096 | ** | 60.00 | 150.00 | ** |

* Background PM₁₀ level of 20.00 µg/m³ from haul roads and stockpiles and 40.00 µg/m³ from operations of plants not owned by Lafarge North America.

** The operator(s) must balance production among concurrently operating plants such that NAAQS is not exceeded. Ambient impacts of other plants owned by Lafarge North America, Inc. can be obtained from the operators of these plants.

Table 2: Ambient Air Quality Impact Analysis of PM₁₀, 24-Hour Averaging Time, Marshall Site

| Operation | Ambient Impact Factor (µg/m ³ /ton) | Modeled Impact (µg/m ³) | *Background (µg/m ³) | NAAQS (µg/m ³) | Daily Production Limit (tons) |
|-------------------------------------------------|------------------------------------------------|-------------------------------------|----------------------------------|----------------------------|-------------------------------|
| 1. Solitary | 0.01305 | 130.00 | 20.00 | 150.00 | 9,964 |
| 2. Concurrent (Same Owner) | 0.01305 | ** | 20.00 | 150.00 | ** |
| 3. Concurrent (Separate Owners) | 0.01158 | 90.00 | 60.00 | 150.00 | 7,775 |
| 4. Concurrent (Same and Separate Owners) | 0.01158 | ** | 60.00 | 150.00 | ** |

* Background PM₁₀ level of 20.00 µg/m³ from haul roads and stockpiles and 40.00 µg/m³ from operations of plants not owned by Lafarge North America.

** The operator(s) must balance production among concurrently operating plants such that NAAQS is not exceeded. Ambient impacts of other plants owned by Lafarge North America, Inc. can be obtained from the operators of these plants.

APPLICABLE REQUIREMENTS

The owner is subject to compliance with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements.

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110
- *Operating Permits*, 10 CSR 10-6.065
- No Operating Permit is required for this portable rock crushing plant.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-3.090
- *Restriction of Emission of Particulate Matter From Industrial Processes*, 10 CSR 10-6.400
- *Restriction of Emission of Sulfur Compounds*, 10 CSR 10-6.260
- 40 CFR Part 60 Subpart "OOO", *Standards of Performance for Nonmetallic Mineral Processing Plants*, of the New Source Performance Standards (NSPS)
- The National Emission Standards for Hazardous Air Pollutants (NESHAPs) and the currently promulgated Maximum Achievable Control Technology (MACT) regulations do not apply to the proposed equipment.

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

Chia-Wei Young
Environmental Engineer

Date

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, designating Lafarge North America, Inc. as the owner and operator of the installation.
- Environmental Protection Agency (EPA) AP-42, *Compilation of Air Pollutant Emission Factors; Volume I, Stationary Point and Area Sources, Fifth Edition*.
- Noyes Data Corp. book, Orlemann, et al.1983, *Fugitive Dust Control*.
- EPA Factor Information Retrieval (FIRE) Version 6.21.
- Spreadsheet calculations of potential-to-emit and ambient impact.
- Kansas city Regional Office Site Survey.

Attachment AA: Best Management Practices (BMPs)- Construction Industry Fugitive Emissions

Construction Industry Sites covered by the Interim Relief Policy shall maintain Best Management Control Practices (BMPs) for fugitive emission areas at their installations when in operation. Options for BMPs are at least one of the following:

For Haul Roads:

1. Pavement of Road Surfaces –
 - A. The operator(s) may pave all or any portion of the haul roads with materials such as asphalt, concrete, and/or other material(s) after receiving approval from the program. The pavement will be applied in accordance with industry standards for such pavement so as to achieve “Control of Fugitive Emissions¹” while the plant is operating.
 - B. Maintenance and/or repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator(s) shall periodically water, wash and/or otherwise clean all of the paved portions of the haul road(s) as necessary to achieve control of fugitive emissions from these areas while the plant is operating.

2. Usage of Chemical Dust Suppressants –
 - A. The operator(s) shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to all the unpaved portions of the haul roads. The suppressant will be applied in accordance with the manufacturer’s suggested application rate (if available) and re-applied as necessary to achieve control of fugitive emissions from these areas while the plant is operating.
 - B. The quantities of the chemical dust suppressant shall be applied, re-applied and/or maintained sufficient to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator(s) shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator(s) shall keep these records with the plant for not less than five (5) years, and the operator(s) shall make these records available to Department of Natural Resources personnel upon request.

3. Usage of Documented Watering –
 - A. The operator(s) shall control the fugitive emissions from all the unpaved portions of the haul roads at the installation by consistently and correctly using the application of a water spray. Documented watering will be applied in accordance with a recommended application rate of 100 gallons per day per 1,000 square feet of unpaved/untreated surface area of haul roads as necessary to achieve control of fugitive emissions from these areas while the plant is operating. For example, the operator(s) shall calculate the total square feet of unpaved vehicle activity area requiring control on any particular day, divide that product by 1,000, and multiply the quotient by 100 gallons for that day.
 - B. The operator(s) shall maintain a log that documents daily water applications. This log shall include, but is not limited to, date and volumes (e.g., number of tanker applications and/or total gallons used) of water application. The log shall also record rationale for not applying water on day(s) the plant is in operation (e.g., meteorological situations, precipitation events, freezing, etc.)
 - C. Meteorological precipitation of any kind, (e.g. a quarter inch or more rainfall, sleet, snow, and/or freeze thaw conditions) which is sufficient in the amount or condition to achieve control of fugitive emissions from these areas while the plant is operating.
 - D. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads. The operator(s) shall record a brief description of such events in the same log as the documented watering.
 - E. The operator(s) shall record the date and the amount of water applied for each application on the above areas. The operator(s) shall keep these records with the plant for not less than five (5) years, and the operator(s) shall make these records available to Department of Natural Resources personnel upon request.

¹ For purposes of this document, Control of Fugitive Emissions means to control particulate matter that is not collected by a capture system and visible emissions to the extent necessary to prevent violations of the air pollution law or regulation. (Note: control of visible emission is not the only factor to consider in protection of ambient air quality.)

For Vehicle Activity Areas around Open Storage Piles:

1. Pavement of Stockpile Vehicle Activity Surfaces –
 - A. The operator(s) may pave all or any portion of the vehicle activity areas around the storage piles with materials such as asphalt, concrete, and/or other material(s) after receiving approval from the program. The pavement will be applied in accordance with industry standards for such pavement so as to achieve control of fugitive emissions while the plant is operating.
 - B. Maintenance and/or repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator(s) shall periodically water, wash and/or otherwise clean all of the paved portions of the vehicle activity areas around the storage piles as necessary to achieve control of fugitive emissions from these areas while the plant is operating.

2. Usage of Chemical Dust Suppressants –
 - A. The operator(s) shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to all the vehicle activity areas around the open storage piles. The suppressant will be applied in accordance with the manufacturer's suggested application rate (if available) and re-applied as necessary to achieve control of fugitive emissions from these areas while the plant is operating.
 - B. The quantities of the chemical dust suppressant shall be applied, re-applied and/or maintained sufficient to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator(s) shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator(s) shall keep these records with the plant for not less than five (5) years, and the operator(s) shall make these records available to Department of Natural Resources personnel upon request.

3. Usage of Documented Watering –
 - A. The operator(s) shall control the fugitive emissions from all the vehicle activity areas around the storage piles at the installation by consistently and correctly using the application of a water spray. Documented watering will be applied in accordance with a recommended application rate of 100 gallons per day per 1,000 square feet of unpaved/untreated surface area of vehicle activity areas around the storage piles as necessary to achieve control of fugitive emissions from these areas while the plant is operating. (Refer to example for documented watering of haul roads.)
 - B. The operator(s) shall maintain a log that documents daily water applications. This log shall include, but is not limited to, date and volumes (e.g., number of tanker applications and/or total gallons used) of water application. The log shall also record rationale for not applying water on day(s) the plant is in operations (e.g., meteorological situations, precipitation events, freezing, etc.)
 - C. Meteorological precipitation of any kind, (e.g. a quarter inch or more rainfall, sleet, snow, and/or freeze thaw conditions) which is sufficient in the amount or condition to achieve control of fugitive emissions from these areas while the plant is operating.
 - D. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads. The operator(s) shall record a brief description of such events in the same log as the documented watering.
 - E. The operator(s) shall record the date and the amount of water applied for each application on the above areas. The operator(s) shall keep these records with the plant for not less than five (5) years, and the operator(s) shall make these records available to Department of Natural Resources personnel upon request.

Mr. Josh Martin
Manager of Environment
Lafarge North America, Inc.
15100 E. Courtney Atherton Road
Sugar Creek, MO 64058

RE: New Source Review Permit - Project Number: 2007-12-018

Dear Mr. Martin:

Enclosed with this letter is your New Source Review permit. Please review your permit carefully and note the special conditions, if any, and the requirements in your permit.

Operation in accordance with the conditions and requirements in your permit and the New Source Review application submitted for project 2007-12-018 is necessary for continued compliance. The section of the permit entitled "Technical Review of Application for Authority to Construct" should not be separated from the main portion of your permit. The entire permit must be retained in your files. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

If you have any questions regarding this permit, please do not hesitate to contact Chia-Wei Young at the department's Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or you may telephone me at (573) 751-4817. Thank you for your attention to this matter

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Kendall B. Hale
New Source Review Unit Chief

KBH: cwyl

Enclosures

c: Kansas City Regional Office
PAMS File: 2007-12-018
Permit Number: