

# PERMIT BOOK

STATE OF MISSOURI



## DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

### PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: **072011-007** Project Number: 2011-04-062

Parent Company: Angel Paws Crematory

Parent Company Address: P.O. Box 107, Columbia, MO 65205

Installation Name: Angel Paws Crematory

Installation Number: 053-0036

Installation Address: 24687 Highway 179, Boonville, MO 65233

Location Information: Cooper County, S7, T48N, R15W

Application for Authority to Construct was made for:

The installation of a new R & K Model 36 Burn Easy incinerator for the purpose of cremating animals. This review was conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

JUL 19 2011

EFFECTIVE DATE

  
\_\_\_\_\_  
DIRECTOR OR DESIGNEE  
DEPARTMENT OF NATURAL RESOURCES

## STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

**You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review.** In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Departments' Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department of Natural Resources Regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

Page No.	3
Permit No.	
Project No.	2011-04-062

**SPECIAL CONDITIONS:**

The permittee is authorized to construct and operate subject to the following special conditions:

*The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."*

Angel Paws Crematory  
Cooper County, S7, T48N, R15W

1. Process Requirements for the Animal Crematory (EU-01)
  - A. Angel Paws Crematory will burn exclusively non-infectious animal bodies or body parts (as defined in the Code of Federal Regulations, 40 CFR 60.51, *Standards of Performance for New Stationary Sources*, Subpart Ec—"Standards of Performance for Hospital/Medical/Infectious Waste Incinerators for Which Construction is Commenced After June 20, 1996) and containers not containing chlorine.
  - B. Charging of waste between burn cycles is prohibited.
  - C. The crematory shall be equipped with a continuous graph or chart recorder that monitors, displays and records the temperature in the final combustion chamber with an accuracy of two percent ( $\pm 2\%$ ).
  - D. Angel Paws Crematory shall maintain the temperature in the final combustion chamber at or above 1300 degrees Fahrenheit.
  - E. Angel Paws Crematory's animal crematory shall be equipped with an afterburner.
  - F. Angel Paws Crematory shall maintain an accurate record of the number of cremation and the total mass of remains cremated at this installation per month.
2. Opacity  
The crematory (EP-01) shall have opacity of less than ten percent (10%) at all times.
3. Requirements for Operators of the Animal Crematory (EU-01)
  - A. All crematory operators shall attend a training program equivalent to that developed by the American Society of Mechanical Engineers (ASME), by the crematory manufacturer or by an individual with more than one (1)

Page No.	4
Permit No.	
Project No.	2011-04-062

**SPECIAL CONDITIONS:**

The permittee is authorized to construct and operate subject to the following special conditions:

year experience in the operation of the crematory. The training shall include basic combustion theory, operating procedures, monitoring of combustion control parameters and all emergency procedures to be followed if the crematory should malfunction or exceed operating parameters.

- B. The crematory operator shall have the essential steps necessary for satisfactory operation of the crematory readily available to him or her in an easy to read and follow manual.
4. **Restriction of Emission of Odors**  
If a continued situation of verified nuisance odors exists in violation of 10 CSR 10-3.090, the Director may require through written notice that Angel Paws Crematory submit, within ten days, a corrective action plan adequate to timely and significantly mitigate the odors. Angel Paws Crematory shall implement any such plan immediately upon its approval by the Director. Failure to either submit or implement such a plan shall be in violation of this permit.
5. **Record Keeping and Reporting Requirements**
- A. Angel Paws Crematory shall maintain all records required by this permit for not less than five (5) years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request.
  - B. Angel Paws Crematory shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which any record required by this permit show an exceedance of a limitation imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE  
SECTION (5) REVIEW

Project Number: 2011-04-062  
Installation ID Number: 053-0036  
Permit Number:

Angel Paws Crematory  
24687 Highway 179  
Boonville, MO 65233

Complete: April 26, 2011

Parent Company:  
Angel Paws Crematory  
P.O. Box 107  
Columbia, MO 65205

Cooper County, S7, T48N, R15W

REVIEW SUMMARY

- Angel Paws Crematory has applied for authority to install a new R & K Model 36 Burn Easy incinerator.
- Minimal Hazardous Air Pollutant (HAP) emissions are expected from the proposed equipment, but are less than their respective Screen Modeling Action Levels (SMAL).
- None of the New Source Performance Standards (NSPS) apply to the installation.
- None of the National Emission Standards for Hazardous Air Pollutants (NESHAPs) apply to this installation. None of the currently promulgated Maximum Achievable Control Technology (MACT) regulations apply to the proposed equipment.
- An afterburner installed on the crematory is being used to control the emissions from the equipment in this permit.
- This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, Construction Permits Required. Potential emissions of each pollutant are below de minimis levels. Section (1)(B) of Missouri State Rule 10 CSR 10-6.060 requires all incinerators to obtain construction permits.
- This installation is located in Cooper County, an attainment area for all criteria pollutants.
- This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability.

- Ambient air quality modeling was not performed since potential emissions of the application are below de minimis levels.
- Emissions testing are not required for the equipment. Stack testing was conducted on a similar unit and approved by the Air Pollution Control Program.
- A Basic Operating Permit application is required for this installation within 30 days of equipment startup.
- Approval of this permit is recommended with special conditions.

### INSTALLATION DESCRIPTION

Angel Paws Crematory is a new installation and will operate a R & K Model 36 Burn Easy animal incinerator and is a de minimis source under construction permits. This facility also needs a basic operating permit to operate. No operating permit has been issued for this facility. Angel Paws Crematory will be located in Boonville, Missouri.

No permits have been issued to Angel Paws Crematory from the Air Pollution Control Program.

### PROJECT DESCRIPTION

Angel Paws Crematory is installing a new R & K Model 36 Burn Easy animal incinerator. The manufacture maximum hourly design rate of the incinerator is 75 pounds per hour and is fueled by propane. The main burner has a burner rating of 0.210 million British Thermal Units (MMBTU) per hour and the afterburner has a burner rating of 0.189 MMBTU per hour. The incinerator is equipped with an afterburner which helps control emissions from the cremation process. Stack testing performed on the R & K Model 36 Burn Easy in 1998 was conducted at an average rate of 75 pounds per hour. The stack test was submitted to the Air Pollution Control Program under construction permit 012010-014.

Stack test requirements include that a crematory achieve a combustion efficiency of 99.9%, that the maximum particulate concentration in the crematory's stack gas is less than 0.09 grains per dry standard cubic feet and that the crematory's opacity does not exceed 10%. These requirements were developed to ensure proper combustion.

The crematory is permitted to cremate non-infectious human bodies and body parts. The Air Pollution Control Program's definition of this term is human bodies and body parts that do not fit the definition of medical/infectious waste as defined in the Code of Federal Regulations, 40 CFR 60.51, *Standards of Performance for New Stationary Sources*, Subpart Ec—"Standards of Performance for Hospital/Medical/Infectious Waste Incinerators for Which Construction is Commenced After June 20, 1996." The rule defines medical/infectious waste as:

*Medical/infectious waste* means any waste generated in the diagnosis, treatment, or immunization of human beings or animals, in research pertaining thereto, or in the

production or testing of biologicals that are listed in paragraphs (1) through (7) of this definition. The definition of medical/infectious waste does not include hazardous waste identified or listed under the regulations in part 261 of this chapter; household waste, as defined in §261.4(b)(1) of this chapter; ash from incineration of medical/infectious waste, once the incineration process has been completed; human corpses, remains, and anatomical parts that are intended for interment; and domestic sewage materials identified in §261.4(a)(1) of this chapter.

- (1) Cultures and stocks of infectious agents and associated biologicals, including: cultures from medical and pathological laboratories; cultures and stocks of infectious agents from research and industrial laboratories; wastes from the production of biologicals; discarded live and attenuated vaccines; and culture dishes and devices used to transfer, inoculate, and mix cultures.
- (2) Human pathological waste, including tissues, organs, and body parts and body fluids that are removed during surgery or autopsy, or other medical procedures, and specimens of body fluids and their containers.
- (3) Human blood and blood products including:
  - (i) Liquid waste human blood;
  - (ii) Products of blood;
  - (iii) Items saturated and/or dripping with human blood; or
  - (iv) Items that were saturated and/or dripping with human blood that are now caked with dried human blood; including serum, plasma, and other blood components, and their containers, which were used or intended for use in either patient care, testing and laboratory analysis or the development of pharmaceuticals. Intravenous bags are also included in this category.
- (4) Sharps that have been used in animal or human patient care or treatment or in medical, research, or industrial laboratories, including hypodermic needles, syringes (with or without the attached needle), pasteur pipettes, scalpel blades, blood vials, needles with attached tubing, and culture dishes (regardless of presence of infectious agents). Also included are other types of broken or unbroken glassware that were in contact with infectious agents, such as used slides and cover slips.
- (5) Animal waste including contaminated animal carcasses, body parts, and bedding of animals that were known to have been exposed to infectious agents during research (including research in veterinary hospitals), production of biologicals or testing of pharmaceuticals.
- (6) Isolation wastes including biological waste and discarded materials contaminated with blood, excretions, exudates, or secretions from humans who are isolated to protect others from certain highly communicable diseases, or isolated animals known to be infected with highly communicable diseases.
- (7) Unused sharps including the following unused, discarded sharps: hypodermic needles, suture needles, syringes, and scalpel blades.

## EMISSIONS/CONTROLS EVALUATION

The emission rates for particulate matter less than ten (10) microns in aerodynamic diameter (PM<sub>10</sub>) and carbon monoxide (CO) used in this review were obtained from a stack test performed on a similar incinerator. Emissions of sulfur dioxide (SO<sub>2</sub>) were calculated using the emission factor from the Environmental Protection Agency (EPA) document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition Table 1.4-2. Nitrogen oxide (NO<sub>x</sub>) and volatile organic compound (VOC) emissions were calculated using an emission factor from EPA document Factor Informational Retrieval (FIRE) Version 6.25, *Source Classification Codes and Emission Factors Listing for Criteria Pollutants* (SCC 5-02-001-01). The emission factors used in the analysis of HAP emissions were obtained from FIRE for SCC 3-15-021-01. The composite emission factor of HAPs listed in FIRE was 0.076 pounds of HAPs per body cremated. Potential emissions of the application represent the potential of the new equipment, assuming continuous operation (8760 hours per year). The following table provides an emissions summary for this project.

**Table 2: Emissions Summary (tons per year)**

Pollutant	Regulatory De Minimis Levels	Existing Potential Emissions	Existing Actual Emissions	Potential Emissions of the Application	New Installation Conditioned Potential
PM <sub>2.5</sub>	10.0	N/A	N/A	0.075	N/A
PM <sub>10</sub>	15.0	N/A	N/A	0.075	N/A
SO <sub>x</sub>	40.0	N/A	N/A	0.92	N/A
NO <sub>x</sub>	40.0	N/A	N/A	0.49	N/A
VOC	40.0	N/A	N/A	0.49	N/A
CO	100.0	N/A	N/A	0.026	N/A
HAPs	10.0/25.0	N/A	N/A	0.16	N/A

N/A = Not Applicable; N/D = Not Determined

### PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of all criteria pollutants are below de minimis levels.

### APPLICABLE REQUIREMENTS

Angel Paws Crematory shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved. For a complete list of applicable requirements for your installation, please consult your operating permit.

## GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110  
The emission fee is the amount established by the Missouri Air Conservation Commission annually under Missouri Air Law 643.079(1). Submission of an Emissions Inventory Questionnaire (EIQ) is required June 1 for the previous year's emissions.
- *Operating Permits*, 10 CSR 10-6.065
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-3.0906.165

## STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

---

Gerad Fox  
Environmental Engineer

---

Date

## PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated April 21, 2011, received April 26, 2011, designating Angel Paws Crematory as the owner and operator of the installation.
- U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition.
- Northeast Regional Office Site Survey, dated May 12, 2011.
- Stack test report on R & K Model 36 Burn Easy incinerator by Monarch Analytical Laboratories, Inc. on December 2, 1998.



Mr. Robert DeWeerd  
Co-Owner  
Angel Paws Crematory  
P.O. Box 107  
Columbia, MO 65205

RE: New Source Review Permit - Project Number: 2011-04-062

Dear Mr. DeWeerd:

Enclosed with this letter is your permit to construct. Please study it carefully. Also, note the special conditions, if any, on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit application and with your operating permit is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

If you have any questions regarding this permit, please do not hesitate to contact Gerad Fox, at the Department's Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817. Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Kendall B. Hale  
New Source Review Unit Chief

KBH:gfl

Enclosures

c: Northeast Regional Office  
PAMS File: 2011-04-062

Permit Number: