

**MISSOURI**  
DEPARTMENT OF  
NATURAL RESOURCES

**MISSOURI AIR CONSERVATION COMMISSION**

**PERMIT TO CONSTRUCT**

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: 112018-003

Project Number: 2018-08-005  
Installation Number: 215-0026

Parent Company: Dairy Farmers of America, Inc.

Parent Company Address: 800 West Tampa Street, Springfield, MO 65802

Installation Name: Dairy Farmers of America, Inc.

Installation Address: 950 Metrecal Trace, Cabool, MO 65689

Location Information: Texas County, S11, T28N, R11W

Application for Authority to Construct was made for:  
Installation of a new boiler. This review was conducted in accordance with Section (5),  
Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

- 
- Standard Conditions (on reverse) are applicable to this permit.
- Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

Director or Designee  
Department of Natural Resources

NOV 08 2018

Effective Date

## STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Enforcement and Compliance Section of the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Enforcement and Compliance Section of the Department's Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department's regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of the permit application and this permit and permit review shall be kept at the installation address and shall be made available to Department's personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit using the contact information below.

### Contact Information:

Missouri Department of Natural Resources  
Air Pollution Control Program  
P.O. Box 176  
Jefferson City, MO 65102-0176  
(573) 751-4817

The regional office information can be found at the following website:

<http://dnr.mo.gov/regions/>

**SPECIAL CONDITIONS:**

The permittee is authorized to construct and operate subject to the following special conditions:

*The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."*

Dairy Farmers of America, Inc.  
Texas County, S11, T28N, R11W

1. Operational Requirement – Natural Gas/Propane
  - A. Boiler #4 (EP-12) shall be fired with pipeline natural gas as defined in 40 CFR 72.2 or propane.
  - B. Dairy Farmers of America, Inc. shall only use propane as a fuel source on an emergency basis not to exceed 500 hours on a rolling 12-month basis for EP-12.
  - C. Attachment A or equivalent forms, such as electronic forms, approved by the Air Pollution Control Program shall be used to demonstrate compliance with Special Condition 1.B.
2. Control Device – Low NO<sub>x</sub> Burner/Flue Gas Recirculation
  - A. Boiler #4 (EP-12) shall be equipped with a low NO<sub>x</sub> burner and flue gas recirculation (FGR).
  - B. The low NO<sub>x</sub> burner and FGR shall be operated and maintained in accordance with the manufacturer's specifications.
  - C. Dairy Farmers of America, Inc. shall maintain a copy of the manufacturer's specifications for the low NO<sub>x</sub> burner and FGR on site.
  - D. Dairy Farmers of America, Inc. shall maintain an operating and maintenance log for the low NO<sub>x</sub> burner and FGR which shall include the following:
    - 1) Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions; and
    - 2) Maintenance activities, with inspection schedule, repair actions, and replacements, etc.
3. Record Keeping and Reporting Requirements
  - A. Dairy Farmers of America, Inc. shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request.

**SPECIAL CONDITIONS:**

The permittee is authorized to construct and operate subject to the following special conditions:

- B. Dairy Farmers of America, Inc. shall report to the Air Pollution Control Program's Compliance/Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than 10 days after the end of the month during which any record required by this permit shows an exceedance of a limitation imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE  
SECTION (5) REVIEW

Project Number: 2018-08-005  
Installation ID Number: 215-0026  
Permit Number: 112018-003

Installation Address:  
Dairy Farmers of America, Inc.  
950 Metrecal Trace  
Cabool, MO 65689

Parent Company:  
Dairy Farmers of America, Inc.  
800 West Tampa Street  
Springfield, MO 65802

Texas County, S11, T28N, R11W

REVIEW SUMMARY

- Dairy Farmers of America, Inc. has applied for authority to install a new boiler (EP-12).
- The application was deemed complete on August 8, 2018.
- HAP emissions are expected from the proposed equipment. HAPs of concern from this process are from the combustion of natural gas and propane. All HAPs emissions are below their respective SMALs.
- 40 CFR 60 Subpart Dc, "Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units" applies to the equipment.
- None of the NESHAPs apply to this installation. None of the currently promulgated MACT regulations apply to the proposed equipment.
- A low NO<sub>x</sub> burner and FGR are being used to control the NO<sub>x</sub> emissions from the equipment in this permit.
- This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of NO<sub>x</sub> are conditioned below de minimis levels by the propane combustion restrictions in Special Condition 1.
- This installation is located in Texas County, an attainment area for all criteria pollutants.
- This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and

fugitive emissions are not counted toward major source applicability.

- Ambient air quality modeling was not performed since potential emissions of the application are below de minimis levels and below the SMALs.
- Emissions testing is not required for the equipment as a part of this permit. Testing may be required as part of other state, federal or applicable rules.
- An amendment to their existing Basic Operating Permit application (Project 2018-08-021) is required for this installation within 30 days of equipment startup.
- Approval of this permit is recommended with special conditions.

### INSTALLATION DESCRIPTION

Dairy Farmers of America, Inc. in Cabool, Missouri blends dry and liquid food ingredients with water, and the product is canned and shipped. There are three boilers (EP-01, EP-02 [this permit replaces EP-02], and EP-11). EP-01 and EP-02 have the capability of using natural gas or fuel oil #2. However, Dairy Farmers of America, Inc. has voluntarily taken a requirement to exclusively burn natural gas in these two existing boilers to stay as a basic operating permit. EP-11 and the new boiler of this permit will use natural gas with a propane back-up as its fuel.

This installation is a minor source under the new source review permitting program and a basic source under the operating permit program. Their current operating permit is a basic operating permit issued on October 3, 2016 (expires 8/23/2021).

The following New Source Review permits have been issued to Dairy Farmers of America, Inc. from the Air Pollution Control Program.

Table 1: Permit History

Permit Number	Description
052001-024	Relocation of existing milk power rehydration unit
072017-011	Installation of a new boiler

### PROJECT DESCRIPTION

The Cabool Facility is replacing the current E. Keeler Co. boiler (Boiler #2/EP-02) with a new English boiler (Boiler #4/EP-12) due to the advanced age of the current boiler and to ensure steam reliability to meet production demands. Boiler #2 is 73.8 MMBtu/hr and the new boiler in this project is 79 MMBtu/hr, therefore this is an increase in emissions and does not qualify for a like kind replacement exemption.

The selected new boiler is an English, D Series, water tube boiler with a steam output of 65,000 lbs. per hour that will burn pipeline grade natural gas with propane as

emergency backup fuel. The boiler package includes the installation of a Webster, 30 ppm low NOx burner with flue gas recirculation rated at 79 MMBtu/hr.

## EMISSIONS/CONTROLS EVALUATION

The emission factors and control efficiencies used in this analysis were obtained from the EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition, Section 1.4 “Natural Gas Combustion” (July 1998) and Section 1.5 “Liquefied Petroleum Gas Combustion” (July 2008). A NOx emission factor of 32 lb/10<sup>6</sup> scf was used for the low NOx burner/flue gas recirculation. A 60% control efficiency, as stated in AP-42 Chapter 1.5.4, for the use of FGR (flue gas recirculation) and low NOx burner was applied to the NOx emission factor for propane.

The following table provides an emissions summary for this project. Existing potential emissions were recalculated from Permit 072017-011 to reflect the worst case scenario of the combustion of natural gas (8,760 hours) and 500 hours usage of propane. Existing actual emissions were taken from the installation’s 2016 EIQ (last full EIQ). Potential emissions of the application represent the potential of the new boiler EP-12, assuming continuous operation (8760 hours per year).

Table 2: Emissions Summary (tpy)

Pollutant	Regulatory <i>De Minimis</i> Levels	Existing Potential Emissions		Existing Actual Emissions (2016 EIQ)	Potential Emissions of the Project	New Installation Conditioned Potential
		<sup>a</sup> EP-01	<sup>b</sup> EP-11			
PM	25.0	0.60	0.79	N/A	0.64	2.03
PM <sub>10</sub>	15.0	2.41	3.14	0.83	2.58	8.13
PM <sub>2.5</sub>	10.0	2.41	3.14	0.82	2.58	8.13
SOx	40.0	0.19	0.39	0.06	0.32	0.91
NOx	40.0	31.69	13.23	10.6	10.86	55.78
VOC	40.0	1.74	2.27	0.58	1.87	5.88
CO	100.0	26.62	15.59	8.9	12.79	55.00
GHG (CO <sub>2</sub> e)	N/A	38,255	49,918	N/A	40,950	129,123
GHG (mass)	N/A	38,030	49,625	N/A	40,710	128,365
HAPs	10.0/25.0	0.60	0.78	0.00	0.64	2.02

N/A = Not Applicable

<sup>a</sup>EP-01 is a 73.8 MMBtu/hr boiler fueled by natural gas exclusively; EP-02 is not in service/dismantled.

<sup>b</sup>EP-11 is a 96.3 MMBtu/hr boiler fueled by natural gas with propane as backup. The PTE was adjusted from Permit 072017-011 to reflect the worst case scenario of the combustion of natural gas and 500 hours of propane.

## PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of NO<sub>x</sub> are

conditioned below de minimis levels by the propane restriction in Special Condition 1.

### APPLICABLE REQUIREMENTS

Dairy Farmers of America, Inc. shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved.

### GENERAL REQUIREMENTS

- *Operating Permits*, 10 CSR 10-6.065, amend your current Basic Operating Permit with 30 days upon start-up of Boiler #4/EP-12.
- *Start-Up, Shutdown, and Malfunction Conditions*, 10 CSR 10-6.050
- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110
  - Per 10 CSR 10-6.110(4)(B)2.B(II) and (4)(B)2.C(II) a full EIQ is required for the first full calendar year the equipment (or modifications) approved by this permit are in operation.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Odors*, 10 CSR 10-6.165

### SPECIFIC REQUIREMENTS

- *New Source Performance Regulations*, 10 CSR 10-6.070
  - *Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units*, 40 CFR Part 60, Subpart Dc

### STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, it is recommended that this permit be granted with special conditions.




## PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated August 2, 2018, received August 6, 2018, designating Dairy Farmers of America, Inc. as the owner and operator of the installation.





Missouri Department of

[dnr.mo.gov](http://dnr.mo.gov)

# NATURAL RESOURCES

Michael L. Parson, Governor

Carol S. Comer, Director

NOV 08 2018

Ms. Whitney Christian  
Senior Manager, Environmental Compliance  
Dairy Farmers of America, Inc.  
800 West Tampa Street  
Springfield, MO 65802

RE: New Source Review Permit - Project Number: 2018-08-005

Dear Ms. Christian:

Enclosed with this letter is your permit to construct. Please study it carefully and refer to Appendix A for a list of common abbreviations and acronyms used in the permit. Also, note the special conditions, if any, on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit application and your amended operating permit is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

This permit may include requirements with which you may not be familiar. If you would like the department to meet with you to discuss how to understand and satisfy the requirements contained in this permit, an appointment referred to as a Compliance Assistance Visit (CAV) can be set up with you. To request a CAV, please contact your local regional office or fill out an online request. The regional office contact information can be found at the following website: <http://dnr.mo.gov/regions/>. The online CAV request can be found at <http://dnr.mo.gov/cav/compliance.htm>.

If you were adversely affected by this permit decision, you may be entitled to pursue an appeal before the administrative hearing commission pursuant to Sections 621.250 and 643.075.6 RSMo. To appeal, you must file a petition with the administrative hearing commission within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed; if it is sent by any method other than registered mail or certified



Recycled paper

Ms. Whitney Christian  
Page Two

mail, it will be deemed filed on the date it is received by the administrative hearing commission, whose contact information is: Administrative Hearing Commission, United States Post Office Building, 131 West High Street, Third Floor, P.O. Box 1557, Jefferson City, Missouri 65102, phone: 573-751-2422, fax: 573-751-5018, website: [www.ao.mo.gov/ahc](http://www.ao.mo.gov/ahc).

If you have any questions regarding this permit, please do not hesitate to contact Kathy Kolb, at the Department of Natural Resources' Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817. Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM



Susan Heckenkamp  
New Source Review Unit Chief

SH:kkj

Enclosures

c: Southeast Regional Office  
PAMS File: 2018-08-005

Permit Number:

**112018-003**

## Air Pollution Control Program Table of Hazardous Air Pollutants and Screening Model Action Levels

Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM	Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM
----------	-------	-----------------	-------------	-----	----	----------	-------	-----------------	-------------	-----	----

Legend	
Group ID	
A	Asbestos
B	Cresols/Cresylic Acid (isomers and mixtures)
C	2,4 - D, Salts and Esters
D	Dibenzofurans, Dibenzodioxins
E	4, 6 Dinitro-o-cresol, and Salts
F	Lindane (all isomers)
G	Xylenes (all isomers and mixtures)
H	Antimony Compounds
I	Arsenic Compounds
J	Beryllium Compounds
K	Cadmium Compounds
L	Chromium Compounds
M	Cobalt Compounds
N	Coke Oven Emissions
O	Cyanide Compounds
P	Glycol Ethers
Q	Lead Compounds (except elemental Lead)
R	Manganese Compounds
S	Mercury Compounds
T	Fine Mineral Fibers
U	Nickel Compounds
V	Polycyclic Organic Matter
W	Selenium Compounds
X	Polychlorinated Biphenyls (Aroclors)
Y	Radionuclides
Notes	The SMAL for radionuclides is defined as the effective dose equivalent to 0.3 millirems per year for 7 years exposure associated with a cancer risk of 1 in 1 million

## Air Pollution Control Program

### Table of Hazardous Air Pollutants and Screening Model Action Levels

Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM	Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM
ETHYL CHLORIDE	75-00-3	10		Y	N	NITROBENZENE	98-95-3	1		Y	N
ETHYLENE GLYCOL	107-21-1	10		Y	N	NITROBIPHENYL, [4-]	92-93-3	1	V	Y	N
ETHYLENE GLYCOL MONOBUTYL ETHER (Delisted)	111-76-2					NITROPHENOL, [4-]	100-02-7	5		Y	N
ETHYLENE GLYCOL MONOHEXYL ETHER	112-25-4	5	P	Y	N	NITROPROPANE, [2-]	79-46-9	1		Y	N
ETHYLENE IMINE [AZIRIDINE]	151-56-4	0.003		Y	N	NITROSODIMETHYLAMINE, [N-]	62-75-9	0.001		Y	N
ETHYLENE OXIDE	75-21-8	0.1		Y	N	NITROSOMORPHOLINE, [N-]	59-89-2	1		Y	N
ETHYLENE THIOUREA	96-45-7	0.6		Y	Y	NITROSO-N-METHYLUREA, [N-]	684-93-5	0.0002		Y	N
FORMALDEHYDE	50-00-0	2		Y	N	OCTACHLORONAPHTHALENE	2234-13-1	0.01	V	Y	N
GLYCOL ETHER (ETHYLENE GLYCOL ETHERS)		5	P	Y	N	PARATHION	56-38-2	0.1		Y	Y
GLYCOL ETHER (DIETHYLENE GLYCOL ETHERS)		5	P	Y	N	PCB [POLYCHLORINATED BIPHENYLS]	1336-36-3	0.009	X	Y	Y
HEPTACHLOR	76-44-8	0.02		Y	N	PENTACHLORONITROBENZENE	82-68-8	0.3		Y	N
HEXACHLOROENZENE	118-74-1	0.01		Y	N	PENTACHLOROPHENOL	87-86-5	0.7		Y	N
HEXACHLOROBUTADIENE	87-68-3	0.9		Y	N	PHENOL	108-95-2	0.1		Y	N
HEXACHLOROCYCLOHEXANE, [ALPHA-]	319-84-6	0.01	F	Y	N	PHENYLENEDIAMINE, [PARA-]	106-50-3	10		Y	N
HEXACHLOROCYCLOHEXANE, [BETA-]	319-85-7	0.01	F	Y	N	PHOSGENE	75-44-5	0.1		Y	N
HEXACHLOROCYCLOHEXANE, [DELTA-]	319-86-8	0.01	F	Y	N	PHOSPHINE	7803-51-2	5		N	N
HEXACHLOROCYCLOHEXANE, [TECHNICAL]	608-73-1	0.01	F	Y	N	PHOSPHOROUS (YELLOW OR WHITE)	7723-14-0	0.1		N	N
HEXACHLOROCYCLOPENTADIENE	77-47-4	0.1		Y	N	PHTHALIC ANHYDRIDE	85-44-9	5		Y	N
HEXACHLOROETHANE	67-72-1	5		Y	N	POLYCYLIC ORGANIC MATTER		0.01	V	Y	N
HEXAMETHYLENE, -1,6-DIISOCYANATE	822-06-0	0.02		Y	N	PROPANE SULTONE, [1,3-]	1120-71-4	0.03		Y	Y
HEXAMETHYLPHOSPHORAMIDE	680-31-9	0.01		Y	N	PROPIOLACTONE, [BETA-]	57-57-8	0.1		Y	N
HEXANE, [N-]	110-54-3	10		Y	N	PROPIONALDEHYDE	123-38-6	5		Y	N
HYDRAZINE	302-01-2	0.004		N	N	PROPOXUR [BAYGON]	114-26-1	10		Y	Y
HYDROGEN CHLORIDE	7647-01-0	10		N	N	PROPYLENE OXIDE	75-56-9	5		Y	N
HYDROGEN FLUORIDE	7664-39-3	0.1		N	N	PROPYLENEIMINE, [1,2-]	75-55-8	0.003		Y	N
HYDROQUINONE	123-31-9	1		Y	N	QUINOLINE	91-22-5	0.006		Y	N
INDENO(1,2,3CD)PYRENE	193-39-5	0.01	V	Y	N	QUINONE	106-51-4	5		Y	N
ISOPHORONE	78-59-1	10		Y	N	RADIONUCLIDES		Note 1	Y	N	Y
LEAD COMPOUNDS		0.01	Q	N	Y	SELENIUM COMPOUNDS		0.1	W	N	Y
LINDANE [GAMMA-HEXACHLOROCYCLOHEXANE]	58-89-9	0.01	F	Y	N	STYRENE	100-42-5	1		Y	N
MALEIC ANHYDRIDE	108-31-6	1		Y	N	STYRENE OXIDE	96-09-3	1		Y	N
MANGANESE COMPOUNDS		0.8	R	N	Y	TETRACHLORODIBENZO-P-DIOXIN, [2,3,7,8]	1746-01-6	6E-07	D, V	Y	Y
MERCURY COMPOUNDS		0.01	S	N	N	TETRACHLOROETHANE, [1,1,2,2-]	79-34-5	0.3		Y	N
METHANOL	67-56-1	10		Y	N	TETRACHLOROETHYLENE	127-18-4	10		N	N
METHOXYCHLOR	72-43-5	10	V	Y	Y	TITANIUM TETRACHLORIDE	7550-45-0	0.1		N	N
METHOXYETHANOL, [2-]	109-86-4	10	P	Y	N	TOLUENE	108-88-3	10		Y	N
METHYL CHLORIDE	74-87-3	10		Y	N	TOLUENE DIISOCYANATE, [2,4-]	584-84-9	0.1		Y	N
METHYL ETHYL KETONE (Delisted)	78-93-3					TOLUIDINE, [ORTHO-]	95-53-4	4		Y	N
METHYL HYDRAZINE	60-34-4	0.06		Y	N	TOXAPHENE	8001-35-2	0.01		Y	N
METHYL IODIDE	74-88-4	1		Y	N	TRICHLOROENZENE, [1,2,4-]	120-82-1	10		Y	N
METHYL ISOBUTYL KETONE	108-10-1	10		Y	N	TRICHLOROETHANE, [1,1,1-]	71-55-6	10		N	N
METHYL ISOCYANATE	624-83-9	0.1		Y	N	TRICHLOROETHANE, [1,1,2-]	79-00-5	1		Y	N
METHYL METHACRYLATE	80-62-6	10		Y	N	TRICHLOROETHYLENE	79-01-6	10		Y	N
METHYL TERT-BUTYL ETHER	1634-04-4	10		Y	N	TRICHLOROPHENOL, [2,4,5-]	95-95-4	1		Y	N
METHYLCYCLOPENTADIENYL MANGANESE	12108-13-3	0.1	R	N	Y	TRICHLOROPHENOL, [2,4,6-]	88-06-2	6		Y	N
METHYLENE BIS(2-CHLOROANILINE), [4,4-]	101-14-4	0.2	V	Y	Y	TRIETHYLAMINE	121-44-8	10		Y	N
METHYLENEDIANILINE, [4,4-]	101-77-9	1	V	Y	N	TRIFLURALIN	1582-09-8	9		Y	Y
METHYLNAPHTHALENE, [2-]	91-57-6	0.01	V	Y	N	TRIMETHYLPENTANE, [2,2,4-]	540-84-1	5		Y	N
MINERAL FIBERS		0	T	N	Y	URETHANE [ETHYL CARBAMATE]	51-79-6	0.8		Y	N
NAPHTHALENE	91-20-3	10	V	Y	N	VINYL ACETATE	108-05-4	1		Y	N
NAPHTHYLAMINE, [ALPHA-]	134-32-7	0.01	V	Y	N	VINYL BROMIDE	593-60-2	0.6		Y	N
NAPHTHYLAMINE, [BETA-]	91-59-8	0.01	V	Y	N	VINYL CHLORIDE	75-01-4	0.2		Y	N
NICKEL CARBONYL	13463-39-3	0.1	U	N	Y	XYLENE, [META-]	108-38-3	10	G	Y	N
NICKEL COMPOUNDS		1	U	N	Y	XYLENES (MIXED ISOMERS)	1330-20-7	10	G	Y	N
NICKEL REFINERY DUST		0.08	U	N	Y						
NICKEL SUBSULFIDE	12035-72-2	0.04	U	N	Y						

**Air Pollution Control Program**  
**Table of Hazardous Air Pollutants and Screening Model Action Levels**

Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM	Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM
ACETALDEHYDE	75-07-0	9		Y	N	CHLOROMETHYL METHYL ETHER	107-30-2	0.1		Y	N
ACETAMIDE	60-35-5	1		Y	N	CHLOROPRENE	126-99-8	1		Y	N
ACETONITRILE	75-05-8	4		Y	N	CHROMIUM (VI) COMPOUNDS		0.002	L	N	Y
ACETOPHENONE	98-86-2	1		Y	N	CHROMIUM COMPOUNDS		5	L	N	Y
ACETYLAMINOFLUORINE, [2-]	53-96-3	0.005	V	Y	Y	CHRYSENE	218-01-9	0.01	V	Y	N
ACROLEIN	107-02-8	0.04		Y	N	COBALT COMPOUNDS		0.1	M	N	Y
ACRYLAMIDE	79-06-1	0.02		Y	N	COKE OVEN EMISSIONS	8007-45-2	0.03	N	Y	N
ACRYLIC ACID	79-10-7	0.6		Y	N	CRESOL, [META-]	108-39-4	1	B	Y	N
ACRYLONITRILE	107-13-1	0.3		Y	N	CRESOL, [ORTHO-]	95-48-7	1	B	Y	N
ALLYL CHLORIDE	107-05-1	1		Y	N	CRESOL, [PARA-]	106-44-5	1	B	Y	N
AMINOBIHENYL, [4-]	92-67-1	1	V	Y	N	CRESOLS (MIXED ISOMERS)	1319-77-3	1	B	Y	N
ANILINE	62-53-3	1		Y	N	CUMENE	98-82-8	10		Y	N
ANISIDINE, [ORTHO-]	90-04-0	1		Y	N	CYANIDE COMPOUNDS		0.1	O	Y	N
ANTHRACENE	120-12-7	0.01	V	Y	N	DDE	72-55-9	0.01	V	Y	Y
ANTIMONY COMPOUNDS		5	H	N	Y	DI(2-ETHYLHEXYL) PHTHALATE, (DEHP)	117-81-7	5		Y	N
ANTIMONY PENTAFLUORIDE	7783-70-2	0.1	H	N	Y	DIAMINOTOLUENE, [2,4-]	95-80-7	0.02		Y	N
ANTIMONY POTASSIUM TARTRATE	28300-74-5	1	H	N	Y	DIAZOMETHANE	334-88-3	1		Y	N
ANTIMONY TRIOXIDE	1309-64-4	1	H	N	Y	DIBENZ(A,H)ANTHRACENE	53-70-3	0.01	V	Y	N
ANTIMONY TRISULFIDE	1345-04-6	0.1	H	N	Y	DIOXINS/FURANS		6E-07	D,V	Y	N
ARSENIC COMPOUNDS		0.005	I	N	Y	DIBENZOFURAN	132-64-9	5	V	Y	N
ASBESTOS	1332-21-4	0	A	N	Y	DIBROMO-3-CHLOROPROPANE, [1,2-]	96-12-8	0.01		Y	N
BENZ(A)ANTHRACENE	56-55-3	0.01	V	Y	N	DIBROMOETHANE, [1,2-]	106-93-4	0.1		Y	N
BENZENE	71-43-2	2		Y	N	DIBUTYL PHTHALATE	84-74-2	10		Y	Y
BENZIDINE	92-87-5	0.0003	V	Y	N	DICHLOROBENZENE, [1,4-]	106-46-7	3		Y	N
BENZO(A)PYRENE	50-32-8	0.01	V	Y	N	DICHLOROBENZIDENE, [3,3-]	91-94-1	0.2	V	Y	Y
BENZO(B)FLUORANTHENE	205-99-2	0.01	V	Y	N	DICHLOROETHANE, [1,1-]	75-34-3	1		Y	N
BENZO(K)FLUORANTHENE	207-08-9	0.01	V	Y	N	DICHLOROETHANE, [1,2-]	107-06-2	0.8		Y	N
BENZOTRICHLORIDE	98-07-7	0.006		Y	N	DICHLOROETHYLENE, [1,1-]	75-35-4	0.4		Y	N
BENZYL CHLORIDE	100-44-7	0.1		Y	N	DICHLOROMETHANE	75-09-2	10		N	N
BERYLLIUM COMPOUNDS		0.008	J	N	Y	DICHLOROPHENOXY ACETIC ACID, [2,4-]	94-75-7	10	C	Y	Y
BERYLLIUM SALTS		2E-05	J	N	Y	DICHLOROPROPANE, [1,2-]	78-87-5	1		Y	N
BIPHENYL, [1,1-]	92-52-4	10	V	Y	N	DICHLOROPROPENE, [1,3-]	542-75-6	1		Y	N
BIS(CHLOROETHYL)ETHER	111-44-4	0.06		Y	N	DICHLORVOS	62-73-7	0.2		Y	N
BIS(CHLOROMETHYL)ETHER	542-88-1	0.0003		Y	N	DIETHANOLAMINE	111-42-2	5		Y	N
BROMOFORM	75-25-2	10		Y	N	DIETHYL SULFATE	64-67-5	1		Y	N
BROMOMETHANE	74-83-9	10		Y	N	DIETHYLENE GLYCOL MONOBUTYL ETHER	112-34-5	5	P	Y	N
BUTADIENE, [1,3-]	106-99-0	0.07		Y	N	DIMETHOXYBENZIDINE, [3,3-]	119-90-4	0.1	V	Y	Y
BUTOXYETHANOL ACETATE, [2-]	112-07-2	5	P	Y	N	DIMETHYL BENZIDINE, [3,3-]	119-93-7	0.008	V	Y	Y
BUTYLENE OXIDE, [1,2-]	106-88-7	1		Y	N	DIMETHYL CARBAMOYL CHLORIDE	79-44-7	0.02		Y	N
CADMIUM COMPOUNDS		0.01	K	N	Y	DIMETHYL FORMAMIDE	68-12-2	1		Y	N
CALCIUM CYANAMIDE	156-62-7	10		Y	Y	DIMETHYL HYDRAZINE, [1,1-]	57-14-7	0.008		Y	N
CAPROLACTAM (Delisted)	105-60-2					DIMETHYL PHTHALATE	131-11-3	10		Y	N
CAPTAN	133-06-2	10		Y	Y	DIMETHYL SULFATE	77-78-1	0.1		Y	N
CARBARYL	63-25-2	10	V	Y	Y	DIMETHYLAMINOAZOBENZENE, [4-]	60-11-7	1		Y	N
CARBON DISULFIDE	75-15-0	1		Y	N	DIMETHYLANILINE, [N-N-]	121-69-7	1		Y	N
CARBON TETRACHLORIDE	56-23-5	1		Y	N	DINITRO-O-CRESOL, [4,6-] (Note 6)	534-52-1	0.1	E	Y	Y
CARBONYL SULFIDE	463-58-1	5		Y	N	DINITROPHENOL, [2,4-]	51-28-5	1		Y	N
CATECHOL	120-80-9	5		Y	N	DINITROTOLUENE, [2,4-]	121-14-2	0.02		Y	N
CHLORAMBEN	133-90-4	1		Y	Y	DIOXANE, [1,4-]	123-91-1	6		Y	N
CHLORDANE	57-74-9	0.01		Y	Y	DIPHENYLHYDRAZINE, [1,2-]	122-66-7	0.09	V	Y	Y
CHLORINE	7782-50-5	0.1		N	N	DIPHENYLMETHANE DIISOCYANATE, [4,4-]	101-68-8	0.1	V	Y	N
CHLOROACETIC ACID	79-11-8	0.1		Y	N	EPICHLOROHYDRIN	106-89-8	2		Y	N
CHLOROACETOPHENONE, [2-]	532-27-4	0.06		Y	N	ETHOXYETHANOL, [2-]	110-80-5	10	P	Y	N
CHLOROENZENE	108-90-7	10		Y	N	ETHOXYETHYL ACETATE, [2-]	111-15-9	5	P	Y	N
CHLOROENZILATE	510-15-6	0.4	V	Y	Y	ETHYL ACRYLATE	140-88-5	1		Y	N
CHLOROFORM	67-66-3	0.9		Y	N	ETHYL BENZENE	100-41-4	10		Y	N

## APPENDIX A

### Abbreviations and Acronyms

<b>%</b> .....percent	<b>Mgal</b> .....1,000 gallons
<b>°F</b> .....degrees Fahrenheit	<b>MW</b> .....megawatt
<b>acfm</b> .....actual cubic feet per minute	<b>MHDR</b> .....maximum hourly design rate
<b>BACT</b> .....Best Available Control Technology	<b>MMBtu</b> ....Million British thermal units
<b>BMPs</b> .....Best Management Practices	<b>MMCF</b> .....million cubic feet
<b>Btu</b> .....British thermal unit	<b>MSDS</b> .....Material Safety Data Sheet
<b>CAM</b> .....Compliance Assurance Monitoring	<b>NAAQS</b> ....National Ambient Air Quality Standards
<b>CAS</b> .....Chemical Abstracts Service	<b>NESHAPs</b> National Emissions Standards for Hazardous Air Pollutants
<b>CEMS</b> .....Continuous Emission Monitor System	<b>NO<sub>x</sub></b> .....nitrogen oxides
<b>CFR</b> .....Code of Federal Regulations	<b>NSPS</b> .....New Source Performance Standards
<b>CO</b> .....carbon monoxide	<b>NSR</b> .....New Source Review
<b>CO<sub>2</sub></b> .....carbon dioxide	<b>PM</b> .....particulate matter
<b>CO<sub>2e</sub></b> .....carbon dioxide equivalent	<b>PM<sub>2.5</sub></b> .....particulate matter less than 2.5 microns in aerodynamic diameter
<b>COMS</b> .....Continuous Opacity Monitoring System	<b>PM<sub>10</sub></b> .....particulate matter less than 10 microns in aerodynamic diameter
<b>CSR</b> .....Code of State Regulations	<b>ppm</b> .....parts per million
<b>dscf</b> .....dry standard cubic feet	<b>PSD</b> .....Prevention of Significant Deterioration
<b>EIQ</b> .....Emission Inventory Questionnaire	<b>PTE</b> .....potential to emit
<b>EP</b> .....Emission Point	<b>RACT</b> .....Reasonable Available Control Technology
<b>EPA</b> .....Environmental Protection Agency	<b>RAL</b> .....Risk Assessment Level
<b>EU</b> .....Emission Unit	<b>SCC</b> .....Source Classification Code
<b>fps</b> .....feet per second	<b>scfm</b> .....standard cubic feet per minute
<b>ft</b> .....feet	<b>SDS</b> .....Safety Data Sheet
<b>GACT</b> .....Generally Available Control Technology	<b>SIC</b> .....Standard Industrial Classification
<b>GHG</b> .....Greenhouse Gas	<b>SIP</b> .....State Implementation Plan
<b>gpm</b> .....gallons per minute	<b>SMAL</b> .....Screening Model Action Levels
<b>gr</b> .....grains	<b>SO<sub>x</sub></b> .....sulfur oxides
<b>GWP</b> .....Global Warming Potential	<b>SO<sub>2</sub></b> .....sulfur dioxide
<b>HAP</b> .....Hazardous Air Pollutant	<b>SSM</b> .....Startup, Shutdown & Malfunction
<b>hr</b> .....hour	<b>tph</b> .....tons per hour
<b>hp</b> .....horsepower	<b>tpy</b> .....tons per year
<b>lb</b> .....pound	<b>VMT</b> .....vehicle miles traveled
<b>lbs/hr</b> .....pounds per hour	<b>VOC</b> .....Volatile Organic Compound
<b>MACT</b> .....Maximum Achievable Control Technology	
<b>µg/m<sup>3</sup></b> .....micrograms per cubic meter	
<b>m/s</b> .....meters per second	