

MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: **082017-001**

Project Number: 2016-12-036
Installation Number: 073-0038

Parent Company: Grimco Inc

Parent Company Address: 202 South L and D drive, Owensville, MO 65066

Installation Name: Grimco Inc


Installation Address: 202 South L and D drive, Owensville, MO 65066

Location Information: Gasconade County, S31, T42N, R05W

Application for Authority to Construct was made for:
Remedial action of the installation of metal sign manufacturing plant. This review was conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.


Prepared by
Sam Anzalone
New Source Review Unit


Director or Designee
Department of Natural Resources

AUG 04 2017

Effective Date

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Enforcement and Compliance Section of the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Enforcement and Compliance Section of the Department's Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department's regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of the permit application and this permit and permit review shall be kept at the installation address and shall be made available to Department's personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit using the contact information below.

Contact Information:

Missouri Department of Natural Resources
Air Pollution Control Program
P.O. Box 176
Jefferson City, MO 65102-0176
(573) 751-4817

The regional office information can be found at the following website:
<http://dnr.mo.gov/regions/>

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."

Grimco Inc
Gasconade County, S31, T42N, R05W

1. VOC Emission Limitations
 - A. Grimco Inc shall emit less than 40.0 tons of VOCs in any consecutive 12-month period from the entire installation (see Table 1)

Table 1: VOC Emission Units

Emission Unit	Description
EP-01	Screen Printing
EP-02	Dryer
EP-03	Ink Thinning
EP-04	Press Wash
EP-05	Ink Degradent
EP-06	Wash out
EP-07	Stencil Fabrication
EP-08	UV Drying

- B. Attachment A or an equivalent form, such as an electronic form, approved by the Air Pollution Control Program shall be used to demonstrate compliance with Special Condition 1.A.
2. Operational Requirement - Solvent/Ink Cloths

Grimco Inc shall keep the ink solvents and cleaning solutions in sealed containers whenever the materials are not in use. Grimco Inc shall provide and maintain suitable, easily read, permanent markings on all inks, solvent and cleaning solution containers used with this equipment.
3. Use of Alternative Coatings
 - A. When considering the use of a coating material that has not been included in this permit, the alternative coating shall be assessed prior to use in the emission units listed in Table 1. Grimco Inc. shall seek approval from the Air Pollution Control Program before use of an alternative coating if the potential emissions of any individual HAP is greater than or equal to the screening model action level (SMAL). (See Appendix B for SMAL values)
 - B. Attachment B or equivalent forms, such as electronic forms, approved by the Air Pollution Control Program shall be used to show compliance with Special Condition 3.A.

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

4. **Record Keeping and Reporting Requirements**
 - A. Grimco Inc shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request. These records shall include SDS for all materials used.
 - B. Grimco Inc shall report to the Air Pollution Control Program's Compliance/Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than 10 days after the end of the month during which any record required by this permit shows an exceedance of a limitation imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (5) REVIEW

Project Number: 2016-12-036
Installation ID Number: 073-0038
Permit Number: 082017-001

Installation Address:

Grimco Inc
202 South L and D drive
Owensville, MO 65066

Parent Company:

Grimco Inc
202 South L and D drive
Owensville, MO 65066

Gasconade County, S31, T42N, R05W

REVIEW SUMMARY

- Grimco Inc has applied for authority to manufacture metal signs.
- The application was deemed complete on January 1, 2017.
- HAP emissions are expected from the proposed equipment. HAPs of concern from this process are from Xylene, Ethylbenzene, Toluene and Naphthalene. All HAPs are below SMALs.
- None of the New Source Performance Standards (NSPS) apply to the installation.
- None of the NESHAPs apply to this installation. None of the currently promulgated MACT regulations apply to the proposed equipment.
 - 40 CFR 63, Subpart HHHHHH, "*National Emissions Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources*" does not apply to the installation because it does not use paint containing target HAPs listed in this subpart.
- No air pollution control equipment is being used in association with the new equipment.
- This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of VOC are conditioned below de minimis levels.
- This installation is located in Gasconade County, an attainment area for all criteria pollutants.

- This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability.
- Ambient air quality modeling was not performed since potential emissions of the application are conditioned below de minimis levels and HAP emissions are below their respective SMALs.
- Emissions testing is not required for the equipment as a part of this permit. Testing may be required as part of other state, federal or applicable rules.
- No Operating Permit is required for this installation.
- Approval of this permit is recommended with special conditions.

INSTALLATION DESCRIPTION

Grimco, Inc. manufactures metal signs. They are located in Owensville, Missouri. Grimco currently has no permits issued. They applied for a permit in 2004, for a powder coating process. This process was determined to not need a permit (Project 2004-10-022). Grimco discontinued the powder coating process in 2011. Grimco now presses an adhesive coating and colored plastic sheets. Letter and graphics are screen printed on the signs.

Grimco, Inc. received a letter of warning from an inspection on September 13, 2016 that discovered Grimco, Inc never applied for a permit for their new processes.

No permits have been issued to Grimco Inc from the Air Pollution Control Program.

PROJECT DESCRIPTION

Grimco Inc. produces metal signs with heat-cured inks. The signs are sheer-cut from sheet aluminum. The signs are then covered with adhesive coating and colored plastic sheets and pressed. The adhesive coating and plastic sheets are manufactured off site.

The signs are then screen printed with colored ink (EP-01) at 1.27 gal/hour with a squeegee, and then sent on a conveyor through a dryer (EP-02). The dryer is propane fired at 0.091 MMBtu/hr. The screen printing press is washed (EP-04) with press wash chemical at 0.297 gal/hr.

Grimco also installed a UV drying belt to allow for more production. The belt has a MDHR of 3000 ft/hr.

The stencil for the letters and graphics is created with photostencil emulsion (EP-07) at 0.028 gal/hr. After the stencil is no longer being used, it goes through a wash out

process. Ink degradent (EP-05) is applied at 1.06 gal/hr. Then stencil remover and mesh prep are applied which have no VOC or HAP emissions. After that a haze remover (EP-06) at 0.297 gal/hr is applied.

All emissions are consider uncontrolled.

EMISSIONS/CONTROLS EVALUATION

Emissions of the project include emissions from all of the equipment being installed at Grimco, Inc. The main pollutants expected from the operation are VOCs, Xylene, Ethylbenzene, Toluene, and Naphthalene. There are no control devices. Total VOC emissions were calculated using the information from the safety data sheets (SDS) and mass balances. Individual HAP emissions were calculated using the respective HAP weight percent from the raw material MSDS multiplied by the total material usage rate.

The following table provides an emissions summary for this project. Potential emissions of the application represent the potential of the new equipment, assuming continuous operation (8760 hours per year).

Table 2: Emissions Summary (tpy)

Pollutant	Regulatory <i>De Minimis</i> Levels/SMALs	Potential Emissions of the Project	New Installation Conditioned Potential
PM	25.0	0.009	N/D
PM ₁₀	15.0	0.003	N/D
PM _{2.5}	10.0	0.003	N/D
SOx	40.0	0.1	N/D
NOx	40.0	0.06	N/D
VOC	40.0	79.9	<40.0
CO	100.0	0.03	N/D
Combined HAPs	25.0	4.24	N/D
Xylene	10 ^a	2.56	N/D
Ethylbenzene	10 ^a	0.74	N/D
Toluene	10 ^a	0.20	N/D
Naphthalene	10 ^a	0.73	N/D

N/D = Not Determined

^aSMALs

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of VOC are conditioned below de minimis levels.

APPLICABLE REQUIREMENTS

Grimco Inc shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved.

GENERAL REQUIREMENTS

- *Start-Up, Shutdown, and Malfunction Conditions*, 10 CSR 10-6.050
- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110
 - Per 10 CSR 10-6.110(4)(B)2.B(II) and (4)(B)2.C(II) a full EIQ is required for the first full calendar year the equipment (or modifications) approved by this permit are in operation.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-6.165

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, it is recommended that this permit be granted with special conditions.

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated December 12, 2016, received December 15, 2016, designating Grimco Inc as the owner and operator of the installation.

Instructions:

(a) Choose appropriate VOC calculation method for units reported:

1. If usage is in tons: [Column 2] x [Column 4] = [Column 5]
2. If usage is in pounds: [Column 2] x [Column 4] x [0.0005] = [Column 5]
3. If usage is in gallons: [Column 2] x [Column 3] x [Column 4] x [0.0005] = [Column 5]
4. If usage is in MMBtu: [Column 2] x [Column 4] x [0.0005] = [Column 5]

(b) Summation of Column 5.

(c) 12-month VOC emissions total from previous month's worksheet (tons).

(d) Monthly VOC emissions total from previous year's worksheet (tons).

(e) Calculate the new 12 month VOC emissions total.

¹Material used in Emission Points, EP-01, EP-03, EP-04, EP-05, EP-06, EP-07

²Obtained from SDS for material, if specific gravity is provided: density = 8.33 x specific gravity

³Obtained from SDS for material, if a range of values is indicated on the SDS, use the highest value in the range to demonstrate compliance.

⁴Propane used (MMBtu) in EP-02

⁵VOC emission factor (lb/MMBtu) obtained from AP-42 Chapter 1, Section 1.5, Table 1.5-1, To calculate VOC: use instruction (a)4. Method

⁶As reported to the Air Pollution Control Program's Compliance/Enforcement Section according to the provisions of 10 CSR 10-6.050.

A total of less than 40.0 tons per year indicates compliance.

Attachment B – Alternative Coatings Compliance Worksheet

Grimco Inc
 Gasconade County, S31, T42N, R05W
 Project Number: 2016-12-036
 Installation ID Number: 073-0038
 Permit Number: **082017-001**

Coating Name: _____ Date: _____ Copy this sheet as needed.

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Individual HAP Name and CAS No.	Individual HAP Content (max weight %)	Maximum Density of Coating ¹ (lb/gal)	Emission Point	Maximum Application Rate (gallons per hour)	Individual HAP PTE (tons per year)	Individual HAP SMAL (tons per year)
Benzene 71-43-2	2.0%	1.587	EP-01	1.267	0.14	2.0

Column 1: Record all individual HAPs from this single coating SDS.

Column 2: Record the maximum weight percent of each HAP from the SDS.

Column 3: Record the maximum density of the coating from the SDS

Column 4: Record Emission Point

Column 5: Record MHDR of Emission Point

EP-01: 1.267 gal/hr, EP-03 gal/hr: 0.034 gal/hr, EP-04:0.297 gal/hr, EP-05: 1.06 gal/hr, EP-06: 0.297 gal/hr, EP-07: 0.0276 gal/hr

Column 6: [Column 2] X [Column 3] X [Column 5] X 8760 / 2000

Column 7: Record the individual HAP SMAL from the most recent Appendix B, also available at <http://www.dnr.mo.gov/env/apcp/permits/constpmtguide.htm> as *Table of Hazardous Air Pollutants, Screening Model Action Levels and Risk Assessment Levels*. If the individual HAP potential to emit is greater than the SMAL seek approval from the Air Pollution Control Program New Source Review Unit before using this coating.

¹Obtained from SDS for material, if specific gravity is provided: density = 8.33 x specific gravity

APPENDIX A

Abbreviations and Acronyms

%percent	Mgal1,000 gallons
°Fdegrees Fahrenheit	MWmegawatt
acfmactual cubic feet per minute	MHDRmaximum hourly design rate
BACTBest Available Control Technology	MMBtuMillion British thermal units
BMPsBest Management Practices	MMCFmillion cubic feet
BtuBritish thermal unit	MSDSMaterial Safety Data Sheet
CAMCompliance Assurance Monitoring	NAAQSNational Ambient Air Quality Standards
CASChemical Abstracts Service	NESHAPs National Emissions Standards for Hazardous Air Pollutants
CEMSContinuous Emission Monitor System	NO_xnitrogen oxides
CFRCode of Federal Regulations	NSPSNew Source Performance Standards
COcarbon monoxide	NSRNew Source Review
CO₂carbon dioxide	PMparticulate matter
CO_{2e}carbon dioxide equivalent	PM_{2.5}particulate matter less than 2.5 microns in aerodynamic diameter
COMSContinuous Opacity Monitoring System	PM₁₀particulate matter less than 10 microns in aerodynamic diameter
CSRCode of State Regulations	ppmparts per million
dscfdry standard cubic feet	PSDPrevention of Significant Deterioration
EIQEmission Inventory Questionnaire	PTEpotential to emit
EPEmission Point	RACTReasonable Available Control Technology
EPAEnvironmental Protection Agency	RALRisk Assessment Level
EUEmission Unit	SCCSource Classification Code
fpsfeet per second	scfmstandard cubic feet per minute
ftfeet	SDSSafety Data Sheet
GACTGenerally Available Control Technology	SICStandard Industrial Classification
GHGGreenhouse Gas	SIPState Implementation Plan
gpmgallons per minute	SMALScreening Model Action Levels
grgrains	SO_xsulfur oxides
GWPGlobal Warming Potential	SO₂sulfur dioxide
HAPHazardous Air Pollutant	tphtons per hour
hrhour	tpytons per year
hphorsepower	VMTvehicle miles traveled
lbpound	VOCVolatile Organic Compound
lbs/hrpounds per hour	
MACTMaximum Achievable Control Technology	
µg/m³micrograms per cubic meter	
m/smeters per second	

Appendix B
Air Pollution Control Program
Table of Hazardous Air Pollutants and Screening Model Action Levels


Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM	Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM
ACETALDEHYDE	75-07-0	9		Y	N	CHLOROMETHYL METHYL ETHER	107-30-2	0.1		Y	N
ACETAMIDE	60-35-5	1		Y	N	CHLOROPRENE	126-99-8	1		Y	N
ACETONITRILE	75-05-8	4		Y	N	CHROMIUM (VI) COMPOUNDS		0.002	L	N	Y
ACETOPHENONE	98-86-2	1		Y	N	CHROMIUM COMPOUNDS		5	L	N	Y
ACETYLAMINOFLUORINE, [2-]	53-96-3	0.005	V	Y	Y	CHRYSENE	218-01-9	0.01	V	Y	N
ACROLEIN	107-02-8	0.04		Y	N	COBALT COMPOUNDS		0.1	M	N	Y
ACRYLAMIDE	79-06-1	0.02		Y	N	COKE OVEN EMISSIONS	8007-45-2	0.03	N	Y	N
ACRYLIC ACID	79-10-7	0.6		Y	N	CRESOL, [META-]	108-39-4	1	B	Y	N
ACRYLONITRILE	107-13-1	0.3		Y	N	CRESOL, [ORTHO-]	95-48-7	1	B	Y	N
ALLYL CHLORIDE	107-05-1	1		Y	N	CRESOL, [PARA-]	106-44-5	1	B	Y	N
AMINOBIIPHENYL, [4-]	92-67-1	1	V	Y	N	CRESOLS (MIXED ISOMERS)	1319-77-3	1	B	Y	N
ANILINE	62-53-3	1		Y	N	CUMENE	98-82-8	10		Y	N
ANISIDINE, [ORTHO-]	90-04-0	1		Y	N	CYANIDE COMPOUNDS		0.1	O	Y	N
ANTHRACENE	120-12-7	0.01	V	Y	N	DDE	72-55-9	0.01	V	Y	Y
ANTIMONY COMPOUNDS		5	H	N	Y	DI(2-ETHYLHEXYL) PHTHALATE, (DEHP)	117-81-7	5		Y	N
ANTIMONY PENTAFLUORIDE	7783-70-2	0.1	H	N	Y	DIAMINOTOLUENE, [2,4-]	95-80-7	0.02		Y	N
ANTIMONY POTASSIUM TARTRATE	28300-74-5	1	H	N	Y	DIAZOMETHANE	334-88-3	1		Y	N
ANTIMONY TRIOXIDE	1309-64-4	1	H	N	Y	DIBENZ(A,H)ANTHRACENE	53-70-3	0.01	V	Y	N
ANTIMONY TRISULFIDE	1345-04-6	0.1	H	N	Y	DIOXINS/FURANS		6E-07	D,V	Y	N
ARSENIC COMPOUNDS		0.005	I	N	Y	DIBENZOFURAN	132-64-9	5	V	Y	N
ASBESTOS	1332-21-4	0	A	N	Y	DIBROMO-3-CHLOROPROPANE, [1,2-]	96-12-8	0.01		Y	N
BENZ(A)ANTHRACENE	56-55-3	0.01	V	Y	N	DIBROMOETHANE, [1,2-]	106-93-4	0.1		Y	N
BENZENE	71-43-2	2		Y	N	DIBUTYL PHTHALATE	84-74-2	10		Y	Y
BENZIDINE	92-87-5	0.0003	V	Y	N	DICHLOROBENZENE, [1,4-]	106-46-7	3		Y	N
BENZO(A)PYRENE	50-32-8	0.01	V	Y	N	DICHLOROBENZIDENE, [3,3-]	91-94-1	0.2	V	Y	Y
BENZO(B)FLUORANTHENE	205-99-2	0.01	V	Y	N	DICHLOROETHANE, [1,1-]	75-34-3	1		Y	N
BENZO(K)FLUORANTHENE	207-08-9	0.01	V	Y	N	DICHLOROETHANE, [1,2-]	107-06-2	0.8		Y	N
BENZOTRICHLORIDE	98-07-7	0.006		Y	N	DICHLOROETHYLENE, [1,1-]	75-35-4	0.4		Y	N
BENZYL CHLORIDE	100-44-7	0.1		Y	N	DICHLOROMETHANE	75-09-2	10		N	N
BERYLLIUM COMPOUNDS		0.008	J	N	Y	DICHLOROPHENOXY ACETIC ACID, [2,4-]	94-75-7	10	C	Y	Y
BERYLLIUM SALTS		2E-05	J	N	Y	DICHLOROPROPANE, [1,2-]	78-87-5	1		Y	N
BIPHENYL, [1,1-]	92-52-4	10	V	Y	N	DICHLOROPROPENE, [1,3-]	542-75-6	1		Y	N
BIS(CHLOROETHYL)ETHER	111-44-4	0.06		Y	N	DICHLORVOS	62-73-7	0.2		Y	N
BIS(CHLOROMETHYL)ETHER	542-88-1	0.0003		Y	N	DIETHANOLAMINE	111-42-2	5		Y	N
BROMOFORM	75-25-2	10		Y	N	DIETHYL SULFATE	64-67-5	1		Y	N
BROMOMETHANE	74-83-9	10		Y	N	DIETHYLENE GLYCOL MONOBUTYL ETHER	112-34-5	5	P	Y	N
BUTADIENE, [1,3-]	106-99-0	0.07		Y	N	DIMETHOXYBENZIDINE, [3,3-]	119-90-4	0.1	V	Y	Y
BUTOXYETHANOL ACETATE, [2-]	112-07-2	5	P	Y	N	DIMETHYL BENZIDINE, [3,3-]	119-93-7	0.008	V	Y	Y
BUTYLENE OXIDE, [1,2-]	106-88-7	1		Y	N	DIMETHYL CARBAMOYL CHLORIDE	79-44-7	0.02		Y	N
CADMIUM COMPOUNDS		0.01	K	N	Y	DIMETHYL FORMAMIDE	68-12-2	1		Y	N
CALCIUM CYANAMIDE	156-62-7	10		Y	Y	DIMETHYL HYDRAZINE, [1,1-]	57-14-7	0.008		Y	N
CAPROLACTAM (Delisted)	105-60-2					DIMETHYL PHTHALATE	131-11-3	10		Y	N
CAPTAN	133-06-2	10		Y	Y	DIMETHYL SULFATE	77-78-1	0.1		Y	N
CARBARYL	63-25-2	10	V	Y	Y	DIMETHYLAMINOAZOBENZENE, [4-]	60-11-7	1		Y	N
CARBON DISULFIDE	75-15-0	1		Y	N	DIMETHYLANILINE, [N-N-]	121-69-7	1		Y	N
CARBON TETRACHLORIDE	56-23-5	1		Y	N	DINITRO-O-CRESOL, [4,6-] (Note 6)	534-52-1	0.1	E	Y	Y
CARBONYL SULFIDE	463-58-1	5		Y	N	DINITROPHENOL, [2,4-]	51-28-5	1		Y	N
CATECHOL	120-80-9	5		Y	N	DINITROTOLUENE, [2,4-]	121-14-2	0.02		Y	N
CHLORAMBEN	133-90-4	1		Y	Y	DIOXANE, [1,4-]	123-91-1	6		Y	N
CHLORDANE	57-74-9	0.01		Y	Y	DIPHENYLHYDRAZINE, [1,2-]	122-66-7	0.09	V	Y	Y
CHLORINE	7782-50-5	0.1		N	N	DIPHENYLMETHANE DIISOCYANATE, [4,4-]	101-68-8	0.1	V	Y	N
CHLOROACETIC ACID	79-11-8	0.1		Y	N	EPICHLOROHYDRIN	106-89-8	2		Y	N
CHLOROACETOPHENONE, [2-]	532-27-4	0.06		Y	N	ETHOXYETHANOL, [2-]	110-80-5	10	P	Y	N
CHLOROBENZENE	108-90-7	10		Y	N	ETHOXYETHYL ACETATE, [2-]	111-15-9	5	P	Y	N
CHLOROBENZILATE	510-15-6	0.4	V	Y	Y	ETHYL ACRYLATE	140-88-5	1		Y	N
CHLOROFORM	67-66-3	0.9		Y	N	ETHYL BENZENE	100-41-4	10		Y	N

Appendix B
Air Pollution Control Program
Table of Hazardous Air Pollutants and Screening Model Action Levels

Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM	Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM
ETHYL CHLORIDE	75-00-3	10		Y	N	NITROBENZENE	98-95-3	1		Y	N
ETHYLENE GLYCOL	107-21-1	10		Y	N	NITROBIPHENYL, [4-]	92-93-3	1	V	Y	N
ETHYLENE GLYCOL MONOBUTYL ETHER (Delisted)	111-76-2					NITROPHENOL, [4-]	100-02-7	5		Y	N
ETHYLENE GLYCOL MONOHEXYL ETHER	112-25-4	5	P	Y	N	NITROPROPANE, [2-]	79-46-9	1		Y	N
ETHYLENE IMINE [AZIRIDINE]	151-56-4	0.003		Y	N	NITROSODIMETHYLAMINE, [N-]	62-75-9	0.001		Y	N
ETHYLENE OXIDE	75-21-8	0.1		Y	N	NITROSOMORPHOLINE, [N-]	59-89-2	1		Y	N
ETHYLENE THIOUREA	96-45-7	0.8		Y	Y	NITROSO-N-METHYLUREA, [N-]	684-93-5	0.0002		Y	N
FORMALDEHYDE	50-00-0	2		Y	N	OCTACHLORONAPHTHALENE	2234-13-1	0.01	V	Y	N
GLYCOL ETHER (ETHYLENE GLYCOL ETHERS)		5	P	Y	N	PARATHION	56-38-2	0.1		Y	Y
GLYCOL ETHER (DIETHYLENE GLYCOL ETHERS)		5	P	Y	N	PCB [POLYCHLORINATED BIPHENYLS]	1336-36-3	0.009	X	Y	Y
HEPTACHLOR	76-44-8	0.02		Y	N	PENTACHLORONITROBENZENE	82-68-8	0.3		Y	N
HEXACHLORO BENZENE	118-74-1	0.01		Y	N	PENTACHLOROPHENOL	87-86-5	0.7		Y	N
HEXACHLOROBUTADIENE	87-68-3	0.9		Y	N	PHENOL	108-95-2	0.1		Y	N
HEXACHLOROCYCLOHEXANE, [ALPHA-]	319-84-6	0.01	F	Y	N	PHENYLENEDIAMINE, [PARA-]	106-50-3	10		Y	N
HEXACHLOROCYCLOHEXANE, [BETA-]	319-85-7	0.01	F	Y	N	PHOSGENE	75-44-5	0.1		Y	N
HEXACHLOROCYCLOHEXANE, [DELTA-]	319-86-8	0.01	F	Y	N	PHOSPHINE	7803-51-2	5		N	N
HEXACHLOROCYCLOHEXANE, [TECHNICAL]	608-73-1	0.01	F	Y	N	PHOSPHOROUS (YELLOW OR WHITE)	7723-14-0	0.1		N	N
HEXACHLOROCYCLOPENTADIENE	77-47-4	0.1		Y	N	PTHALIC ANHYDRIDE	85-44-9	5		Y	N
HEXACHLOROETHANE	67-72-1	5		Y	N	POLYCYLIC ORGANIC MATTER		0.01	V	Y	N
HEXAMETHYLENE,-1,6-DIISOCYANATE	822-06-0	0.02		Y	N	PROPANE SULTONE, [1,3-]	1120-71-4	0.03		Y	Y
HEXAMETHYLPHOSPHORAMIDE	680-31-9	0.01		Y	N	PROPIOLACTONE, [BETA-]	57-57-8	0.1		Y	N
HEXANE, [N-]	110-54-3	10		Y	N	PROPIONALDEHYDE	123-38-6	5		Y	N
HYDRAZINE	302-01-2	0.004		N	N	PROPOXUR [BAYGON]	114-26-1	10		Y	Y
HYDROGEN CHLORIDE	7647-01-0	10		N	N	PROPYLENE OXIDE	75-56-9	5		Y	N
HYDROGEN FLUORIDE	7664-39-3	0.1		N	N	PROPYLENEIMINE, [1,2-]	75-55-8	0.003		Y	N
HYDROQUINONE	123-31-9	1		Y	N	QUINOLINE	91-22-5	0.006		Y	N
INDENO(1,2,3CD)PYRENE	193-39-5	0.01	V	Y	N	QUINONE	106-51-4	5		Y	N
ISOPHORONE	78-59-1	10		Y	N	RADIONUCLIDES		Note 1	Y	N	Y
LEAD COMPOUNDS		0.01	Q	N	Y	SELENIUM COMPOUNDS		0.1	W	N	Y
LINDANE [GAMMA-HEXACHLOROCYCLOHEXANE]	58-89-9	0.01	F	Y	N	STYRENE	100-42-5	1		Y	N
MALEIC ANHYDRIDE	108-31-6	1		Y	N	STYRENE OXIDE	96-09-3	1		Y	N
MANGANESE COMPOUNDS		0.8	R	N	Y	TETRACHLORODIBENZO-P-DIOXIN,[2,3,7,8]	1746-01-6	6E-07	D,V	Y	Y
MERCURY COMPOUNDS		0.01	S	N	N	TETRACHLOROETHANE, [1,1,2,2-]	79-34-5	0.3		Y	N
METHANOL	67-56-1	10		Y	N	TETRACHLOROETHYLENE	127-18-4	10		N	N
METHOXYCHLOR	72-43-5	10	V	Y	Y	TITANIUM TETRACHLORIDE	7550-45-0	0.1		N	N
METHOXYETHANOL, [2-]	109-86-4	10	P	Y	N	TOLUENE	108-88-3	10		Y	N
METHYL CHLORIDE	74-87-3	10		Y	N	TOLUENE DIISOCYANATE, [2,4-]	584-84-9	0.1		Y	N
METHYL ETHYL KETONE (Delisted)	78-93-3					TOLUIDINE, [ORTHO-]	95-53-4	4		Y	N
METHYL HYDRAZINE	60-34-4	0.06		Y	N	TOXAPHENE	8001-35-2	0.01		Y	N
METHYL IODIDE	74-88-4	1		Y	N	TRICHLORO BENZENE, [1,2,4-]	120-82-1	10		Y	N
METHYL ISOBUTYL KETONE	108-10-1	10		Y	N	TRICHLOROETHANE, [1,1,1-]	71-55-6	10		N	N
METHYL ISOCYANATE	624-83-9	0.1		Y	N	TRICHLOROETHANE, [1,1,2-]	79-00-5	1		Y	N
METHYL METHACRYLATE	80-62-6	10		Y	N	TRICHLOROETHYLENE	79-01-6	10		Y	N
METHYL TERT-BUTYL ETHER	1634-04-4	10		Y	N	TRICHLOROPHENOL, [2,4,5-]	95-95-4	1		Y	N
METHYLCYCLOPENTADIENYL MANGANESE	12108-13-3	0.1	R	N	Y	TRICHLOROPHENOL, [2,4,6-]	88-06-2	6		Y	N
METHYLENE BIS(2-CHLOROANILINE), [4,4-]	101-14-4	0.2	V	Y	Y	TRIETHYLAMINE	121-44-8	10		Y	N
METHYLENEDIANILINE, [4,4-]	101-77-9	1	V	Y	N	TRIFLURALIN	1582-09-8	9		Y	Y
METHYLNAPHTHALENE, [2-]	91-57-6	0.01	V	Y	N	TRIMETHYLPENTANE, [2,2,4-]	540-84-1	5		Y	N
MINERAL FIBERS		0	T	N	Y	URETHANE [ETHYL CARBAMATE]	51-79-6	0.8		Y	N
NAPHTHALENE	91-20-3	10	V	Y	N	VINYL ACETATE	108-05-4	1		Y	N
NAPHTHYLAMINE, [ALPHA-]	134-32-7	0.01	V	Y	N	VINYL BROMIDE	593-60-2	0.6		Y	N
NAPHTHYLAMINE, [BETA-]	91-59-8	0.01	V	Y	N	VINYL CHLORIDE	75-01-4	0.2		Y	N
NICKEL CARBONYL	13463-39-3	0.1	U	N	Y	XYLENE, [META-]	108-38-3	10	G	Y	N
NICKEL COMPOUNDS		1	U	N	Y	XYLENES (MIXED ISOMERS)	1330-20-7	10	G	Y	N
NICKEL REFINERY DUST		0.08	U	N	Y						
NICKEL SUBSULFIDE	12035-72-2	0.04	U	N	Y						

Appendix B
Air Pollution Control Program
Table of Hazardous Air Pollutants and Screening Model Action Levels

Legend	
Group ID	
A	Asbestos
B	Cresols/Cresylic Acid (isomers and mixtures)
C	2,4 - D, Salts and Esters
D	Dibenzofurans, Dibenzodioxins
E	4, 6 Dinitro-o-cresol, and Salts
F	Lindane (all isomers)
G	Xylenes (all isomers and mixtures)
H	Antimony Compounds
I	Arsenic Compounds
J	Beryllium Compounds
K	Cadmium Compounds
L	Chromium Compounds
M	Cobalt Compounds
N	Coke Oven Emissions
O	Cyanide Compounds
P	Glycol Ethers
Q	Lead Compounds (except elemental Lead)
R	Manganese Compounds
S	Mercury Compounds
T	Fine Mineral Fibers
U	Nickel Compounds
V	Polycyclic Organic Matter
W	Selenium Compounds
X	Polychlorinated Biphenyls (Aroclors)
Y	Radionuclides
Notes	The SMAL for radionuclides is defined as the effective dose equivalent to 0.3 millirems per year for 7 years exposure associated with a cancer risk of 1 in 1 million



Missouri Department of dnr.mo.gov

NATURAL RESOURCES

Eric R. Greitens, Governor

Carol S. Comer, Director

AUG 04 2017

Mr. Daniel Kleinheider
Production Supervisor
Grimco Inc
202 South L and D drive
Owensville, MO 65066

RE: New Source Review Permit - Project Number: 2016-12-036

Dear Mr. Kleinheider:

Enclosed with this letter is your permit to construct. Please study it carefully and refer to Appendix A for a list of common abbreviations and acronyms used in the permit. Also, note the special conditions on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit application is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

This permit may include requirements with which you may not be familiar. If you would like the department to meet with you to discuss how to understand and satisfy the requirements contained in this permit, an appointment referred to as a Compliance Assistance Visit (CAV) can be set up with you. To request a CAV, please contact your local regional office or fill out an online request. The regional office contact information can be found at the following website: <http://dnr.mo.gov/regions/>. The online CAV request can be found at <http://dnr.mo.gov/cav/compliance.htm>.

If you were adversely affected by this permit decision, you may be entitled to pursue an appeal before the administrative hearing commission pursuant to Sections 621.250 and 643.075.6 RSMo. To appeal, you must file a petition with the administrative hearing commission within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed; if it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the administrative hearing commission, whose contact information is: Administrative Hearing Commission, United States Post Office Building, 131 West High Street, Third Floor, P.O. Box 1557, Jefferson City, Missouri 65102, phone: 573-751-2422, fax: 573-751-5018, website: www.oa.mo.gov/ahc.



Recycled paper

Mr. Daniel Kleinheider
Page Two

If you have any questions regarding this permit, please do not hesitate to contact Sam Anzalone, at the Department of Natural Resources' Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817. Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM



Susan Heckenkamp
New Source Review Unit Chief

SH:saj

Enclosures

c: St. Louis Regional Office
PAMS File: 2016-12-036

Permit Number: 082017-001