



Missouri Department of Natural Resources
Air Pollution Control Program

INTERMEDIATE STATE PERMIT TO OPERATE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth herein.

Intermediate Operating Permit Number: ~~OP2013-004~~
Expiration Date: ~~FEB 06 2018~~
Installation ID: 510-0391
Project Number: 2007-08-112

Installation Name and Address


Hermann Oak Leather Company
4050 North First Street
St. Louis, MO 63147
St. Louis City County

Installation Description:

The permittee processes cured hide leathers into clean tanned, dyed, pigmented or lacquered finished hides.

FEB 07 2013

Effective Date



Director or Designee
Department of Natural Resources

Table of Contents

I. INSTALLATION DESCRIPTION AND EQUIPMENT LISTING	3
INSTALLATION DESCRIPTION	3
DOCUMENTS INCORPORATED BY REFERENCE	5
II. PLANT WIDE EMISSION LIMITATIONS.....	6
Permit Condition PW01	6
10 CSR 10-6.065(2)(C) and 10 CSR 10-6.065(5)(A) Voluntary Limitation(s)	6
PERMIT CONDITION PW002	7
10 CSR 10-6.065(2)(C) and 10 CSR 10-6.065(5)(A) Voluntary Limitation(s)	7
III. EMISSION UNIT SPECIFIC EMISSION LIMITATIONS	8
VISIBLE EMISSION SOURCES	8
Visible Emission Sources Permit Condition 1	8
10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants	8
NATURAL GAS GROUP	9
Permit Condition 1	9
Natural Gas Group 10 CSR 10-6.060 Construction Permits Required: 94-10-098A; 00-07-035F; 10 CSR 10-6.405 Restriction of Particulate Matter Emissions From Fuel Burning Equipment Used for Indirect Heating.....	9
SOLVENT METAL CLEANING.....	9
Permit Condition 1	9
Solvent Metal Cleaning 10 CSR 10-5.300 Control of Emissions From Solvent Metal Cleaning	9
IV. CORE PERMIT REQUIREMENTS	12
V. GENERAL PERMIT REQUIREMENTS.....	20
VI. ATTACHMENTS	24
ATTACHMENT A	25
Fugitive Emission Observations	25
ATTACHMENT B	26
Opacity Emission Observations.....	26
ATTACHMENT C	27
Method 9 Opacity Emissions Observations	27
ATTACHMENT D	28
Inspection/Maintenance/Repair/Malfunction Log	28
ATTACHMENT E	29
Employee Solvent Metal Cleaning Training Log.....	29
ATTACHMENT F.....	30
Solvent Containing Waste Transfer Log.....	30
ATTACHMENT G	31
Purchase Records for Cold Cleaning Solvent	31
ATTACHMENT H	32
Sample 12-Month Period VOC Compliance Work Sheet.....	32
ATTACHMENT I.....	33
Sample Monthly Compliance Worksheet	33
ATTACHMENT J	34
Sample 12-Month Period HAP Compliance Work Sheet	34

I. Installation Description and Equipment Listing

INSTALLATION DESCRIPTION

Louis Charles Hermann started tanning in St. Louis Missouri in 1881 to handle the local harness trade and to supply the wagon trains of settlers travelling west along the Lewis and Clark trails.

The tannery grew, and Fred Hermann Sr. joined the company in 1907. He proceeded to supply leather for our soldiers throughout both World Wars.

Fred Hermann Jr. joined the company soon after World War II, in 1948. The country was experiencing rapid growth and development and the demand for specialized leathers increased. Using the firm's detailed knowledge of specialty vegetable tanning, he expanded into a range of leathers each of which share the superior tooling, carving, and molding characteristics leatherworkers have come to value.

Shep Hermann joined the company in 1985. He is also committed to the traditional tanning process of the past while investing in new technology and lean manufacturing systems for the future.




Figure 1, Tanning Process

Reported Air Pollutant Emissions, tons per year					
Pollutants	2011	2010	2009	2008	2007
Particulate Matter ≤ Ten Microns (PM ₁₀)	-- ¹	--	--	--	--
Particulate Matter ≤ 2.5 Microns (PM _{2.5})	--	--	--	--	--
Sulfur Oxides (SO _x)	--	--	--	--	--
Nitrogen Oxides (NO _x)	--	--	--	--	--
Volatile Organic Compounds ² (VOC)	8.9	6.3	9.3	6.7	10.2
Carbon Monoxide (CO)	--	--	--	--	--
Lead (Pb)	--	--	--	--	--
Hazardous Air Pollutants ³ (HAPs)	--	--	--	--	--
Ammonia (NH ₃)	--	--	--	--	--

EMISSION UNITS WITH LIMITATIONS

The following list provides a description of the equipment at this installation which emits air pollutants and identified as having unit-specific emission limitations.

Emission Unit	Emission Unit Description	Equipment Number
EP-1	Manual Spray Booth	
EP-2	Automatic Spray Booth	
EP-4	Safety Kleen parts washer	
EP-5	Spray Booth Oven	
EP-6	Steam Boiler	
EP-7	Process Water Boiler	
EP-8	Process Water Boiler	
EP-9	Space Heaters (24)	

¹ "--" indicates below the reporting threshold or not reported

² May include HAP emissions

³ Some HAPs may be reported annually as a part of PM₁₀ or VOC emissions, and not reported on the emission summary page for fee purposes as HAPs.

EMISSION UNITS WITHOUT LIMITATIONS

The following list provides a description of the equipment, which does not have unit specific limitations at the time of permit issuance.

Emission Unit	Emission Unit Description	Equipment Number
EP-3	Miscellaneous Cleanup	
EP-10	Leather Oiling Machine	
EP-11	Spew Removing	
EP-12	Dehumidifying Dryer	

DOCUMENTS INCORPORATED BY REFERENCE

These documents have been incorporated by reference into this permit.

(1) St. Louis City Source Registration: 94-10-098A (Process Water Boiler)

(2) St. Louis City Source Registration: 00-07-035F (Process Water Boiler)

II. Plant Wide Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect on the date of permit issuance.

The following requirements apply to all conditions in addition to any other requirements listed in the specific conditions, unless otherwise noted in the specific conditions.

Monitoring:

The permittee shall calibrate, maintain and operate all instruments and control equipment according to the manufacturer's recommendations or according to good engineering practices.

Recordkeeping:

The permittee shall record all required recordkeeping (i.e. inspections and corrective actions) in the appropriate format. Records may be kept electronically using database or workbook systems, as long as all required information is readily available for compliance determinations.

Reporting⁴:

- 1) The permittee shall report any exceedance of any of the terms imposed by this permit, or any malfunction which could cause an exceedance any of the terms imposed by this permit, no later than ten (10) days after the exceedance or event causing the exceedance (unless otherwise specified in the specific condition), to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102
- 2) The permittee shall submit an annual certification⁵ that it is in compliance with all of the federally enforceable terms and conditions contained in this permit, including emissions limitations, standards, or work practices. All deviations must be included in the compliance certifications. These certifications shall be submitted annually by **April 1st**, unless the applicable requirement specifies more frequent submission. These certifications shall be submitted to EPA Region VII, 11201 Renner Blvd., Lenexa, KS 66219, and the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102

Permit Condition PW01

10 CSR 10-6.065(2)(C) and 10 CSR 10-6.065(5)(A) Voluntary Limitation(s)

Emission Limitation:

The permittee shall emit less than 100 tons of Volatile Organic Compounds (VOCs) from the entire installation in any consecutive 12-month period⁶.

Recordkeeping:

The permittee shall use Attachment H (refer to Sample 12-Month Period VOC Compliance Work Sheet on page 32), or its equivalent, to demonstrate compliance with this condition.

⁴ Refer to General Permit Requirements, 10 CSR 10-6.065, §(5)(C)1 and §(6)(C)1.C General Recordkeeping and Reporting Requirements, page 20, for additional details, including semi-annual reporting of monitoring data.

⁵ Refer to General Permit Requirements, 10 CSR 10-6.065, §(5)(B)4; §(5)(C)1, §(6)(C)3.B; and §(6)(C)3.D; and §(5)(C)3 and §(6)(C)3.E.(I) – (III) and (V) – (VI) Compliance Requirements, page 22, for more details.

⁶ The total of 12 monthly totals ending with the month of interest; or, when there are less than 12 monthly totals available, the total of the monthly totals available divided by 12. A new limit or change of limit initiates a new period.

Permit Condition PW002

10 CSR 10-6.065(2)(C) and
10 CSR 10-6.065(5)(A) Voluntary Limitation(s)

Emission Limitation:

The permittee shall emit less than ten (10) tons in any consecutive 12-month period of any single hazardous air pollutant (HAP), or twenty-five (25) tons in any consecutive 12-month period of all HAPs combined, from the entire installation.

Recordkeeping:

The permittee shall use Attachment I and J, or their equivalent, to demonstrate compliance with this condition. The permittee shall maintain records of the Material Safety Data Sheets (MSDS) for all materials used at the installation for which there are MSDS available.

III. Emission Unit Specific Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect on the date of permit issuance.

Visible Emission Sources		
Emission Unit	Stack ID	Description
EP-6	6	Boiler
EP-7	7	Process Water Heater
EP-1	S-1	Manual Spray Booth
EP-8	S-8	Process Water Heater
EP-2	S-S	Spray Booth

<p style="text-align: center;">Visible Emission Sources Permit Condition 1 10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants</p>

Emission Limitations:

The permittee shall not discharge into the ambient air from any source, not exempted under 10 CSR 10-6.220, any air contaminant of opacity greater than twenty (20%) percent. A source with a 20% opacity limit may emit air contaminants with opacity over 20%, but not greater than 40% for an aggregate length of time not to exceed six (6) minutes in any 60 minutes. Where the presence of uncombined water is the only reason for failure of an emission to meet the opacity requirements, the opacity requirements shall not apply.

Monitoring / Recordkeeping:

No monitoring or recordkeeping is being required based on past visible emissions evaluations by state and local agency inspectors and the use natural gas exclusively. However, these emission units are still subject to the emission limitations listed. Since no monitoring or recordkeeping are being required the permittee is not obligated to follow the procedures listed in Section IV. Core Permit Requirements for 10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants, starting on page 17, for monitoring and recordkeeping.

Natural Gas Group		
Emission Unit	Description	Manufacturer / Model #
EP-5	Spray Booth Oven	
EP-6	Steam Boiler	
EP-7	Process Water Boiler	
EP-8	Process Water Boiler	
EP-9	Space Heaters (24)	

Permit Condition 1
 Natural Gas Group
 10 CSR 10-6.060 Construction Permits Required: 94-10-098A; 00-07-035F;
 10 CSR 10-6.405 Restriction of Particulate Matter Emissions From Fuel Burning Equipment Used for Indirect Heating

Emission Limitations:

The *Natural Gas Group* shall be limited to burning pipeline grade natural gas.

Monitoring / Recordkeeping:

No monitoring or recordkeeping is required for this condition based on 10 CSR 10-6.405(1)(C): *An emission unit that is subject to 10 CSR 10-6.070 and in compliance with applicable provisions; or an emission unit fueled by landfill gas, propane, natural gas, fuel oils #2 through #6 (with less than one and two-tenths percent (1.2%) sulfur), and/or other gases (with hydrogen sulfide levels less than or equal to four (4) parts per million volume as measured using ASTM D4084, or equivalent and mercury concentrations less than forty (40) micrograms per cubic meter as measured using ASTM D5954, or ASTM D6350, or equivalent) would be deemed in compliance with 10 CSR 10-6.405.*

Solvent Metal Cleaning			
Emission Point	Emission Point Description	Equipment Number	Control Devices
EP-4	Safety Kleen parts washer		

Permit Condition 1
 Solvent Metal Cleaning
 10 CSR 10-5.300 Control of Emissions From Solvent Metal Cleaning

Emission Limitation:

1. After April 1, 2001, no owner or operator shall operate a cold cleaner using a solvent with a vapor pressure greater than 1.0 mm Hg at 20 degrees Celsius. Exception: The permittee may use an alternative method for reducing cold cleaning emissions if the level of emission control is equivalent to or greater than the requirements listed above. The director must approve the alternative method.
2. Each cold cleaner shall have a cover which will prevent the escape of solvent vapors from the solvent bath while in the closed position, or an enclosed reservoir which limits the escape of solvent vapors from the solvent bath whenever parts are not being processed in the cleaner.
3. When one or more of the following conditions exist, the design of the cover shall be such that it can be easily operated with one hand such that minimal disturbing of the solvent vapors in the tank

occurs. (For covers larger than ten square feet, this shall be accomplished by either mechanical assistance such as spring loading or counter weighing or by power systems):

- a) The solvent vapor pressure is greater than 0.3 psi measure at 37.8 degrees Celsius (37.8°C) (100 degrees Fahrenheit (100°F)), such as in mineral spirits.
 - b) The solvent is agitated; or
 - c) The solvent is heated.
4. Each cold cleaner shall have a drainage facility which will be internal so that parts are enclosed under the cover while draining.
 5. If an internal drainage facility cannot fit into the cleaning system and the solvent vapor pressure is less than 0.6 psi measured at 37.8°C (100°F), then the cold cleaner shall have an external drainage facility which provides for the solvent to drain back into the solvent bath.
 6. Solvent sprays, if used, shall be a solid fluid stream (not a fine, atomized or shower-type spray) and at a pressure which does not cause splashing above or beyond the freeboard.
 7. A permanent conspicuous label summarizing the operating procedures shall be affixed to the equipment.
 8. Any cold cleaner which uses a solvent that has a solvent vapor pressure greater than 0.6 psi measured at 37.8°C (100°F) or is heated above 48.9°C (120°F), must use one of the following control devices:
 - a) A freeboard ratio of at least 0.75;
 - b) Water cover (solvent must be insoluble in and heavier than water); or
 - c) Other control systems with a mass balance demonstrated overall VOC emissions reduction efficiency greater than or equal to 65%. These control systems must receive approval from the director prior to their use.
 9. Each cold cleaner shall be operated as follows:
 - a) Cold cleaner covers shall be closed whenever parts are not being handled in the cleaners or the solvent must drain into an enclosed reservoir.
 - b) Clean parts shall be drained in the freeboard area for at least 15 seconds or until dripping ceases, whichever is longer.
 - c) Whenever a cold cleaner fails to perform within the operating parameters established for it by this regulation, the unit shall be shut down immediately and shall remain shut down until trained service personnel are able to restore operation within the established operating procedures.
 - d) Solvent leaks shall be repaired immediately or the cleaner shall be shut down and leaks secured until the leaks are repaired.
 - e) Any waste material removed from a cold cleaner shall be disposed of by one of the following methods in accordance with the Missouri Hazardous Waste Management Commission Rules codified as 10 CSR 25, as applicable:
 - i) Reduction of the waste material to less than 20% VOC solvent by distillation and proper disposal of the still bottom waste, or
 - ii) Stored in closed containers for transfer to a contract reclamation service or disposal facility approved by the director.
 - iii) Waste solvent shall be stored in covered containers only.
 10. Operators must be trained as follows:
 - a) Only persons trained in at least the operation and equipment requirements specified in this rule for their particular solvent metal cleaning process to operate this equipment;
 - b) The supervisor of any person who operates a solvent metal cleaning process shall receive equivalent or greater operational training than the operators; and

- c) Refresher training shall be given to all solvent metal cleaning equipment operators at least once every 12 month period.

Monitoring:

The permittee shall monitor the throughputs of the solvents monthly and maintain material safety data sheets of the cleanup solvents used at the installation.

Recordkeeping:

1. The permittee shall monitor the throughputs of the solvents monthly and maintain material safety data sheets of the cleanup solvents used at the installation.
2. The permittee shall maintain the following records for each purchase of cold cleaner solvent (Attachment G, Purchase Records for Cold Cleaning Solvent found at page 31):
 - a) Name and address of the solvent supplier.
 - b) Date of purchase.
 - c) Type of solvent purchased.
 - d) Vapor pressure of solvent in mm Hg at 20^oC or 68^oF.
3. The permittee shall keep monthly inventory records of solvent types and amounts purchased and solvent consumed. The records shall include all types and amounts of solvent containing waste material transferred to either a contract reclamation service or to a disposal installation and all amounts distilled on the premises. The record also shall include maintenance and repair logs that occurred on the cold cleaner (Attachments D).
4. The permittee shall keep training records of solvent metal cleaning for each employee on an annual basis (Attachment E, Employee Solvent Metal Cleaning Training Log found at page 29).
5. All records shall be maintained for five years.

IV. Core Permit Requirements

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR), Code of State Regulations (CSR), and local ordinances for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect on the date of permit issuance. The following is only an excerpt from the regulation or code, and is provided for summary purposes only

10 CSR 10-6.045 Open Burning Requirements

- 1) General Provisions. The open burning of tires, petroleum-based products, asbestos containing materials, and trade waste is prohibited, except as allowed below. Nothing in this rule may be construed as to allow open burning which causes or constitutes a public health hazard, nuisance, a hazard to vehicular or air traffic, nor which violates any other rule or statute.
- 2) Refer to the regulation for a complete list of allowances. The following is a listing of exceptions to the allowances:
 - a) Burning of household or domestic refuse. Burning of household or domestic refuse is limited to open burning on a residential premises having not more than four dwelling units, provided that the refuse originates on the same premises, with the following exceptions:
 - i) St. Louis metropolitan area. The open burning of household refuse is prohibited;
 - b) Yard waste, with the following exceptions:
 - i) St. Louis metropolitan area. The open burning of trees, tree leaves, brush or any other type of vegetation is limited to the period beginning September 16 and ending April 14 of each calendar year and limited to a total base area not to exceed sixteen (16) square feet. Any open burning shall be conducted only between the hours of 10:00 a.m. and 4:00 p.m. and is limited to areas outside of incorporated municipalities;
- 3) Certain types of materials may be open burned provided an open burning permit is obtained from the director. The permit will specify the conditions and provisions of all open burning. The permit may be revoked if the owner or operator fails to comply with the conditions or any provisions of the permit.
- 4) Hermann Oak Leather Company may be issued an annually renewable open burning permit for open burning provided that an air curtain destructor or incinerator is utilized and only tree trunks, tree limbs, vegetation or untreated wood waste are burned. Open burning shall occur at least two hundred (200) yards from the nearest occupied structure unless the owner or operator of the occupied structure provides a written waiver of this requirement. Any waiver shall accompany the open burning permit application. The permit may be revoked if Hermann Oak Leather Company fails to comply with the provisions or any condition of the open burning permit.
 - a) In a nonattainment area, as defined in 10 CSR 10-6.020, paragraph (2)(N)5., the director shall not issue a permit under this section unless the owner or operator can demonstrate to the satisfaction of the director that the emissions from the open burning of the specified material would be less than the emissions from any other waste management or disposal method.
- 5) Reporting and Recordkeeping. New Source Performance Standard (NSPS) 40 CFR Part 60 Subpart CCCC establishes certain requirements for air curtain destructors or incinerators that burn wood trade waste. These requirements are established in 40 CFR 60.2245-60.2260. The provisions of 40 CFR Part 60 Subpart CCCC promulgated as of September 22, 2005, shall apply and are hereby incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401. To comply with NSPS

40 CFR 60.2245-60.2260, sources must conduct an annual Method 9 test. A copy of the annual Method 9 test results shall be submitted to the director.

- 6) Test Methods. The visible emissions from air pollution sources shall be evaluated as specified by 40 CFR Part 60, Appendix A–Test Methods, Method 9–Visual Determination of the Opacity of Emissions from Stationary Sources. The provisions of 40 CFR Part 60, Appendix A, Method 9 promulgated as of December 23, 1971, is incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401.

10 CSR 10-6.050 Start-up, Shutdown and Malfunction Conditions

- 1) In the event of a malfunction, which results in excess emissions that exceed one hour, the permittee shall submit to the director within two business days, in writing, the following information:
 - a) Name and location of installation;
 - b) Name and telephone number of person responsible for the installation;
 - c) Name of the person who first discovered the malfunction and precise time and date that the malfunction was discovered.
 - d) Identity of the equipment causing the excess emissions;
 - e) Time and duration of the period of excess emissions;
 - f) Cause of the excess emissions;
 - g) Air pollutants involved;
 - h) Best estimate of the magnitude of the excess emissions expressed in the units of the applicable requirement and the operating data and calculations used in estimating the magnitude;
 - i) Measures taken to mitigate the extent and duration of the excess emissions; and
 - j) Measures taken to remedy the situation that caused the excess emissions and the measures taken or planned to prevent the recurrence of these situations.
- 2) The permittee shall submit the paragraph 1 information list to the director in writing at least ten days prior to any maintenance, start-up or shutdown, which is expected to cause an excessive release of emissions that exceed one hour. If notice of the event cannot be given ten days prior to the planned occurrence, it shall be given as soon as practicable prior to the release. If an unplanned excess release of emissions exceeding one hour occurs during maintenance, start-up or shutdown, the director shall be notified verbally as soon as practical during normal working hours and no later than the close of business of the following working day. A written notice shall follow within ten working days.
- 3) Upon receipt of a notice of excess emissions issued by an agency holding a certificate of authority under Section 643.140, RSMo, the permittee may provide information showing that the excess emissions were the consequence of a malfunction, start-up or shutdown. The information, at a minimum, should be the paragraph 1 list and shall be submitted not later than 15 days after receipt of the notice of excess emissions. Based upon information submitted by the permittee or any other pertinent information available, the director or the commission shall make a determination whether the excess emissions constitute a malfunction, start-up or shutdown and whether the nature, extent and duration of the excess emissions warrant enforcement action under Section 643.080 or 643.151, RSMo.
- 4) Nothing in this rule shall be construed to limit the authority of the director or commission to take appropriate action, under Sections 643.080, 643.090 and 643.151, RSMo to enforce the provisions of the Air Conservation Law and the corresponding rule.
- 5) Compliance with this rule does not automatically absolve the permittee of liability for the excess emissions reported.

10 CSR 10-6.060 Construction Permits Required

The permittee shall not commence construction, modification, or major modification of any installation subject to this rule, begin operation after that construction, modification, or major modification, or begin operation of any installation which has been shut down longer than five years without first obtaining a permit from the permitting authority.

10 CSR 10-6.065 Operating Permits

The permittee shall file a complete application for renewal of this operating permit at least six months before the date of permit expiration. In no event shall this time be greater than eighteen months. [10 CSR 10-6.065(5)(B)1.A(III)] The permittee shall retain the most current operating permit issued to this installation on-site. [10 CSR 10-6.065, §(5)(C)(1) and §(6)(C)1.C(II)] The permittee shall immediately make such permit available to any Missouri Department of Natural Resources personnel upon request. [10 CSR 10-6.065, §(5)(C)(1) and §(6)(C)3.B]

10 CSR 10-6.100 Alternate Emission Limits

Proposals for alternate emission limitations shall be submitted on Alternate Emission Limits Permit forms provided by the department. An installation owner or operator must obtain an Alternate Emission Limits Permit in accordance with 10 CSR 10-6.100 before alternate emission limits may become effective.

10 CSR 10-6.110 Submission of Emission Data, Emission Fees and Process Information

- 1) The permittee shall complete and submit an Emission Inventory Questionnaire (EIQ) in accordance with the requirements outlined in this rule.
- 2) The permittee may be required by the director to file additional reports.
- 3) Public Availability of Emission Data and Process Information. Any information obtained pursuant to the rule(s) of the Missouri Air Conservation Commission that would not be entitled to confidential treatment under 10 CSR 10-6.210 shall be made available to any member of the public upon request.
- 4) The permittee shall submit a full EIQ for the 2011, 2014, 2017, and 2020 reporting years. In the interim years the installation may submit a Reduced Reporting Form; however, if the installation's emissions increase or decrease by more than five tons when compared to their last submitted full EIQ, the installation shall submit a full EIQ rather than a Reduced Reporting Form.
- 5) Full paper EIQs shall be submitted to the Air Pollution Control Program by no later than April 1st after the end of the reporting year. Full electronic EIQs shall be submitted via MoEIS by no later than May 1st after the end of the reporting year.
- 6) Emission fees are due by no later than June 1st after the end of each reporting year. The fees shall be payable to the Missouri Department of Natural Resources.
- 7) The reporting period shall end on December 31 of each calendar year. Each report shall contain the required information for each emission unit for the twelve (12)-month period immediately preceding the end of the reporting period.
- 8) The permittee shall collect, record and maintain the information necessary to complete the required forms during each year of operation of the installation.

10 CSR 10-6.130 Controlling Emissions During Episodes of High Air Pollution Potential

This rule specifies the conditions that establish an air pollution alert (yellow/orange/red/purple), or emergency (maroon) and the associated procedures and emission reduction objectives for dealing with each. The permittee shall submit an appropriate emergency plan if required by the Director.

10 CSR 10-6.150 Circumvention

The permittee shall not cause or permit the installation or use of any device or any other means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes an emission or air contaminant which violates a rule of the Missouri Air Conservation Commission.

10 CSR 10-6.170 Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin

Emission Limitation:

- 1) The permittee shall not cause or allow to occur any handling, transporting or storing of any material; construction, repair, cleaning or demolition of a building or its appurtenances; construction or use of a road, driveway or open area; or operation of a commercial or industrial installation without applying reasonable measures as may be required to prevent, or in a manner which allows or may allow, fugitive particulate matter emissions to go beyond the premises of origin in quantities that the particulate matter may be found on surfaces beyond the property line of origin. The nature or origin of the particulate matter shall be determined to a reasonable degree of certainty by a technique proven to be accurate and approved by the director.
- 2) The permittee shall not cause nor allow to occur any fugitive particulate matter emissions to remain visible in the ambient air beyond the property line of origin.
- 3) Should it be determined that noncompliance has occurred, the director may require reasonable control measures as may be necessary. These measures may include, but are not limited to, the following:
 - a) Revision of procedures involving construction, repair, cleaning and demolition of buildings and their appurtenances that produce particulate matter emissions;
 - b) Paving or frequent cleaning of roads, driveways and parking lots;
 - c) Application of dust-free surfaces;
 - d) Application of water; and
 - e) Planting and maintenance of vegetative ground cover.

Monitoring:

The permittee shall conduct inspections of its facilities sufficient to determine compliance with this regulation. If the permittee discovers a violation, the permittee shall undertake corrective action to eliminate the violation.

The permittee shall maintain the following monitoring schedule⁷:

- 1) The permittee shall conduct weekly observations for a minimum of eight (8) consecutive weeks after permit issuance.
- 2) Should no violation of this regulation be observed during this period then-
 - a) The permittee may observe once every two (2) weeks for a period of eight (8) weeks.
 - b) If a violation is noted, monitoring reverts to weekly.
 - c) Should no violation of this regulation be observed during this period then-
 - i) The permittee may observe once per month.
 - ii) If a violation is noted, monitoring reverts to weekly.
- 3) If the permittee reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner to the initial monitoring frequency.

⁷ The reissuance of this operating permit will not affect the frequency of monitoring. The permittee may continue their current monitoring schedule-for all affected emission units.

Recordkeeping:

The permittee shall document all readings on Attachment A (Fugitive Emission Observations, page 25), or its equivalent, noting the following:

- 1) Whether air emissions (except water vapor) remain visible in the ambient air beyond the property line of origin.
- 2) Whether the visible emissions were normal for the installation.
- 3) Whether equipment malfunctions contributed to an exceedance.
- 4) Any violations and any corrective actions undertaken to correct the violation.

10 CSR 10-6.180 Measurement of Emissions of Air Contaminants

- 1) The director may require any person responsible for the source of emission of air contaminants to make or have made tests to determine the quantity or nature, or both, of emission of air contaminants from the source. The director may specify testing methods to be used in accordance with good professional practice. The director may observe the testing. All tests shall be performed by qualified personnel.
- 2) The director may conduct tests of emissions of air contaminants from any source. Upon request of the director, the person responsible for the source to be tested shall provide necessary ports in stacks or ducts and other safe and proper sampling and testing facilities, exclusive of instruments and sensing devices as may be necessary for proper determination of the emission of air contaminants.
- 3) The director shall be given a copy of the test results in writing and signed by the person responsible for the tests.

10 CSR 10-5.040 Use of Fuel in Hand-Fired Equipment Prohibited

It shall be unlawful to operate any hand-fired fuel-burning equipment in the St. Louis, Missouri metropolitan area. This regulation shall apply to all fuel-burning equipment including, but not limited to, furnaces, heating and cooking stoves and hot water furnaces. It shall not apply to wood-burning fireplaces and wood-burning stoves in dwellings, nor to fires used for recreational purpose, nor to fires used solely for the preparation of food by barbecuing. Hand-fired fuel-burning equipment is any stove, furnace, or other fuel-burning device in which fuel is manually introduced directly into the combustion chamber.

10 CSR 10-5.060 Refuse Not to be Burned in Fuel Burning Installations (Contained in State Implementation Plan)

No person shall burn or cause or permit the burning of refuse in any installation which is designed for the primary purpose of burning fuel.

10 CSR 10-6.165 Restriction of Emission of Odors

This requirement is not federally enforceable.

No person may cause, permit or allow the emission of odorous matter in concentrations and frequencies or for durations that odor can be perceived when one volume of odorous air is diluted with seven volumes of odor-free air for two separate trials not less than 15 minutes apart within the period of one hour.

10 CSR 10-5.240 Additional Air Quality Control Measures May be Required When Sources Are Clustered in a Small Land Area

The Air Conservation Commission may prescribe more restrictive air quality control requirements that are more restrictive and more extensive than provided in regulations of general application for:

- 1) Areas in which there are one or more existing sources and/or proposed new sources of particulate matter in any circular area with a diameter of two miles (including sources outside metropolitan area) from which the sum of particulate emissions allowed from these sources by regulations of general application are or would be greater than 2000 tons per year or 500 pounds per hour.
- 2) Areas in which there are one or more existing sources and/or proposed new sources of sulfur dioxide in any circular area with a diameter of two miles from which the sum of sulfur dioxide emissions from these sources allowed by regulations of general application are or would be greater than 1000 tons for any consecutive three months or 1000 pounds per hour.

10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants

Emission Limitation:

No owner or other person shall cause or permit to be discharged into the atmosphere from any source any visible emissions in excess of the limits specified by this rule. This permit will contain the opacity limits identified (10, 20 or 40 percent) for the specific emission units.

Monitoring:

- 1) The permittee shall conduct opacity readings on each emission unit using procedures similar to U.S. EPA Test Method 22. The permittee is only required to take readings when the emission unit is operating and when the weather conditions allow. If the permittee observes no visible or other significant emissions using these procedures, then no further observations are required. For emission units with visible emissions perceived or believed to exceed the applicable opacity standard, the source representative would then conduct a Method 9 observation.
- 2) The permittee must maintain the following monitoring schedule⁸:
 - a) The permittee shall conduct weekly observations for a minimum of eight (8) consecutive weeks after permit issuance.
 - b) Should the permittee observe no violations of this regulation during this period then-
 - i) The permittee may observe once every two (2) weeks for a period of eight (8) weeks.
 - ii) If a violation is noted, monitoring reverts to weekly.
 - iii) Should no violation of this regulation be observed during this period then-
 - (1) The permittee may observe once per month.
 - (2) If a violation is noted, monitoring reverts to weekly.
- 3) If the source reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner from the initial monitoring frequency.

Recordkeeping:

The permittee shall maintain records of all observation results using Attachment B (Opacity Emission Observations, page 26) and C (Method 9 Opacity Emissions Observations, page 27), or their equivalent, noting:

- 1) Whether any air emissions (except for water vapor) were visible from the emission units;
- 2) All emission units from which visible emissions occurred;

⁸ The reissuance of this operating permit will not affect the frequency of monitoring. The permittee may continue their current monitoring schedule for all affected emission units.

- 3) Whether the visible emissions were normal for the process;
- 4) The permittee shall maintain records of any equipment malfunctions, which may contribute to visible emissions; and,
- 5) The permittee shall maintain records of all USEPA Method 9 opacity tests performed.

10 CSR 10-6.250 Asbestos Abatement Projects – Certification, Accreditation, and Business Exemption Requirements

The permittee shall conduct all asbestos abatement projects within the procedures established for certification and accreditation by 10 CSR 10-6.250. This rule requires individuals who work in asbestos abatement projects to be certified by the Missouri Department of Natural Resources Air Pollution Control Program. This rule requires training providers who offer training for asbestos abatement occupations to be accredited by the Missouri Department of Natural Resources Air Pollution Control Program. This rule requires persons who hold exemption status from certain requirements of this rule to allow the department to monitor training provided to employees. Each individual who works in asbestos abatement projects must first obtain certification for the appropriate occupation from the department. Each person who offers training for asbestos abatement occupations must first obtain accreditation from the department. Certain business entities that meet the requirements for state-approved exemption status must allow the department to monitor training classes provided to employees who perform asbestos abatement.

Title VI – 40 CFR Part 82 Protection of Stratospheric Ozone

- 1) The permittee shall comply with the standards for labeling of products using ozone-depleting substances pursuant to 40 CFR Part 82, Subpart E:
 - a) All containers in which a class I or class II substance is stored or transported, all products containing a class I substance, and all products directly manufactured with a class I substance must bear the required warning statement if it is being introduced into interstate commerce pursuant to §82.106.
 - b) The placement of the required warning statement must comply with the requirements pursuant to §82.108.
 - c) The form of the label bearing the required warning statement must comply with the requirements pursuant to §82.110.
 - d) No person may modify, remove, or interfere with the required warning statement except as described in §82.112.
- 2) The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners (MVACs) in Subpart B:
 - a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to §82.156.
 - b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to §82.158.
 - c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to §82.161.
 - d) Persons disposing of small appliances, MVACs, and MVAC-like appliances must comply with recordkeeping requirements pursuant to §82.166. ("MVAC-like" appliance as defined at §82.152).
 - e) Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to §82.156.

- f) Owners/operators of appliances normally containing 50 or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to §82.166.
- 3) If the permittee manufactures, transforms, imports, or exports a class I or class II substance, the permittee is subject to all the requirements as specified in 40 CFR Part 82, Subpart A, Production and Consumption Controls.
- 4) If the permittee performs a service on motor (fleet) vehicles when this service involves ozone-depleting substance refrigerant (or regulated substitute substance) in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements as specified in 40 CFR Part 82, Subpart B, Servicing of Motor Vehicle Air conditioners. The term "motor vehicle" as used in Subpart B does not include a vehicle in which final assembly of the vehicle has not been completed. The term "MVAC" as used in Subpart B does not include the air-tight sealed refrigeration system used as refrigerated cargo, or system used on passenger buses using HCFC-22 refrigerant.
- 5) The permittee shall be allowed to switch from any ozone-depleting substance to any alternative that is listed in the Significant New Alternatives Program (SNAP) promulgated pursuant to 40 CFR Part 82, Subpart G, Significant New Alternatives Policy Program. *Federal Only - 40 CFR Part 82*

10 CSR 10-6.280 Compliance Monitoring Usage

- 1) The permittee is not prohibited from using the following in addition to any specified compliance methods for the purpose of submission of compliance certificates:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) Monitoring method(s) approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Any other monitoring methods approved by the director.
- 2) Any credible evidence may be used for the purpose of establishing whether a permittee has violated or is in violation of any such plan or other applicable requirement. Information from the use of the following methods is presumptively credible evidence of whether a violation has occurred by a permittee:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) A monitoring method approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Compliance test methods specified in the rule cited as the authority for the emission limitations.
- 3) The following testing, monitoring or information gathering methods are presumptively credible testing, monitoring, or information gathering methods:
 - a) Applicable monitoring or testing methods, cited in:
 - i) 10 CSR 10-6.030, "Sampling Methods for Air Pollution Sources";
 - ii) 10 CSR 10-6.040, "Reference Methods";
 - iii) 10 CSR 10-6.070, "New Source Performance Standards";
 - iv) 10 CSR 10-6.080, "Emission Standards for Hazardous Air Pollutants"; or
 - b) Other testing, monitoring, or information gathering methods, if approved by the director, that produce information comparable to that produced by any method listed above.

V. General Permit Requirements

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

10 CSR 10-6.065, §(5)(E)2 and §(6)(C)1.B Permit Duration

This permit is issued for a term of five years, commencing on the date of issuance. This permit will expire at the end of this period unless renewed.

10 CSR 10-6.065, §(5)(C)1 and §(6)(C)1.C General Recordkeeping and Reporting Requirements

- 1) Recordkeeping
 - a) All required monitoring data and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report or application.
 - b) Copies of all current operating and construction permits issued to this installation shall be kept on-site for as long as the permits are in effect. Copies of these permits shall be made immediately available to any Missouri Department of Natural Resources' personnel upon request.
- 2) Reporting
 - a) All reports shall be submitted to the Air Pollution Control Program's Enforcement Section, P. O. Box 176, Jefferson City, MO 65102.
 - b) The permittee shall submit a report of all required monitoring by:
 - i) April 1st for monitoring which covers the January through December time period.
 - ii) Exception. Monitoring requirements which require reporting more frequently than annually shall report no later than 30 days after the end of the calendar quarter in which the measurements were taken.
 - c) Each report shall identify any deviations from emission limitations, monitoring, recordkeeping, reporting, or any other requirements of the permit.
 - d) Submit supplemental reports as required or as needed. Supplemental reports are required no later than ten days after any exceedance of any applicable rule, regulation or other restriction. All reports of deviations shall identify the cause or probable cause of the deviations and any corrective actions or preventative measures taken.
 - i) Notice of any deviation resulting from an emergency (or upset) condition as defined in paragraph (6)(C)7 of 10 CSR 10-6.065 (Emergency Provisions) shall be submitted to the permitting authority either verbally or in writing within two working days after the date on which the emission limitation is exceeded due to the emergency, if the permittee wishes to assert an affirmative defense. The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that indicate an emergency occurred and the permittee can identify the cause(s) of the emergency. The permitted installation must show that it was operated properly at the time and that during the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or requirements in the permit. The notice must contain a description of the emergency, the steps taken to mitigate emissions, and the corrective actions taken.
 - ii) Any deviation that poses an imminent and substantial danger to public health, safety or the environment shall be reported as soon as practicable.

- iii) Any other deviations identified in the permit as requiring more frequent reporting than the permittee's annual report shall be reported on the schedule specified in this permit, and no later than ten days after any exceedance of any applicable rule, regulation, or other restriction.
- e) Every report submitted shall be certified by the responsible official, except that, if a report of a deviation must be submitted within ten days after the deviation, the report may be submitted without a certification if the report is resubmitted with an appropriate certification within ten days after that, together with any corrected or supplemental information required concerning the deviation.
- f) The permittee may request confidential treatment of information submitted in any report of deviation.

10 CSR 10-6.065 §(5)(C)1 and §(6)(C)1.D Risk Management Plan Under Section 112(r)

The permittee shall comply with the requirements of 40 CFR Part 68, Accidental Release Prevention Requirements. If the permittee has more than a threshold quantity of a regulated substance in process, as determined by 40 CFR Section 68.115, the permittee shall submit a Risk Management Plan in accordance with 40 CFR Part 68 no later than the latest of the following dates:

- 1) June 21, 1999;
- 2) Three years after the date on which a regulated substance is first listed under 40 CFR Section 68.130; or
- 3) The date on which a regulated substance is first present above a threshold quantity in a process.

10 CSR 10-6.065(5)(C)1.A General Requirements

- 1) The permittee must comply with all of the terms and conditions of this permit. Any noncompliance with a permit condition constitutes a violation and is grounds for enforcement action, permit termination, permit revocation and re-issuance, permit modification or denial of a permit renewal application.
- 2) The permittee may not use as a defense in an enforcement action that it would have been necessary for the permittee to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit
- 3) The permit may be modified, revoked, reopened, reissued or terminated for cause. Except as provided for minor permit modifications, the filing of an application or request for a permit modification, revocation and reissuance, or termination, or the filing of a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- 4) This permit does not convey any property rights of any sort, nor grant any exclusive privilege.
- 5) The permittee shall furnish to the Air Pollution Control Program, upon receipt of a written request and within a reasonable time, any information that the Air Pollution Control Program reasonably may require to determine whether cause exists for modifying, reopening, reissuing or revoking the permit or to determine compliance with the permit. Upon request, the permittee also shall furnish to the Air Pollution Control Program copies of records required to be kept by the permittee. The permittee may make a claim of confidentiality for any information or records submitted under this rule.
- 6) Failure to comply with the limitations and conditions that qualify the installation for an Intermediate permit make the installation subject to the provisions of 10 CSR 10-6.065(6) and enforcement action for operating without a valid part 70 operating permit.

10 CSR 10-6.065(5)(C)1.C Reasonably Anticipated Operating Scenarios

None

10 CSR 10-6.065, §(5)(B)4; §(5)(C)1, §(6)(C)3.B; and §(6)(C)3.D; and §(5)(C)3 and §(6)(C)3.E.(I) – (III) and (V) – (VI) Compliance Requirements

- 1) Any document (including reports) required to be submitted under this permit shall contain a certification signed by the responsible official.
- 2) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized officials of the Missouri Department of Natural Resources, or their authorized agents, to perform the following (subject to the installation's right to seek confidential treatment of information submitted to, or obtained by, the Air Pollution Control Program):
 - a) Enter upon the premises where a permitted installation is located or an emissions-related activity is conducted, or where records must be kept under the conditions of this permit;
 - b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
 - c) Inspect, at reasonable times and using reasonable safety practices, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
 - d) As authorized by the Missouri Air Conservation Law, Chapter 643, RSMo or the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the terms of this permit, and all applicable requirements as outlined in this permit.
- 3) All progress reports required under an applicable schedule of compliance shall be submitted semi-annually (or more frequently if specified in the applicable requirement). These progress reports shall contain the following:
 - a) Dates for achieving the activities, milestones or compliance required in the schedule of compliance, and dates when these activities, milestones or compliance were achieved, and
 - b) An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventative or corrective measures adopted.
- 4) The permittee shall submit an annual certification that it is in compliance with all of the federally enforceable terms and conditions contained in this permit, including emissions limitations, standards, or work practices. These certifications shall be submitted annually by April 1st, unless the applicable requirement specifies more frequent submission. These certifications shall be submitted to the Air Pollution Control Program, Enforcement Section, P.O. Box 176, Jefferson City, MO 65102. All deviations and exceedances must be included in the compliance certifications. The compliance certification shall include the following:
 - a) The identification of each term or condition of the permit that is the basis of the certification;
 - b) The current compliance status, as shown by monitoring data and other information reasonably available to the installation;
 - c) Whether compliance was continuous or intermittent;
 - d) The method(s) used for determining the compliance status of the installation, both currently and over the reporting period; and
 - e) Such other facts as the Air Pollution Control Program will require in order to determine the compliance status of this installation.

10 CSR 10-6.065, §(5)(C)1 and §(6)(C)7 Emergency Provisions

- 1) An emergency or upset as defined in 10 CSR 10-6.065(6)(C)7.A shall constitute an affirmative defense to an enforcement action brought for noncompliance with technology-based emissions limitations. To establish an emergency- or upset-based defense, the permittee must demonstrate, through properly signed, contemporaneous operating logs or other relevant evidence, the following:

- a) That an emergency or upset occurred and that the permittee can identify the source of the emergency or upset,
 - b) That the installation was being operated properly,
 - c) That the permittee took all reasonable steps to minimize emissions that exceeded technology-based emissions limitations or requirements in this permit, and
 - d) That the permittee submitted notice of the emergency to the Air Pollution Control Program within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.
- 2) Be aware that an emergency or upset shall not include noncompliance caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

10 CSR 10-6.065(5)(C)5 Off-Permit Changes

- 1) Except as noted below, the permittee may make any change in its permitted installation's operations, activities or emissions that is not addressed in, constrained by or prohibited by this permit without obtaining a permit revision. Off-permit changes shall be subject to the following requirements and restrictions:
- a) The change must meet all applicable requirements of the Act and may not violate any existing permit term or condition; the permittee may not change a permitted installation without a permit revision if this change is a Title I modification; Please Note: Changes at the installation which affect the emission limitation(s) classifying the installation as an intermediate source (add additional equipment to the recordkeeping requirements, increase the emissions above major source level) do not qualify for off-permit changes.
 - b) The permittee must provide written notice of the change to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 11201 Renner Blvd., Lenexa, KS 66219, no later than the next annual emissions report. This written notice shall describe each change, including the date, any change in emissions, pollutants emitted and any applicable requirement that would apply as a result of the change; and
 - c) The permittee shall keep a record describing all changes made at the installation that result in emissions of a regulated air pollutant subject to an applicable requirement and the emissions resulting from these changes.

10 CSR 10-6.020(2)(R)12 Responsible Official

The application utilized in the preparation of this permit was signed by L. Shepley Hermann, President. If this person terminates employment, or is reassigned different duties such that a different person becomes the responsible person to represent and bind the installation in environmental permitting affairs, the owner or operator of this air contaminant source shall notify the Director of the Air Pollution Control Program of the change. Said notification shall be in writing and shall be submitted within 30 days of the change. The notification shall include the name and title of the new person assigned by the source owner or operator to represent and bind the installation in environmental permitting affairs. All representations, agreement to terms and conditions and covenants made by the former responsible person that were used in the establishment of limiting permit conditions on this permit will continue to be binding on the installation until such time that a revision to this permit is obtained that would change said representations, agreements and covenants.

10 CSR 10-6.065 §(5)(E)4 and §(6)(E)6.A(III)(a)-(c) Reopening-Permit for Cause

This permit may be reopened for cause if:

- 1) The Missouri Department of Natural Resources (MDNR) or EPA determines that the permit contains a material mistake or that inaccurate statements were made which resulted in establishing the emissions limitation standards or other terms of the permit,
- 2) Additional applicable requirements under the Act become applicable to the installation; however, reopening on this ground is not required if—:
 - a) The permit has a remaining term of less than three years;
 - b) The effective date of the requirement is later than the date on which the permit is due to expire;
or
 - c) The additional applicable requirements are implemented in a general permit that is applicable to the installation and the installation receives authorization for coverage under that general permit,
- 3) The Missouri Department of Natural Resources or EPA determines that the permit must be reopened and revised to assure compliance with applicable requirements.

10 CSR 10-6.065 §(5)(E)1.A and §(6)(E)1.C Statement of Basis

This permit is accompanied by a statement setting forth the legal and factual basis for the permit conditions (including references to applicable statutory or regulatory provisions). This Statement of Basis, while referenced by the permit, is not an actual part of the permit.

VI. Attachments

Attachments follow.

Attachment C

Method 9 Opacity Emissions Observations								
Company					Observer			
Location					Observer Certification Date			
Date					Emission Unit			
Time					Control Device			
Hour	Minute	Seconds				Steam Plume (check if applicable)		Comments
		0	15	30	45	Attached	Detached	
	0							
	1							
	2							
	3							
	4							
	5							
	6							
	7							
	8							
	9							
	10							
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							
SUMMARY OF AVERAGE OPACITY								
Set Number	Time				Opacity			
	Start	End	Sum	Average				

Readings ranged from _____ to _____ % opacity.

Was the emission unit in compliance at the time of evaluation? _____
 YES NO Signature of Observer

Attachment J

Sample 12-Month Period HAP Compliance Work Sheet

Chart A

Month: _____	
Monthly HAPs	HAPs
Rolling 12-Month Total	
Sep-09	0.00
Aug-09	0.00
Jul-09	0.00
Jun-09	0.00
May-09	0.00
Apr-09	0.00
Mar-09	0.00
Feb-09	0.00
Jan-09	0.00
Dec-08	0.00
Nov-08	0.00
Oct-08	0.00
12-Month Total (lbs/yr)	0.00
12-Month Total (tons/yr)	0.00

Sum of all HAPs combined

Chart B

Month: _____		
Monthly HAP	HAP	
Rolling 12-Month Total		
Sep-09		0.00
Aug-09		0.00
Jul-09		0.00
Jun-09		0.00
May-09		0.00
Apr-09		0.00
Mar-09		0.00
Feb-09		0.00
Jan-09		0.00
Dec-08		0.00
Nov-08		0.00
Oct-08		0.00
12-Month Total (lbs/yr)		0.00
12-Month Total (tons/yr)		0.00

Each Individual HAP

A rolling 12-Month HAP emission total of all HAP emissions at the installation of greater than or equal to 10 tons individual (Chart B) HAP or 25 tons combined (Chart A) HAPs indicates a reportable deviation.

STATEMENT OF BASIS

Voluntary Limitations

In order to qualify for this Intermediate State Operating Permit, the permittee has accepted voluntary, federally enforceable emission limitations. Per 10 CSR 10-6.065(5)(C)1.A.(VI), if these limitations are exceeded, the installation immediately becomes subject to 10 CSR 10-6.065(6) and enforcement action for operating without a valid part 70 operating permit. It is the permittee's responsibility to monitor emission levels and apply for a part 70 operating permit far enough in advance to avoid this situation. This may mean applying more than eighteen months in advance of the exceedance, since it can take that long or longer to obtain a part 70 operating permit.

Permit Reference Documents

These documents were relied upon in the preparation of the operating permit. Because they are not incorporated by reference, they are not an official part of the operating permit.

- 1) Intermediate Operating Permit Application, received August 22, 2007;
- 2) 2011 Emissions Inventory Questionnaire, most recently used; and
- 3) U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*; Volume I, Stationary Point and Area Sources, Fifth Edition.

Project History

Project ID	Start Date	Completion Date	Permit No	Expiration	Description	Type of Project	Status
AP200207048	7/5/2002	8/28/2007		7/5/2007	Leather	Intermediate Operating Permit Renewal	Closed out, per policy
EX199712003	12/19/1997	1/15/1999	OP97066	12/19/2002	Leather-Intermediate	Local Issued OP	Permit Issued
EX200008059	8/18/2000	9/17/2000	00-07-035		Replacement boiler	Local CP	Permit Issued
EX200009042	9/8/2000	10/8/2000	00-07-035F		Boiler	Local CP	Permit Issued

Applicable Requirements Included in the Operating Permit but Not in the Application or Previous Operating Permits

In the operating permit application, the installation indicated they were not subject to the following regulation(s). However, in the review of the application, the agency has determined that the installation is subject to the following regulation(s) for the reasons stated.

None

Other Air Regulations Determined Not to Apply to the Operating Permit

The Air Pollution Control Program (APCP) has determined that the following requirements are not applicable to this installation at this time for the reasons stated.

None

Construction Permit Revisions

The following revisions were made to construction permits for this installation:

None

New Source Performance Standards (NSPS) Applicability

None

Maximum Achievable Control Technology (MACT) Applicability

None

National Emission Standards for Hazardous Air Pollutants (NESHAP) Applicability

None

Other Regulatory Determinations

None

Other Regulations Not Cited in the Operating Permit or the Above Statement of Basis

Any regulation which is not specifically listed in either the Operating Permit or in the above Statement of Basis does not appear, based on this review, to be an applicable requirement for this installation for one or more of the following reasons.

- 1) The specific pollutant regulated by that rule is not emitted by the installation.
- 2) The installation is not in the source category regulated by that rule.
- 3) The installation is not in the county or specific area that is regulated under the authority of that rule.
- 4) The installation does not contain the type of emission unit which is regulated by that rule.
- 5) The rule is only for administrative purposes.

Should a later determination conclude that the installation is subject to one or more of the regulations cited in this Statement of Basis or other regulations which were not cited, the installation shall determine and demonstrate, to the Air Pollution Control Program's satisfaction, the installation's compliance with that regulation(s). If the installation is not in compliance with a regulation which was not previously cited, the installation shall submit to the Air Pollution Control Program a schedule for achieving compliance for that regulation(s).

Prepared by:

Randy E. Raymond
Operating Permit Unit

Mr. L. Shepley Hermann
Hermann Oak Leather Company
4050 North First Street
St. Louis, MO 63147

Re: Hermann Oak Leather Company, 510-0391
Permit Number: **OP2013-004**

Dear Mr. Hermann:

Enclosed with this letter is your intermediate operating permit. Please review this document carefully. Operation of your installation in accordance with the rules and regulations cited in this document is necessary for continued compliance. It is very important that you read and understand the requirements contained in your permit.

You may appeal this permit to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.078.16 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within thirty (30) days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If you send your appeal by registered or certified mail, we will deem it filed on the date you mailed it. If you send your appeal by a method other than registered or certified mail, we will deem it filed on the date the AHC receives it.

If you have any questions or need additional information regarding this permit, please do not hesitate to contact Randy Raymond at the Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102, or by telephone at (573) 751-4817. Thank you for your time and attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Michael J. Stansfield, P.E.
Operating Permit Unit Chief

MJS/rrk

Enclosures

c: St. Louis Regional Office
PAMS File: 2007-08-112