



Missouri Department of dnr.mo.gov

NATURAL RESOURCES

Michael L. Parson, Governor

Carol S. Comer, Director

JAN 15 2020

Ms. Elise Schoonmaker
Environmental Manager
Hubbell Power Systems, Inc. - East Street Complex
210 North Allen Street
Centralia, MO 65240

RE: New Source Review Permit - Project Number: 2019-11-014

Dear Ms. Schoonmaker:

Enclosed with this letter is your permit to construct. Please study it carefully and refer to Appendix A for a list of common abbreviations and acronyms used in the permit. Also, note the special conditions on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit application and your operating permit is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

This permit may include requirements with which you may not be familiar. If you would like the department to meet with you to discuss how to understand and satisfy the requirements contained in this permit, an appointment referred to as a Compliance Assistance Visit (CAV) can be set up with you. To request a CAV, please contact your local regional office or fill out an online request. The regional office contact information can be found at the following website: <http://dnr.mo.gov/regions/>. The online CAV request can be found at <http://dnr.mo.gov/cav/compliance.htm>.

If you were adversely affected by this permit decision, you may be entitled to pursue an appeal before the administrative hearing commission pursuant to Sections 621.250 and 643.075.6 RSMo. To appeal, you must file a petition with the administrative hearing commission within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed; if it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the administrative hearing commission, whose contact information is: Administrative Hearing Commission, United States Post Office Building, 131 West High Street, Third Floor, P.O. Box 1557, Jefferson City, Missouri 65102, phone: 573-751-2422, fax: 573-751-5018, website: www.oa.mo.gov/ahc.

Ms. Elise Schoonmaker
Page Two

If you have any questions regarding this permit, please do not hesitate to contact Jared Rhodes, at the Department of Natural Resources' Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817. Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM




Susan Heckenkamp
New Source Review Unit Chief

SH:jara

Enclosures

c: Northeast Regional Office
PAMS File: 2019-11-014

Permit Number: **012020-010**



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: **012020-010**

Project Number: 2019-11-014
Installation Number: 019-0006

Parent Company: Hubbell Inc.

Parent Company Address: 40 Waterview Drive, Shelton, CT 06484

Installation Name: - Hubbell Power Systems, Inc. - East Street Complex

Installation Address: 1100 East Switzler Street, Centralia, MO 65240

Location Information: Boone County, S10, T51N, R11W

Application for Authority to Construct was made for:
Installation of the Paint Hook Burnoff Furnace (EU E336) and the Paint Dip Tank (EU EF353) at the East Street facility. This review was conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.


-
- Standard Conditions (on reverse) are applicable to this permit.
- Standard Conditions (on reverse) and Special Conditions are applicable to this permit.



Director or Designee
Department of Natural Resources

JAN 15 2020

Effective Date



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number:

Project Number: 2019-11-014
Installation Number: 019-0006

Parent Company: Hubbell Inc.

Parent Company Address: 40 Waterview Drive, Shelton, CT 06484

Installation Name: Hubbell Power Systems, Inc. - East Street Complex

Installation Address: 1100 East Switzler Street, Centralia, MO 65240

Location Information: Boone County, S10, T51N, R11W

Application for Authority to Construct was made for:

Installation of the Paint Hook Burnoff Furnace (EU E336) and the Paint Dip Tank (EU EF353) at the East Street facility. This review was conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

Director or Designee
Department of Natural Resources

Effective Date

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Enforcement and Compliance Section of the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Enforcement and Compliance Section of the Department's Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department's regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of the permit application and this permit and permit review shall be kept at the installation address and shall be made available to Department's personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit using the contact information below.

Contact Information:
Missouri Department of Natural Resources
Air Pollution Control Program
P.O. Box 176
Jefferson City, MO 65102-0176
(573) 751-4817

The regional office information can be found at the following website:
<http://dnr.mo.gov/regions/>

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted to the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (3)(E). "Conditions required by permitting authority."

Hubbell Power Systems, Inc. - East Street Complex
Boone County, S10, T51N, R11W

1. Process Requirements for the Paint Hook Burnoff Furnace (EU E336)
 - A. Hubbell Power Systems, Inc. - East Street Complex shall not burn Polytetrafluoroethylene (PTFE), chlorinated plastics, chlorinated solvents, trash, or hazardous waste material in the Paint Hook Burnoff Furnace.
 - B. The Paint Hook Burnoff Furnace shall be used exclusively for the removal of paint.
 - C. The Paint Hook Burnoff Furnace shall be operated in accordance with the manufacturer's instructions and guidelines of operation and maintenance at all times.
 - D. Hubbell Power Systems, Inc. - East Street Complex shall maintain the temperature in the final combustion chamber/afterburner of the Paint Hook Burnoff Furnace at or above 1400 °F any time the furnace is in use.
 - E. The Paint Hook Burnoff Furnace shall be equipped with a continuous chart recorder that monitors, displays, and records the temperature in the final combustion chamber/afterburner with an accuracy of two percent ($\pm 2\%$).
 - F. Hubbell Power Systems, Inc. - East Street Complex shall maintain a copy of the Paint Hook Burnoff Furnace manufacturer's performance warranty on site.
2. Hubbell Power Systems, Inc. - East Street Complex shall maintain an operating and maintenance log for the Paint Hook Burnoff Furnace which shall include the following:
 - A. Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions; and
 - B. Maintenance activities, with inspection schedule, repair actions, and replacements, etc.

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

3. **Record Keeping and Reporting Requirements**
Hubbell Power Systems, Inc. - East Street Complex shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request. These records shall include SDS for all materials used.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (5) REVIEW

Project Number: 2019-11-014
Installation ID Number: 019-0006
Permit Number:

Installation Address:

Hubbell Power Systems, Inc. - East
Street Complex
1100 East Switzler Street
Centralia, MO 65240

Parent Company:

Hubbell Inc.
40 Waterview Drive
Shelton, CT 06484

Boone County, S10, T51N, R11W

REVIEW SUMMARY

- Hubbell Inc. has applied for authority to install the Paint Hook Burnoff Furnace (EU E336) and the Paint Dip Tank (EU EF353) at their East Street facility.
- The application was deemed complete on November 14, 2019.
- HAP emissions are expected from the combustion of natural gas in the proposed equipment.
- None of the New Source Performance Standards (NSPS) apply to the installation.
- None of the NESHAPs apply to this installation. None of the currently promulgated MACT regulations apply to the proposed equipment.
- No air pollution control equipment is being used in association with the new equipment.
- This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of all pollutants are below de minimis levels.
- Missouri Air Pollution Control Program has determined to classify paint hook burnoff furnaces as incinerators. According to 10 CSR 10-6.060(1)(A)5. all incinerators are required to obtain a construction permit.
- This installation is located in Boone County, an attainment/unclassifiable area for all criteria pollutants.
- This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability.

- Ambient air quality modeling was not performed since potential emissions of the application are below de minimis levels.
- Emissions testing is not required for the equipment as a part of this permit. Testing may be required as part of other state, federal or applicable rules.
- The equipment of this permit shall be included in the Intermediate Operating Permit Renewal currently under review by the Air Pollution Control Program. Information for this equipment has been submitted as a modification to the current Intermediate Operating Permit Application.
- Approval of this permit is recommended with special conditions.

INSTALLATION DESCRIPTION

As a corporate structure, all employees are Hubbell Power Systems (HPS), but there are three distinct business units (BU) – Civil & Construction Products (Allen St. & East St. Plants, 019-0039 & 019-0006, respectively), Safety Products (Plastics, 019-0038), and the Distribution Center (DC, 019-0064). Wilson St. is only a storage warehouse. No activity that generates emissions generally occurs there. Each BU has its own chain of command leading toward HPS corporate. AB Chance operations are a subsidiary of Hubbell Incorporated (Delaware). Thus, there are shared service functions for the BU's such as Human Resources, Safety, Maintenance, Purchase, Information Technology, etc.

Up until 2010, the East St. facility was a separate business unit from other Centralia operations with the primary products being switchgear and re-closers. These product lines were transferred to Alabama and Mexico. Since that time the Allen St. facility has been able to utilize East St. welding equipment that was not transferred. Currently East St. operations are in support of Allen St. operations and considered part of the Civil and Construction Business Unit.

The Civil & Construction Products (Allen St. & East St. Plants, 019-0039 & 019-0006, respectively) are considered one installation, for air permitting purposes. The other business units are separate.

The following New Source Review permits have been issued to Hubbell Power Systems, Inc. East Street and Allen Street Complexes from the Air Pollution Control Program.

Table 1: Permit History

Project ID	Permit Number	Description
AP201906041	112019-007	Installation of a new Grillage Cell
AP201710023	112017-016	Plasma cutting
AP201510066	052015-008C	Add dip tank
AP201508017	052015-008B	Modify process for dip tank
AP201505048	052015-008A	PTE changes

Project ID	Permit Number	Description
AP201503110	052015-008	Install TDG equipment
AP200301013	032003-016	Melting pot
AP200212075	112002-018A	Clarify drum filters
AP200208013	112002-018	Galvanizing kettle
EX199912054	032000-010	Solder pot
EX03800039012	0797-023	2 mil BTU natural gas annealing furnace
EX03800039011	1296-004	Electric induction furnace
EX03800006010	1096-008	Add oven and paint booth
EX03800039010	0396-010	Addition of welder and electric furnace
EX03800006009	0894-008	Change fluid in wire forming degrease/acid etch tank and ventilation
EX03800006008	0693-023	Combo rotary drum/belt washer water heater and drying oven
EX03800039006	0992-003	Production process for poleline, hardware, and earth anchoring products
EX03800006007	1192-017	Rotary sand screen, 6 soldering stations, 10 plasma arc cutters
EX03800039009	1092-008	Heat treatment equipment, scrap preheat furnace, and 20 plasma arc cutters
EX03800039008	0992-006	DC/gasoline powered welder
EX03800006006	0992-005	Bead blaster, coating process modification, hood and vent sulfur pot
EX03800039007	0892-001	Forging furnace and plasma arc pipe cutter
EX03800006005	0692-002	4 furnaces, heat treating oven, auto gritter, ink spray and flow coating

In a letter dated October 15, 2019 the Air Pollution Control Program determined the Allen and East street facilities of Hubbell Inc. in Centralia, MO are one installation for air permitting purposes.

PROJECT DESCRIPTION

Hubbell Inc. in Centralia, Missouri intends to relocate multiple emission units from the Allen Street facility to the East Street facility. Since the Air Pollution Control Program considers the Allen Street and East Street facilities to be one installation for air permitting purpose the majority of the emission units to be relocated do not need a permit since the relocation takes place within the same installation. However, the Paint Hook Burnoff Furnace (EU E336) and the Paint Dip Tank (EU EF353) have never been permitted at this installation.

The Paint Hook Burnoff Furnace (EU E336) consists of a primary chamber operated at 800 °F to remove paint through pyrolysis and a final combustion chamber/afterburner operated at 1500 to 1650 °F to destroy the paint vapors. The primary and secondary chambers are fired using natural gas at a maximum combustor rating of 0.5 MMBtu/hr. The Paint Hook Burnoff Furnace vents outdoors via stack EP ES317. The Paint Hook Burnoff Furnace is designed to process up to 10 pounds of combustible material per hour. The Paint Dip Tank (EU EF353) will be used to coat metal anchors and vents outdoors via stack EP ES316 with a flow rate of 2,500 scfm. The dip tank can coat up to 41 parts per hour with a paint usage of 0.012 gallons per part.

EMISSIONS/CONTROLS EVALUATION

Criteria pollutant emissions from the Paint Hook Burnoff Furnace were calculated using the test report by the Pollution Control Products Co. dated July 29, 1992 and revised February 14, 1997. This report provided hourly emission rates for particulate matter, nitrogen oxides, hydrocarbons, sulphur oxides, and carbon monoxide. The VOC

emissions from the Paint Dip Tank were calculated using a material balance on the weight percent of VOC in the paint and the maximum hourly paint usage rate.

The following table provides an emissions summary for this project. New and existing potential emissions were taken from calculations provided by Hubbell Inc. in an email dated November 11, 2019 for the review of their operating permit renewal. Existing actual emissions were taken from the installation's 2018 EIQ. Potential emissions of the application represent the potential of the new equipment, assuming continuous operation (8760 hours per year).

Table 2: Emissions Summary (tpy)

Pollutant	Regulatory <i>De Minimis</i> Levels	Existing Potential Emissions	Existing Actual Emissions (2018 EIQ)	Potential Emissions of the Project	New Installation Conditioned Potential
PM	25.0	N/D	N/D	0.06	N/D
PM ₁₀	15.0	203.7	15.0	0.06	203.7
PM _{2.5}	10.0	155.3	13.5	0.06	155.4
SO _x	40.0	0.2	0.1	0.01	0.2
NO _x	40.0	154.4	26.7	0.12	154.5
VOC	40.0	95.6	21.8	1.26	96.9
CO	100.0	24.7	10.1	0.22	24.9
HAPs	10.0/25.0	57.4	3.1	0.004	57.4

N/D = Not Determined

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of all pollutants are below de minimis levels.

APPLICABLE REQUIREMENTS

Hubbell Power Systems, Inc. - East Street Complex shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved. For a complete list of applicable requirements for your installation, please consult your operating permit.

GENERAL REQUIREMENTS

- *Operating Permits*, 10 CSR 10-6.065
- *Start-Up, Shutdown, and Malfunction Conditions*, 10 CSR 10-6.050
- *Submission of Emission Data, Emission Fees and Process Information*,

10 CSR 10-6.110

- Per 10 CSR 10-6.110(4)(B)2.B(II) and (4)(B)2.C(II) a full EIQ is required for the first full calendar year the equipment approved by this permit are in operation.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-6.165

SPECIFIC REQUIREMENTS

- *Control of Sulfur Dioxide Emissions*, 10 CSR 10-6.261

OTHER DETERMINATIONS

- 40 CFR 60 Subpart CCCC does not apply since the Paint Hook Burnoff Furnace is exempt from the NSPS regulations for commercial and industrial solid waste incineration units. Specifically it is categorized as a materials recovery unit which are exempt under §60.2020(g).
- 40 CFR 60 Subpart Kb does not apply since the capacity of the dip tank is approximately 100 gallons, which is less than the applicability threshold of 75 cubic meters.
- 40 CFR 63 Subpart MMMM does not apply since the dip tank will be used to coat metal parts but the coating used in the dip tank does not contain HAPs.
- 40 CFR 63 Subpart PPPP does not apply since the dip tank is not used to coat plastic parts.
- 40 CFR 63 Subpart HHHHHH does not apply since the coating is applied by dipping, not spraying.

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, it is recommended that this permit be granted with special conditions.

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated November 12, 2019, received November 14, 2019, designating Hubbell Inc. as the owner and operator of the installation.

APPENDIX A

Abbreviations and Acronyms

% percent	Mgal 1,000 gallons
°F degrees Fahrenheit	MW megawatt
acfm actual cubic feet per minute	MHDR maximum hourly design rate
BACT Best Available Control Technology	MMBtu Million British thermal units
BMPs Best Management Practices	MMCF million cubic feet
Btu British thermal unit	MSDS Material Safety Data Sheet
CAM Compliance Assurance Monitoring	NAAQS National Ambient Air Quality Standards
CAS Chemical Abstracts Service	NESHAPs National Emissions Standards for Hazardous Air Pollutants
CEMS Continuous Emission Monitor System	NO_xnitrogen oxides
CFR Code of Federal Regulations	NSPS New Source Performance Standards
CO carbon monoxide	NSR New Source Review
CO₂ carbon dioxide	PMparticulate matter
CO_{2e} carbon dioxide equivalent	PM_{2.5} particulate matter less than 2.5 microns in aerodynamic diameter
COMS Continuous Opacity Monitoring System	PM₁₀ particulate matter less than 10 microns in aerodynamic diameter
CSR Code of State Regulations	ppm parts per million
dscf dry standard cubic feet	PSD Prevention of Significant Deterioration
EIQ Emission Inventory Questionnaire	PTE potential to emit
EP Emission Point	RACT Reasonable Available Control Technology
EPA Environmental Protection Agency	RAL Risk Assessment Level
EU Emission Unit	SCC Source Classification Code
fps feet per second	scfm standard cubic feet per minute
ft feet	SDS Safety Data Sheet
GACT Generally Available Control Technology	SIC Standard Industrial Classification
GHG Greenhouse Gas	SIP State Implementation Plan
gpm gallons per minute	SMAL Screening Model Action Levels
gr grains	SO_x sulfur oxides
GWP Global Warming Potential	SO₂ sulfur dioxide
HAP Hazardous Air Pollutant	SSM Startup, Shutdown & Malfunction
hr hour	tph tons per hour
hp horsepower	tpy tons per year
lb pound	VMT vehicle miles traveled
lbs/hr pounds per hour	VOC Volatile Organic Compound
MACT Maximum Achievable Control Technology	
µg/m³ micrograms per cubic meter	
m/s meters per second	

Air Pollution Control Program

Table of Hazardous Air Pollutants and Screening Model Action Levels

Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM	Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM
ACETALDEHYDE	75-07-0	9		Y	N	CHLOROMETHYL METHYL ETHER	107-30-2	0.1		Y	N
ACETAMIDE	60-35-5	1		Y	N	CHLOROPRENE	126-99-8	1		Y	N
ACETONITRILE	75-05-8	4		Y	N	CHROMIUM (VI) COMPOUNDS		0.002	L	N	Y
ACETOPHENONE	98-86-2	1		Y	N	CHROMIUM COMPOUNDS		5	L	N	Y
ACETYLAMINOFLUORINE, [2-]	53-96-3	0.005	V	Y	Y	CHRYSENE	218-01-9	0.01	V	Y	N
ACROLEIN	107-02-8	0.04		Y	N	COBALT COMPOUNDS		0.1	M	N	Y
ACRYLAMIDE	79-06-1	0.02		Y	N	COKE OVEN EMISSIONS	8007-45-2	0.03	N	Y	N
ACRYLIC ACID	79-10-7	0.6		Y	N	CRESOL, [META-]	108-39-4	1	B	Y	N
ACRYLONITRILE	107-13-1	0.3		Y	N	CRESOL, [ORTHO-]	95-48-7	1	B	Y	N
ALLYL CHLORIDE	107-05-1	1		Y	N	CRESOL, [PARA-]	106-44-5	1	B	Y	N
AMINOBIHENYL, [4-]	92-67-1	1	V	Y	N	CRESOLS (MIXED ISOMERS)	1319-77-3	1	B	Y	N
ANILINE	62-53-3	1		Y	N	CUMENE	98-82-8	10		Y	N
ANISIDINE, [ORTHO-]	90-04-0	1		Y	N	CYANIDE COMPOUNDS		0.1	O	Y	N
ANTHRACENE	120-12-7	0.01	V	Y	N	DDE	72-55-9	0.01	V	Y	Y
ANTIMONY COMPOUNDS		5	H	N	Y	DI(2-ETHYLHEXYL) PHTHALATE, (DEHP)	117-81-7	5		Y	N
ANTIMONY PENTAFLUORIDE	7783-70-2	0.1	H	N	Y	DIAMINOTOLUENE, [2,4-]	95-80-7	0.02		Y	N
ANTIMONY POTASSIUM TARTRATE	28300-74-5	1	H	N	Y	DIAZOMETHANE	334-88-3	1		Y	N
ANTIMONY TRIOXIDE	1309-64-4	1	H	N	Y	DIBENZ(A,H)ANTHRACENE	53-70-3	0.01	V	Y	N
ANTIMONY TRISULFIDE	1345-04-6	0.1	H	N	Y	DIOXINS/FURANS		6E-07	D,V	Y	N
ARSENIC COMPOUNDS		0.005	I	N	Y	DIBENZOFURAN	132-64-9	5	V	Y	N
ASBESTOS	1332-21-4	0	A	N	Y	DIBROMO-3-CHLOROPROPANE, [1,2-]	96-12-8	0.01		Y	N
BENZ(A)ANTHRACENE	56-55-3	0.01	V	Y	N	DIBROMOETHANE, [1,2-]	106-93-4	0.1		Y	N
BENZENE	71-43-2	2		Y	N	DIBUTYL PHTHALATE	84-74-2	10		Y	Y
BENZIDINE	92-87-5	0.0003	V	Y	N	DICHLOROENZENE, [1,4-]	106-46-7	3		Y	N
BENZO(A)PYRENE	50-32-8	0.01	V	Y	N	DICHLOROENZIDENE, [3,3-]	91-94-1	0.2	V	Y	Y
BENZO(B)FLUORANTHENE	205-99-2	0.01	V	Y	N	DICHLOROETHANE, [1,1-]	75-34-3	1		Y	N
BENZO(K)FLUORANTHENE	207-08-9	0.01	V	Y	N	DICHLOROETHANE, [1,2-]	107-06-2	0.8		Y	N
BENZOTRICHLORIDE	98-07-7	0.006		Y	N	DICHLOROETHYLENE, [1,1-]	75-35-4	0.4		Y	N
BENZYL CHLORIDE	100-44-7	0.1		Y	N	DICHLOROMETHANE	75-09-2	10		N	N
BERYLLIUM COMPOUNDS		0.008	J	N	Y	DICHLOROPHENOXY ACETIC ACID, [2,4-]	94-75-7	10	C	Y	Y
BERYLLIUM SALTS	2E-05		J	N	Y	DICHLOROPROPANE, [1,2-]	78-87-5	1		Y	N
BIPHENYL, [1,1-]	92-52-4	10	V	Y	N	DICHLOROPROPENE, [1,3-]	542-75-6	1		Y	N
BIS(CHLOROETHYL)ETHER	111-44-4	0.06		Y	N	DICHLORVOS	62-73-7	0.2		Y	N
BIS(CHLOROMETHYL)ETHER	542-88-1	0.0003		Y	N	DIETHANOLAMINE	111-42-2	5		Y	N
BROMOFORM	75-25-2	10		Y	N	DIETHYL SULFATE	64-67-5	1		Y	N
BROMOMETHANE	74-83-9	10		Y	N	DIETHYLENE GLYCOL MONOBUTYL ETHER	112-34-5	5	P	Y	N
BUTADIENE, [1,3-]	106-99-0	0.07		Y	N	DIMETHOXYBENZIDINE, [3,3-]	119-90-4	0.1	V	Y	Y
BUTOXYETHANOL ACETATE, [2-]	112-07-2	5	P	Y	N	DIMETHYL BENZIDINE, [3,3-]	119-93-7	0.008	V	Y	Y
BUTYLENE OXIDE, [1,2-]	106-88-7	1		Y	N	DIMETHYL CARBAMOYL CHLORIDE	79-44-7	0.02		Y	N
CADMIUM COMPOUNDS		0.01	K	N	Y	DIMETHYL FORMAMIDE	68-12-2	1		Y	N
CALCIUM CYANAMIDE	156-62-7	10		Y	Y	DIMETHYL HYDRAZINE, [1,1-]	57-14-7	0.008		Y	N
CAPROLACTAM (Delisted)	105-60-2					DIMETHYL PHTHALATE	131-11-3	10		Y	N
CAPTAN	133-06-2	10		Y	Y	DIMETHYL SULFATE	77-78-1	0.1		Y	N
CARBARYL	63-25-2	10	V	Y	Y	DIMETHYLAMINOAZOBENZENE, [4-]	60-11-7	1		Y	N
CARBON DISULFIDE	75-15-0	1		Y	N	DIMETHYLANILINE, [N-N-]	121-69-7	1		Y	N
CARBON TETRACHLORIDE	56-23-5	1		Y	N	DINITRO-O-CRESOL, [4,6-] (Note 6)	534-52-1	0.1	E	Y	Y
CARBONYL SULFIDE	463-58-1	5		Y	N	DINITROPHENOL, [2,4-]	51-28-5	1		Y	N
CATECHOL	120-80-9	5		Y	N	DINITROTOLUENE, [2,4-]	121-14-2	0.02		Y	N
CHLORAMBEN	133-90-4	1		Y	Y	DIOXANE, [1,4-]	123-91-1	6		Y	N
CHLORDANE	57-74-9	0.01		Y	Y	DIPHENYLHYDRAZINE, [1,2-]	122-66-7	0.09	V	Y	Y
CHLORINE	7782-50-5	0.1		N	N	DIPHENYLMETHANE DIISOCYANATE, [4,4-]	101-68-8	0.1	V	Y	N
CHLOROACETIC ACID	79-11-8	0.1		Y	N	EPICHLOROHYDRIN	106-89-8	2		Y	N
CHLOROACETOPHENONE, [2-]	532-27-4	0.06		Y	N	ETHOXYETHANOL, [2-]	110-80-5	10	P	Y	N
CHLOROENZENE	108-90-7	10		Y	N	ETHOXYETHYL ACETATE, [2-]	111-15-9	5	P	Y	N
CHLOROENZILATE	510-15-6	0.4	V	Y	Y	ETHYL ACRYLATE	140-88-5	1		Y	N
CHLOROFORM	67-66-3	0.9		Y	N	ETHYL BENZENE	100-41-4	10		Y	N

Air Pollution Control Program

Table of Hazardous Air Pollutants and Screening Model Action Levels

Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM	Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM
ETHYL CHLORIDE	75-00-3	10		Y	N	NITROBENZENE	98-95-3	1		Y	N
ETHYLENE GLYCOL	107-21-1	10		Y	N	NITROBIPHENYL, [4-]	92-93-3	1	V	Y	N
ETHYLENE GLYCOL MONOBUTYL ETHER (Delisted)	111-76-2					NITROPHENOL, [4-]	100-02-7	5		Y	N
ETHYLENE GLYCOL MONOHEXYL ETHER	112-25-4	5	P	Y	N	NITROPROPANE, [2-]	79-46-9	1		Y	N
ETHYLENE IMINE [AZIRIDINE]	151-56-4	0.003		Y	N	NITROSODIMETHYLAMINE, [N-]	62-75-9	0.001		Y	N
ETHYLENE OXIDE	75-21-8	0.1		Y	N	NITROSOMORPHOLINE, [N-]	59-89-2	1		Y	N
ETHYLENE THIOUREA	96-45-7	0.6		Y	Y	NITROSO-N-METHYLUREA, [N-]	684-93-5	0.0002		Y	N
FORMALDEHYDE	50-00-0	2		Y	N	OCTACHLORONAPHTHALENE	2234-13-1	0.01	V	Y	N
GLYCOL ETHER (ETHYLENE GLYCOL ETHERS)		5	P	Y	N	PARATHION	56-38-2	0.1		Y	Y
GLYCOL ETHER (DIETHYLENE GLYCOL ETHERS)		5	P	Y	N	PCB [POLYCHLORINATED BIPHENYLS]	1336-36-3	0.009	X	Y	Y
HEPTACHLOR	76-44-8	0.02		Y	N	PENTACHLORONITROBENZENE	82-68-8	0.3		Y	N
HEXACHLOROBENZENE	118-74-1	0.01		Y	N	PENTACHLOROPHENOL	87-86-5	0.7		Y	N
HEXACHLOROBUTADIENE	87-68-3	0.9		Y	N	PHENOL	108-95-2	0.1		Y	N
HEXACHLOROCYCLOHEXANE, [ALPHA-]	319-84-6	0.01	F	Y	N	PHENYLENEDIAMINE, [PARA-]	106-50-3	10		Y	N
HEXACHLOROCYCLOHEXANE, [BETA-]	319-85-7	0.01	F	Y	N	PHOSGENE	75-44-5	0.1		Y	N
HEXACHLOROCYCLOHEXANE, [DELTA-]	319-86-8	0.01	F	Y	N	PHOSPHINE	7803-51-2	5		N	N
HEXACHLOROCYCLOHEXANE, [TECHNICAL]	608-73-1	0.01	F	Y	N	PHOSPHOROUS (YELLOW OR WHITE)	7723-14-0	0.1		N	N
HEXACHLOROCYCLOPENTADIENE	77-47-4	0.1		Y	N	PHTHALIC ANHYDRIDE	85-44-9	5		Y	N
HEXACHLOROETHANE	67-72-1	5		Y	N	POLYCYCLIC ORGANIC MATTER		0.01	V	Y	N
HEXAMETHYLENE,-1,6-DIISOCYANATE	822-06-0	0.02		Y	N	PROPANE SULTONE, [1,3-]	1120-71-4	0.03		Y	Y
HEXAMETHYLPHOSPHORAMIDE	680-31-9	0.01		Y	N	PROPIOLACTONE, [BETA-]	57-57-8	0.1		Y	N
HEXANE, [N-]	110-54-3	10		Y	N	PROPIONALDEHYDE	123-38-6	5		Y	N
HYDRAZINE	302-01-2	0.004		N	N	PROPOXUR [BAYGON]	114-26-1	10		Y	Y
HYDROGEN CHLORIDE	7647-01-0	10		N	N	PROPYLENE OXIDE	75-56-9	5		Y	N
HYDROGEN FLUORIDE	7664-39-3	0.1		N	N	PROPYLENEIMINE, [1,2-]	75-55-8	0.003		Y	N
HYDROQUINONE	123-31-9	1		Y	N	QUINOLINE	91-22-5	0.006		Y	N
INDENO(1,2,3CD)PYRENE	193-39-5	0.01	V	Y	N	QUINONE	106-51-4	5		Y	N
ISOPHORONE	78-59-1	10		Y	N	RADIONUCLIDES		Note 1	Y	N	Y
LEAD COMPOUNDS		0.01	Q	N	Y	SELENIUM COMPOUNDS		0.1	W	N	Y
LINDANE [GAMMA-HEXACHLOROCYCLOHEXANE]	58-89-9	0.01	F	Y	N	STYRENE	100-42-5	1		Y	N
MALEIC ANHYDRIDE	108-31-6	1		Y	N	STYRENE OXIDE	96-09-3	1		Y	N
MANGANESE COMPOUNDS		0.8	R	N	Y	TETRACHLORODIBENZO-P-DIOXIN,[2,3,7,8]	1746-01-6	6E-07	D,V	Y	Y
MERCURY COMPOUNDS		0.01	S	N	N	TETRACHLOROETHANE, [1,1,2,2-]	79-34-5	0.3		Y	N
METHANOL	67-56-1	10		Y	N	TETRACHLOROETHYLENE	127-18-4	10		N	N
METHOXYCHLOR	72-43-5	10	V	Y	Y	TITANIUM TETRACHLORIDE	7550-45-0	0.1		N	N
METHOXYETHANOL, [2-]	109-86-4	10	P	Y	N	TOLUENE	108-88-3	10		Y	N
METHYL CHLORIDE	74-87-3	10		Y	N	TOLUENE DIISOCYANATE, [2,4-]	584-84-9	0.1		Y	N
METHYL ETHYL KETONE (Delisted)	78-93-3					TOLUIDINE, [ORTHO-]	95-53-4	4		Y	N
METHYL HYDRAZINE	60-34-4	0.06		Y	N	TOXAPHENE	8001-35-2	0.01		Y	N
METHYL IODIDE	74-88-4	1		Y	N	TRICHLOROBENZENE, [1,2,4-]	120-82-1	10		Y	N
METHYL ISOBUTYL KETONE	108-10-1	10		Y	N	TRICHLOROETHANE, [1,1,1-]	71-55-6	10		N	N
METHYL ISOCYANATE	624-83-9	0.1		Y	N	TRICHLOROETHANE, [1,1,2-]	79-00-5	1		Y	N
METHYL METHACRYLATE	80-62-6	10		Y	N	TRICHLOROETHYLENE	79-01-6	10		Y	N
METHYL TERT-BUTYL ETHER	1634-04-4	10		Y	N	TRICHLOROPHENOL, [2,4,5-]	95-95-4	1		Y	N
METHYLCYCLOPENTADIENYL MANGANESE	12108-13-3	0.1	R	N	Y	TRICHLOROPHENOL, [2,4,6-]	88-06-2	6		Y	N
METHYLENE BIS(2-CHLOROANILINE), [4,4-]	101-14-4	0.2	V	Y	Y	TRIETHYLAMINE	121-44-8	10		Y	N
METHYLENEDIANILINE, [4,4-]	101-77-9	1	V	Y	N	TRIFLURALIN	1582-09-8	9		Y	Y
METHYLNAPHTHALENE, [2-]	91-57-6	0.01	V	Y	N	TRIMETHYLPENTANE, [2,2,4-]	540-84-1	5		Y	N
MINERAL FIBERS		0	T	N	Y	URETHANE [ETHYL CARBAMATE]	51-79-6	0.8		Y	N
NAPHTHALENE	91-20-3	10	V	Y	N	VINYL ACETATE	108-05-4	1		Y	N
NAPHTHYLAMINE, [ALPHA-]	134-32-7	0.01	V	Y	N	VINYL BROMIDE	593-60-2	0.6		Y	N
NAPHTHYLAMINE, [BETA-]	91-59-8	0.01	V	Y	N	VINYL CHLORIDE	75-01-4	0.2		Y	N
NICKEL CARBONYL	13463-39-3	0.1	U	N	Y	XYLENE, [META-]	108-38-3	10	G	Y	N
NICKEL COMPOUNDS		1	U	N	Y	XYLENES (MIXED ISOMERS)	1330-20-7	10	G	Y	N
NICKEL REFINERY DUST		0.08	U	N	Y						
NICKEL SUBSULFIDE	12035-72-2	0.04	U	N	Y						

Air Pollution Control Program Table of Hazardous Air Pollutants and Screening Model Action Levels

Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM	Chemical	CAS #	SMAL tons/yr	Group ID	VOC	PM
----------	-------	-----------------	-------------	-----	----	----------	-------	-----------------	-------------	-----	----

Legend	
Group ID	
A	Asbestos
B	Cresols/Cresylic Acid (isomers and mixtures)
C	2,4 - D, Salts and Esters
D	Dibenzofurans, Dibenzodioxins
E	4, 6 Dinitro-o-cresol, and Salts
F	Lindane (all isomers)
G	Xylenes (all isomers and mixtures)
H	Antimony Compounds
I	Arsenic Compounds
J	Beryllium Compounds
K	Cadmium Compounds
L	Chromium Compounds
M	Cobalt Compounds
N	Coke Oven Emissions
O	Cyanide Compounds
P	Glycol Ethers
Q	Lead Compounds (except elemental Lead)
R	Manganese Compounds
S	Mercury Compounds
T	Fine Mineral Fibers
U	Nickel Compounds
V	Polycyclic Organic Matter
W	Selenium Compounds
X	Polychlorinated Biphenyls (Aroclors)
Y	Radionuclides
Notes	The SMAL for radionuclides is defined as the effective dose equivalent to 0.3 millirems per year for 7 years exposure associated with a cancer risk of 1 in 1 million