


STATE OF MISSOURI



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: 082010-009

Project Number: 2010-06-043  
Installation ID: PORT-0672

Parent Company: Ideker, Inc.

Parent Company Address: P.O. Box 7140, St. Joseph, MO 64507

Installation Name: Ideker, Inc.

Installation Address: 12528 6th Street, Mosby, MO 64024

Location Information: Clay County, S17, T52N, R30W

Application for Authority to Construct was made for:  
The installation of a new portable crushing plant. This review was conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

AUG 23 2010

EFFECTIVE DATE

DIRECTOR OR DESIGNEE  
DEPARTMENT OF NATURAL RESOURCES

## STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

**You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review.** In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Departments' Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department of Natural Resources Regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

Page No.	3
Permit No.	
Project No.	2010-06-043

**GENERAL SPECIAL CONDITIONS:**

The permittee is authorized to construct and operate subject to the following special conditions:

*The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."*

1. **Equipment Identification Requirement**  
Ideker, Inc. shall maintain easily read permanent markings on each component of the plant. These markings shall be the equipment's serial number or a company assigned identification number that uniquely identifies the individual component. These identification numbers must be submitted to the Air Pollution Control Program no later than 15 days after start-up of the portable rock crushing plant.
2. **Relocation of Portable Rock Crushing Plant**
  - A. Ideker, Inc. shall not be operated at any location longer than 24 consecutive months.
  - B. A complete "Portable Source Relocation Request" application must be submitted to the Air Pollution Control Program prior to any relocation of this portable rock crushing plant.
    - 1) If the portable rock crushing plant is moving to a site previously permitted, and if the circumstances at the site have not changed (e.g. the site was only permitted for solitary operation and now another plant is located at the site), then the application must be received by the Air Pollution Control Program at least seven days prior to the relocation.
    - 2) If the portable rock crushing plant is moving to a new site, or if circumstances at the site have changed, then the application must be received by the Air Pollution Control Program at least 21 days prior to the relocation. The application must include written notification of any concurrently operating plants.
3. **Record Keeping Requirement**  
Ideker, Inc. shall maintain all records required by this permit for not less than five years and shall make them available to any Missouri Department of Natural Resources' personnel upon request.
4. **Reporting Requirement**  
Ideker, Inc. shall report to the Air Pollution Control Program Enforcement Section P.O. Box 176, Jefferson City, MO 65102, no later than ten days after any exceedances of the limitations imposed by this permit.

Page No.	4
Permit No.	
Project No.	2010-06-043

**SITE SPECIFIC SPECIAL CONDITIONS:**

The permittee is authorized to construct and operate subject to the following special conditions:

*The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."*

PORT ID Number: PORT-0672

Site ID Number: 047-0182

Site Name: Mosby

Site Address: 12528 6th Street Mosby, MO 64024

Site County: Clay S17, T52N, R30W

1. Best Management Practices Requirement  
Ideker, Inc. shall control fugitive emissions from all of the haul roads and vehicular activity areas at this site by performing Best Management Practices as defined in Attachment AA.
2. Ambient Air Impact Limitation
  - A. Ideker, Inc. shall not cause an exceedance of the National Ambient Air Quality Standard (NAAQS) for particulate matter less than ten microns in aerodynamic diameter (PM<sub>10</sub>) of 150.0 µg/m<sup>3</sup> 24-hour average in ambient air.
  - B. Ideker, Inc. shall demonstrate compliance with special condition 2.A using Attachment A or another equivalent form that has been approved by the Air Pollution Control Program, including an electronic form. Ideker, Inc. shall account for the impacts from other sources of PM<sub>10</sub> as instructed in Attachment A and B.
3. Annual Emission Limit
  - A. Ideker, Inc. shall emit less than 40.0 tons of NO<sub>x</sub> in any 12-month period from the entire installation.
  - B. Ideker, Inc. shall demonstrate compliance with special condition 3.A using Attachment C or another equivalent form that has been approved by the Air Pollution Control Program, including an electronic form.
4. Operational Limitations  
Ideker, Inc. shall not process any material other than recycled asphalt pavement while operating at this site.
5. Minimum Distance to Property Boundary Requirement  
The primary emission point shall be located at least 400 feet from the nearest property boundary.

Page No.	5
Permit No.	
Project No.	2010-06-043

**SITE SPECIFIC SPECIAL CONDITIONS:**

The permittee is authorized to construct and operate subject to the following special conditions:

---

6. Primary Equipment Requirement  
Ideker, Inc. shall process all rock through the primary crusher (EU-04). Bypassing the primary crusher is prohibited.
  
7. Record Keeping Requirement  
Ideker, Inc. shall maintain all records required by this permit for not less than five years and make them available to any Missouri Department of Natural Resources personnel upon request.
  
8. Reporting Requirement  
Ideker, Inc. shall report to the Air Pollution Control Program Enforcement Section P.O. Box 176, Jefferson City, MO 65102, no later than ten days after any exceedances of the limitations imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE  
SECTION (5) REVIEW

Project Number: 2010-06-043  
Installation ID Number: PORT-0672  
Permit Number:

Ideker, Inc.  
12528 6th Street  
Mosby, MO 64024

Complete: June 8, 2010

Parent Company:  
Ideker, Inc.  
P.O. Box 7140  
St. Joseph, MO 64507

Clay County, S17, T52N, R30W

### PROJECT DESCRIPTION

Ideker, Inc. is installing a new portable crushing plant (PORT-0672). The maximum hourly design rate of the rock crushing plant is 550 tons of rock crushed per hour. PORT-0672 will be crushing recycled asphalt pavement exclusively at this site (047-0182). Because of the consistency of the asphalt pavement the PM<sub>10</sub> emissions were calculated using the controlled emissions factor found in AP-42. The plant is powered by a 525 Horsepower diesel engine. There is a stationary asphalt plant owned by Ideker, Inc. currently operating at site 047-0182.

The applicant is using one of the methods described in Attachment AA, "Best Management Practices," to control emissions from haul roads and vehicular activity areas.

This installation is located in Clay County, a maintenance area for ozone and an attainment area for all other criteria pollutants.

This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability.

No permits have been issued to Ideker, Inc. from the Air Pollution Control Program.

### TABLES

The table below summarizes the emissions of this project. The potential emissions of the process equipment, which excluded emissions from haul roads and wind erosion, are site specific should not vary from site to site. The potential emissions of the application represent the emissions of all equipment and activities assuming continuous operation (8760 hours per year). This conditioned potential emissions are based on a voluntary NO<sub>x</sub>

limit of 40.0 tons per year to avoid dispersion modeling requirements found in 10 CSR 10-6.060 Section (6).

Table 1: Emissions Summary (tons per year)

Air Pollutant	De Minimis Level/ SMAL	<sup>1</sup> Potential Emissions of the Process Equipment	Existing Actual Emissions	<sup>2</sup> Potential Emissions of the Application	<sup>3</sup> Conditioned Potential Emissions
PM <sub>10</sub>	15.0	9.08	N/A	16.20	8.80
SO <sub>x</sub>	40.0	4.85	N/A	4.85	2.63
NO <sub>x</sub>	40.0	73.69	N/A	73.69	<40.00
VOC	40.0	6.02	N/A	6.02	3.27
CO	100.0	15.88	N/A	15.88	8.62
Total HAPs	25.0	0.07	N/A	0.07	0.04

N/A = Not Applicable

<sup>1</sup>Excludes haul road and wind erosion emissions

<sup>2</sup>Includes site specific haul road and storage pile emissions

<sup>3</sup>Conditioned potential emissions based on a voluntary limit to avoid dispersion modeling requirements found in 10 CSR 10-6.060 Section (6). Other pollutants proportionately reduced

Table 2: Ambient Air Quality Impact Analysis

Pollutant	<sup>1</sup> NAAQS/ RAL (µg/m <sup>3</sup> )	Averaging Time	<sup>2</sup> Maximum Modeled Impact (µg/m <sup>3</sup> )	Limited Impact (µg/m <sup>3</sup> )	Background (µg/m <sup>3</sup> )	<sup>3</sup> Daily Limit (tons/day)
<sup>4</sup> PM <sub>10</sub> (same)	150.0	24-hour	195.33	130.0	20.0	9,536
<sup>5</sup> PM <sub>10</sub> (separate)	150.0	24-hour	N/A	65.0	85.0	4,768

<sup>1</sup>National Ambient Air Quality Standards (NAAQS) and Risk Assessment Level (RAL)

<sup>2</sup>Modeled impact at maximum capacity with controls

<sup>3</sup>Indirect limit based on compliance with NAAQS.

<sup>4</sup>Solitary operation or operation with other plants that are owned by Ideker, Inc.

<sup>5</sup>Operation with other plants that are not owned by Ideker, Inc.

## EMISSIONS CALCULATIONS

Emissions for the project were calculated using emission factors found in the United States Environmental Protection Agency (EPA) document AP-42 *Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources*, Fifth Edition (AP-42).

Emissions from the rock-crushing equipment were calculated using emission factors from AP-42 Section 11.19.2 "Crushed Stone Processing and Pulverized Mineral Processing," August 2004. The controlled emission factors were used due to the consistency of recycled asphalt pavement.

Emissions from the diesel engines/generators were calculated using emission factors from AP-42 Section 3.3 Gasoline and Diesel Industrial Engines," October 1996.

Emissions from haul roads and vehicular activity areas were calculated using the predictive equation from AP-42 Section 13.2.2 "Unpaved Roads," November 2006. A 90% control efficiency is applied to the emission calculations for the use of BMPs. Emissions from load-in and load-out of storage piles were calculated using the predictive equation from AP-42 Section 13.2.4. Emissions from wind erosion of storage piles were calculated using an equation found in the Air Pollution Control Program's Emissions Inventory Questionnaire Form 2.8 "Storage Pile Worksheet."

## AMBIENT AIR QUALITY IMPACT ANALYSIS

An ambient air quality impact analysis (AAQIA) was performed to determine the impact of the pollutants listed in Table 2. The Air Pollution Control Program requires an AAQIA of PM<sub>10</sub> for all asphalt, concrete and rock-crushing plants regardless of the level of PM<sub>10</sub> emissions if a permit is required. An AAQIA is required for other pollutants if their emissions exceed their respective de minimis or screening model action level (SMAL). The AAQIA was performed using the Air Pollution Control Program's generic nomographs and when appropriate the EPA modeling software SCREEN3. For each pollutant that was modeled, the maximum concentration that occurs at or beyond the site boundary was compared to the National Ambient Air Quality Standard (NAAQS) or Risk Assessment Level (RAL) for the pollutant. If during continuous operation the modeled concentration of a pollutant is greater than the applicable NAAQS or RAL, the plant's production is limited to ensure compliance with the standard.

This plant uses BMPs to control emissions from haul roads and vehicular activity areas, so emissions from these sources were not included in the AAQIA. Instead they were addressed as a background concentration of 20 µg/m<sup>3</sup> of PM<sub>10</sub> in accordance with the Air Pollution Control Program's BMPs interim policy.

## OPERATING SCENARIOS

The plant is permitted to operate with other plants located at the site as long as the NAAQS is not exceeded. The following scenarios explain how Ideker, Inc. shall demonstrate compliance with the NAAQS.

- When plants that are owned by Ideker, Inc., which are referred to as same owner plants, are located at the site, Ideker, Inc. must calculate the daily impact of each plant and limit the total impact of all plants below the NAAQS.
- When plants that are not owned by Ideker, Inc., which are referred to as separate owner plants, are located at the site, Ideker, Inc. must account for the impacts of these plants as a background concentration and add it to the total impact of all plants owned by Ideker, Inc. that are operating at the site. This total is limited below the NAAQS. Ideker, Inc. will limit the total impact of all plants they own and operate at the site to 65 µg/m<sup>3</sup> when any plants they do not own are located at the site. Ideker, Inc. is not permitted to operate with any plant that is not owned by Ideker, Inc. that has a separate owner background greater than 65.0 µg/m<sup>3</sup>.



## PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of NO<sub>x</sub> are conditioned below de minimis levels.

## APPLICABLE REQUIREMENTS

Ideker, Inc. shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved. For a complete list of applicable requirements for your installation, please consult your operating permit.

### GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110. The emission fee is the amount established by the Missouri Air Conservation Commission annually under Missouri Air Law 643.079(1). Submission of an Emissions Inventory Questionnaire (EIQ) is required June 1 for the previous year's emissions.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Odors*, 10 CSR 10-3.090

### SPECIFIC REQUIREMENTS

- 40 CFR 60 Subpart OOO, "Standards of Performance for Nonmetallic Mineral Processing Plants" applies to the equipment. 40 CFR 60 Subpart IIII, "Standards of Performance for Stationary Compression Ignition Internal Combustion Engines" applies to the equipment.
- None of the National Emission Standards for Hazardous Air Pollutants (NESHAPS) or National Emission Standards for Hazardous Air Pollutants for Source Categories (MACTS) apply to the proposed equipment.
- *Restriction of Emission of Sulfur Compounds*, 10 CSR 10-6.260

## STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

---

Gerad Fox  
Environmental Engineer

---

Date

#### PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated June 7, 2010, received June 8, 2010, designating Ideker, Inc. as the owner and operator of the installation.
- U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition.
- Kansas City Regional Office Site Survey, dated July 1, 2010.







## Attachment AA: Best Management Practices

Haul roads and vehicular activity areas shall be maintained in accordance with at least one of the following options when the portable plant is operating.

1. Pavement
  - A. The operator shall pave the area with materials such as asphalt, concrete or other materials approved by the Air Pollution Control Program. The pavement will be applied in accordance with industry standards to achieve control of fugitive emissions<sup>1</sup> while the plant is operating.
  - B. Maintenance and repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
  - C. The operator shall periodically wash or otherwise clean all of the paved portions of the haul roads as necessary to achieve control of fugitive emissions from these areas while the plant is operating.
  
2. Application of Chemical Dust Suppressants
  - A. The operator shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to unpaved areas.
  - B. The quantities of the chemical dust suppressant shall be applied and maintained in accordance with the manufacturer's recommendation (if available) and in sufficient quantities to achieve control of fugitive emissions from these areas while the plant is operating.
  - C. The operator shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator shall keep these records with the plant for not less than five (5) years and make these records available to Department of Natural Resources personnel upon request.
  
3. Application of Water-Documented Daily
  - A. The operator shall apply water to unpaved areas. Water shall be applied at a rate of 100 gallons per day per 1,000 square feet of unpaved or untreated surface area while the plant is operating.
  - B. Precipitation may be substituted for watering if the precipitation is greater than one quarter of one inch and is sufficient to control fugitive emissions.
  - C. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads.
  - D. The operator shall record the date, volume of water application and total surface area of active haul roads or the amount of precipitation that day. The operators shall also record the rationale for not watering (e.g. freezing conditions or not operating).
  - E. The operator shall keep these records with the plant for not less than five (5) years, and the operator shall make these records available to Department of Natural Resources personnel upon request

<sup>1</sup>For purposes of this document, Control of Fugitive Emissions means to control particulate matter that is not collected by a capture system and visible emissions to the extent necessary to prevent violations of the air pollution law or regulation. (Note: control of visible emission is not the only factor to consider in protection of ambient air quality.)

## Attachment BB: Emission Calculations

Ideker, Inc.  
2010-06-043

Description	<sup>1</sup> MHDR	MHDR Units	<sup>2</sup> PM <sub>10</sub> EF	EF Units	Control Eff. %	Emissions (lb/hr)	<sup>3</sup> Modeling Rate (lb/hr)
Truck Loading - Fragmented Stone	550.00	Tons	0.000016	Tons	0.00	0.0088	0.0064
Truck Unloading - Fragmented Stone	550.00	Tons	0.000016	Tons	0.00	0.0088	0.0064
Grizzly Feeder - Cedar Rapids	550.00	Tons	0.000016	Tons	0.00	0.0088	0.0064
Primary Crusher - Cedar Rapids 4338 - MFG 96	550.00	Tons	0.0024	Tons	75.00	0.33	0.24
Discharge Conveyor 36"	550.00	Tons	0.0011	Tons	95.80	0.025	0.018
Screen - Simplicity - 6'x20' - MFG 2005	550.00	Tons	0.0087	Tons	91.50	0.41	0.29
Conveyor Simplicity - 48"	550.00	Tons	0.0011	Tons	95.80	0.025	0.018
Conveyor Marco - 24"	550.00	Tons	0.0011	Tons	95.80	0.025	0.018
Conveyor Marco - 24"	550.00	Tons	0.0011	Tons	95.80	0.025	0.018
Truck Loading - Conveyor	550.00	Tons	0.0011	Tons	95.80	0.025	0.018
Diesel Generator	0.0278	Mgal	42.47	Mgal	0.00	1.18	0.85
Storage Pile	550.00	Tons	0.012	Tons	90.00	0.66	0.48
Storage Pile	0.35	Acres	0.089	Acres	90.00	0.0031	0.0023
Storage Pile	550.00	Tons	0.0055	Tons	90.00	0.30	0.22
Storage Pile	550.00	Tons	0.012	Tons	90.00	0.66	0.48

<sup>1</sup>Maximum Hourly Design Rate (MHDR)

<sup>2</sup>Emission Factor (EF)

<sup>3</sup>The Modeling Rate is the emission rate scaled to the daily hours of operation at MHDR allow by the permit.