



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: 052010-001 Project Number: 2010-01-042

Parent Company: Jasper Stone, LLC.

Parent Company Address: 17389 Redbud, Jasper, MO 64755

Installation Name: Jasper Stone, LLC.

Installation ID: 097-0166

Installation Address: Northeast of Hwy 71 and Route K, Jasper, MO 64755

Location Information: Jasper County, S13, T30N, R31W

Application for Authority to Construct was made for: Installation and operation of a new stationary 395 ton per year rock crushing plant. This review was conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, Construction Permits Required.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

MAY 3 2010

EFFECTIVE DATE

DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Departments' Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department of Natural Resources Regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

Page No.	3
Permit No.	
Project No.	2010-01-042

SITE SPECIFIC SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."

Site ID Number: 097-0166

Site Name: Jasper Stone, LLC.

Site Address: NE of Hwy 71 and Route K Jasper, MO 64755

Site County: Jasper S13, T30N, R31W

1. Best Management Practices (BMPs) Requirement
Jasper Stone, LLC. shall control fugitive emissions from all of the haul roads and vehicular activity areas at this site by performing BMPs as defined in Attachment AA.
2. Annual Emission Limit
 - A. Jasper Stone, LLC. shall emit less than 15.0 tons of PM₁₀ in any 12-month period from the entire installation.
 - B. Jasper Stone, LLC. shall demonstrate compliance with special condition 2.A using Attachment A or another equivalent form that has been approved by the Air Pollution Control Program, including an electronic form.
3. Moisture Content Testing Requirement
 - A. Jasper Stone, LLC. shall verify that the moisture content of the processes rock is greater than or equal to 1.5% weight.
 - B. Testing shall be conducted according to the method prescribed by the American Society for Testing Materials (ASTM) D-2216, C-566 or another method approved by the Director.
 - C. The initial test shall be conducted not later than 45 days after the start of operation. A second test shall be performed the calendar year following the initial test during the months of July or August.
 - D. The test samples shall be taken from rock that has been processed by the plant or from each source of aggregate (e.g. quarry).
 - E. The written analytical report shall include the raw data and moisture content of each sample, the test date and the original signature of the individual performing the test. The report shall be filed on-site or at the Jasper Stone, LLC. main office within 30 days of completion of the required test.

Page No.	4
Permit No.	
Project No.	2010-01-042

SITE SPECIFIC SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- F. If the moisture content of either of the two tests is less than the moisture content in special condition 3.A, another test may be performed with 15 days of the noncompliant test. If the results of that test also exceed the limit, Jasper Stone, LLC. shall either:
 - 1.) Apply for a new permit to account for the revised information, or
 - 2.) Submit a plan for the installation of wet spray devices to the Air Pollution Control Program Compliance Assistance section within 10 days of the second noncompliant test. The wet spray devices shall be installed and operational within 40 days of the second noncompliant test.

- G. In lieu of testing, Jasper Stone, LLC. may obtain test results that demonstrate compliance with the moisture content in special condition 3.A from the supplier of the aggregate.

- 4. Minimum Distance to Property Boundary Requirement
The primary emission point shall be located at least 1200 feet from the nearest property boundary.

- 5. Concurrent Operation Restriction
Jasper Stone, LLC. is prohibited from operating whenever other plants are located at the site.

- 6. Record Keeping Requirement
Jasper Stone, LLC. shall maintain all records required by this permit for five years and make them available to any Missouri Department of Natural Resources personnel upon request.

- 7. Reporting Requirement
Jasper Stone, LLC. shall report to the Air Pollution Control Program Enforcement Section P.O. Box 176, Jefferson City, MO 65102, no later than ten days after any exceedances of the limitations imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (5) REVIEW

Project Number: 2010-01-042
Installation ID Number: 097-0166
Permit Number:

Jasper Stone, LLC.
Northeast of Hwy 71 and Route K
Jasper, MO 64755

Complete: January 25, 2010

Parent Company:
Jasper Stone, LLC.
17389 Redbud
Jasper, MO 64755

Jasper County, S13, T30N, R31W

PROJECT DESCRIPTION

Jasper Stone, LLC. has applied for authority to install and operate a new stationary rock crushing plant located in Jasper, Missouri, Northeast of Hwy 71 and Route K. The plant has a maximum hourly design rate of 395 tons per year (tpy). The equipment will be powered by four diesel engines: the primary crusher is powered by a 400 horsepower (HP) Cummins diesel engine, the secondary crusher is powered by a 400 HP Caterpillar diesel engine, the screens and conveyors are powered by a 300 HP Cummins diesel generator, and the 2-deck screening plant is powered by a 150 HP Deutz diesel engine.

Control devices will not be used, but the applicant is using one of the methods described in Attachment AA, "Best Management Practices," to control emissions from haul roads and vehicular activity areas. There are not any other plants located at this site and Jasper Stone, LLC. is prohibited from operating whenever other plants are located at the site.

This installation is located in Jasper County, an attainment area for all criteria pollutants. This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability.

40 CFR 60 Subpart OOO, "Standards of Performance for Nonmetallic Mineral Processing Plants" applies to the equipment. Compliance to 40 CFR 60 Subpart OOO requires equipment testing and these results were submitted to the Air Pollution Control Program by electronic mail. Compliance to 40 CFR 60 Subpart OOO also requires a Basic Operating Permit.

TABLES

No permits have been issued to Jasper Stone, LLC. from the Air Pollution Control Program.

The table below summarizes the emissions of this project. The potential emissions of the application represent the emissions of all equipment and activities assuming continuous operation (8760 hours per year). The conditioned potential emissions are based on a voluntary limit of 15.0 tpy of PM₁₀ to avoid refined modeling.

Table 1: Emissions Summary (tons per year)

Air Pollutant	De Minimis Level	Existing Potential Emissions	Existing Actual Emissions (EIQ)	Potential Emissions of the Application	¹ Conditioned Potential Emissions
PM ₁₀	15.0	N/A	N/A	183.83	< 15.0
SO _x	40.0	N/A	N/A	11.54	0.94
NO _x	40.0	N/A	N/A	175.46	14.32
VOC	40.0	N/A	N/A	14.32	1.17
CO	100.0	N/A	N/A	37.80	3.08
Total HAPs	25.0	N/A	N/A	0.16	0.01

N/A = Not Applicable

¹ Conditioned potential emissions based on 15.0 tpy PM₁₀ limit from ambient impact analysis. Other pollutants proportionately reduced.

Table 2: Ambient Air Quality Impact Analysis

Pollutant	¹ NAAQS (µg/m ³)	Averaging Time	² Maximum Modeled Impact (µg/m ³)	Background (µg/m ³)	³ Daily Limit (tons/day)
⁴ PM ₁₀	150.0	24-hour	77.14	20.0	773.54

¹ National Ambient Air Quality Standards (NAAQS)

² Modeled impact at maximum capacity with controls

³ Indirect limit based on compliance with NAAQS

⁴ Solitary operation only

EMISSIONS CALCULATIONS

Emissions for the project were calculated using emission factors found in the United States Environmental Protection Agency (EPA) document AP-42 *Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources*, Fifth Edition (AP-42).

Emissions from the rock-crushing equipment were calculated using emission factors from AP-42 Section 11.19.2 “Crushed Stone Processing and Pulverized Mineral Processing,” August 2004. The controlled emission factors were used because the inherent moisture content of the crushed rock is greater than 1.5% weight.

Emissions from the diesel engines and generators were calculated using emission factors from AP-42 Section 3.3 Gasoline and Diesel Industrial Engines,” October 1996.

Emissions from haul roads and vehicular activity areas were calculated using the predictive equation from AP-42 Section 13.2.2 “Unpaved Roads,” November 2006. A 90% control

efficiency is applied to the emission calculations for the use of BMPs. Emissions from load-in and load-out of storage piles were calculated using the predictive equation from AP-42 Section 13.2.4. The moisture content of the aggregate is 1.5% weight. Emissions from wind erosion of storage piles were calculated using an equation found in the Air Pollution Control Program's Emissions Inventory Questionnaire Form 2.8 "Storage Pile Worksheet."

AMBIENT AIR QUALITY IMPACT ANALYSIS

An ambient air quality impact analysis (AAQIA) was performed to determine the impact of the pollutants listed in Table 2. The Air Pollution Control Program requires an AAQIA of PM₁₀ for all asphalt, concrete and rock-crushing plants regardless of the level of PM₁₀ emissions if a permit is required. An AAQIA is required for other pollutants if their emissions exceed their respective de minimis or screening model action level (SMAL). The AAQIA was performed using the Air Pollution Control Program's generic nomographs and when appropriate the EPA modeling software SCREEN3. For each pollutant that was modeled, the maximum concentration that occurs at or beyond the site boundary was compared to the National Ambient Air Quality Standard (NAAQS) or Risk Assessment Level (RAL) for the pollutant. If during continuous operation the modeled concentration of a pollutant is greater than the applicable NAAQS or RAL, the plant's production is limited to ensure compliance with the standard. In cases where the plant is providing material for a highway project, the ambient impact is evaluated in accordance with a memorandum issued by the Air Pollution Control Program titled "Permitting Asphalt/Concrete Plants for Temporary Highway Projects," dated April 10, 2000. This memorandum states that air quality should be analyzed at the nearest residence or location where the public could reasonably expected to be found instead of all ambient air. This practice generally allows for a less restrictive daily production level while protecting the public.

This plant uses BMPs to control emissions from haul roads and vehicular activity areas, so emissions from these sources were not included in the AAQIA. Instead they were addressed as a background concentration of 20.0 µg/m³ of PM₁₀ in accordance with the Air Pollution Control Program's BMPs interim policy.

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of PM₁₀ are conditioned below de minimis levels.

APPLICABLE REQUIREMENTS

Jasper Stone, LLC. shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved.

GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110. The emission fee is the amount established by the Missouri Air Conservation Commission annually under Missouri Air Law 643.079(1). Submission of an Emissions Inventory Questionnaire (EIQ) is required June 1 for the previous year's emissions.
- Operating Permit is required for this installation.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-3.090

SPECIFIC REQUIREMENTS

- 40 CFR 60 Subpart OOO, "Standards of Performance for Nonmetallic Mineral Processing Plants" applies to the equipment. Compliance to 40 CFR 60 Subpart OOO requires equipment testing and these results were submitted to the Air Pollution Control Program by electronic mail.
- 40 CFR 60 Subpart IIII, "Standards of Performance for Stationary Compression Ignition Internal Combustion Engines" applies to the equipment.
- None of the National Emission Standards for Hazardous Air Pollutants (NESHAPS) or National Emission Standards for Hazardous Air Pollutants for Source Categories (MACTS) apply to the proposed equipment.
- *Restriction of Emission of Sulfur Compounds*, 10 CSR 10-6.260

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

Daronn A. Williams
Environmental Engineer

Date

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated January 15, 2010, received January 19, 2010, designating Jasper Stone, LLC. as the owner and operator of the installation.
- U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition.

Attachment A: PM₁₀ Annual Emissions Tracking Sheet

Jasper Stone, LLC. 097-0166

Project Number: 2010-01-042

Permit Number:

Site Name: Jasper Stone, LLC.

Site Address: Northeast of Hwy 71 and Route K, Jasper, MO 64755

Site County: Jasper County, S13, T30N, R31W

This sheet covers the period from _____ to _____ (Copy as needed)
 (Month, Day Year) (Month, Day Year)

Month	Production (tons)	Emission Factor (lb/ton)	Monthly Emissions ¹ (lbs)	Monthly Emissions ² (tons)	12-Month Total Emissions ³ (tons)
<i>Example</i>	<i>15,000</i>	<i>0.1063</i>	<i>1,594.5</i>	<i>0.797</i>	<i>0.797</i>
<i>Example</i>	<i>12,500</i>	<i>0.1063</i>	<i>1,328.75</i>	<i>0.664</i>	<i>1.46</i>
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			
		0.1063			

¹ Multiply the monthly production by the emission factor.

² Divide the monthly emissions (lbs) by 2000.

³ Add the monthly emissions (tons) to the sum of the monthly emissions from the previous eleven months. A total of less than **15.0 tons** is necessary for compliance.

Attachment AA: Best Management Practices

Haul roads and vehicular activity areas shall be maintained in accordance with at least one of the following options when the portable plant is operating.

1. Pavement
 - A. The operator shall pave the area with materials such as asphalt, concrete or other materials approved by the Air Pollution Control Program. The pavement will be applied in accordance with industry standards to achieve control of fugitive emissions¹ while the plant is operating.
 - B. Maintenance and repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator shall periodically wash or otherwise clean all of the paved portions of the haul roads as necessary to achieve control of fugitive emissions from these areas while the plant is operating.

2. Application of Chemical Dust Suppressants
 - A. The operator shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to unpaved areas.
 - B. The quantities of the chemical dust suppressant shall be applied and maintained in accordance with the manufacturer's recommendation (if available) and in sufficient quantities to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator shall keep these records with the plant for not less than five (5) years and make these records available to Department of Natural Resources personnel upon request.

3. Application of Water-Documented Daily
 - A. The operator shall apply water to unpaved areas. Water shall be applied at a rate of 100 gallons per day per 1,000 square feet of unpaved or untreated surface area while the plant is operating.
 - B. Precipitation may be substituted for watering if the precipitation is greater than one quarter of one inch and is sufficient to control fugitive emissions.
 - C. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads.
 - D. The operator shall record the date, volume of water application and total surface area of active haul roads or the amount of precipitation that day. The operators shall also record the rationale for not watering (e.g. freezing conditions or not operating).
 - E. The operator shall keep these records with the plant for not less than five (5) years, and the operator shall make these records available to Department of Natural Resources personnel upon request

¹For purposes of this document, Control of Fugitive Emissions means to control particulate matter that is not collected by a capture system and visible emissions to the extent necessary to prevent violations of the air pollution law or regulation. (Note: control of visible emission is not the only factor to consider in protection of ambient air quality.)