



Missouri Department of Natural Resources
Air Pollution Control Program

PART 70

PERMIT TO OPERATE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth herein.

Operating Permit Number: OP2012-020
Expiration Date: MAY 29 2017
Installation ID: 225-0040
Project Number: 2011-03-005

Installation Name and Address

Ozark Hardwood Products, LLC
191 HWY AB
Seymour, MO 65746
Webster County

Parent Company's Name and Address

Ozark Hardwood Products, LLC
191 HWY AB
Seymour, MO 65746

Installation Description:

Ozark Hardwood Products, LLC processes sawdust into pellets for use in pellet stoves. The process involves milling the raw sawdust, which is received on site by truck or produced by grinding whole logs, into a uniform size. The sawdust is then dried and processed in pellet mills. The finished pellets are cooled and bagged for shipping. The maximum production capacity is 14.95 tons of pellets per hour. This facility is above the major thresholds for Carbon Monoxide (CO) emissions.

MAY 30 2012

Effective Date

Kyra L Moore

Director or Designee

Department of Natural Resources

Table of Contents

I. INSTALLATION DESCRIPTION AND EQUIPMENT LISTING	4
INSTALLATION DESCRIPTION	4
EMISSION UNITS WITH LIMITATIONS	5
EMISSION UNITS WITHOUT LIMITATIONS	5
II. PLANT WIDE EMISSION LIMITATIONS.....	6
PERMIT CONDITION PW001	6
10 CSR 10-6.060 Construction Permits Required.....	6
Amendment to Permit No. 062010-002, currently awaiting issuance	6
III. EMISSION UNIT SPECIFIC EMISSION LIMITATIONS	7
SAWDUST STORAGE AREA	7
PERMIT CONDITION (EU0010 through EU0070)-001	7
10 CSR 10-6.060 Construction Permits Required.....	7
Amendment to Permit No. 062010-002, currently awaiting issuance	7
HAMMER MILLS	8
PERMIT CONDITION (EU0080 & EU0090)-001	8
10 CSR 10-6.060 Construction Permits Required.....	8
Amendment to Permit No. 062010-002, currently awaiting issuance	8
PERMIT CONDITION (EU0080 & EU0090)-002	9
10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants	9
FUEL BIN	10
PERMIT CONDITION EU0100-001	10
10 CSR 10-6.060 Construction Permits Required.....	10
Amendment to Permit No. 062010-002, currently awaiting issuance	10
SAWDUST DRYER	11
PERMIT CONDITION EU0110-001	11
10 CSR 10-6.060 Construction Permits Required.....	11
Construction Permit 062010-002, Issued June 2, 2010	11
PERMIT CONDITION EU0110-002	11
10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants	11
PERMIT CONDITION EU0110-003	12
10 CSR 10-6.260 Restriction of Emission of Sulfur Compounds	12
PELLET PROCESS	13
PERMIT CONDITION EU0120-001	13
10 CSR 10-6.060 Construction Permits Required.....	13
Amendment to Permit No. 062010-002, currently awaiting issuance	13
PERMIT CONDITION EU0120-002	14
10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants	14
CHIPPER, DE-BARKER AND SAWING	15
PERMIT CONDITION (EU0130 through EU0150)-001	15
10 CSR 10-6.060 Construction Permits Required.....	15
Amendment to Permit No. 062010-002, currently awaiting issuance	15
VEHICULAR ACTIVITY.....	16
PERMIT CONDITION EU0160-001	16
10 CSR 10-6.060 Construction Permits Required.....	16
Amendment to Permit No. 062010-002, currently awaiting issuance	16
IV. CORE PERMIT REQUIREMENTS	18
V. GENERAL PERMIT REQUIREMENTS.....	26
VI. ATTACHMENTS	31

ATTACHMENT A	32
Fugitive Emission Observations	32
ATTACHMENT B	33
Opacity Emission Observations	33
ATTACHMENT C	34
Method 9 Opacity Emissions Observations	34
ATTACHMENT D	35
Inspection/Maintenance/Repair/Malfunction Log.....	35
ATTACHMENT E	36
ATTACHMENT F.....	37
ATTACHMENT G	38

I. Installation Description and Equipment Listing

INSTALLATION DESCRIPTION

Ozark Hardwood Products, LLC processes sawdust into pellets for use in pellet stoves. The process involves milling the raw sawdust into a uniform size, drying the sawdust and processing it in pellet mills. The finished pellets are cooled and bagged for shipping. The installation’s maximum production capacity is 14.95 tons of pellets per hour. This facility is above the major thresholds for CO emissions.

Sawdust is delivered on site by truck. This sawdust has an average moisture content of 33 percent. Ozark Hardwood Products, LLC also operates a whole log grinder that is used to produce sawdust when it cannot be obtained from local lumber mills. These logs are also processed in a debarker. Some logs that are suitable for use as lumber are shipped off site. The sawdust is dried in a rotating drum dryer heated by a 45 million British thermal unit per hour (MMBtu/hr) sawdust fired burner. Exhaust from the dryer passes through a set of cyclones that remove the dry sawdust from the exhaust. The dried sawdust is conveyed to the pellet mills that convert the sawdust to pellets. The pellets are conveyed to a pellet cooler. The cooler is a large hopper connected to a fan that pulls air from inside the plant to cool the pellets to a temperature at which they can be bagged. The pellet cooler’s fan is exhausted to a cyclone. Once the pellets are cooled, they are conveyed to a bagger, bagged and palletized for shipping. During the summer months, Ozark Hardwood Products, LLC stores pallets in their stock yard.

Reported Air Pollutant Emissions, tons per year					
Pollutants	2010	2009	2008	2007	2006
Particulate Matter ≤ Ten Microns (PM ₁₀)	10.51	10.51			1.39
Particulate Matter ≤ 2.5 Microns (PM _{2.5})					
Sulfur Oxides (SO _x)					
Nitrogen Oxides (NO _x)	3.50	3.50			1.62
Volatile Organic Compounds(VOC)					
Carbon Monoxide (CO)	31.74	31.74			
Lead (Pb)					
Hazardous Air Pollutants (HAPs)					
Ammonia (NH ₃)					

EMISSION UNITS WITH LIMITATIONS

The following list provides a description of the equipment at this installation that emits air pollutants and that are identified as having unit-specific emission limitations.

<u>Emission Unit #</u>	<u>Description of Emission Unit</u>
EU-1	Pile Loading (Trucks)
EU-2A	Pile Loading (Chipper)
EU-03	Loadout of Sawdust Pile
EU-04	Sawdust Loader Vehicular Activity
EU-05A-C	Loading
EU-06	Loading Bins
EU-07	Conveyor
EU-08	Hammermill A
EU-09	Hammermill B
EU-10	Loading of Fuel Bin
EU-11	Sawdust Dryer
EU-12	Pellet Process (Cooler) and Fork Lift Activity
EU-13	Chipper
EU-14	De-Barker
EU-15	Lumber Sawing
EU-16	Vehicular Activity

EMISSION UNITS WITHOUT LIMITATIONS

The following list provides a description of the equipment that does not have unit specific limitations at the time of permit issuance.

Description of Emission Source

None.

II. Plant Wide Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

PERMIT CONDITION PW001

10 CSR 10-6.060 Construction Permits Required
Construction Permit No. 062010-002B, Issued March 30, 2012

Operation Limitation:

1. Ozark Hardwood Products, LLC is prohibited from receiving sawdust or logs by truck and shipping finished product by truck between the hours of 6:00 p.m. and 7:00 a.m. Monday through Thursday and 6:00 p.m. on Friday until 7:00 a.m. on Monday. [Special Condition 5A]
2. Ozark Hardwood Products, LLC shall limit the transportation of finished products to the log storage area to 50.0 tons per day. [Special Condition 6.E.]

Monitoring and Recordkeeping:

1. Ozark Hardwood Products, LLC shall show compliance with Condition 2 above using Attachment G or other electronic forms approved by the Air Pollution Control Program. [Special Condition G]
2. Ozark Hardwood Products, LLC shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request. [Special Condition 7.A.]

Reporting:

Ozark Hardwood Products, LLC shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which any limitation is exceeded. [Special Condition 7B]

III. Emission Unit Specific Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

Sawdust Storage Area	
Emission Unit	Description
EU-1	Pile Loading (Trucks): MHDR = 61.85 tph; enclosed building.
EU-2A	Pile Loading (Chipper): MHDR = 50 tph; enclosed building.
EU-03	Load Out of Sawdust Pile: MHDR = 22 tph; enclosed building
EU-04	Sawdust Loader Vehicular Activity: MHDR = 2.5 VMT; enclosed building
EU-05A-C	Loading: MHDR = 22 tph; enclosed building
EU-06	Loading Bins: MHDR = 22 tph; enclosed building
EU-07	Conveyor: MHDR = 22 tph; enclosed building

PERMIT CONDITION (EU-1 through EU-07)-001
10 CSR 10-6.060 Construction Permits Required
Construction Permit No. 062010-002B, Issued March 30, 2012

Emission Limitation:

The silt loading on the sawdust storage area shall not exceed 0.79 grams per square meter. [Special Condition 3A]

Monitoring and Recordkeeping:

1. Ozark Hardwood Products, LLC shall develop, implement and maintain a Fugitive Dust Control Plan (FDCP) to control emissions from the sawdust storage area that insures compliance with the silt loading limitation. The plan shall contain the following components: [Special Condition 3.B]
 - a. Ozark Hardwood Products, LLC shall conduct a daily survey of the sawdust storage area to determine if visible emissions are being generated and are leaving the property. [Special Condition 3.B.1]
 - b. Ozark Hardwood Products, LLC shall maintain a daily log of all maintenance, corrective actions Attachments B and D or equivalent recordkeeping forms developed by the permittee shall be used to record the results of the daily visible emissions observations and all maintenance actions at the sawdust storage area.
2. Ozark Hardwood Products, LLC shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request. [Special Condition 7.A]

Testing Requirements:

Ozark Hardwood Products, LLC shall conduct a series of initial silt loading test to demonstrate compliance with the loading limitation. [Special Condition 3.C]

1. Testing shall be conducted in accordance with method ASTM-C-136. A summary of this method is found in AP-42 Appendix C. [Special Condition 3.C.1]

- Testing shall be conducted once a quarter for three quarters following the issuance of permit number 062010-002. If these three tests demonstrate compliance with the silt loading limit, no further testing is required. If a test shows an exceedance, Ozark Hardwood Products, LLC shall revise the FDCP and test for four consecutive quarters to demonstrate compliance with the silt loading limit. [Special Condition 3.C.2]

Reporting:

Ozark Hardwood Products, LLC shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box, 176, Jefferson City, Missouri 65102, no later than ten days after the end of the month during which any record required by this permit show an exceedance of a limitation imposed by this permit. [Special Condition 7.B]

Hammer Mills	
Emission Unit	Description
EU-08	Hammer Mill A: MHDR = 22 tph; Constructed 9/6/2006; controlled by cyclone; Model/Serial No. 43365/131899309-09; Manufactured by Andritz
EU-09	Hammer Mill B: MHDR = 3.96 tph; Constructed 9/6/2006; controlled by cyclone; Model/Serial No. 43245/155473; Manufactured by Andritz

PERMIT CONDITION (EU-08 & EU-09)-001
10 CSR 10-6.060 Construction Permits Required
Construction Permit No. 062010-002B, Issued March 30, 2012

Operational Limitation:

- Ozark Hardwood Products, LLC shall control emissions from the Hammermill using cyclones as specified in the permit application. [Special Condition 4.A.1]
- The cyclones shall be operated and maintained in accordance with the manufacturer's specifications. [Special Condition 4.B]

Monitoring/Recordkeeping:

- Ozark Hardwood Products, LLC shall maintain an operating and maintenance log for the cyclones which shall include the following: [Special Condition 4.C.1-2]
 - Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions; and
 - Maintenance activities, with inspection schedule, repair actions, and replacements, etc.
- Ozark Hardwood Products, LLC shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources; personnel upon request. [Special Condition 7.A]

Reporting:

Ozark Hardwood Products, LLC shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box, 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which any record required by this permit show an exceedance of a limitation imposed by this permit. [Special Condition 7.B]

PERMIT CONDITION (EU-08 & EU-09)-002
10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants

Emission Limitation:

1. No owner or other person shall cause or permit emissions to be discharged into the atmosphere from any **new** source any visible emissions with an opacity greater than 20%.
2. Exception: A person may discharge into the atmosphere from any source of emissions for a period(s) aggregating not more than six (6) minutes in any 60 minutes air contaminants with an opacity up to 60%.

Monitoring:

1. The permittee shall conduct opacity readings on this emission unit using the procedures contained in U.S. EPA Test Method 22. At a minimum, the observer should be trained and knowledgeable about the effects on visibility of emissions caused by background contrast, ambient lighting, observer position relative to lighting, wind and the presence of uncombined water. Readings are only required when the emission unit is operating and when the weather conditions allow. If no visible or other significant emissions are observed using these procedures, then no further observations would be required. For emission units with visible emissions perceived or believed to exceed the applicable opacity standard, the source representative would then conduct a Method 9 observation.
2. The following monitoring schedule must be maintained:
 - a. Weekly observations shall be conducted for a minimum of eight consecutive weeks after permit issuance. Should no violation of this regulation be observed during this period then-
 - b. Observations must be made once every two (2) weeks for a period of eight weeks. If a violation is noted, monitoring reverts to weekly. Should no violation of this regulation be observed during this period then-
 - c. Observations must be made once per month. If a violation is noted, monitoring reverts to weekly.
3. If the source reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner from the initial monitoring frequency.

Recordkeeping:

1. The permittee shall maintain records of all observation results (see Attachment B), noting:
 - a. Whether any air emissions (except for water vapor) were visible from the emission units,
 - b. All emission units from which visible emissions occurred, and
 - c. Whether the visible emissions were normal for the process.
2. The permittee shall maintain records of any equipment malfunctions. (see Attachment D)
3. The permittee shall maintain records of any Method 9 test performed in accordance with this permit condition. (see Attachment C)
4. Attachments B, C and D contain logs including these recordkeeping requirements. These logs, or an equivalent created by the permittee, must be used to certify compliance with this requirement.
5. These records shall be made available immediately for inspection to Department of Natural Resources' personnel upon request.
6. All records shall be maintained for five years.

Reporting:

1. The permittee shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after the permittee determined using the Method 9 test that the emission unit(s) exceeded the opacity limit.
2. Reports of any deviations from monitoring, recordkeeping and reporting requirements of this permit condition shall be submitted semi-annually, in the semi-annual monitoring report and annual compliance certification, as required by Section IV of this permit.

Fuel Bin	
Emission Unit	Description
EU-10	Loading of Fuel Bin: MHDR = 5 tph; enclosed building

PERMIT CONDITION (EU-10)-001
10 CSR 10-6.060 Construction Permits Required
Construction Permit No. 062010-002B, Issued March 30, 2012

Emission Limitation:

The silt loading on the sawdust storage area shall not exceed 0.79 grams per square meter. [Special Condition 3A]

Monitoring and Recordkeeping:

1. Ozark Hardwood Products, LLC shall develop, implement and maintain a Fugitive Dust Control Plan (FDCP) to control emissions from the sawdust storage area that insures compliance with the silt loading limitation. The plan shall contain the following components: [Special Condition 3.B]
 - a. Ozark Hardwood Products, LLC shall conduct a daily survey of the sawdust storage area to determine if visible emissions are being generated and are leaving the property. [Special Condition 3.B.1]
 - b. Ozark Hardwood Products, LLC shall maintain a daily log of all maintenance, corrective actions and observations from the daily surveys. [Special Condition 3.B.2]
2. Attachments B and D or equivalent recordkeeping forms developed by the permittee shall be used to record the results of the daily visible emissions observations and all maintenance activities at the fuel bin area.
3. Ozark Hardwood Products, LLC shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources; personnel upon request. [Special Condition 7.A]

Reporting:

Ozark Hardwood Products, LLC shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box, 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which any record required by this permit show an exceedance of a limitation imposed by this permit. [Special Condition 7.B]

Sawdust Dryer	
Emission Unit	Description
EU-11	Sawdust Dryer: 44 MMBtu/hr; Controlled by cyclone; Model/Serial No. 12.5X42; Manufactured by Garunteed Performance

PERMIT CONDITION (EU-11)-001
10 CSR 10-6.060 Construction Permits Required
Construction Permit No. 062010-002B, Issued March 30, 2012

Operational Limitation:

1. Ozark Hardwood Products, LLC shall control emissions from the Sawdust Dryer using cyclones as specified in the permit application. [Special Condition 4.A.2]
2. The cyclones shall be operated and maintained in accordance with the manufacturer's specifications. [Special Condition 4.B]

Monitoring/Recordkeeping:

1. Ozark Hardwood Products, LLC shall maintain an operating and maintenance log for the cyclones which shall include the following: [Special Condition 4.C.1-2]
 - a. Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions; and
 - b. Maintenance activities, with inspection schedule, repair actions, and replacements, etc.
2. Ozark Hardwood Products, LLC shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request. [Special Condition 7.A]

Reporting:

Ozark Hardwood Products, LLC shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box, 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which any record required by this permit show an exceedance of a limitation imposed by this permit. [Special Condition 7.B]

PERMIT CONDITION (EU-11)-002
10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants

Emission Limitation:

1. No owner or other person shall cause or permit emissions to be discharged into the atmosphere from any **new** source any visible emissions with an opacity greater than 20%.
2. Exception: A person may discharge into the atmosphere from any source of emissions for a period(s) aggregating not more than six (6) minutes in any 60 minutes air contaminants with an opacity up to 60%.

Monitoring:

1. The permittee shall conduct opacity readings on this emission unit using the procedures contained in U.S. EPA Test Method 22. At a minimum, the observer should be trained and knowledgeable about the effects on visibility of emissions caused by background contrast, ambient lighting, observer position relative to lighting, wind and the presence of uncombined water. Readings are only required when the emission unit is operating and when the weather conditions allow. If no visible or

other significant emissions are observed using these procedures, then no further observations would be required. For emission units with visible emissions perceived or believed to exceed the applicable opacity standard, the source representative would then conduct a Method 9 observation.

2. The following monitoring schedule must be maintained:
 - a. Weekly observations shall be conducted for a minimum of eight consecutive weeks after permit issuance. Should no violation of this regulation be observed during this period then-
 - b. Observations must be made once every two (2) weeks for a period of eight weeks. If a violation is noted, monitoring reverts to weekly. Should no violation of this regulation be observed during this period then-
 - c. Observations must be made once per month. If a violation is noted, monitoring reverts to weekly.
3. If the source reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner from the initial monitoring frequency.

Recordkeeping:

1. The permittee shall maintain records of all observation results (see Attachment B) noting:
 - a. Whether any air emissions (except for water vapor) were visible from the emission units,
 - b. All emission units from which visible emissions occurred, and
 - c. Whether the visible emissions were normal for the process.
2. The permittee shall maintain records of any equipment malfunctions. (see Attachment D)
3. The permittee shall maintain records of any Method 9 test performed in accordance with this permit condition. (see Attachment C)
4. Attachments B, C and D contain logs including these recordkeeping requirements. These logs, or an equivalent created by the permittee, must be used to certify compliance with this requirement.
5. These records shall be made available immediately for inspection to Department of Natural Resources' personnel upon request.
6. All records shall be maintained for five years.

Reporting:

1. The permittee shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after the permittee determined using the Method 9 test that the emission unit(s) exceeded the opacity limit.
2. Reports of any deviations from monitoring, recordkeeping and reporting requirements of this permit condition shall be submitted semi-annually, in the semi-annual monitoring report and annual compliance certification, as required by Section IV of this permit.

PERMIT CONDITION (EU-11)-003

10 CSR 10-6.260 Restriction of Emission of Sulfur Compounds

Emission Limitation:

1. Emissions from any existing source operation shall not contain more than two thousand parts per million by volume (2000 ppmv) of sulfur dioxide.
2. Stack gasses shall not contain more than seventy milligrams (70 mg) per cubic meter of sulfuric acid or sulfur trioxide or any combination of those gases averaged on any consecutive three hour time period.

3. No person shall cause or permit the emission of sulfur compounds from any source which causes or contributes to concentrations exceeding those specified in 10 CSR 10-6.010 Ambient Air Quality Standards. [10 CSR 10-6.260(4) of August 30, 1996 version, 10 CSR 10-6.260(3)(B) of May 30, 2004 version & 10 CSR 10-6.010 Ambient Air Quality Standards]

Pollutant	Concentration by Volume	Remarks
Sulfur Dioxide (SO ₂)	0.03 parts per million (ppm) (80 micrograms per cubic meter (µg/m ³))	Annual arithmetic mean
	0.14 ppm (365 µg/m ³)	24-hour average not to be exceeded more than once per year
	0.5 ppm (1300 µg/m ³)	3-hour average not to be exceeded more than once per year
Hydrogen Sulfide (H ₂ S)	0.05 ppm (70 µg/m ³)	½-hour average not to be exceeded over 2 times per year
	0.03 ppm (42 µg/m ³)	½-hour average not to be exceeded over 2 times in any 5 consecutive days
Sulfuric Acid (H ₂ SO ₄)	10 µg/m ³	24-hour average not to be exceeded more than once in any 90 consecutive days

Operational Limitation/Equipment Specifications:

The emission unit shall be limited to burning sawdust for fuel.

Reporting:

The permittee shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after any exceedance of the emission limit or sulfur content limit established by 10 CSR 10-6.260, or any malfunction which causes an exceedance.

Pellet Process	
Emission Unit	Description
EU-12	Pellet Process (Cooler) and Fork Lift Activity: MHDR = 15 tph; controlled by cyclone; Constructed 9/6/2006; Model/Serial No. 24x24; Manufactured by CPM

PERMIT CONDITION (EU-12)-001
 10 CSR 10-6.060 Construction Permits Required
 Construction Permit No. 062010-002B, Issued March 30, 2012

Operational Limitation:

1. Ozark Hardwood Products, LLC shall control emissions from the Pellet Cooler using cyclones as specified in the permit application. [Special Condition 4.A.3]

2. The cyclones shall be operated and maintained in accordance with the manufacturer's specifications. [Special Condition 4.B]
3. Fork lift activity for the purpose of stockpiling finished pellets in the stock yard is prohibited between 1:00 a.m. and 7:00 a.m. [Special Condition 5.F]

Monitoring/Recordkeeping:

1. Ozark Hardwood Products, LLC shall maintain an operating and maintenance log for the cyclones which shall include the following: [Special Condition 4.C.1-2]
 - a. Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions; and
 - b. Maintenance activities, with inspection schedule, repair actions, and replacements, etc.
2. Ozark Hardwood Products, LLC shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources; personnel upon request. [Special Condition 7.A]

Reporting:

Ozark Hardwood Products, LLC shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box, 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which any record required by this permit show an exceedance of a limitation imposed by this permit. [Special Condition 7.B]

PERMIT CONDITION (EU-12)-002

10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants

Emission Limitation:

1. No owner or other person shall cause or permit emissions to be discharged into the atmosphere from any **new** source any visible emissions with an opacity greater than 20%.
2. Exception: A person may discharge into the atmosphere from any source of emissions for a period(s) aggregating not more than six (6) minutes in any 60 minutes air contaminants with an opacity up to 60%.

Monitoring:

1. The permittee shall conduct opacity readings on this emission unit using the procedures contained in U.S. EPA Test Method 22. At a minimum, the observer should be trained and knowledgeable about the effects on visibility of emissions caused by background contrast, ambient lighting, observer position relative to lighting, wind and the presence of uncombined water. Readings are only required when the emission unit is operating and when the weather conditions allow. If no visible or other significant emissions are observed using these procedures, then no further observations would be required. For emission units with visible emissions perceived or believed to exceed the applicable opacity standard, the source representative would then conduct a Method 9 observation.
2. The following monitoring schedule must be maintained:
 - a. Weekly observations shall be conducted for a minimum of eight consecutive weeks after permit issuance. Should no violation of this regulation be observed during this period then-
 - b. Observations must be made once every two (2) weeks for a period of eight weeks. If a violation is noted, monitoring reverts to weekly. Should no violation of this regulation be observed during this period then-

- c. Observations must be made once per month. If a violation is noted, monitoring reverts to weekly.
- 3. If the source reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner from the initial monitoring frequency.

Recordkeeping:

- 1. The permittee shall maintain records of all observation results (see Attachment B) noting:
 - a. Whether any air emissions (except for water vapor) were visible from the emission units,
 - b. All emission units from which visible emissions occurred, and
 - c. Whether the visible emissions were normal for the process.
- 2. The permittee shall maintain records of any equipment malfunctions. (see Attachment D)
- 3. The permittee shall maintain records of any Method 9 test performed in accordance with this permit condition. (see Attachment C)
- 4. Attachments B, C and D contain logs including these recordkeeping requirements. These logs, or an equivalent created by the permittee, must be used to certify compliance with this requirement.
- 5. These records shall be made available immediately for inspection to Department of Natural Resources' personnel upon request.
- 6. All records shall be maintained for five years.

Reporting:

- 1. The permittee shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after the permittee determined using the Method 9 test that the emission unit(s) exceeded the opacity limit.
- 2. Reports of any deviations from monitoring, recordkeeping and reporting requirements of this permit condition shall be submitted semi-annually, in the semi-annual monitoring report and annual compliance certification, as required by Section IV of this permit.

Chipper, De-Barker and Sawing	
Emission Unit	Description
EU-13	Chipper: MHDR = 50 tph (limited to 25 tph); Model/Serial No. 6400/tc27hxxk0320; Manufactured by Continental Biomass Industries
EU-14	De-Barker: MHDR = 50 tph (limited to 25 tph); Model/Serial No. 4400/812-3-012; Manufactured by Morbark; Constructed 5/7/2010
EU-15	Lumber Sawing: MHDR = 6.0 tph; Model/Serial No. 2040ZP2/33569874; Manufactured by Multitec; Constructed 7/7/2010

PERMIT CONDITION (EU-13 through EU-15)-001 10 CSR 10-6.060 Construction Permits Required Construction Permit No. 062010-002B, Issued March 30, 2012
--

Operational Limitation:

- 1. The log chipper is prohibited from operating between the hours of 7:00 p.m. and 6:00 a.m. [Special Condition 5.B]
- 2. The debarker is prohibited from operating between the hours of 7:00 p.m. and 6:00 a.m. [Special Condition 5.C]

3. Sawing of Logs for firewood is prohibited between the hours of 4:00 p.m. and 9:00 a.m. [Special Condition 5.D]
4. Ozark Hardwood Products, LLC is prohibited from operating equipment in the log yard between the hours of 5:00 p.m. and 8:00 a.m. [Special Condition 5.E.]
5. Ozark Hardwood Products, LLC is prohibited from operating the log chipper or the debarker concurrently with lumber sawing. [Special Condition 6.A]
6. Ozark Hardwood Products, LLC is prohibited from operating the log chipper and the debarker concurrently between the hours of 6:00 a.m. and 8:00 a.m. and between the hours of 5:00 p.m. and 7:00 p.m. [Special Condition 6.B.]
7. Ozark Hardwood Products, LLC shall only process logs through the log chipper at a rate of 25.0 tons per hour. [Special Condition 6.C.]
8. Ozark Hardwood Products, LLC shall only process logs through the debarker at a rate of 25.0 tons per hour. [Special Condition 6.D.]
9. Ozark Hardwood Products, LLC is prohibited from loading wood processed in the chipper into the two northern most windows of the sawdust storage building. [Special Condition 6.F.]

Monitoring and Recordkeeping:

1. Ozark Hardwood Products, LLC shall show compliance with the Conditions 7. And 8. above using Attachment E and F or other electronic forms approved by the Air Pollution Control Program. [Special Condition G]
2. Ozark Hardwood Products, LLC shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources’ personnel upon request. [Special Condition 7.A.]

Reporting:

Ozark Hardwood Products, LLC shall report to the Air Pollution Control Program’s Enforcement Section, P.O. Box, 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which any activity causes a violation of any of the conditions imposed by this permit. [Special Condition 7.B.]

Vehicular Activity	
Emission Unit	Description
EU-16	Vehicular Activity: MhDR = 0.7636 VMT/hr

PERMIT CONDITION (EU-16)-001
 10 CSR 10-6.060 Construction Permits Required
 Construction Permit No. 062010-002B, Issued March 30, 2012

Operation Limitation:

1. Ozark Hardwood Products, LLC shall control dust from all haul roads at this site using water or surfactant spray consistently and correctly at all times to prevent visible fugitive emissions from entering the ambient air beyond the property boundary. The following conditions apply to haul road watering: Condition 2.A.1-3]
 - a. The water application rate shall be 100 gallons per 1000 square feet at least once every day.

- b. A quarter inch or more rainfall during the preceding 24 hours shall substitute for one daily water application.
 - c. Water/surfactant application shall not be required when the ground is frozen or when there will be no traffic on the roads.
2. In lieu of watering, Ozark Hardwood Products, LLC may pave haul roads with asphalt, concrete or another material approved by the Air Pollution Control Program. [Special Condition 2.C]

Monitoring/Recordkeeping:

1. Ozark Hardwood Products, LLC shall keep the following records on file and available for inspection: [Special Condition 2.B.1-3]
 - a. A daily log initialed by the responsible facility operating of roads watered and quantity of water/chemical application used, or notation that there was a quarter inch or greater rainfall within the past 24 hours or that the facility was not in operation.
 - b. Water tank size, total area of roads to be watered, and the resultant number of fills necessary to accomplish the required application rate.
 - c. Records of watering equipment breakdowns and repairs.
2. Ozark Hardwood Products, LLC shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources; personnel upon request. [Special Condition 7.A]

Reporting:

Ozark Hardwood Products, LLC shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box, 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which any record required by this permit show an exceedance of a limitation imposed by this permit. [Special Condition 7.B]

IV. Core Permit Requirements

The installation shall comply with each of the following regulations or codes. Consult the appropriate sections in the Code of Federal Regulations (CFR), the Code of State Regulations (CSR), and local ordinances for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued. The following is only an excerpt from the regulation or code, and is provided for summary purposes only.

10 CSR 10-6.045 Open Burning Requirements

- 1) General Provisions. The open burning of tires, petroleum-based products, asbestos containing materials, and trade waste is prohibited, except as allowed below. Nothing in this rule may be construed as to allow open burning which causes or constitutes a public health hazard, nuisance, a hazard to vehicular or air traffic, nor which violates any other rule or statute.
- 2) Refer to the regulation for a complete list of allowances. The following is a listing of exceptions to the allowances:
 - a) Burning of household or domestic refuse. Burning of household or domestic refuse is limited to open burning on a residential premises having not more than four dwelling units, provided that the refuse originates on the same premises, with the following exceptions:
 - i) Kansas City metropolitan area. The open burning of household refuse must take place in an area zoned for agricultural purposes and outside that portion of the metropolitan area surrounded by the corporate limits of Kansas City and every contiguous municipality;
 - ii) Springfield-Greene County area. The open burning of household refuse must take place outside the corporate limits of Springfield and only within areas zoned A-1, Agricultural District;
 - iii) St. Joseph area. The open burning of household refuse must take place within an area zoned for agricultural purposes and outside that portion of the metropolitan area surrounded by the corporate limits of St. Joseph; and
 - iv) St. Louis metropolitan area. The open burning of household refuse is prohibited;
 - b) Yard waste, with the following exceptions:
 - i) Kansas City metropolitan area. The open burning of trees, tree leaves, brush or any other type of vegetation shall require an open burning permit;
 - ii) Springfield-Greene County area. The City of Springfield requires an open burning permit for the open burning of trees, brush or any other type of vegetation. The City of Springfield prohibits the open burning of tree leaves;
 - iii) St. Joseph area. Within the corporate limits of St. Joseph, the open burning of trees, tree leaves, brush or any other type of vegetation grown on a residential property is allowed during the following calendar periods and time-of-day restrictions:
 - (1) A three (3)-week period within the period commencing the first day of March through April 30 and continuing for twenty-one (21) consecutive calendar days;
 - (2) A three (3)-week period within the period commencing the first day of October through November 30 and continuing for twenty-one (21) consecutive calendar days;
 - (3) The burning shall take place only between the daytime hours of 10:00 a.m. and 3:30 p.m.; and
 - (4) In each instance, the twenty-one (21)-day burning period shall be determined by the Director of Public Health and Welfare of the City of St. Joseph for the region in which the City of St. Joseph is located provided, however, the burning period first shall receive the approval of the department Director; and

- iv) St. Louis metropolitan area. The open burning of trees, tree leaves, brush or any other type of vegetation is limited to the period beginning September 16 and ending April 14 of each calendar year and limited to a total base area not to exceed sixteen (16) square feet. Any open burning shall be conducted only between the hours of 10:00 a.m. and 4:00 p.m. and is limited to areas outside of incorporated municipalities;
- 3) Certain types of materials may be open burned provided an open burning permit is obtained from the Director. The permit will specify the conditions and provisions of all open burning. The permit may be revoked if the owner or operator fails to comply with the conditions or any provisions of the permit.
- 4) Ozark Hardwood Products, LLC may be issued an annually renewable open burning permit for open burning provided that an air curtain destructor or incinerator is utilized and only tree trunks, tree limbs, vegetation or untreated wood waste are burned. Open burning shall occur at least two hundred (200) yards from the nearest occupied structure unless the owner or operator of the occupied structure provides a written waiver of this requirement. Any waiver shall accompany the open burning permit application. The permit may be revoked if Ozark Hardwood Products, LLC fails to comply with the provisions or any condition of the open burning permit.
 - a) In a nonattainment area, as defined in 10 CSR 10-6.020, Paragraph (2)(N)5., the Director shall not issue a permit under this section unless the owner or operator can demonstrate to the satisfaction of the Director that the emissions from the open burning of the specified material would be less than the emissions from any other waste management or disposal method.
- 5) Reporting and Recordkeeping. New Source Performance Standard (NSPS) 40 CFR Part 60 Subpart CCCC establishes certain requirements for air curtain destructors or incinerators that burn wood trade waste. These requirements are established in 40 CFR 60.2245-60.2260. The provisions of 40 CFR Part 60 Subpart CCCC promulgated as of September 22, 2005, shall apply and are hereby incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401. To comply with NSPS 40 CFR 60.2245-60.2260, sources must conduct an annual Method 9 test. A copy of the annual Method 9 test results shall be submitted to the Director.
- 6) Test Methods. The visible emissions from air pollution sources shall be evaluated as specified by 40 CFR Part 60, Appendix A–Test Methods, Method 9–Visual Determination of the Opacity of Emissions from Stationary Sources. The provisions of 40 CFR Part 60, Appendix A, Method 9 promulgated as of December 23, 1971, is incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401.

10 CSR 10-6.050 Start-up, Shutdown and Malfunction Conditions

- 1) In the event of a malfunction, which results in excess emissions that exceed one hour, the permittee shall submit to the Director within two business days, in writing, the following information:
 - a) Name and location of installation;
 - b) Name and telephone number of person responsible for the installation;
 - c) Name of the person who first discovered the malfunction and precise time and date that the malfunction was discovered.
 - d) Identity of the equipment causing the excess emissions;
 - e) Time and duration of the period of excess emissions;
 - f) Cause of the excess emissions;
 - g) Air pollutants involved;
 - h) Best estimate of the magnitude of the excess emissions expressed in the units of the applicable requirement and the operating data and calculations used in estimating the magnitude;

- i) Measures taken to mitigate the extent and duration of the excess emissions; and
 - j) Measures taken to remedy the situation that caused the excess emissions and the measures taken or planned to prevent the recurrence of these situations.
- 2) The permittee shall submit the Paragraph 1 information list to the Director in writing at least ten days prior to any maintenance, start-up or shutdown, which is expected to cause an excessive release of emissions that exceed one hour. If notice of the event cannot be given ten days prior to the planned occurrence, it shall be given as soon as practicable prior to the release. If an unplanned excess release of emissions exceeding one hour occurs during maintenance, start-up or shutdown, the Director shall be notified verbally as soon as practical during normal working hours and no later than the close of business of the following working day. A written notice shall follow within ten working days.
 - 3) Upon receipt of a notice of excess emissions issued by an agency holding a certificate of authority under Section 643.140, RSMo, the permittee may provide information showing that the excess emissions were the consequence of a malfunction, start-up or shutdown. The information, at a minimum, should be the Paragraph 1 list and shall be submitted not later than 15 days after receipt of the notice of excess emissions. Based upon information submitted by the permittee or any other pertinent information available, the Director or the commission shall make a determination whether the excess emissions constitute a malfunction, start-up or shutdown and whether the nature, extent and duration of the excess emissions warrant enforcement action under Section 643.080 or 643.151, RSMo.
 - 4) Nothing in this rule shall be construed to limit the authority of the Director or commission to take appropriate action, under Sections 643.080, 643.090 and 643.151, RSMo to enforce the provisions of the Air Conservation Law and the corresponding rule.
 - 5) Compliance with this rule does not automatically absolve the permittee of liability for the excess emissions reported.

10 CSR 10-6.060 Construction Permits Required

The permittee shall not commence construction, modification, or major modification of any installation subject to this rule, begin operation after that construction, modification, or major modification, or begin operation of any installation which has been shut down longer than five years without first obtaining a permit from the permitting authority.

10 CSR 10-6.065 Operating Permits

The permittee shall file a complete application for renewal of this operating permit at least six months before the date of permit expiration. In no event shall this time be greater than eighteen months. [10 CSR 10-6.065(6)(B)1.A(V)] The permittee shall retain the most current operating permit issued to this installation on-site. [10 CSR 10-6.065(6)(C)1.C(II)] The permittee shall immediately make such permit available to any Missouri Department of Natural Resources personnel upon request. [10 CSR 10-6.065(6)(C)3.B]

10 CSR 10-6.110 Submission of Emission Data, Emission Fees and Process Information

- 1) The permittee shall submit full emissions report either electronically via MoEIS, which requires Form 1.0 signed by an authorized company representative, or on Emission Inventory Questionnaire (EIQ) paper forms on the frequency specified in this rule and in accordance with the requirements outlined in this rule. Alternate methods of reporting the emissions, such as spreadsheet file, can be submitted for approval by the Director.
- 2) The permittee may be required by the Director to file additional reports.

- 3) Public Availability of Emission Data and Process Information. Any information obtained pursuant to the rule(s) of the Missouri Air Conservation Commission that would not be entitled to confidential treatment under 10 CSR 10-6.210 shall be made available to any member of the public upon request.
- 4) The permittee shall pay an annual emission fee per ton of regulated air pollutant emitted according to the schedule in the rule. This fee is an emission fee assessed under authority of RSMo. 643.079.
- 5) The fees shall be payable to the Department of Natural Resources and shall be accompanied by the emissions report.
- 6) The permittee shall complete required reports on state supplied EIQ forms or electronically via MoEIS. Alternate methods of reporting the emissions can be submitted for approval by the Director. The reports shall be submitted to the Director by April 1 after the end of each reporting year. If the full emissions report is filed electronically via MoEIS, this due date is extended to May 1.
- 7) The reporting period shall end on December 31 of each calendar year. Each report shall contain the required information for each emission unit for the twelve (12)-month period immediately preceding the end of the reporting period.
- 8) The permittee shall collect, record and maintain the information necessary to complete the required forms during each year of operation of the installation.

10 CSR 10-6.130 Controlling Emissions During Episodes of High Air Pollution Potential

This rule specifies the conditions that establish an air pollution alert (yellow/orange/red/purple), or emergency (maroon) and the associated procedures and emission reduction objectives for dealing with each. The permittee shall submit an appropriate emergency plan if required by the Director.

10 CSR 10-6.150 Circumvention

The permittee shall not cause or permit the installation or use of any device or any other means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes an emission or air contaminant which violates a rule of the Missouri Air Conservation Commission.

10 CSR 10-6.170

Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin

Emission Limitation:

- 1) The permittee shall not cause or allow to occur any handling, transporting or storing of any material; construction, repair, cleaning or demolition of a building or its appurtenances; construction or use of a road, driveway or open area; or operation of a commercial or industrial installation without applying reasonable measures as may be required to prevent, or in a manner which allows or may allow, fugitive particulate matter emissions to go beyond the premises of origin in quantities that the particulate matter may be found on surfaces beyond the property line of origin. The nature or origin of the particulate matter shall be determined to a reasonable degree of certainty by a technique proven to be accurate and approved by the Director.
- 2) The permittee shall not cause nor allow to occur any fugitive particulate matter emissions to remain visible in the ambient air beyond the property line of origin.
- 3) Should it be determined that noncompliance has occurred, the Director may require reasonable control measures as may be necessary. These measures may include, but are not limited to, the following:
 - a) Revision of procedures involving construction, repair, cleaning and demolition of buildings and their appurtenances that produce particulate matter emissions;
 - b) Paving or frequent cleaning of roads, driveways and parking lots;
 - c) Application of dust-free surfaces;

- d) Application of water; and
- e) Planting and maintenance of vegetative ground cover.

Monitoring:

The permittee shall conduct inspections of its facilities sufficient to determine compliance with this regulation. If the permittee discovers a violation, the permittee shall undertake corrective action to eliminate the violation.

The permittee shall maintain the following monitoring schedule:

- 1) The permittee shall conduct weekly observations for a minimum of eight (8) consecutive weeks after permit issuance.
- 2) Should no violation of this regulation be observed during this period then-
 - a) The permittee may observe once every two (2) weeks for a period of eight (8) weeks.
 - b) If a violation is noted, monitoring reverts to weekly.
- c) Should no violation of this regulation be observed during this period then-
 - i) The permittee may observe once per month.
 - ii) If a violation is noted, monitoring reverts to weekly.
- 3) If the permittee reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner to the initial monitoring frequency.

Recordkeeping:

The permittee shall document all readings on Attachment A, or its equivalent, noting the following:

- 1) Whether air emissions (except water vapor) remain visible in the ambient air beyond the property line of origin.
- 2) Whether the visible emissions were normal for the installation.
- 3) Whether equipment malfunctions contributed to an exceedance.
- 4) Any violations and any corrective actions undertaken to correct the violation.

10 CSR 10-6.180 Measurement of Emissions of Air Contaminants

- 1) The Director may require any person responsible for the source of emission of air contaminants to make or have made tests to determine the quantity or nature, or both, of emission of air contaminants from the source. The Director may specify testing methods to be used in accordance with good professional practice. The Director may observe the testing. All tests shall be performed by qualified personnel.
- 2) The Director may conduct tests of emissions of air contaminants from any source. Upon request of the Director, the person responsible for the source to be tested shall provide necessary ports in stacks or ducts and other safe and proper sampling and testing facilities, exclusive of instruments and sensing devices as may be necessary for proper determination of the emission of air contaminants.
- 3) The Director shall be given a copy of the test results in writing and signed by the person responsible for the tests.

10 CSR 10-6.165 Restriction of Emission of Odors

This requirement is not federally enforceable.

No person may cause, permit or allow the emission of odorous matter in concentrations and frequencies or for durations that odor can be perceived when one volume of odorous air is diluted with seven volumes of odor-free air for two separate trials not less than 15 minutes apart within the period of one hour. This odor evaluation shall be taken at a location outside of the installation's property boundary.

10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants

Emission Limitation:

No owner or other person shall cause or permit to be discharged into the atmosphere from any source any visible emissions in excess of the limits specified by this rule. This permit will contain the opacity limits identified (10, 20 or 40 percent) for the specific emission units.

Monitoring:

- 1) The permittee shall conduct opacity readings on each emission unit using the procedures contained in U.S. EPA Test Method 22. The permittee is only required to take readings when the emission unit is operating and when the weather conditions allow. If the permittee observes no visible or other significant emissions using these procedures, then no further observations are required. For emission units with visible emissions perceived or believed to exceed the applicable opacity standard, the source representative would then conduct a Method 9 observation.
- 2) The permittee must maintain the following monitoring schedule:
 - a) The permittee shall conduct weekly observations for a minimum of eight (8) consecutive weeks after permit issuance.
 - b) Should the permittee observe no violations of this regulation during this period then-
 - i) The permittee may observe once every two (2) weeks for a period of eight (8) weeks.
 - ii) If a violation is noted, monitoring reverts to weekly.
 - iii) Should no violation of this regulation be observed during this period then-
 - (1) The permittee may observe once per month.
 - (2) If a violation is noted, monitoring reverts to weekly.
- 3) If the source reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner from the initial monitoring frequency.

Recordkeeping:

The permittee shall maintain records of all observation results using Attachment B (or its equivalent), noting:

- 1) Whether any air emissions (except for water vapor) were visible from the emission units;
- 2) All emission units from which visible emissions occurred;
- 3) Whether the visible emissions were normal for the process;
- 4) The permittee shall maintain records of any equipment malfunctions, which may contribute to visible emissions; and,
- 5) The permittee shall maintain records of all USEPA Method 9 opacity tests performed.

Title VI – 40 CFR Part 82 Protection of Stratospheric Ozone

- 1) The permittee shall comply with the standards for labeling of products using ozone-depleting substances pursuant to 40 CFR Part 82, Subpart E:
 - a) All containers in which a class I or class II substance is stored or transported, all products containing a class I substance, and all products directly manufactured with a class I substance must bear the required warning statement if it is being introduced into interstate commerce pursuant to §82.106.
 - b) The placement of the required warning statement must comply with the requirements pursuant to §82.108.
 - c) The form of the label bearing the required warning statement must comply with the requirements pursuant to §82.110.

- d) No person may modify, remove, or interfere with the required warning statement except as described in §82.112.
- 2) The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners (MVACs) in Subpart B:
 - a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to §82.156.
 - b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to §82.158.
 - c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to §82.161.
 - d) Persons disposing of small appliances, MVACs, and MVAC-like appliances must comply with recordkeeping requirements pursuant to §82.166. ("MVAC-like" appliance as defined at §82.152).
 - e) Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to §82.156.
 - f) Owners/operators of appliances normally containing 50 or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to §82.166.
- 3) If the permittee manufactures, transforms, imports, or exports a class I or class II substance, the permittee is subject to all the requirements as specified in 40 CFR Part 82, Subpart A, Production and Consumption Controls.
- 4) If the permittee performs a service on motor (fleet) vehicles when this service involves ozone-depleting substance refrigerant (or regulated substitute substance) in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements as specified in 40 CFR Part 82, Subpart B, Servicing of Motor Vehicle Air conditioners. The term "motor vehicle" as used in Subpart B does not include a vehicle in which final assembly of the vehicle has not been completed. The term "MVAC" as used in Subpart B does not include the air-tight sealed refrigeration system used as refrigerated cargo, or system used on passenger buses using HCFC-22 refrigerant.
- 5) The permittee shall be allowed to switch from any ozone-depleting substance to any alternative that is listed in the Significant New Alternatives Program (SNAP) promulgated pursuant to 40 CFR Part 82, Subpart G, Significant New Alternatives Policy Program. *Federal Only - 40 CFR Part 82*

10 CSR 10-6.280 Compliance Monitoring Usage

- 1) The permittee is not prohibited from using the following in addition to any specified compliance methods for the purpose of submission of compliance certificates:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) Monitoring method(s) approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Any other monitoring methods approved by the Director.
- 2) Any credible evidence may be used for the purpose of establishing whether a permittee has violated or is in violation of any such plan or other applicable requirement. Information from the use of the following methods is presumptively credible evidence of whether a violation has occurred by a permittee:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) A monitoring method approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and

- c) Compliance test methods specified in the rule cited as the authority for the emission limitations.
- 3) The following testing, monitoring or information gathering methods are presumptively credible testing, monitoring, or information gathering methods:
 - a) Applicable monitoring or testing methods, cited in:
 - i) 10 CSR 10-6.030, "Sampling Methods for Air Pollution Sources";
 - ii) 10 CSR 10-6.040, "Reference Methods";
 - iii) 10 CSR 10-6.070, "New Source Performance Standards";
 - iv) 10 CSR 10-6.080, "Emission Standards for Hazardous Air Pollutants"; or
 - b) Other testing, monitoring, or information gathering methods, if approved by the Director, that produce information comparable to that produced by any method listed above.

V. General Permit Requirements

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued,

10 CSR 10-6.065(6)(C)1.B Permit Duration

This permit is issued for a term of five years, commencing on the date of issuance. This permit will expire at the end of this period unless renewed.

10 CSR 10-6.065(6)(C)1.C General Recordkeeping and Reporting Requirements

- 1) Recordkeeping
 - a) All required monitoring data and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report or application.
 - b) Copies of all current operating and construction permits issued to this installation shall be kept on-site for as long as the permits are in effect. Copies of these permits shall be made immediately available to any Missouri Department of Natural Resources' personnel upon request.
- 2) Reporting
 - a) All reports shall be submitted to the Air Pollution Control Program's Enforcement Section, P. O. Box 176, Jefferson City, MO 65102.
 - b) The permittee shall submit a report of all required monitoring by:
 - i) October 1st for monitoring which covers the January through June time period, and
 - ii) April 1st for monitoring which covers the July through December time period.
 - iii) Exception. Monitoring requirements which require reporting more frequently than semi-annually shall report no later than 30 days after the end of the calendar quarter in which the measurements were taken.
 - c) Each report shall identify any deviations from emission limitations, monitoring, recordkeeping, reporting, or any other requirements of the permit, this includes deviations or Part 64 exceedances.
 - d) Submit supplemental reports as required or as needed. Supplemental reports are required no later than ten days after any exceedance of any applicable rule, regulation or other restriction. All reports of deviations shall identify the cause or probable cause of the deviations and any corrective actions or preventative measures taken.
 - i) Notice of any deviation resulting from an emergency (or upset) condition as defined in Paragraph (6)(C)7.A of 10 CSR 10-6.065 (Emergency Provisions) shall be submitted to the permitting authority either verbally or in writing within two working days after the date on which the emission limitation is exceeded due to the emergency, if the permittee wishes to assert an affirmative defense. The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that indicate an emergency occurred and the permittee can identify the cause(s) of the emergency. The permitted installation must show that it was operated properly at the time and that during the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or requirements in the permit. The notice must contain a description of the emergency, the steps taken to mitigate emissions, and the corrective actions taken.

- ii) Any deviation that poses an imminent and substantial danger to public health, safety or the environment shall be reported as soon as practicable.
- iii) Any other deviations identified in the permit as requiring more frequent reporting than the permittee's semi-annual report shall be reported on the schedule specified in this permit, and no later than ten days after any exceedance of any applicable rule, regulation, or other restriction.
- e) Every report submitted shall be certified by the responsible official, except that, if a report of a deviation must be submitted within ten days after the deviation, the report may be submitted without a certification if the report is resubmitted with an appropriate certification within ten days after that, together with any corrected or supplemental information required concerning the deviation.
- f) The permittee may request confidential treatment of information submitted in any report of deviation.

10 CSR 10-6.065(6)(C)1.D Risk Management Plan Under Section 112(r)

The permittee shall comply with the requirements of 40 CFR Part 68, Accidental Release Prevention Requirements. If the permittee has more than a threshold quantity of a regulated substance in process, as determined by 40 CFR Section 68.115, the permittee shall submit a Risk Management Plan in accordance with 40 CFR Part 68 no later than the latest of the following dates:

- 1) June 21, 1999;
- 2) Three years after the date on which a regulated substance is first listed under 40 CFR Section 68.130; or
- 3) The date on which a regulated substance is first present above a threshold quantity in a process.

10 CSR 10-6.065(6)(C)1.F Severability Clause

In the event of a successful challenge to any part of this permit, all uncontested permit conditions shall continue to be in force. All terms and conditions of this permit remain in effect pending any administrative or judicial challenge to any portion of the permit. If any provision of this permit is invalidated, the permittee shall comply with all other provisions of the permit.

10 CSR 10-6.065(6)(C)1.G General Requirements

- 1) The permittee must comply with all of the terms and conditions of this permit. Any noncompliance with a permit condition constitutes a violation and is grounds for enforcement action, permit termination, permit revocation and re-issuance, permit modification or denial of a permit renewal application.
- 2) The permittee may not use as a defense in an enforcement action that it would have been necessary for the permittee to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit
- 3) The permit may be modified, revoked, reopened, reissued or terminated for cause. Except as provided for minor permit modifications, the filing of an application or request for a permit modification, revocation and reissuance, or termination, or the filing of a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- 4) This permit does not convey any property rights of any sort, nor grant any exclusive privilege.
- 5) The permittee shall furnish to the Air Pollution Control Program, upon receipt of a written request and within a reasonable time, any information that the Air Pollution Control Program reasonably may require to determine whether cause exists for modifying, reopening, reissuing or revoking the permit or to determine compliance with the permit. Upon request, the permittee also shall furnish to

the Air Pollution Control Program copies of records required to be kept by the permittee. The permittee may make a claim of confidentiality for any information or records submitted pursuant to 10 CSR 10-6.065(6)(C)1.

10 CSR 10-6.065(6)(C)1.H Incentive Programs Not Requiring Permit Revisions

No permit revision will be required for any installation changes made under any approved economic incentive, marketable permit, emissions trading, or other similar programs or processes provided for in this permit.

10 CSR 10-6.065(6)(C)1.I Reasonably Anticipated Operating Scenarios

None.

10 CSR 10-6.065(6)(C)3 Compliance Requirements

- 1) Any document (including reports) required to be submitted under this permit shall contain a certification signed by the responsible official.
- 2) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized officials of the Missouri Department of Natural Resources, or their authorized agents, to perform the following (subject to the installation's right to seek confidential treatment of information submitted to, or obtained by, the Air Pollution Control Program):
 - a) Enter upon the premises where a permitted installation is located or an emissions-related activity is conducted, or where records must be kept under the conditions of this permit;
 - b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
 - c) Inspect, at reasonable times and using reasonable safety practices, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
 - d) As authorized by the Missouri Air Conservation Law, Chapter 643, RSMo or the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the terms of this permit, and all applicable requirements as outlined in this permit.
- 3) All progress reports required under an applicable schedule of compliance shall be submitted semi-annually (or more frequently if specified in the applicable requirement). These progress reports shall contain the following:
 - a) Dates for achieving the activities, milestones or compliance required in the schedule of compliance, and dates when these activities, milestones or compliance were achieved, and
 - b) An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventative or corrective measures adopted.
- 4) The permittee shall submit an annual certification that it is in compliance with all of the federally enforceable terms and conditions contained in this permit, including emissions limitations, standards, or work practices. These certifications shall be submitted annually by April 1st, unless the applicable requirement specifies more frequent submission. These certifications shall be submitted to EPA Region VII, 901 North 5th Street, Kansas City, KS 66101, as well as the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102. All deviations and Part 64 exceedances and excursions must be included in the compliance certifications. The compliance certification shall include the following:
 - a) The identification of each term or condition of the permit that is the basis of the certification;
 - b) The current compliance status, as shown by monitoring data and other information reasonably available to the installation;

- c) Whether compliance was continuous or intermittent;
- d) The method(s) used for determining the compliance status of the installation, both currently and over the reporting period; and
- e) Such other facts as the Air Pollution Control Program will require in order to determine the compliance status of this installation.

10 CSR 10-6.065(6)(C)6 Permit Shield

- 1) Compliance with the conditions of this permit shall be deemed compliance with all applicable requirements as of the date that this permit is issued, provided that:
 - a) The applicable requirements are included and specifically identified in this permit, or
 - b) The permitting authority, in acting on the permit revision or permit application, determines in writing that other requirements, as specifically identified in the permit, are not applicable to the installation, and this permit expressly includes that determination or a concise summary of it.
- 2) Be aware that there are exceptions to this permit protection. The permit shield does not affect the following:
 - a) The provisions of Section 303 of the Act or Section 643.090, RSMo concerning emergency orders,
 - b) Liability for any violation of an applicable requirement which occurred prior to, or was existing at, the time of permit issuance,
 - c) The applicable requirements of the acid rain program,
 - d) The authority of the Environmental Protection Agency and the Air Pollution Control Program of the Missouri Department of Natural Resources to obtain information, or
 - e) Any other permit or extra-permit provisions, terms or conditions expressly excluded from the permit shield provisions.

10 CSR 10-6.065(6)(C)7 Emergency Provisions

- 1) An emergency or upset as defined in 10 CSR 10-6.065(6)(C)7.A shall constitute an affirmative defense to an enforcement action brought for noncompliance with technology-based emissions limitations. To establish an emergency- or upset-based defense, the permittee must demonstrate, through properly signed, contemporaneous operating logs or other relevant evidence, the following:
 - a) That an emergency or upset occurred and that the permittee can identify the source of the emergency or upset,
 - b) That the installation was being operated properly,
 - c) That the permittee took all reasonable steps to minimize emissions that exceeded technology-based emissions limitations or requirements in this permit, and
 - d) That the permittee submitted notice of the emergency to the Air Pollution Control Program within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.
- 2) Be aware that an emergency or upset shall not include noncompliance caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

10 CSR 10-6.065(6)(C)8 Operational Flexibility

An installation that has been issued a Part 70 operating permit is not required to apply for or obtain a permit revision in order to make any of the changes to the permitted installation described below if the changes are not Title I modifications, the changes do not cause emissions to exceed emissions allowable

under the permit, and the changes do not result in the emission of any air contaminant not previously emitted. The permittee shall notify the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 901 North 5th Street, Kansas City, KS 66101, at least seven days in advance of these changes, except as allowed for emergency or upset conditions. Emissions allowable under the permit means a federally enforceable permit term or condition determined at issuance to be required by an applicable requirement that establishes an emissions limit (including a work practice standard) or a federally enforceable emissions cap that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject.

- 1) Section 502(b)(10) changes. Changes that, under Section 502(b)(10) of the Act, contravene an express permit term may be made without a permit revision, except for changes that would violate applicable requirements of the Act or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting or compliance requirements of the permit.
 - a) Before making a change under this provision, The permittee shall provide advance written notice to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 901 North 5th Street, Kansas City, KS 66101, describing the changes to be made, the date on which the change will occur, and any changes in emission and any permit terms and conditions that are affected. The permittee shall maintain a copy of the notice with the permit, and the Air Pollution Control Program shall place a copy with the permit in the public file. Written notice shall be provided to the EPA and the Air Pollution Control Program as above at least seven days before the change is to be made. If less than seven days notice is provided because of a need to respond more quickly to these unanticipated conditions, the permittee shall provide notice to the EPA and the Air Pollution Control Program as soon as possible after learning of the need to make the change.
 - b) The permit shield shall not apply to these changes.

10 CSR 10-6.065(6)(C)9 Off-Permit Changes

- 1) Except as noted below, the permittee may make any change in its permitted operations, activities or emissions that is not addressed in, constrained by or prohibited by this permit without obtaining a permit revision. Insignificant activities listed in the application, but not otherwise addressed in or prohibited by this permit, shall not be considered to be constrained by this permit for purposes of the off-permit provisions of this section. Off-permit changes shall be subject to the following requirements and restrictions:
 - a) The change must meet all applicable requirements of the Act and may not violate any existing permit term or condition; the permittee may not change a permitted installation without a permit revision if this change is subject to any requirements under Title IV of the Act or is a Title I modification;
 - b) The permittee must provide written notice of the change to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 901 North 5th Street, Kansas City, KS 66101, no later than the next annual emissions report. This notice shall not be required for changes that are insignificant activities under 10 CSR 10-6.065(6)(B)3. This written notice shall describe each change, including the date, any change in emissions, pollutants emitted and any applicable requirement that would apply as a result of the change.
 - c) The permittee shall keep a record describing all changes made at the installation that result in emissions of a regulated air pollutant subject to an applicable requirement and the emissions resulting from these changes; and

- d) The permit shield shall not apply to these changes.

10 CSR 10-6.020(2)(R)12 Responsible Official

The application utilized in the preparation of this permit was signed by Michael Ferguson, General Manager. If this person terminates employment, or is reassigned different duties such that a different person becomes the responsible person to represent and bind the installation in environmental permitting affairs, the owner or operator of this air contaminant source shall notify the Director of the Air Pollution Control Program of the change. Said notification shall be in writing and shall be submitted within 30 days of the change. The notification shall include the name and title of the new person assigned by the source owner or operator to represent and bind the installation in environmental permitting affairs. All representations, agreement to terms and conditions and covenants made by the former responsible person that were used in the establishment of limiting permit conditions on this permit will continue to be binding on the installation until such time that a revision to this permit is obtained that would change said representations, agreements and covenants.

10 CSR 10-6.065(6)(E)6 Reopening-Permit for Cause

This permit may be reopened for cause if:

- 1) The Missouri Department of Natural Resources (MDNR) receives notice from the Environmental Protection Agency (EPA) that a petition for disapproval of a permit pursuant to 40 CFR § 70.8(d) has been granted, provided that the reopening may be stayed pending judicial review of that determination,
- 2) The Missouri Department of Natural Resources or EPA determines that the permit contains a material mistake or that inaccurate statements were made which resulted in establishing the emissions limitation standards or other terms of the permit,
- 3) Additional applicable requirements under the Act become applicable to the installation; however, reopening on this ground is not required if—:
 - a) The permit has a remaining term of less than three years;
 - b) The effective date of the requirement is later than the date on which the permit is due to expire;or
- c) The additional applicable requirements are implemented in a general permit that is applicable to the installation and the installation receives authorization for coverage under that general permit,
- 4) The installation is an affected source under the acid rain program and additional requirements (including excess emissions requirements), become applicable to that source, provided that, upon approval by EPA, excess emissions offset plans shall be deemed to be incorporated into the permit; or
- 5) The Missouri Department of Natural Resources or EPA determines that the permit must be reopened and revised to assure compliance with applicable requirements.

10 CSR 10-6.065(6)(E)1.C Statement of Basis

This permit is accompanied by a statement setting forth the legal and factual basis for the permit conditions (including references to applicable statutory or regulatory provisions). This Statement of Basis, while referenced by the permit, is not an actual part of the permit.

VI. Attachments

Attachments follow.

Attachment C

Method 9 Opacity Emissions Observations								
Company					Observer			
Location					Observer Certification Date			
Date					Emission Unit			
Time					Control Device			
Hour	Minute	Seconds				Steam Plume (check if applicable)		Comments
		0	15	30	45	Attached	Detached	
	0							
	1							
	2							
	3							
	4							
	5							
	6							
	7							
	8							
	9							
	10							
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							
SUMMARY OF AVERAGE OPACITY								
Set Number	Time				Opacity			
	Start	End	Sum	Average				

Readings ranged from _____ to _____ % opacity.

Was the emission unit in compliance at the time of evaluation? _____
 YES NO Signature of Observer

Attachment E
Log Process Rate through Log Chipper (EU-13)
 Ozark Hardwood Products, LLC

Date	Tons of Logs Processed through Log Chipper (EU-13) (tons)	Hour of Operation (hours)	^a Process Rate of Log Chipper (EU-13) (tons/hour)

^a Process Rate of Log Chipper (EU-13) must less than 25.0 tons per hour to show compliance with Special Condition 6.C.

Attachment F

Log Process Rate through Debarker (EU-14)

Ozark Hardwood Products, LLC
191 Hwy AB
Seymour, MO 65746
Webster County, S36, T29N, R17W

Date	Tons of Logs Processed through Debarker (EU-14) (tons)	Hour of Operation (hours)	^aProcess Rate of Debarker (EU-14) (tons/hour)

^a Process Rate of the Debarker (EU-14) must less than 25.0 tons per hour to show compliance with Special Condition 6D.

STATEMENT OF BASIS

Permit Reference Documents

These documents were relied upon in the preparation of the operating permit. Because they are not incorporated by reference, they are not an official part of the operating permit.

- 1) Part 70 Operating Permit Application, received March 2, 2011;
- 2) 2009 Emissions Inventory Questionnaire, received May 27, 2010; and
- 3) U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*; Volume I, Stationary Point and Area Sources, Fifth Edition;
- 4) Construction Permit 032006-013, issued March 22, 2006;
- 5) Construction Permit 062010-002, issued June 2, 2006;
- 6) Construction Permit 062010-002B, Issued March 30, 2012.

Applicable Requirements Included in the Operating Permit but Not in the Application or Previous Operating Permits

In the operating permit application, the installation indicated they were not subject to the following regulation(s). However, in the review of the application, the agency has determined that the installation is subject to the following regulation(s) for the reasons stated.

None.

Other Air Regulations Determined Not to Apply to the Operating Permit

The Air Pollution Control Program (APCP) has determined the following requirements to not be applicable to this installation at this time for the reasons stated.

10 CSR 10-6.100, *Alternate Emission Limits*

This rule is not applicable because the installation is in an ozone attainment area.

Construction Permit Revisions

The following revisions were made to construction permits for this installation:

Construction Permit 032006-013, Issued March 22, 2006

Special Condition 1 of Construction Permit 062010-002, issued June 2, 2010, states that, "the conditions in this permit supersede all special conditions found in the previously issued construction permit 032006-013 issued by the Air Pollution Control Program". For this reason, the special conditions of construction permit 032006-013 were not included in this operating permit.

Construction Permit 062010-002, Issued June 2, 2010

The amendment to this construction permit which was issued on March 30, 2012, includes Special Condition 1 which states that "The conditions of this permit supersede all special conditions found in the previously issued construction permit 062010-002, issued by the Air Pollution Control Program." Therefore no special conditions from this permit are included in the operating permit.

New Source Performance Standards (NSPS) Applicability

None.

Maximum Achievable Control Technology (MACT) Applicability

None.

National Emission Standards for Hazardous Air Pollutants (NESHAP) Applicability

In the permit application and according to Air Pollution Control Program records, there was no indication that any Missouri Air Conservation Law, Asbestos Abatement, 643.225 through 643.250; 10 CSR 10-6.080, Emission Standards for Hazardous Air Pollutants, Subpart M, National Standards for Asbestos; and 10 CSR 10-6.250, Asbestos Abatement Projects - Certification, Accreditation, and Business Exemption Requirements apply to this installation. The installation is subject to these regulations if they undertake any projects that deal with or involve any asbestos containing materials. None of the installation's operating projects underway at the time of this review deal with or involve asbestos containing material. Therefore, the above regulations were not cited in the operating permit. If the installation should undertake any construction or demolition projects in the future that deal with or involve any asbestos containing materials, the installation must follow all of the applicable requirements of the above rules related to that specific project.

Compliance Assurance Monitoring (CAM) Applicability

40 CFR Part 64, *Compliance Assurance Monitoring (CAM)*

The CAM rule applies to each pollutant specific emission unit that:

- Is subject to an emission limitation or standard, and
- Uses a control device to achieve compliance, and
- Has pre-control emissions that exceed or are equivalent to the major source threshold.

40 CFR Part 64 is not applicable because none of the pollutant-specific emission units uses a control device to achieve compliance with a relevant standard.

Updated Potential to Emit for the Installation

Pollutant	Potential to Emit (tons/yr) ¹
CO	118.26
CO ₂ e	39854.5
HAP	4.71
NO _x	13.02
PM ₁₀	43.74
SO _x	4.93
VOC	3.35

¹Potential emissions takes into consideration all operational limitations placed on the installation as a result of all current issued permits, including this operating permit and all construction permits.

Other Regulatory Determinations

10 CSR 10-6.400, *Restriction of Emission of Particulate Matter From Industrial Processes*

This rule does not apply to fugitive emissions or to emission units that at maximum design capacity have a potential to emit less than one-half (0.5) pounds per hour of particulate matter. According to the potential-to-emit calculations below all sources of particulate matter at this facility emit less than 0.5 lb/hr and/or are fugitive sources and therefore are not subject to 10 CSR 10-6.400.

EU-#	Description	MHDR	MHDR Units	EF	EF Units	PTE lb/hr
1	Pile Loading via Truck	61.85	tons	3.84E-06	lb/ton	2.37E-04
2	Pile Loading via Chipper	50.00	tons	3.84E-06	lb/ton	1.92E-04
3	Loadout of Sawdust Pile	22.00	tons	3.84E-06	lb/ton	8.45E-05
4	Loader Vehicular Activity	2.50	VMT	2.85E-02	lb/VMT	7.13E-02
5a	Load in Bin #1	7.33	tons	3.84E-06	lb/ton	2.82E-05
5b	Load in Bin #2	7.33	tons	3.84E-06	lb/ton	2.82E-05
5c	Load in Bin #3	7.33	tons	3.84E-06	lb/ton	2.82E-05
6a	Bin #1	7.33	tons	3.84E-06	lb/ton	2.82E-05
6b	Bin #2	7.33	tons	3.84E-06	lb/ton	2.82E-05
6c	Bin #3	7.33	tons	3.84E-06	lb/ton	2.82E-05
7	Conveyor #1 to Conveyor #2 drop point	22.00	tons	3.84E-06	lb/ton	8.45E-05
8	Hammermill a (cyclone)	22.00	tons	6.00E-04	lb/ton	2.64E-03
9	Hammermill b (uncontrolled)	3.96	tons	6.00E-04	lb/ton	2.38E-03
10	Loadin of fuel bin	5.00	tons	3.84E-06	lb/ton	1.92E-05
13a	Wood Chipper (process)	25.00	tons	1.10E-02	lb/ton	2.75E-01
14a	Debarker (process)	25.00	tons	1.10E-02	lb/ton	2.75E-01
15	Lumber Sawing	6.00	tons	2.00E-01	lb/ton	1.20E+00

Other Regulations Not Cited in the Operating Permit or the Above Statement of Basis

Any regulation which is not specifically listed in either the Operating Permit or in the above Statement of Basis does not appear, based on this review, to be an applicable requirement for this installation for one or more of the following reasons:

- 1) The specific pollutant regulated by that rule is not emitted by the installation;
- 2) The installation is not in the source category regulated by that rule;
- 3) The installation is not in the county or specific area that is regulated under the authority of that rule;
- 4) The installation does not contain the type of emission unit which is regulated by that rule;
- 5) The rule is only for administrative purposes.

Should a later determination conclude that the installation is subject to one or more of the regulations cited in this Statement of Basis or other regulations which were not cited, the installation shall determine and demonstrate, to the Air Pollution Control Program's satisfaction, the installation's compliance with that regulation(s). If the installation is not in compliance with a regulation which was not previously cited, the installation shall submit to the Air Pollution Control Program a schedule for achieving compliance for that regulation(s).

Prepared by:

Jill Wade, P.E.
 Environmental Engineer

CERTIFIED MAIL: 70093410000193530302
RETURN RECEIPT REQUESTED

Mr. Michael Ferguson
Ozark Hardwood Products, LLC
191 HWY AB
Seymour, MO 65746

Re: Ozark Hardwood Products, LLC, 225-0040
Permit Number: **OP2012-020**

Dear Mr. Ferguson:

Enclosed with this letter is your Part 70 operating permit. Please review this document carefully. Operation of your installation in accordance with the rules and regulations cited in this document is necessary for continued compliance. It is very important that you read and understand the requirements contained in your permit.

You may appeal this permit to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.078.16 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you have any questions or need additional information regarding this permit, please do not hesitate to contact Jill Wade at the department's Air Pollution Control Program, P. O. Box 176, Jefferson City, MO 65102, or by telephone at (573) 751-4817. Thank you for your time and attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Michael J. Stansfield, P.E.
Operating Permit Unit Chief

MJS:jwk

Enclosures

c: Southwest Regional Office
PAMS File: 2011-03-005