


STATE OF MISSOURI



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: **08 2 0 1 4 - 0 0 2**

Project Number: 2014-03-019
Installation Number: 041-0021

Parent Company: Ricketts Farm Service

Parent Company Address: P.O. Box 183, Salisbury, MO 65281

Installation Name: Ricketts Farm Service

Installation Address: 29394 Sterling Avenue, Salisbury, MO 65281

Location Information: Chariton County, S09, T53N, R17W

Application for Authority to Construct was made for:
Installation of seed treatment unit. This review was conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

AUG 0 2 2014

EFFECTIVE DATE

Wendy T. Moore for Kyrat Moore

DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Department's Air Pollution Control Program of the anticipated date of start up of these air contaminant sources. The information must be made available within 30 days of actual startup. Also, you must notify the Department of Natural Resources Regional office responsible for the area within which you are located within 15 days after the actual start up of these air contaminant sources.

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant sources(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

Page No.	3
Permit No.	
Project No.	2014-03-019

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."

Ricketts Farm Service
Chariton County, S09, T53N, R17W

1. Seed Throughput Limitation
 - A. Ricketts Farm Service shall limit the amount of seed treated with fungicides, herbicides, pesticides, and inoculants to not exceed 2,000 tons in any consecutive 12-month period.
 - B. Ricketts Farm Service shall limit the combined throughput of treated and untreated seeds to not exceed 50,000 tons in any consecutive 12-month period.
 - C. Attachment A or equivalent forms, such as electronic forms, approved by the Air Pollution Control Program shall be used to demonstrate compliance with Special Condition 1.A and 1.B.
2. Use of Alternative Seed Treatment
 - A. When using an alternative seed treatment for the installation that is different than the material listed in the Application for Authority to Construct, Ricketts Farm Service shall calculate the potential emissions of all individual HAP in the alternative material using Attachment B, or other equivalent forms, approved by the Air Pollution Control Program, based on the seed treatment limitation of Special Condition 1.A.
 - B. In cases where the potential individual HAP emissions for the alternative seed treatment is above the SMAL for any chemical listed in Appendix B, Ricketts Farm Service shall submit an application for Authority to Construct to the Air Pollution Control Program.
3. Operational Requirement

Ricketts Farm Service shall keep the fungicides, pesticides, inoculants, liquid fertilizers, and herbicides in sealed containers whenever the materials are not in use. Ricketts Farm Service shall provide and maintain suitable, easily read, permanent markings on all of the above containers.

Page No.	4
Permit No.	
Project No.	2014-03-019

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

4. Haul Road Watering
 - A. Ricketts Farm Service shall water haul roads whenever conditions exist which would cause visible fugitive emissions to enter the ambient air beyond the property boundary.
 - B. Watering may be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads.
5. Record Keeping and Reporting Requirements
 - A. Ricketts Farm Service shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request. These records shall include MSDS for all materials used
 - B. Ricketts Farm Service shall report to the Air Pollution Control Program's Compliance/Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than 10 days after the end of the month during which any record required by this permit show an exceedance of a limitation imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (6) REVIEW

Project Number: 2014-03-019
Installation ID Number: 041-0021
Permit Number:

Ricketts Farm Service
29394 Sterling Avenue
Salisbury, MO 65281

Complete: April 4, 2014

Parent Company:
Ricketts Farm Service
P.O. Box 183
Salisbury, MO 65281

Chariton County, S09, T53N, R17W

REVIEW SUMMARY

- Ricketts Farm Service has applied for authority to construct a new seed treatment unit located at 29394 Sterling Avenue in Salisbury, Missouri.
- HAP emissions are not expected from the proposed equipment.
- None of the New Source Performance Standards (NSPS) apply to the installation.
- None of the NESHAPs apply to this installation. None of the currently promulgated MACT regulations apply to the proposed equipment.
- Undocumented haul road watering is being used to control the PM, PM₁₀, and PM_{2.5} emissions from the equipment in this permit.
- This review was conducted in accordance with Section (6) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of PM₁₀ are conditioned below de minimis levels. Potential emissions of PM are conditioned but remain above de minimis levels.
- This installation is located in Chariton County, an attainment area for all criteria pollutants.
- This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2.
- Ambient air quality modeling was not performed since potential emissions of all pollutants, except for PM, are below de minimis levels. No modeling was performed on PM since there are no modeling standards for this pollutant.

- Emissions testing is not required for the equipment.
- A Basic Operating Permit application is required for this installation within 30 days of issuance of this permit.
- Approval of this permit is recommended with special conditions.

INSTALLATION DESCRIPTION

This installation consists of a grain elevator, feed mill, bulk fertilizer facility, and a seed treatment unit in Salisbury, Missouri. The grain elevator, feed mill, and bulk fertilizer facilities are exempt from construction permitting rules according to 10 CSR 10-6.060(6)(E)3. The seed treatment unit was installed in 2013. Initially, no application had been submitted, however, a routine inspection by Peter Muzio from the Northeast Regional Office, on June 19, 2013 reported that the seed treatment operation may be in violation of Missouri Air Conservation Commission regulation 10 CSR 10-6.060, Construction Permits Required, and requested this facility to apply for a construction permit from the Air Pollution Control Program.

No permits have been issued to Ricketts Farm Service from the Air Pollution Control Program.

PROJECT DESCRIPTION

The seed treatment unit treats bulk soybean seed with fungicides, but can also use herbicides, pesticides, and inoculants. The seed is transported with conveyors and is stored in bins. The fungicides currently being used in the seed treater are Clariva PN, CruiserMaxx Advanced, and Vibrance 500FS. The MHDR of this facility is 45 tph, bottlenecked by the seed treater. However, this unit is only allowed to treat up to 2,000 tons of seed on an annual basis.

EMISSIONS/CONTROLS EVALUATION

The emission factors used in this analysis were obtained from the EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition, Section 9.9.1 *Grain Elevators & Processes*, May 2003. The emission potentials for the seed process was calculated using emission factors for feed and grain terminal elevators. An annual capacity of 50,000 tpy for seed throughput was used per special condition 1.B. 50,000 tpy was chosen as an overestimate of seed throughput for ease of record keeping and in order to eliminate directly tracking PM₁₀ emissions.

Haul road emissions were calculated using the method recommended in AP-42 Section 13.2.2 *Unpaved Roads*, November 2006. Each haul road PTE was calculated under the assumption that all vehicular activity is 30% hopper trucks and 70% straight trucks being used in shipping and receiving, as indicated by Ricketts Farm Service. Undocumented watering is used to control the fugitive emissions from the haul roads.

Due to the nature of seed coating treatments, which may change from year to year in order to identify and decrease the effect of the prevalent fungi and insects, fixed values for the specific gravity, application rate, and VOC content of the treatment were used to calculate the potential VOC emissions of the project. The fixed values are based off of submitted MSDS and scaled up for a conservative overestimation. The potential to emit VOC was calculated using a seed throughput of 2,000 tons per year per special condition 1.A, a specific gravity equal to 1.5, an application rate of 10 ounces per 100 pounds of seed treated, and VOC content equal to 100%. Using this method, the potential to emit VOC is equal to 19.56 tons per year. This method demonstrates that actual VOC emissions will not exceed the de minimis level. The potential HAP emissions were calculated using the seed coating treatment that has the highest content percent by weight, with the specified fixed values. None of the current treatments contain HAPs, thus, there are no potential HAP emissions. For an alternative seed coating treatment that does not exceed any of the fixed values used in this calculation, the facility's potential to emit will remain below the de minimis level of 40.0 tons of VOC per year.

The following table provides an emissions summary for this project. Existing potential emissions were not calculated for this project. Existing actual emissions do not exist since this facility has not been previously permitted. Potential emissions of the application represent the potential emissions of the entire installation, assuming continuous operation (8760 hours per year).

Table 1: Emissions Summary (tons per year)

Pollutant	Regulatory <i>De Minimis</i> Levels	Existing Potential Emissions	Existing Actual Emissions (N/A EIQ)	Potential Emissions of the Application
PM	25.0	N/D	N/A	13.05
PM ₁₀	15.0	N/D	N/A	4.74
PM _{2.5}	10.0	N/D	N/A	0.74
SO _x	40.0	N/D	N/A	N/D
NO _x	40.0	N/D	N/A	N/D
VOC	40.0	N/D	N/A	19.56
CO	100.0	N/D	N/A	N/D
HAPs	10.0/25.0	N/D	N/A	0.00

N/A = Not Applicable; N/D = Not Determined

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (6) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of PM₁₀ are conditioned below de minimis levels. Potential emissions of PM are above de minimis levels, but below major source levels.

APPLICABLE REQUIREMENTS

Ricketts Farm Service shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved.

GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110
- *Operating Permits*, 10 CSR 10-6.065
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-6.165

SPECIFIC REQUIREMENTS

- *Restriction of Emission of Particulate Matter From Industrial Processes*, 10 CSR 10-6.400 applies to the conveyors, bulk seed filling, weigh hopper, and seed treater emission units, however, these are in compliance with the rule.

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

Bryce Mihalevich
New Source Review Unit

Date

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated March 10, 2014, received March 10, 2014, designating Ricketts Farm Service as the owner and operator of the installation.
- U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition.

Attachment A – Seed Throughput Compliance Worksheet

Ricketts Farm Service
 Chariton County, S09, T53N, R17W
 Project Number: 2014-03-019
 Installation ID Number: 041-0021
 Permit Number: _____

This sheet covers the period from _____ to _____.
 (month, year) (month, year)

(a)	(b)		(c)	(d)	(e)
Month	Seeds Throughput (tons)		Seed Throughput on this Month Last Year (tons)	12-Month Rolling Total of Seed Throughput (tons)	Combined Seed Throughput (tons)
<i>Example:</i> MM/YYYY	Treated	125.0	200.0	800.0	36,800
	Untreated	2,000.0	1,500.0	36,000.0	
<i>Example:</i> MM/YYYY	Treated	160.0	120.0	840.0	37,090
	Untreated	1,500.0	1,250.0	36,250.0	
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				
	Treated				
	Untreated				

- a) Record the date
- b) Record the amount of seed treated and untreated on date.
- c) Record the amount of seed that was treated and untreated on this month last year.
- d) Calculate using the following equation for treated and untreated seed: $(d)_{\text{new}} = (d)_{\text{last month}} + (b) - (c)$
- e) Calculate the sum of seed treated and untreated using the following equation: $(e) = (d)_{\text{treated}} + (d)_{\text{untreated}}$

A rolling 12-month total $(d)_{\text{treated}}$ less than 2,000 tons and a combined seed throughput (e) less than 50,000 tons indicates compliance with Special Condition 2.A.

APPENDIX A

Abbreviations and Acronyms

%percent	m/s meters per second
°Fdegrees Fahrenheit	Mgal 1,000 gallons
acfmactual cubic feet per minute	MW megawatt
BACT Best Available Control Technology	MHDR maximum hourly design rate
BMPs Best Management Practices	MMBtu Million British thermal units
Btu British thermal unit	MMCF million cubic feet
CAM Compliance Assurance Monitoring	MSDS Material Safety Data Sheet
CAS Chemical Abstracts Service	NAAQS ... National Ambient Air Quality Standards
CEMS Continuous Emission Monitor System	NESHAPs National Emissions Standards for Hazardous Air Pollutants
CFR Code of Federal Regulations	NO_x nitrogen oxides
CO carbon monoxide	NSPS New Source Performance Standards
CO₂ carbon dioxide	NSR New Source Review
CO_{2e} carbon dioxide equivalent	PM particulate matter
COMS Continuous Opacity Monitoring System	PM_{2.5} particulate matter less than 2.5 microns in aerodynamic diameter
CSR Code of State Regulations	PM₁₀ particulate matter less than 10 microns in aerodynamic diameter
dscf dry standard cubic feet	ppm parts per million
EQ Emission Inventory Questionnaire	PSD Prevention of Significant Deterioration
EP Emission Point	PTE potential to emit
EPA Environmental Protection Agency	RACT Reasonable Available Control Technology
EU Emission Unit	RAL Risk Assessment Level
fps feet per second	SCC Source Classification Code
ft feet	scfm standard cubic feet per minute
GACT Generally Available Control Technology	SIC Standard Industrial Classification
GHG Greenhouse Gas	SIP State Implementation Plan
gpm gallons per minute	SMAL Screening Model Action Levels
gr grains	SO_x sulfur oxides
GWP Global Warming Potential	SO₂ sulfur dioxide
HAP Hazardous Air Pollutant	tph tons per hour
hr hour	tpy tons per year
hp horsepower	VMT vehicle miles traveled
lb pound	VOC Volatile Organic Compound
lbs/hr pounds per hour	
MACT Maximum Achievable Control Technology	
µg/m³micrograms per cubic meter	

Appendix B: Table of Hazardous Air Pollutants and Screening Model Action Levels (May 3, 2012 Revision 10)

Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM	Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM	Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM
ACETALDEHYDE	75-07-0	9		Y	N	CARBARYL	63-25-2	10	V	Y	Y	DICHLOROPROPANE, [1,2-]	78-87-5	1		Y	N
ACETAMIDE	60-35-5	1		Y	N	CARBON DISULFIDE	75-15-0	1		Y	N	DICHLOROPROPENE, [1,3-]	542-75-6	1		Y	N
ACETONITRILE	75-05-8	4		Y	N	CARBON TETRACHLORIDE	56-23-5	1		Y	N	DICHLORVOS	62-73-7	0.2		Y	N
ACETOPHENONE	98-86-2	1		Y	N	CARBONYL SULFIDE	463-58-1	5		Y	N	DIETHANOLAMINE	111-42-2	5		Y	N
ACETYLAMINOFLUORINE, [2-]	53-96-3	0.005	V	Y	Y	CATECHOL	120-80-9	5		Y	N	DIETHYL SULFATE	64-67-5	1		Y	N
ACROLEIN	107-02-8	0.04		Y	N	CHLORAMBEN	133-90-4	1		Y	Y	DIETHYLENE GLYCOL MONOBUTYL ETHER	112-34-5	5	P	Y	N
ACRYLAMIDE	79-06-1	0.02		Y	N	CHLORDANE	57-74-9	0.01		Y	Y	DIMETHOXYBENZIDINE, [3,3-]	119-90-4	0.1	V	Y	Y
ACRYLIC ACID	79-10-7	0.6		Y	N	CHLORINE	7782-50-5	0.1		N	N	DIMETHYL BENZIDINE, [3,3-]	119-93-7	0.008	V	Y	Y
ACRYLONITRILE	107-13-1	0.3		Y	N	CHLOROACETIC ACID	79-11-8	0.1		Y	N	DIMETHYL CARBAMOYL CHLORIDE	79-44-7	0.02		Y	N
ALLYL CHLORIDE	107-05-1	1		Y	N	CHLOROACETOPHENONE, [2-]	532-27-4	0.06		Y	N	DIMETHYL FORMAMIDE	68-12-2	1		Y	N
AMINOBIHENYL, [4-]	92-67-1	1	V	Y	N	CHLOROBENZENE	108-90-7	10		Y	N	DIMETHYL HYDRAZINE, [1,1-]	57-14-7	0.008		Y	N
ANILINE	62-53-3	1		Y	N	CHLOROBENZILATE	510-15-6	0.4	V	Y	Y	DIMETHYL PHTHALATE	131-11-3	10		Y	N
ANISIDINE, [ORTHO-]	90-04-0	1		Y	N	CHLOROFORM	67-66-3	0.9		Y	N	DIMETHYL SULFATE	77-78-1	0.1		Y	N
ANTHRACENE	120-12-7	0.01	V	Y	N	CHLOROMETHYL METHYL ETHER	107-30-2	0.1		Y	N	DIMETHYLAMINOAZOBENZENE, [4-]	60-11-7	1		Y	N
ANTIMONY COMPOUNDS		5	H	N	Y	CHLOROPRENE	126-99-8	1		Y	N	DIMETHYLANILINE, [N-N-]	121-69-7	1		Y	N
ANTIMONY PENTAFLUORIDE	7783-70-2	0.1	H	N	Y	CHROMIUM (VI) COMPOUNDS		0.002	L	N	Y	DINITRO-O-CRESOL, [4,6-] (Note 6)	534-52-1	0.1	E	Y	Y
ANTIMONY POTASSIUM TARTRATE	28300-74-5	1	H	N	Y	CHROMIUM COMPOUNDS		5	L	N	Y	DINITROPHENOL, [2,4-]	51-28-5	1		Y	N
ANTIMONY TRIOXIDE	1309-64-4	1	H	N	Y	CHRYSENE	218-01-9	0.01	V	Y	N	DINITROTOLUENE, [2,4-]	121-14-2	0.02		Y	N
ANTIMONY TRISULFIDE	1345-04-6	0.1	H	N	Y	COBALT COMPOUNDS		0.1	M	N	Y	DIOXANE, [1,4-]	123-91-1	6		Y	N
ARSENIC COMPOUNDS		0.005	I	N	Y	COKE OVEN EMISSIONS	8007-45-2	0.03	N	Y	N	DIPHENYLHYDRAZINE, [1,2-]	122-66-7	0.09	V	Y	Y
ASBESTOS	1332-21-4	0	A	N	Y	CRESOL, [META-]	108-39-4	1	B	Y	N	DIPHENYLMETHANE DIISOCYANATE, [4,4-]	101-68-8	0.1	V	Y	N
BENZ(A)ANTHRACENE	56-55-3	0.01	V	Y	N	CRESOL, [ORTHO-]	95-48-7	1	B	Y	N	EPICHLOROHYDRIN	106-89-8	2		Y	N
BENZENE	71-43-2	2		Y	N	CRESOL, [PARA-]	106-44-5	1	B	Y	N	ETHOXYETHANOL, [2-]	110-80-5	10	P	Y	N
BENZIDINE	92-87-5	0.0003	V	Y	N	CRESOLS (MIXED ISOMERS)	1319-77-3	1	B	Y	N	ETHOXYETHYL ACETATE, [2-]	111-15-9	5	P	Y	N
BENZO(A)PYRENE	50-32-8	0.01	V	Y	N	CUMENE	98-82-8	10		Y	N	ETHYL ACRYLATE	140-88-5	1		Y	N
BENZO(B)FLUORANTHENE	205-99-2	0.01	V	Y	N	CYANIDE COMPOUNDS		0.1	O	Y	N	ETHYL BENZENE	100-41-4	10		Y	N
BENZO(K)FLUORANTHENE	207-08-9	0.01	V	Y	N	DDE	72-55-9	0.01	V	Y	Y	ETHYL CHLORIDE	75-00-3	10		Y	N
BENZOTRICHLORIDE	98-07-7	0.006		Y	N	DI(2-ETHYLHEXYL) PHTHALATE, (DEHP)	117-81-7	5		Y	N	ETHYLENE GLYCOL	107-21-1	10		Y	N
BENZYL CHLORIDE	100-44-7	0.1		Y	N	DIAMINOTOLUENE, [2,4-]	95-80-7	0.02		Y	N	ETHYLENE GLYCOL MONOBUTYL ETHER (Delisted)	111-76-2				
BERYLLIUM COMPOUNDS		0.008	J	N	Y	DIAZOMETHANE	334-88-3	1		Y	N	ETHYLENE GLYCOL MONOHEXYL ETHER	112-25-4	5	P	Y	N
BERYLLIUM SALTS		2E-05	J	N	Y	DIBENZ(A,H)ANTHRACENE	53-70-3	0.01	V	Y	N	ETHYLENE IMINE [AZIRIDINE]	151-56-4	0.003		Y	N
BIPHENYL, [1,1-]	92-52-4	10	V	Y	N	DIOXINS/FURANS		6E-07	D,V	Y	N	ETHYLENE OXIDE	75-21-8	0.1		Y	N
BS(CHLOROETHYL)ETHER	111-44-4	0.06		Y	N	DIBENZOFURAN	132-64-9	5	V	Y	N	ETHYLENE THIOUREA	96-45-7	0.6		Y	Y
BS(CHLOROMETHYL)ETHER	542-88-1	0.0003		Y	N	DIBROMO-3-CHLOROPROPANE, [1,2-]	96-12-8	0.01		Y	N	FORMALDEHYDE	50-00-0	2		Y	N
BROMOFORM	75-25-2	10		Y	N	DIBROMOETHANE, [1,2-]	106-93-4	0.1		Y	N	GLYCOL ETHER (ETHYLENE GLYCOL ETHERS)		5	P	Y	N
BROMOMETHANE	74-83-9	10		Y	N	DIBUTYL PHTHALATE	84-74-2	10		Y	Y	GLYCOL ETHER (DIETHYLENE GLYCOL ETHERS)		5	P	Y	N
BUTADIENE, [1,3-]	106-99-0	0.07		Y	N	DICHLOROBENZENE, [1,4-]	106-46-7	3		Y	N	HEPTACHLOR	76-44-8	0.02		Y	N
BUTOXYETHANOL ACETATE, [2-]	112-07-2	5	P	Y	N	DICHLOROBENZIDENE, [3,3-]	91-94-1	0.2	V	Y	Y	HEXACHLOROBENZENE	118-74-1	0.01		Y	N
BUTYLENE OXIDE, [1,2-]	106-88-7	1		Y	N	DICHLOROETHANE, [1,1-]	75-34-3	1		Y	N	HEXACHLOROBUTADIENE	87-68-3	0.9		Y	N
CADMIUM COMPOUNDS		0.01	K	N	Y	DICHLOROETHANE, [1,2-]	107-06-2	0.8		Y	N	HEXACHLOROCYCLOHEXANE, [ALPHA-]	319-84-6	0.01	F	Y	N
CALCIUM CYANAMIDE	156-62-7	10		Y	Y	DICHLOROETHYLENE, [1,1-]	75-35-4	0.4		Y	N	HEXACHLOROCYCLOHEXANE, [BETA-]	319-85-7	0.01	F	Y	N
CAPROLACTAM (Delisted)	105-60-2					DICHLOROMETHANE	75-09-2	10		N	N	HEXACHLOROCYCLOHEXANE, [DELTA-]	319-86-8	0.01	F	Y	N
CAPTAN	133-06-2	10		Y	Y	DICHLOROPHENOXY ACETIC ACID, [2,4-]	94-75-7	10	C	Y	Y	HEXACHLOROCYCLOHEXANE, [TECHNICAL]	608-73-1	0.01	F	Y	N

Appendix B: Table of Hazardous Air Pollutants and Screening Model Action Levels (May 3, 2012 Revision 10)

Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM	Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM	Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM
HEXACHLOROCYCLOPENTADIENE	77-47-4	0.1		Y	N	NITROSODIMETHYLAMINE, [N-]	62-75-9	0.001		Y	N	TRIMETHYLPENTANE, [2,2,4-]	540-84-1	5		Y	N
HEXACHLOROETHANE	67-72-1	5		Y	N	NITROSOMORPHOLINE, [N-]	59-89-2	1		Y	N	URETHANE [ETHYL CARBAMATE]	51-79-6	0.8		Y	N
HEXAMETHYLENE,-1,6-DISOCYANATE	822-06-0	0.02		Y	N	NITROSO-N-METHYLUREA, [N-]	684-93-5	0.0002		Y	N	VINYL ACETATE	108-05-4	1		Y	N
HEXAMETHYLPHOSPHORAMIDE	680-31-9	0.01		Y	N	OCTACHLORONAPHTHALENE	2234-13-1	0.01	V	Y	N	VINYL BROMIDE	593-60-2	0.6		Y	N
HEXANE, [N-]	110-54-3	10		Y	N	PARATHION	56-38-2	0.1		Y	Y	VINYL CHLORIDE	75-01-4	0.2		Y	N
HYDRAZINE	302-01-2	0.004		N	N	PCB [POLYCHLORINATED BIPHENYLS]	1336-36-3	0.009	X	Y	Y	XYLENE, [META-]	108-38-3	10	G	Y	N
HYDROGEN CHLORIDE	7647-01-0	10		N	N	PENTACHLORONITROBENZENE	82-68-8	0.3		Y	N	XYLENE, [ORTHO-]	95-47-6	10	G	Y	N
HYDROGEN FLUORIDE	7664-39-3	0.1		N	N	PENTACHLOROPHENOL	87-86-5	0.7		Y	N	XYLENE, [PARA-]	106-42-3	10	G	Y	N
HYDROQUINONE	123-31-9	1		Y	N	PHENOL	108-95-2	0.1		Y	N	XYLENES (MIXED ISOMERS)	1330-20-7	10	G	Y	N
INDENO(1,2,3CD)PYRENE	193-39-5	0.01	V	Y	N	PHENYLENEDIAMINE, [PARA-]	106-50-3	10		Y	N						
ISOPHORONE	78-59-1	10		Y	N	PHOSGENE	75-44-5	0.1		Y	N						
LEAD COMPOUNDS		0.01	Q	N	Y	PHOSPHINE	7803-51-2	5		N	N						
LINDANE [GAMMA-HEXACHLOROCYCLOHEXANE]	58-89-9	0.01	F	Y	N	PHOSPHOROUS (YELLOW OR WHITE)	7723-14-0	0.1		N	N	Legend					
MALEIC ANHYDRIDE	108-31-6	1		Y	N	PHTHALIC ANHYDRIDE	85-44-9	5		Y	N	Group ID	Aggregate Group Name				
MANGANESE COMPOUNDS		0.8	R	N	Y	POLYCYLIC ORGANIC MATTER		0.01	V	Y	N	A	Asbestos				
MERCURY COMPOUNDS		0.01	S	N	N	PROPANE SULTONE, [1,3-]	1120-71-4	0.03		Y	Y	B	Cresols/Cresylic Acid (isomers and mixtures)				
METHANOL	67-56-1	10		Y	N	PROPIOLACTONE, [BETA-]	57-57-8	0.1		Y	N	C	2,4 - D, Salts and Esters				
METHOXYCHLOR	72-43-5	10	V	Y	Y	PROPIONALDEHYDE	123-38-6	5		Y	N	D	Dibenzofurans, Dibenzodioxins				
METHOXYETHANOL, [2-]	109-86-4	10	P	Y	N	PROPOXUR [BAYGON]	114-26-1	10		Y	Y	E	4, 6 Dinitro-o-cresol, and Salts				
METHYL CHLORIDE	74-87-3	10		Y	N	PROPYLENE OXIDE	75-56-9	5		Y	N	F	Lindane (all isomers)				
METHYL ETHYL KETONE (Delisted)	78-93-3					PROPYLENEIMINE, [1,2-]	75-55-8	0.003		Y	N	G	Xylenes (all isomers and mixtures)				
METHYL HYDRAZINE	60-34-4	0.06		Y	N	QUINOLINE	91-22-5	0.006		Y	N	H	Antimony Compounds				
METHYL IODIDE	74-88-4	1		Y	N	QUINONE	106-51-4	5		Y	N	I	Arsenic Compounds				
METHYL ISOBUTYL KETONE	108-10-1	10		Y	N	RADIONUCLIDES		Note 1	Y	N	Y	J	Beryllium Compounds				
METHYL ISOCYANATE	624-83-9	0.1		Y	N	SELENIUM COMPOUNDS		0.1	W	N	Y	K	Cadmium Compounds				
METHYL METHACRYLATE	80-62-6	10		Y	N	STYRENE	100-42-5	1		Y	N	L	Chromium Compounds				
METHYL TERT-BUTYL ETHER	1634-04-4	10		Y	N	STYRENE OXIDE	96-09-3	1		Y	N	M	Cobalt Compounds				
METHYLCYCLOPENTADIENYL MANGANESE	12108-13-3	0.1	R	N	Y	TETRACHLORODIBENZO-P-DIOXIN,[2,3,7,8]	1746-01-6	6E-07	D,V	Y	Y	N	Coke Oven Emissions				
METHYLENE BIS(2-CHLOROANILINE), [4,4-]	101-14-4	0.2	V	Y	Y	TETRACHLOROETHANE, [1,1,2,2-]	79-34-5	0.3		Y	N	O	Cyanide Compounds				
METHYLENEDIANILINE, [4,4-]	101-77-9	1	V	Y	N	TETRACHLOROETHYLENE	127-18-4	10		N	N	P	Glycol Ethers				
METHYLNAPHTHALENE, [2-]	91-57-6	0.01	V	Y	N	TITANIUM TETRACHLORIDE	7550-45-0	0.1		N	N	Q	Lead Compounds (except elemental Lead)				
MINERAL FIBERS		0	T	N	Y	TOLUENE	108-88-3	10		Y	N	R	Manganese Compounds				
NAPHTHALENE	91-20-3	10	V	Y	N	TOLUENE DIISOCYANATE, [2,4-]	584-84-9	0.1		Y	N	S	Mercury Compounds				
NAPHTHYLAMINE, [ALPHA-]	134-32-7	0.01	V	Y	N	TOLUIDINE, [ORTHO-]	95-53-4	4		Y	N	T	Fine Mineral Fibers				
NAPHTHYLAMINE, [BETA-]	91-59-8	0.01	V	Y	N	TOXAPHENE	8001-35-2	0.01		Y	N	U	Nickel Compounds				
NICKEL CARBONYL	13463-39-3	0.1	U	N	Y	TRICHLOROETHANE, [1,1,2,2-]	120-82-1	10		Y	N	V	Polycyclic Organic Matter				
NICKEL COMPOUNDS		1	U	N	Y	TRICHLOROETHANE, [1,1,1,1-]	71-55-6	10		N	N	W	Selenium Compounds				
NICKEL REFINERY DUST		0.08	U	N	Y	TRICHLOROETHANE, [1,1,2,2-]	79-00-5	1		Y	N	X	Polychlorinated Biphenyls (Aroclors)				
NICKEL SUBSULFIDE	12035-72-2	0.04	U	N	Y	TRICHLOROETHYLENE	79-01-6	10		Y	N	Y	Radionuclides				
NITROBENZENE	98-95-3	1		Y	N	TRICHLOROPHENOL, [2,4,5-]	95-95-4	1		Y	N						
NITROBIPHENYL, [4-]	92-93-3	1	V	Y	N	TRICHLOROPHENOL, [2,4,6-]	88-06-2	6		Y	N						
NITROPHENOL, [4-]	100-02-7	5		Y	N	TRIETHYLAMINE	121-44-8	10		Y	N	Note 1	The SMAL for radionuclides is defined as the effective dose equivalent to 0.3 millirems per year for 7 years exposure associated with a cancer risk of 1 in 1 million				
NITROPROPANE, [2-]	79-46-9	1		Y	N	TRIFLURALIN	1582-09-8	9		Y	Y						

Mr. Seth Ricketts
President
Ricketts Farm Service
P.O. Box 183
Salisbury, MO 65281

RE: New Source Review Permit - Project Number: 2014-03-019

Dear Mr. Ricketts:

Enclosed with this letter is your permit to construct. Please study it carefully and refer to Appendix A for a list of common abbreviations and acronyms used in the permit. Also, note the special conditions, on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit application is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

If you have any questions regarding this permit, please do not hesitate to contact Bryce Mihalevich, at the Department of Natural Resources' Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817. Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Susan Heckenkamp
New Source Review Unit Chief

SH:bml

Enclosures

c: Northeast Regional Office
PAMS File: 2014-03-019

Permit Number:

*Celebrating 40 years of taking care of Missouri's natural resources.
To learn more about the Missouri Department of Natural Resources visit dnr.mo.gov.*