



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: **042012-008** Project Number: 2011-11-039

Parent Company: TG Missouri

Parent Company Address: 2200 Plattin Road, Perryville, MO 63775

Installation Name: TG Missouri

Installation Number: 157-0019

Installation Address: 2200 Plattin Road, Perryville, MO 63775

Location Information: Perry County, LG844, T35N, R10E

Application for Authority to Construct was made for:

The installation of a system for applying decorative reflective surface finishes to plastic automobile trim parts. The process is a wash, etch, copper/nickel plate, chrome plate, rinse, and nitric strip process designated as "PMF 3 Process". This review was conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

-
- Standard Conditions (on reverse) are applicable to this permit.
- Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

APR 16 2012

EFFECTIVE DATE

Kyra L Moore

DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Departments' Air Pollution Control Program of the anticipated date of startup of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department of Natural Resources Regional office responsible for the area within which you are located within 15 days after the actual startup of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

Page No.	3
Permit No.	
Project No.	2010-04-062

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."

TG Missouri
Perry County, LG844, T35N, R10E

1. **Superseding Condition**
The conditions of this permit supersede Special Condition 2, A through D found in construction permit 122010-014 issued by the Air Pollution Control Program.
2. **Emission Limitation**
 - A. TG Missouri shall emit less than 10.0 tons individually and 25.0 tons combined of Hazardous Air Pollutants (HAPs) in any consecutive 12-month period from the entire installation as defined in Table 1.
 - B. TG Missouri shall emit less than 0.02 tons of Hexamethylene Diisocyanate (HDI) CAS 822-06-0 in any consecutive 12-month period from the CST Process clearcoat spray booth (EP-218).
 - C. TG Missouri shall emit less than 1.0 ton of nickel in any consecutive 12-month period from the PMF 2 Plating System nickel plating (EP-223).
 - D. TG Missouri shall emit less than 1.0 ton of nickel in any consecutive 12-month period from the PMF 3 Plating System nickel plating (EP-231).
 - E. Attachment A, Attachment B, Attachment C, and Attachment D or equivalent forms, such as electronic forms, approved by the Air Pollution Control Program shall be used to demonstrate compliance with Special Conditions 2.A, 2.B, 2.C and 2.D.

Page No.	4
Permit No.	
Project No.	2010-04-062

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

Table One: Installation HAP Emission Points

Emission Point	Description
EP-233	Nitric Acid Exfoliate X
EP-232	Decorative Chrome Plating
EP-231	Nickel Plating
EP-230	Copper Plating
EP229	Catalyst
EP-228	Chrome Etching
EP-226	CST Process film activator
EP-224	Decorative chrome plating
EP-223	Nickel plating
EP-221	Hydrochloric acid catalyst
EP-220	Chrome etching
EP-218	CST Process clearcoat spray booth
EP-216-212	PB20 Paint System
EP-210	Decorative Chrome Plating
EP-209	Nickel Plating
EP-207	Catalyzing
EP-206	Etching
EP-168	Transfer Of Dry Raw Material
EP-167	Fluidized Bed
EP-184-187	Robotic Paint Booths (P-10,P11, P12, P13)
EP-170	Boiler
EP-169	Printing
EP-165-166	Saturn Outerbelt Line
EP-164	Shot Blasting
EP-163	Magnesium Die Casting Furnace
EP-155-162	Air Bag Robotic Paint Booth
EP-144-148	Air Bag Robotic Paint Booth
EP-137-143	Air Bag/Column Cover Paint Booth (P-4)
EP-132-136	Mudguard Paint Booth (P-3)
EP-126-131	Back Panel (Rear Garnish) Paint Booth (P-2)
EP-116-125	Water Heaters
EP-090-115	Space Heaters
EP-085	Shot Blasting
EP-084	Aluminum Pouring/Casting
EP-083	Aluminum Die Cast Melting Furnaces (3)
EP-080-082	Building 1 Paint Booth (P-0)
EP-079	Pvc Degreaser #2

Page No.	5
Permit No.	
Project No.	2010-04-062

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

3. Control Device Requirement – Vertical Packed-Bed Scrubbers
 - A. TG Missouri shall control PMF 3 nitric acid exfoliate (EP-233) with packed-bed scrubber (CD-8).
 - B. The scrubbers and any related instrumentation or equipment shall be operated and maintained in accordance with the manufacturer's specifications. Each scrubber shall be equipped with a gauge or meter that indicates the pressure drop across the scrubber and with a flow meter that indicates the flow through the scrubber. These gauges and meters shall be located in such a way they may be easily observed by Department of Natural Resources' personnel.
 - C. TG Missouri shall monitor and record the operating pressure drop across each scrubber at least once every twenty-four (24) hours. The operating pressure drop shall be maintained within the design conditions specified by the manufacturer's performance warranty.
 - D. TG Missouri shall monitor and record the flow rate through the scrubber at least once every twenty-four (24) hours. The flow rate shall be maintained within the design conditions specified by the manufacturer's performance warranty.
 - E. TG Missouri shall maintain an operating and maintenance log for the scrubber, which shall include the following:
 - 1) Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions;
 - 2) Maintenance activities, with inspection schedule, repair actions, and replacements, etc.; and
 - 3) A record of regular inspection schedule, the date and results of all inspections, including any actions or maintenance activities that result from the inspection. Either paper copy or electronic formats are acceptable.
4. Control Device Requirement – Composite Mesh-Pad Scrubber
 - A. TG Missouri shall control PMF 3 chrome etch (EP-228) and decorative chrome plating (EP-232) with a composite mesh-pad scrubber (CD-7).

Page No.	6
Permit No.	
Project No.	2010-04-062

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- B. The composite mesh-pad scrubber and any related instrumentation or equipment shall be operated and maintained in accordance with the manufacturer's specifications. The composite mesh-pad scrubber shall be equipped with a gauge or meter that indicates the pressure drop across the composite mesh-pad system. These gauges and meters shall be located in such a way they may be easily observed by Department of Natural Resources' personnel.
- C. TG Missouri shall monitor and record the operating pressure drop across each composite mesh-pad system at least once every twenty-four (24) hours. The operating pressure drop shall be maintained within the specifications of MACT Subpart N §63.343.
- D. TG Missouri shall determine the outlet chromium concentration according to MACT Subpart N §63.343.
- E. TG Missouri shall maintain an operating and maintenance log for the composite mesh-pad systems, which shall include the following:
 - 1) Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions;
 - 2) Maintenance activities, with inspection schedule, repair actions, and replacements, etc.; and
 - 3) A record of regular inspection schedule, the date and results of all inspections, including any actions or maintenance activities that result from the inspection. Either paper copy or electronic formats are acceptable.
- 5. Control Device Requirement – Composite Mesh Pad-Mist Eliminator
 - A. TG Missouri shall control emissions from PMF 3 Process nickel plating (EP-231), copper plating (EP-230) and the catalyst (EP-229) with a Composite Mesh Pad-Mist Eliminator (CD-9).
 - B. The composite mist eliminator and any related instrumentation or equipment shall be operated and maintained in accordance with the manufacturer's specifications.

Page No.	7
Permit No.	
Project No.	2010-04-062

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- C. TG Missouri shall maintain an operating and maintenance log for the mist eliminator, which shall include the following:
 - 1) Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions;
 - 2) Maintenance activities, with inspection schedule, repair actions, and replacements, etc.; and
 - 3) A record of regular inspection schedule, the date and results of all inspections, including any actions or maintenance activities that result from the inspection. Either paper copy or electronic formats are acceptable.

- 6. Record Keeping and Reporting Requirements
 - A. TG Missouri shall maintain all records required by this permit for not less than five (5) years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request. These records shall include Material Safety Data Sheets (MSDS) for all materials used.

 - B. TG Missouri shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which any record required by this permit shows an exceedance of a limitation imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (5) REVIEW

Project Number: 2010-04-062
Installation ID Number: 157-0019
Permit Number:

TG Missouri
2200 Plattin Road
Perryville, MO 63775

Complete: May 3, 2010

Parent Company:
TG Missouri
2200 Plattin Road
Perryville, MO 63775

Perry County, LG844, T35N, R10E

REVIEW SUMMARY

- TG Missouri has applied for authority to install a system for applying decorative reflective surface finishes to plastic automobile trim parts. The process is a wash, etch, copper/nickel plate, chrome plate, rinse, and nitric strip process designated a PMF3 Process.
- Hazardous Air Pollutant (HAP) emissions are expected from the proposed equipment. HAPs of concern for the Plating System are hexavalent chromium and nickel compounds.
- None of the New Source Performance Standards (NSPS) apply to the installation.
- The Maximum Achievable Control Technology (MACT) regulation 40 CFR Part 63 Subpart N-*National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks* applies to the chromium electroplating tanks, EP-232.
- The MACT standard, 40 CFR Part 63, Subpart W-*National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations* applies to the non-chromium electroplating and electroless plating tanks, EP-231.
- The MACT standard, 40 CFR Part 63, Subpart P-*National Emission Standards for Hazardous Air Pollutants for Surface Coating of Plastic Parts and Products*, does not apply because the installation is not a major source of HAPs. None of the National Emission Standards for Hazardous Air Pollutants (NESHAPs) apply to this installation.
- A composite mesh-pad scrubber (CD-7), vertical packed bed scrubber (CD-8) and a composite mesh pad mist eliminator (CD-9) are being used to control the particulate matter, chromium and nickel compound emissions from the PMF3 Plating System.

- This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of nickel compounds are conditioned below the respective screening model action level (SMAL).
- This installation is located in Perry County, an attainment area for all criteria pollutants.
- This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability.
- Ambient air quality modeling was not performed since potential emissions of the application are below de minimis levels.
- Initial performance testing is required according to MACT Subpart N.
- A modification to the Part 70 Operating Permit is required for this installation within 1 year of equipment startup.
- Approval of this permit is recommended with special conditions.

INSTALLATION DESCRIPTION

TG Missouri manufactures plastic, rubber, and metal automobile parts and accessories. TG Missouri is a major source (Part 70) under operating permits and major source under construction permits. The following permits have been issued to TG Missouri from the Air Pollution Control Program.

Table Two: Permit History

Permit Number	Description
0986-012A	Manufacturing of steel steering wheel & plastic governor gear
1187-009	Installation of parts molding operation
0290-003	Installation of six (6) polyurethane presses to mold air bag covers
0290-004	Installation of 14 polyurethane presses, a spray booth, and an adhesive coating machine
0590-006	Addition of painting equipment for side protection molding
0691-002	Installation of nine (9) polyurethane presses for molding air bag covers
0791-010	Installation of six (6) polyurethane steering wheel presses
0791-013	Installation of injection molding, aluminum die cast, and air bag assembly
0592-001	Installation of six (6) polyurethane steering wheel presses
0792-029	Installation of three (3) polyurethane steering wheel presses
0393-010	Installation of six (6) polyurethane presses and one (1) aluminum die cast furnace
0794-018	Installation of aluminum die casting, air bag assembly, polyurethane processing, and spray painting
0595-007	Addition of injection molding equipment
1295-019	Installation of an air bag robotic paint booth
0396-005	Installation of magnesium die casting
0896-005	Installation of Saturn outer-belt process line
157-0019-0001	Part 70 operating permit
1297-018	Installation of two (2) magnesium die casting lines
0298-014	Construction of six (6) new polyurethane paint booths
0998-006	Installation of four (4) polyurethane paint booths
042002-018	Installation of a robotic paint booth
082002-019	Paint booths
OP2008-022	Part 70 operating permit renewal
022009-011	Two automated spray booths and one chrome plating line (PMF1)
122010-014	Water transfer imaging, clearcoat spray booth and a chromium electroplating process (PMF 2)

TG Missouri received two Notices of Violation (NOV) in 2010 related to the first chrome plating line permitted under 022009-011.

PROJECT DESCRIPTION

TG Missouri is proposing to install PMF 3 Plating Process. The PMF 3 Plating Process is similar to the plating system permitted under 022009-011 and 122010-014, only differs in sizes. It is a decorative chrome electroplating process. In general, the process involves moving the plastic parts sequentially through a series of liquid baths.

/Table Three: PFM 3 Plating Process Emission Points

Designation	Description	Maximum Hourly Design Rate	Control Device	Control Device Description
EP-228	Chrome Etching	3,390 dscf	CD-7	Composite Mesh Pad Scrubber
		2,000 amperes		
EP-229	Hydrochloric Acid Catalyst	19.37 ft ²	CD-8	Vertical Packed Bed Scrubber
EP-230	Copper Plating Tanks	213,600 dscf	CD-9	Composite Mesh Pad Mist Eliminator
EP-231	Nickel Plating Tanks	4,000 amperes	CD-9	Composite Mesh Pad Mist Eliminator
		4,000 amperes		
		1,000 amperes		
EP-232	Decorative Chrome Plating Tanks	2,034 dscf	CD-7	Composite Mesh-Pad Scrubber
		2,000 amperes		
		4,238 dscf		
		2,000 amperes		
EP-233	Nitric Acid Exfoliate	16.79 ft ²	CD-8	Vertical Packed Bed Scrubber

N/A = Not Applicable, dscf = dry standard cubic feet, ft² = square feet

EMISSIONS/CONTROLS EVALUATION

The particulate matter emission factors and control efficiencies used in this analysis for chrome etching and chrome plating (EP-228 and EP-232) were obtained from the Environmental Protection Agency (EPA) document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition, Section 12.20 *Electroplating* July 1996, SCC 3-09-010-28, 0.69 grains per amp-hour. The maximum total chromium emission factor, 4.4 E-06 grains per dry standard cubic feet was obtained from MACT Subpart N §63.342(d)(1). This is a controlled emission factor. According to AP-42, most of the chromium emissions are hexavalent chromium. All chromium emissions were considered hexavalent chromium.

Emissions from copper plating (EP-230) were calculated using the emission factor from EPA's web-based emission factor database called webFire for SCC 3-09-010-45 of 0.0081 grains per dry standard cubic feet. (Note: the emission factor listed in webFire is controlled and based on the use of a wet scrubber. An uncontrolled emission factor was back calculated using a 99% control efficiency.) Copper emissions are considered PM₁₀. A composite mesh pad mist eliminator is being used to control PM₁₀ emissions from the copper plating operation. A control efficiency of 98% was used.

Emissions from nickel plating (EP-231) were calculated using the emission factor for SCC 3-09-010-68, 0.63 grains per amp hour. Nickel emissions are particulate HAPs. A composite mesh pad mist eliminator is being used to control PM₁₀ emissions from the nickel plating operation. A control efficiency of 98% was used.

Emissions from nitric acid exfoliation (EP-233) and hydrochloric acid catalyst (EP-229) were calculated using the formula from *Estimating Releases and Waste Treatment Efficiencies for the Toxic Release Inventory Form*, EPA-560/4-888-002. A 98% control was assigned to the packed-bed scrubber at EP-233 and the composite mesh pad mist eliminator at EP-229. Emissions from the exfoliation were considered PM₁₀.

Hydrochloric acid emissions from the catalyst are considered a HAP.

Existing Potential Emissions are cited from permit 122010-014. Controlled Potential Emissions of the Application represent the potential of the new equipment, assuming continuous operation (8,760 hours per year) and continuous control device operation.

PMF 2 has equipment limits that are associated with emission points of less than one ton of nickel in any consecutive 12-month period. The installation limit for the individual nickel compounds is the less than 10 tons in any consecutive 12-month period from the entire installation. PMF 2 emission points are found in Table 3 of permit 122010-014 and PMF 3 emission points are found in Table 3 of this permit. The following table provides an emissions summary for this project.

Table Four: Emissions Summary (tons per year)

Pollutant	Regulatory De Minimis Levels	Existing Potential Emissions	Existing Actual Emissions (2011 EIQ)	Controlled Potential Emissions of the Application	New Installation Conditioned Potential
PM ₁₀	15.0	14.45	2.00	0.14	N/A
SO _x	40.0	0.11	N/A	N/A	N/A
NO _x	40.0	20.89	N/A	N/A	N/A
VOC	40.0	494.17	N/A	N/A	N/A
CO	100.0	9.18	N/A	N/A	N/A
Combined HAPs	25.0	< 25.0	0.00	0.44	< 25.0
HCL	¹ 10.0	10.0	N/D	0.40	N/A
Chromium VI Compounds	¹ 0.002	< 10.0	N/D	² 2.66E-05	< 10.0
Chromium Compounds	¹ 5.0	< 10.0	N/D	² 2.66E-05	< 10.0
Nickel Compounds	¹ 1.0	< 1.0	N/D	³ 0.071	< 10.0

N/A = Not Applicable; N/D = Not Determined

¹ Screening Model Action Level (SMAL)

². Calculated as Chromium

³. Calculated as Nickel

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Controlled potential emissions of nickel are below the respective Nickel Compound SMAL.

APPLICABLE REQUIREMENTS

TG Missouri shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved. For a complete list of applicable requirements for your installation, please consult your operating permit.

GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110. The emission fee is the amount established by the Missouri Air Conservation Commission annually under Missouri Air Law 643.079(1). Submission of a hardcopy Emissions Inventory Questionnaire (EIQ) is required April 1 for the previous year's emissions. Submission of an electronic EIQ via MoEIS is required May 1 for the previous year's emissions.
- *Operating Permits*, 10 CSR 10-6.065
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-3.090

SPECIFIC REQUIREMENTS

- *Maximum Achievable Control Technology (MACT) Regulations*, 10 CSR 10-6.075, *National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks*, 40 CFR Part 63, Subpart N.
- *Maximum Achievable Control Technology (MACT) Regulations*, 10 CSR 10-6.075, *National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations*, 40 CFR Part 63, Subpart WWWWWW.

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

Tim Hines
Environmental Engineer

Date

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated April 20, 2010, received April 22, 2010, designating TG Missouri as the owner and operator of the installation.
- U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition.
- Southeast Regional Office Site Survey, dated December 19, 2011.

Appendix A: Table of Hazardous Air Pollutants and Screening Model Action Levels (November 10, 2011 Revision 8)

Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM	Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM	Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM	
ACETALDEHYDE	75-07-0	9		Y	N	CARBARYL	63-25-2	10	V	Y	Y	DICHLOROPROPANE, [1,2-]	78-87-5	1			Y	N
ACETAMIDE	60-35-5	1		Y	N	CARBON DISULFIDE	75-15-0	1		Y	N	DICHLOROPROPENE, [1,3-]	542-75-6	1			Y	N
ACETONITRILE	75-05-8	4		Y	N	CARBON TETRACHLORIDE	56-23-5	1		Y	N	DICHLORVOS	62-73-7	0.2			Y	N
ACETOPHENONE	98-86-2	1		Y	N	CARBONYL SULFIDE	463-58-1	5		Y	N	DIETHANOLAMINE	111-42-2	5			Y	N
ACETYLAMINOFLUORINE, [2-]	53-96-3	0.005	V	Y	Y	CATECHOL	120-80-9	5		Y	N	DIETHYL SULFATE	64-67-5	1			Y	N
ACROLEIN	107-02-8	0.04		Y	N	CHLORAMBEN	133-90-4	1		Y	Y	DIETHYLENE GLYCOL MONOBUTYL ETHER	112-34-5	5	P		Y	N
ACRYLAMIDE	79-06-1	0.02		Y	N	CHLORDANE	57-74-9	0.01		Y	Y	DIMETHOXYBENZIDINE, [3,3-]	119-90-4	0.1	V		Y	Y
ACRYLIC ACID	79-10-7	0.6		Y	N	CHLORINE	7782-50-5	0.1		N	N	DIMETHYL BENZIDINE, [3,3-]	119-93-7	0.008	V		Y	Y
ACRYLONITRILE	107-13-1	0.3		Y	N	CHLOROACETIC ACID	79-11-8	0.1		Y	N	DIMETHYL CARBAMOYL CHLORIDE	79-44-7	0.02			Y	N
ALLYL CHLORIDE	107-05-1	1		Y	N	CHLOROACETOPHENONE, [2-]	532-27-4	0.06		Y	N	DIMETHYL FORMAMIDE	68-12-2	1			Y	N
AMINOBIIPHENYL, [4-]	92-67-1	1	V	Y	N	CHLOROBENZENE	108-90-7	10		Y	N	DIMETHYL HYDRAZINE, [1,1-]	57-14-7	0.008			Y	N
ANILINE	62-53-3	1		Y	N	CHLOROBENZILATE	510-15-6	0.4	V	Y	Y	DIMETHYL PHTHALATE	131-11-3	10			Y	N
ANISIDINE, [ORTHO-]	90-04-0	1		Y	N	CHLOROFORM	67-66-3	0.9		Y	N	DIMETHYL SULFATE	77-78-1	0.1			Y	N
ANTHRACENE	120-12-7	0.01	V	Y	N	CHLOROMETHYL METHYL ETHER	107-30-2	0.1		Y	N	DIMETHYLAMINOAZOBENZENE, [4-]	60-11-7	1			Y	N
ANTIMONY COMPOUNDS		5	H	N	Y	CHLOROPRENE	126-99-8	1		Y	N	DIMETHYLANILINE, [N-N-]	121-69-7	1			Y	N
ANTIMONY PENTAFLUORIDE	7783-70-2	0.1	H	N	Y	CHROMIUM (VI) COMPOUNDS		0.002	L	N	Y	DINITRO-O-CRESOL, [4,6-] (Note 6)	534-52-1	0.1	E		Y	Y
ANTIMONY POTASSIUM TARTRATE	28300-74-5	1	H	N	Y	CHROMIUM COMPOUNDS		5	L	N	Y	DINITROPHENOL, [2,4-]	51-28-5	1			Y	N
ANTIMONY TRIOXIDE	1309-64-4	1	H	N	Y	CHRYSENE	218-01-9	0.01	V	Y	N	DINITROTOLUENE, [2,4-]	121-14-2	0.02			Y	N
ANTIMONY TRISULFIDE	1345-04-6	0.1	H	N	Y	COBALT COMPOUNDS		0.1	M	N	Y	DIOXANE, [1,4-]	123-91-1	6			Y	N
ARSENIC COMPOUNDS		0.005	I	N	Y	COKE OVEN EMISSIONS	8007-45-2	0.03	N	Y	N	DIPHENYLHYDRAZINE, [1,2-]	122-66-7	0.09	V		Y	Y
ASBESTOS	1332-21-4	0	A	N	Y	CRESOL, [META-]	108-39-4	1	B	Y	N	DIPHENYLMETHANE DIISOCYANATE, [4,4-]	101-68-8	0.1	V		Y	N
BENZ(A)ANTHRACENE	56-55-3	0.01	V	Y	N	CRESOL, [ORTHO-]	95-48-7	1	B	Y	N	EPICHLOROHYDRIN	106-89-8	2			Y	N
BENZENE	71-43-2	2		Y	N	CRESOL, [PARA-]	106-44-5	1	B	Y	N	ETHOXYETHANOL, [2-]	110-80-5	10	P		Y	N
BENZIDINE	92-87-5	0.0003	V	Y	N	CRESOLS (MIXED ISOMERS)	1319-77-3	1	B	Y	N	ETHOXYETHYL ACETATE, [2-]	111-15-9	5	P		Y	N
BENZO(A)PYRENE	50-32-8	0.01	V	Y	N	CUMENE	98-82-8	10		Y	N	ETHYL ACRYLATE	140-88-5	1			Y	N
BENZO(B)FLUORANTHENE	205-99-2	0.01	V	Y	N	CYANIDE COMPOUNDS		0.1	O	Y	N	ETHYL BENZENE	100-41-4	10			Y	N
BENZO(K)FLUORANTHENE	207-08-9	0.01	V	Y	N	DDE	72-55-9	0.01	V	Y	Y	ETHYL CHLORIDE	75-00-3	10			Y	N
BENZOTRICHLORIDE	98-07-7	0.006		Y	N	DI(2-ETHYLHEXYL) PHTHALATE, (DEHP)	117-81-7	5		Y	N	ETHYLENE GLYCOL	107-21-1	10			Y	N
BENZYL CHLORIDE	100-44-7	0.1		Y	N	DIAMNOTOLUENE, [2,4-]	95-80-7	0.02		Y	N	ETHYLENE GLYCOL MONOBUTYL ETHER (Delisted)	111-76-2					
BERYLLIUM COMPOUNDS		0.008	J	N	Y	DIAZOMETHANE	334-88-3	1		Y	N	ETHYLENE GLYCOL MONOHEXYL ETHER	112-25-4	5	P		Y	N
BERYLLIUM SALTS		2E-05	J	N	Y	DIBENZ(A,H)ANTHRACENE	53-70-3	0.01	V	Y	N	ETHYLENE IMINE [AZIRIDINE]	151-56-4	0.003			Y	N
BIPHENYL, [1,1-]	92-52-4	10	V	Y	N	DIOXINS/FURANS		6E-07	D,V	Y	N	ETHYLENE OXIDE	75-21-8	0.1			Y	N
BIS(CHLOROETHYL)ETHER	111-44-4	0.06		Y	N	DIBENZOFURAN	132-64-9	5	V	Y	N	ETHYLENE THIOUREA	96-45-7	0.6			Y	Y
BIS(CHLOROMETHYL)ETHER	542-88-1	0.0003		Y	N	DIBROMO-3-CHLOROPROPANE, [1,2-]	96-12-8	0.01		Y	N	FORMALDEHYDE	50-00-0	2			Y	N
BROMOFORM	75-25-2	10		Y	N	DIBROMOETHANE, [1,2-]	106-93-4	0.1		Y	N	GLYCOL ETHER (ETHYLENE GLYCOL ETHERS)		5	P		Y	N
BROMOMETHANE	74-83-9	10		Y	N	DIBUTYL PHTHALATE	84-74-2	10		Y	Y	GLYCOL ETHER (DIETHYLENE GLYCOL ETHERS)		5	P		Y	N
BUTADIENE, [1,3-]	106-99-0	0.07		Y	N	DICHLOROETHANE, [1,4-]	106-46-7	3		Y	N	HEPTACHLOR	76-44-8	0.02			Y	N
BUTOXYETHANOL ACETATE, [2-]	112-07-2	5	P	Y	N	DICHLOROETHANE, [3,3-]	91-94-1	0.2	V	Y	Y	HEXACHLOROETHYLENE	118-74-1	0.01			Y	N
BUTYLENE OXIDE, [1,2-]	106-88-7	1		Y	N	DICHLOROETHANE, [1,1-]	75-34-3	1		Y	N	HEXACHLOROBUTADIENE	87-68-3	0.9			Y	N
CADMIUM COMPOUNDS		0.01	K	N	Y	DICHLOROETHANE, [1,2-]	107-06-2	0.8		Y	N	HEXACHLOROCYCLOHEXANE, [ALPHA-]	319-84-6	0.01	F		Y	N
CALCIUM CYANAMIDE	156-62-7	10		Y	Y	DICHLOROETHYLENE, [1,1-]	75-35-4	0.4		Y	N	HEXACHLOROCYCLOHEXANE, [BETA-]	319-85-7	0.01	F		Y	N
CAPROLACTAM (Delisted)	105-60-2					DICHLOROMETHANE	75-09-2	10		N	N	HEXACHLOROCYCLOHEXANE, [DELTA-]	319-86-8	0.01	F		Y	N
CAPTAN	133-06-2	10		Y	Y	DICHLOROPHENOXY ACETIC ACID, [2,4-]	94-75-7	10	C	Y	Y	HEXACHLOROCYCLOHEXANE, [TECHNICAL]	608-73-1	0.01	F		Y	N

Appendix A: Table of Hazardous Air Pollutants and Screening Model Action Levels (November 10, 2011 Revision 8)

Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM	Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM	Chemical	CAS #	SMAL (tons/yr)	Group ID	VOC	PM
HEXACHLOROCYCLOPENTADIENE	77-47-4	0.1		Y	N	NITROSODIMETHYLAMINE, [N-]	62-75-9	0.001		Y	N	TRIMETHYLPENTANE, [2,2,4-]	540-84-1	5		Y	N
HEXACHLOROETHANE	67-72-1	5		Y	N	NITROSOMORPHOLINE, [N-]	59-89-2	1		Y	N	URETHANE [ETHYL CARBAMATE]	51-79-6	0.8		Y	N
HEXAMETHYLENE,-1,6-DIISOCYANATE	822-06-0	0.02		Y	N	NITROSO-N-METHYLUREA, [N-]	684-93-5	0.0002		Y	N	VINYL ACETATE	108-05-4	1		Y	N
HEXAMETHYLPHOSPHORAMIDE	680-31-9	0.01		Y	N	OCTACHLORONAPHTHALENE	2234-13-1	0.01	V	Y	N	VINYL BROMIDE	593-60-2	0.6		Y	N
HEXANE, [N-]	110-54-3	10		Y	N	PARATHION	56-38-2	0.1		Y	Y	VINYL CHLORIDE	75-01-4	0.2		Y	N
HYDRAZINE	302-01-2	0.004		N	N	PCB [POLYCHLORINATED BIPHENYLS]	1336-36-3	0.009	X	Y	Y	XYLENE, [META-]	108-38-3	10	G	Y	N
HYDROGEN CHLORIDE	7647-01-0	10		N	N	PENTACHLORONITROBENZENE	82-68-8	0.3		Y	N	XYLENE, [ORTHO-]	95-47-6	10	G	Y	N
HYDROGEN FLUORIDE	7664-39-3	0.1		N	N	PENTACHLOROPHENOL	87-86-5	0.7		Y	N	XYLENE, [PARA-]	106-42-3	10	G	Y	N
HYDROQUINONE	123-31-9	1		Y	N	PHENOL	108-95-2	0.1		Y	N	XYLENES (MIXED ISOMERS)	1330-20-7	10	G	Y	N
INDENO(1,2,3CD)PYRENE	193-39-5	0.01	V	Y	N	PHENYLENEDIAMINE, [PARA-]	106-50-3	10		Y	N						
ISOPHORONE	78-59-1	10		Y	N	PHOSGENE	75-44-5	0.1		Y	N						
LEAD COMPOUNDS		0.01	Q	N	Y	PHOSPHINE	7803-51-2	5		N	N						
LINDANE [GAMMA-HEXACHLOROCYCLOHEXANE]	58-89-9	0.01	F	Y	N	PHOSPHOROUS (YELLOW OR WHITE)	7723-14-0	0.1		N	N	Legend					
MALEIC ANHYDRIDE	108-31-6	1		Y	N	PHTHALIC ANHYDRIDE	85-44-9	5		Y	N	Group ID	Aggregate Group Name				
MANGANESE COMPOUNDS		0.8	R	N	Y	POLYCYCLIC ORGANIC MATTER		0.01	V	Y	N	A	Asbestos				
MERCURY COMPOUNDS		0.01	S	N	N	PROPANE SULTONE, [1,3-]	1120-71-4	0.03		Y	Y	B	Cresols/Cresylic Acid (isomers and mixtures)				
METHANOL	67-56-1	10		Y	N	PROPIOLACTONE, [BETA-]	57-57-8	0.1		Y	N	C	2,4 - D, Salts and Esters				
METHOXYCHLOR	72-43-5	10	V	Y	Y	PROPIONALDEHYDE	123-38-6	5		Y	N	D	Dibenzofurans, Dibenzodioxins				
METHOXYETHANOL, [2-]	109-86-4	10	P	Y	N	PROPOXUR [BAYGON]	114-26-1	10		Y	Y	E	4, 6 Dinitro-o-cresol, and Salts				
METHYL CHLORIDE	74-87-3	10		Y	N	PROPYLENE OXIDE	75-56-9	5		Y	N	F	Lindane (all isomers)				
METHYL ETHYL KETONE (Delisted)	78-93-3					PROPYLENEIMINE, [1,2-]	75-55-8	0.003		Y	N	G	Xylenes (all isomers and mixtures)				
METHYL HYDRAZINE	60-34-4	0.06		Y	N	QUINOLINE	91-22-5	0.006		Y	N	H	Antimony Compounds				
METHYL IODIDE	74-88-4	1		Y	N	QUINONE	106-51-4	5		Y	N	I	Arsenic Compounds				
METHYL ISOBUTYL KETONE	108-10-1	10		Y	N	RADIONUCLIDES		Note 1	Y	N	Y	J	Beryllium Compounds				
METHYL ISOCYANATE	624-83-9	0.1		Y	N	SELENIUM COMPOUNDS		0.1	W	N	Y	K	Cadmium Compounds				
METHYL METHACRYLATE	80-62-6	10		Y	N	STYRENE	100-42-5	1		Y	N	L	Chromium Compounds				
METHYL TERT-BUTYL ETHER	1634-04-4	10		Y	N	STYRENE OXIDE	96-09-3	1		Y	N	M	Cobalt Compounds				
METHYLCYCLOPENTADIENYL MANGANESE	12108-13-3	0.1	R	N	Y	TETRACHLORODIBENZO-P-DIOXIN[2,3,7,8]	1746-01-6	6E-07	D,V	Y	Y	N	Coke Oven Emissions				
METHYLENE BIS(2-CHLOROANILINE), [4,4-]	101-14-4	0.2	V	Y	Y	TETRACHLOROETHANE, [1,1,2,2-]	79-34-5	0.3		Y	N	O	Cyanide Compounds				
METHYLENEDIANILINE, [4,4-]	101-77-9	1	V	Y	N	TETRACHLOROETHYLENE	127-18-4	10		N	N	P	Glycol Ethers				
METHYLNAPHTHALENE, [2-]	91-57-6	0.01	V	Y	N	TITANIUM TETRACHLORIDE	7550-45-0	0.1		N	N	Q	Lead Compounds (except elemental Lead)				
MINERAL FIBERS		0	T	N	Y	TOLUENE	108-88-3	10		Y	N	R	Manganese Compounds				
NAPHTHALENE	91-20-3	10	V	Y	N	TOLUENE DIISOCYANATE, [2,4-]	584-84-9	0.1		Y	N	S	Mercury Compounds				
NAPHTHYLAMINE, [ALPHA-]	134-32-7	0.01	V	Y	N	TOLUIDINE, [ORTHO-]	95-53-4	4		Y	N	T	Fine Mineral Fibers				
NAPHTHYLAMINE, [BETA-]	91-59-8	0.01	V	Y	N	TOXAPHENE	8001-35-2	0.01		Y	N	U	Nickel Compounds				
NICKEL CARBONYL	13463-39-3	0.1	U	N	Y	TRICHLOROETHANE, [1,2,4-]	120-82-1	10		Y	N	V	Polycyclic Organic Matter				
NICKEL COMPOUNDS		1	U	N	Y	TRICHLOROETHANE, [1,1,1-]	71-55-6	10		N	N	W	Selenium Compounds				
NICKEL REFINERY DUST		0.08	U	N	Y	TRICHLOROETHANE, [1,1,2-]	79-00-5	1		Y	N	X	Polychlorinated Biphenyls (Aroclors)				
NICKEL SUBSULFIDE	12035-72-2	0.04	U	N	Y	TRICHLOROETHYLENE	79-01-6	10		Y	N	Y	Radionuclides				
NITROBENZENE	98-95-3	1		Y	N	TRICHLOROPHENOL, [2,4,5-]	95-95-4	1		Y	N						
NITROBIPHENYL, [4-]	92-93-3	1	V	Y	N	TRICHLOROPHENOL, [2,4,6-]	88-06-2	6		Y	N						
NITROPHENOL, [4-]	100-02-7	5		Y	N	TRIETHYLAMINE	121-44-8	10		Y	N	Notes					
NITROPROPANE, [2-]	79-46-9	1		Y	N	TRIFLURALIN	1582-09-8	9		Y	Y	Note 1	The SMAL for radionuclides is defined as the effective dose equivalent to 0.3 millirems per year for 7 years exposure associated with a cancer risk of 1 in 1 million				

Ms. Cindy Rollet
Environmental Coordinator
TG Missouri
2200 Plattin Road
Perryville, MO 63775

RE: New Source Review Permit - Project Number: 2011-11-039

Dear Ms. Rollet:

Enclosed with this letter is your permit to construct. Please study it carefully. Also, note the special conditions on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit application and with your modified operating permit is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

If you have any questions regarding this permit, please do not hesitate to contact Tim Hines, at the departments' Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817. Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Kendall B. Hale
New Source Review Unit Chief

KBH:thl

Enclosures

c: Southeast Regional Office
PAMS File:2011-11-039

Permit Number: