



## INTERMEDIATE STATE PERMIT TO OPERATE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth here in.

**Intermediate Operating Permit Number:** OP2010-011  
**Expiration Date:** JAN 07 2015  
**Installation ID:** 165-0021  
**Project Number:** 2007-06-057

**Installation Name and Address**

YORK Label  
1800 NW Vivion Rd.  
Northmoor, MO 64150  
Platte County

**Parent Company's Name and Address**


YORK Label  
1800 NW Vivion Rd.  
Northmoor, MO 64150

**Installation Description:**

YORK Label is a package printing operation located in Northmoor, Missouri. The facility has the potential to be a major source for VOC and HAPs emissions.

JAN 08 2010

Effective Date

  
Director or Designee  
Department of Natural Resources

## Table of Contents

<b>I. INSTALLATION DESCRIPTION AND EQUIPMENT LISTING .....</b>	<b>3</b>
INSTALLATION DESCRIPTION .....	3
EMISSION UNITS WITH LIMITATIONS .....	3
EMISSION UNITS WITHOUT LIMITATIONS.....	3
DOCUMENTS INCORPORATED BY REFERENCE.....	3
<b>II. PLANT WIDE EMISSION LIMITATIONS.....</b>	<b>4</b>
PERMIT CONDITION PW001 .....	4
10 CSR 10-6.060 Construction Permits Required.....	4
Construction Permit No. 112002-019, Issued November 8, 2002.....	4
PERMIT CONDITION PW002 .....	4
10 CSR 10-6.060 Construction Permits Required.....	4
Construction Permit No. 112002-019, Issued November 8, 2002.....	4
<b>III. EMISSION UNIT SPECIFIC EMISSION LIMITATIONS .....</b>	<b>6</b>
EU0001– PARTS WASHER .....	6
PERMIT CONDITION EU0001-001.....	6
10 CSR 10-2.210 Control of Emissions from Solvent Metal Cleaning.....	6
<b>IV. CORE PERMIT REQUIREMENTS .....</b>	<b>9</b>
<b>V. GENERAL PERMIT REQUIREMENTS.....</b>	<b>16</b>
<b>VI. ATTACHMENTS .....</b>	<b>20</b>
ATTACHMENT A.....	21
Volatile Organic Compound Tracking Sheet for Plantwide Permit Condition PW001 .....	21
ATTACHMENT B .....	22
Individual Hazardous Air Pollutant Tracking Sheet for Plantwide Permit Condition PW002.....	22
ATTACHMENT C .....	23
Combined Hazardous Air Pollutant Tracking Sheet for Plantwide Permit Condition PW002.....	23
ATTACHMENT D.....	24
10 CSR 10-2.210, Control of Emissions from Solvent Metal Cleaning.....	24
Employee Solvent Metal Cleaning Training Log.....	24
ATTACHMENT E .....	25
10 CSR 10-2.210, Control of Emissions from Solvent Metal Cleaning.....	25
Purchase Records for Cold Cleaning Solvent .....	25
ATTACHMENT F .....	26
10 CSR 10-2.210, Control of Emissions from Solvent Metal Cleaning.....	26
Solvent Containing Transfer Log.....	26
ATTACHMENT G .....	27
Inspection/Maintenance/Repair/Malfunction Log .....	27

## I. Installation Description and Equipment Listing

### INSTALLATION DESCRIPTION

YORK Label is a package printing operation located in Northmoor, Missouri. The facility has the potential to be a major source for VOC and HAPs emissions.

Reported Air Pollutant Emissions, tons per year							
Year	Particulate Matter ≤ Ten Microns (PM-10)	Sulfur Oxides (SO <sub>x</sub> )	Nitrogen Oxides (NO <sub>x</sub> )	Volatile Organic Compounds (VOC)	Carbon Monoxide (CO)	Lead (Pb)	Hazardous Air Pollutants (HAPs)
2008	-	-	-	33.76	-	-	-
2007	-	-	-	47.31	-	-	-
2006	0.004	-	0.14	58.30	0.03	-	-
2005	-	-	0.17	74.67	0.03	-	-
2004	0.01	-	0.19	55.43	0.04	-	0.19

### EMISSION UNITS WITH LIMITATIONS

The following list provides a description of the equipment at this installation which emits air pollutants and identified as having unit-specific emission limitations.

Emission Unit #	Description of Emission Unit
EU0001	Parts Washer (Cold Cleaning) EP#4

### EMISSION UNITS WITHOUT LIMITATIONS

The following list provides a description of the equipment, which does not have unit specific limitations at the time of permit issuance.

Description of Emission Source
Rotogravure Printing Presses (2) EP#1
Flexographic Printing Presses (6) EP#2
Natural Gas Fired Space Heaters, 1.7 MMBtu/h EP#3

### DOCUMENTS INCORPORATED BY REFERENCE

This permit incorporates the following documents by reference:

Construction Permit No. 112002-019, Issued November 8, 2002

## II. Plant Wide Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect on the date of permit issuance.

### **PERMIT CONDITION PW001**

10 CSR 10-6.060 Construction Permits Required  
Construction Permit No. 112002-019, Issued November 8, 2002

#### **Emission Limitation:**

The permittee shall emit less than 100 tons of Volatile Organic Compounds (VOCs) from the entire installation in any consecutive 12-month period.

#### **Monitoring/Record Keeping:**

1. The permittee shall record the amount of VOC emitting material used each month.
2. The permittee shall calculate the monthly and rolling 12-month VOC emissions using Attachment A or an equivalent form generated by the permittee.
3. The permittee shall maintain a complete set of Material Safety Data Sheets (MSDS) for all material used at the installation.
4. All records shall be kept for no less than five years and be made available immediately to any Missouri Department of Natural Resources' personnel upon request.

#### **Reporting:**

If at any time the yearly emission limit of less than 100 tons should be exceeded or a malfunction occur which could possibly cause exceedance the permittee shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten (10) days after the exceedance.

### **PERMIT CONDITION PW002**

10 CSR 10-6.060 Construction Permits Required  
Construction Permit No. 112002-019, Issued November 8, 2002

#### **Emission Limitation:**

1. The permittee shall emit less than ten (10) tons of any individual Hazardous Air Pollutants (HAPs) from the installation in any consecutive 12-month period.
2. The permittee shall emit less than twenty-five (25) tons combined of Hazardous Air Pollutants (HAPs) from the installation in any consecutive 12-month period.

#### **Monitoring/Record Keeping:**

1. The permittee shall record the amount of HAPs emitting material used each month.
2. The permittee shall calculate the monthly and rolling 12-month HAPs emissions for each individual HAPs and for total combined HAPs using Attachments B & C or equivalent forms generated by the permittee.
3. The permittee shall maintain a complete set of Material Safety Data Sheets (MSDS) for all material used at the installation.

4. All records shall be kept for no less than five years and be made available immediately to any Missouri Department of Natural Resources' personnel upon request.

**Reporting:**

If at any time the yearly emission limit of less than ten (10) tons individual or twenty-five (25) tons combined should be exceeded or a malfunction occur which could possibly cause exceedance the permittee shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten (10) days after the exceedance.

### III. Emission Unit Specific Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect on the date of permit issuance.

<b>EU0001– Parts Washer</b>			
Emission Unit	Description	Manufacturer/Model #	2008 EIQ Reference #
EU0001	Parts Washing (Cold Cleaning)	Graymills Liftkleen	EP#4

**PERMIT CONDITION EU0001-001**  
 10 CSR 10-2.210 Control of Emissions from Solvent Metal Cleaning

**Emission Limitation:**

1. The permittee shall not operate or allow the operation of any cold cleaner using a cold cleaning solvent with a vapor pressure greater than 1.0 mmHg (0.019 psi) at 20°C (68°F).
2. Exceptions:
  - a) Cold cleaners using aqueous solvents shall be exempt from the requirements listed above.
  - b) Cold cleaners with a liquid surface area of one square foot or less or a maximum capacity of one gallon or less shall be exempt from the requirements listed above.
  - c) The permittee may use an alternative method for reducing cold cleaning emissions if the level of emission control is equivalent to or greater than the requirements listed above. The Director must approve the alternative method.

**Operational Limitation/Equipment Specifications:**

1. Each cold cleaner shall have a cover which will prevent the escape of solvent vapors from the solvent bath while in the closed position, or an enclosed reservoir which limits the escape of solvent vapors from the solvent bath whenever parts are not being processed in the cleaner.
2. When one or more of the following conditions exist, the design of the cover shall be such that it can be easily operated with one hand such that minimal disturbing of the solvent vapors in the tank occurs. (For covers larger than ten square feet, this shall be accomplished by either mechanical assistance such as spring loading or counter weighing or by power systems):
  - a) The solvent vapor pressure is greater than 0.3 psi measure at 100°F, such as in mineral spirits;
  - b) The solvent is agitated; or
  - c) The solvent is heated.
3. Each cold cleaner shall have a drainage facility, which will be internal so that parts are enclosed under the cover while draining.
4. If an internal drainage facility cannot fit into the cleaning system and the solvent vapor pressure is less than 0.6 psi measured at 100°F, then the cold cleaner shall have an external drainage facility which provides for the solvent to drain back into the solvent bath.
5. Solvent sprays, if used, shall be a solid fluid stream (not a fine, atomized or shower-type spray) and at a pressure which does not cause splashing above or beyond the freeboard.
6. A permanent conspicuous label summarizing the operating procedures shall be affixed to the equipment.
7. Any cold cleaner which uses a solvent that has a solvent vapor pressure greater than 0.6 psi measured at 100°F, or is heated above 120°F, must use one of the following control devices:

- a) A freeboard ratio of at least 0.75;
  - b) Water cover (solvent must be insoluble in and heavier than water); or
  - c) Other control systems with a mass balance demonstrated overall VOC emissions reduction efficiency greater than or equal to 65%. These control systems must receive approval from the Director prior to their use.
8. Each cold cleaner shall be operated as follows:
- a) Cold cleaner covers shall be closed whenever parts are not being handled in the cleaners or the solvent must drain into an enclosed reservoir.
  - b) Clean parts shall be drained in the freeboard area for at least 15 seconds or until dripping ceases, whichever is longer.
  - c) Whenever a cold cleaner fails to perform within the operating parameters established for it by this permit condition, the unit shall be shut down immediately and shall remain shut down until trained service personnel are able to restore operation within the established operating procedures.
  - d) Solvent leaks shall be repaired immediately or the cleaner shall be shut down and leaks secured until the leaks are repaired.
  - e) Any waste material removed from a cold cleaner shall be disposed of by one of the following methods in accordance with the Missouri Hazardous Waste Management Commission Rules codified as 10 CSR 25, as applicable:
    - i) Reduction of the waste material to less than 20% VOC solvent by distillation and proper disposal of the still bottom waste: or
    - ii) Stored in closed containers for transfer to a contract reclamation service or disposal facility approved by the Director.
  - f) Waste solvent shall be stored in covered containers only.
9. Operators must be trained as follows:
- a) Only persons trained in at least the operational and equipment requirements specified in 10 CSR 10-2.21 0 for their particular solvent metal cleaning process shall be permitted to operate this equipment;
  - b) The supervisor of any person who operates a solvent metal cleaning process shall receive equivalent or greater operational training than the operators; and
  - c) Refresher training shall be given to all solvent metal cleaning equipment operators at least once every 12-month period.

**Monitoring:**

The permittee shall monitor the throughputs of the solvents monthly and maintain material safety data sheets of the cleanup solvents used at the installation.

**Record Keeping:**

1. The permittee shall record the throughputs of the solvents monthly and maintain material safety data sheets of the cleanup solvents used at the installation.
2. The permittee shall keep training records of solvent metal cleaning for each employee on an annual basis using Attachment D or an equivalent form generated by the permittee.
3. The permittee shall maintain the following records for each purchase of cold cleaner solvent, using Attachment E or an equivalent form generated by the permittee:
  - a) Name and address of the solvent supplier;
  - b) Date of purchase;
  - c) Type of solvent purchased; and

- d) Vapor pressure of solvent in mmHg at 20°C (68°F).
4. The permittee shall keep monthly inventory records of solvent consumed. The permittee shall record all types and amounts of solvent containing waste material transferred to either a contract reclamation service or to a disposal installation and all amounts distilled on the premises using Attachment F or an equivalent form generated by the permittee. The permittee shall record maintenance and repair logs for the cold cleaner using Attachment G or an equivalent form generated by the permittee.
  5. All records shall be made available immediately for inspection to the Department of Natural Resources' personnel upon request.
  6. All records shall be maintained for five years.

**Reporting:**

Reports of any deviations from or exceedance of any of the terms imposed by this regulation, or any malfunction which causes a deviation from or exceedance of this regulation shall be submitted semiannually, in the semi-annual monitoring report and annual compliance certification, as required by Section V of this permit.

## IV. Core Permit Requirements

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR), Code of State Regulations (CSR), and local ordinances for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect on the date of permit issuance.

### **10 CSR 10-6.050 Start-up, Shutdown and Malfunction Conditions**

- 1) In the event of a malfunction, which results in excess emissions that exceed one hour, the permittee shall submit to the Director within two business days, in writing, the following information:
  - a) Name and location of installation;
  - b) Name and telephone number of person responsible for the installation;
  - c) Name of the person who first discovered the malfunction and precise time and date that the malfunction was discovered.
  - d) Identity of the equipment causing the excess emissions;
  - e) Time and duration of the period of excess emissions;
  - f) Cause of the excess emissions;
  - g) Air pollutants involved;
  - h) Best estimate of the magnitude of the excess emissions expressed in the units of the applicable requirement and the operating data and calculations used in estimating the magnitude;
  - i) Measures taken to mitigate the extent and duration of the excess emissions; and
  - j) Measures taken to remedy the situation that caused the excess emissions and the measures taken or planned to prevent the recurrence of these situations.
- 2) The permittee shall submit the paragraph 1 information list to the Director in writing at least ten days prior to any maintenance, start-up or shutdown, which is expected to cause an excessive release of emissions that exceed one hour. If notice of the event cannot be given ten days prior to the planned occurrence, it shall be given as soon as practicable prior to the release. If an unplanned excess release of emissions exceeding one hour occurs during maintenance, start-up or shutdown, the Director shall be notified verbally as soon as practical during normal working hours and no later than the close of business of the following working day. A written notice shall follow within ten working days.
- 3) Upon receipt of a notice of excess emissions issued by an agency holding a certificate of authority under Section 643.140, RSMo, the permittee may provide information showing that the excess emissions were the consequence of a malfunction, start-up or shutdown. The information, at a minimum, should be the paragraph 1 list and shall be submitted not later than 15 days after receipt of the notice of excess emissions. Based upon information submitted by the permittee or any other pertinent information available, the Director or the commission shall make a determination whether the excess emissions constitute a malfunction, start-up or shutdown and whether the nature, extent and duration of the excess emissions warrant enforcement action under Section 643.080 or 643.151, RSMo.
- 4) Nothing in this rule shall be construed to limit the authority of the Director or commission to take appropriate action, under Sections 643.080, 643.090 and 643.151, RSMo to enforce the provisions of the Air Conservation Law and the corresponding rule.
- 5) Compliance with this rule does not automatically absolve the permittee of liability for the excess emissions reported.

### **10 CSR 10-6.060 Construction Permits Required**

The permittee shall not commence construction, modification, or major modification of any installation subject to this rule, begin operation after that construction, modification, or major modification, or begin operation of any installation which has been shut down longer than five years without first obtaining a permit from the permitting authority.

### **10 CSR 10-6.065 Operating Permits**

The permittee shall file a complete application for renewal of this operating permit at least six months before the date of permit expiration. In no event shall this time be greater than eighteen months. [10 CSR 10-6.065(5)(B)1.A(III)] The permittee shall retain the most current operating permit issued to this installation on-site. [10 CSR 10-6.065, §(5)(C)(1) and §(6)(C)1.C(II)] The permittee shall immediately make such permit available to any Missouri Department of Natural Resources personnel upon request. [10 CSR 10-6.065, §(5)(C)(1) and §(6)(C)3.B]

### **10 CSR 10-6.110 Submission of Emission Data, Emission Fees and Process Information**

- 1) The permittee shall complete and submit an Emission Inventory Questionnaire (EIQ) in accordance with the requirements outlined in this rule.
- 2) The permittee shall pay an annual emission fee per ton of regulated air pollutant emitted according to the schedule in the rule. This fee is an emission fee assessed under authority of RSMo. 643.079.
- 3) The fees shall be payable to the Department of Natural Resources and shall be accompanied by the Emissions Inventory Questionnaire (EIQ) form or equivalent approved by the Director.

### **10 CSR 10-6.130 Controlling Emissions During Episodes of High Air Pollution Potential**

This rule specifies the conditions that establish an air pollution alert (yellow/orange/red/purple), or emergency (maroon) and the associated procedures and emission reduction objectives for dealing with each. The permittee shall submit an appropriate emergency plan if required by the Director.

### **10 CSR 10-6.150 Circumvention**

The permittee shall not cause or permit the installation or use of any device or any other means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes an emission or air contaminant which violates a rule of the Missouri Air Conservation Commission.

### **10 CSR 10-6.170 Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin**

- 1) The permittee shall not cause or allow to occur any handling, transporting or storing of any material; construction, repair, cleaning or demolition of a building or its appurtenances; construction or use of a road, driveway or open area; or operation of a commercial or industrial installation without applying reasonable measures as may be required to prevent, or in a manner which allows or may allow, fugitive particulate matter emissions to go beyond the premises of origin in quantities that the particulate matter may be found on surfaces beyond the property line of origin. The nature or origin of the particulate matter shall be determined to a reasonable degree of certainty by a technique proven to be accurate and approved by the Director.
- 2) The permittee shall not cause nor allow to occur any fugitive particulate matter emissions to remain visible in the ambient air beyond the property line of origin.
- 3) Should it be determined that noncompliance has occurred, the Director may require reasonable control measures as may be necessary. These measures may include, but are not limited to, the following:

- a) Revision of procedures involving construction, repair, cleaning and demolition of buildings and their appurtenances that produce particulate matter emissions;
- b) Paving or frequent cleaning of roads, driveways and parking lots;
- c) Application of dust-free surfaces;
- d) Application of water; and
- e) Planting and maintenance of vegetative ground cover.

#### **10 CSR 10-6.180 Measurement of Emissions of Air Contaminants**

- 1) The Director may require any person responsible for the source of emission of air contaminants to make or have made tests to determine the quantity or nature, or both, of emission of air contaminants from the source. The Director may specify testing methods to be used in accordance with good professional practice. The Director may observe the testing. All tests shall be performed by qualified personnel.
- 2) The Director may conduct tests of emissions of air contaminants from any source. Upon request of the Director, the person responsible for the source to be tested shall provide necessary ports in stacks or ducts and other safe and proper sampling and testing facilities, exclusive of instruments and sensing devices as may be necessary for proper determination of the emission of air contaminants.
- 3) The Director shall be given a copy of the test results in writing and signed by the person responsible for the tests.

#### **10 CSR 10-6.045 Open Burning Requirements**

- (1) General Provisions. The open burning of tires, petroleum-based products, asbestos containing materials, and trade waste is prohibited, except as allowed below. Nothing in this rule may be construed as to allow open burning which causes or constitutes a public health hazard, nuisance, a hazard to vehicular or air traffic, nor which violates any other rule or statute.
- (2) Refer to the regulation for a complete list of allowances. The following is a listing of exceptions to the allowances:
  - (A) Burning of household or domestic refuse. Burning of household or domestic refuse is limited to open burning on a residential premises having not more than four dwelling units, provided that the refuse originates on the same premises, with the following exceptions:
    1. Kansas City metropolitan area. The open burning of household refuse must take place in an area zoned for agricultural purposes and outside that portion of the metropolitan area surrounded by the corporate limits of Kansas City and every contiguous municipality;
    2. Springfield-Greene County area. The open burning of household refuse must take place outside the corporate limits of Springfield and only within areas zoned A-1, Agricultural District;
    3. St. Joseph area. The open burning of household refuse must take place within an area zoned for agricultural purposes and outside that portion of the metropolitan area surrounded by the corporate limits of St. Joseph; and
    4. St. Louis metropolitan area. The open burning of household refuse is prohibited;
  - (B) Yard waste, with the following exceptions:
    1. Kansas City metropolitan area. The open burning of trees, tree leaves, brush or any other type of vegetation shall require an open burning permit;
    2. Springfield-Greene County area. The City of Springfield requires an open burning permit for the open burning of trees, brush or any other type of vegetation. The City of Springfield prohibits the open burning of tree leaves;

3. St. Joseph area. Within the corporate limits of St. Joseph, the open burning of trees, tree leaves, brush or any other type of vegetation grown on a residential property is allowed during the following calendar periods and time-of-day restrictions:
    - A. A three (3)-week period within the period commencing the first day of March through April 30 and continuing for twenty-one (21) consecutive calendar days;
    - B. A three (3)-week period within the period commencing the first day of October through November 30 and continuing for twenty-one (21) consecutive calendar days;
    - C. The burning shall take place only between the daytime hours of 10:00 a.m. and 3:30 p.m.; and
    - D. In each instance, the twenty-one (21)-day burning period shall be determined by the Director of Public Health and Welfare of the City of St. Joseph for the region in which the City of St. Joseph is located provided, however, the burning period first shall receive the approval of the Department Director; and
  4. St. Louis metropolitan area. The open burning of trees, tree leaves, brush or any other type of vegetation is limited to the period beginning September 16 and ending April 14 of each calendar year and limited to a total base area not to exceed sixteen (16) square feet. Any open burning shall be conducted only between the hours of 10:00 a.m. and 4:00 p.m. and is limited to areas outside of incorporated municipalities;
- (3) Certain types of materials may be open burned provided an open burning permit is obtained from the Director. The permit will specify the conditions and provisions of all open burning. The permit may be revoked if the owner or operator fails to comply with the conditions or any provisions of the permit.
- (4) YORK Label may be issued an annually renewable open burning permit for open burning provided that an air curtain destructor or incinerator is utilized and only tree trunks, tree limbs, vegetation or untreated wood waste are burned. Open burning shall occur at least two hundred (200) yards from the nearest occupied structure unless the owner or operator of the occupied structure provides a written waiver of this requirement. Any waiver shall accompany the open burning permit application. The permit may be revoked if YORK Label fails to comply with the provisions or any condition of the open burning permit.
- (A) In a nonattainment area, as defined in 10 CSR 10-6.020, paragraph (2)(N)5., the Director shall not issue a permit under this section unless the owner or operator can demonstrate to the satisfaction of the Director that the emissions from the open burning of the specified material would be less than the emissions from any other waste management or disposal method.
- (5) Reporting and Record Keeping. New Source Performance Standard (NSPS) 40 CFR Part 60 Subpart CCCC establishes certain requirements for air curtain destructors or incinerators that burn wood trade waste. These requirements are established in 40 CFR 60.2245-60.2260. The provisions of 40 CFR Part 60 Subpart CCCC promulgated as of September 22, 2005 shall apply and are hereby incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401. To comply with NSPS 40 CFR 60.2245-60.2260, sources must conduct an annual Method 9 test. A copy of the annual Method 9 test results shall be submitted to the Director.
- (6) Test Methods. The visible emissions from air pollution sources shall be evaluated as specified by 40 CFR Part 60, Appendix A–Test Methods, Method 9–Visual Determination of the Opacity of Emissions from Stationary Sources. The provisions of 40 CFR Part 60, Appendix A, Method 9 promulgated as of December 23, 1971, is incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401.

**10 CSR 10-2.070 Restriction of Emission of Odors**

**This requirement is not federally enforceable.**

No person may cause, permit or allow the emission of odorous matter in concentrations and frequencies or for durations that odor can be perceived when one volume of odorous air is diluted with seven volumes of odor-free air for two separate trials not less than 15 minutes apart within the period of one hour.

**10 CSR 10-6.100 Alternate Emission Limits**

Proposals for alternate emission limitations shall be submitted on Alternate Emission Limits Permit forms provided by the Department. An installation owner or operator must obtain an Alternate Emission Limits Permit in accordance with 10 CSR 10-6.100 before alternate emission limits may become effective.

**10 CSR 10-6.080 Emission Standards for Hazardous Air Pollutants and 40 CFR Part 61 Subpart M National Emission Standard for Asbestos**

- 1) The permittee shall follow the procedures and requirements of 40 CFR Part 61, Subpart M for any activities occurring at this installation which would be subject to provisions for 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos.
- 2) The permittee shall conduct monitoring to demonstrate compliance with registration, certification, notification, and Abatement Procedures and Practices standards as specified in 40 CFR Part 61, Subpart M.

**10 CSR 10-6.250 Asbestos Abatement Projects – Certification, Accreditation, and Business Exemption Requirements**

The permittee shall conduct all asbestos abatement projects within the procedures established for certification and accreditation by 10 CSR 10-6.250. This rule requires individuals who work in asbestos abatement projects to be certified by the Missouri Department of Natural Resources Air Pollution Control Program. This rule requires training providers who offer training for asbestos abatement occupations to be accredited by the Missouri Department of Natural Resources Air Pollution Control Program. This rule requires persons who hold exemption status from certain requirements of this rule to allow the Department to monitor training provided to employees. Each individual who works in asbestos abatement projects must first obtain certification for the appropriate occupation from the Department. Each person who offers training for asbestos abatement occupations must first obtain accreditation from the Department. Certain business entities that meet the requirements for state-approved exemption status must allow the Department to monitor training classes provided to employees who perform asbestos abatement.

**Title VI – 40 CFR Part 82 Protection of Stratospheric Ozone**

- 1) The permittee shall comply with the standards for labeling of products using ozone-depleting substances pursuant to 40 CFR Part 82, Subpart E:
  - a) All containers in which a class I or class II substance is stored or transported, all products containing a class I substance, and all products directly manufactured with a class I substance must bear the required warning statement if it is being introduced into interstate commerce pursuant to §82.106.
  - b) The placement of the required warning statement must comply with the requirements pursuant to §82.108.

- c) The form of the label bearing the required warning statement must comply with the requirements pursuant to §82.110.
  - d) No person may modify, remove, or interfere with the required warning statement except as described in §82.112.
- 2) The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners (MVACs) in Subpart B:
- a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to §82.156.
  - b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to §82.158.
  - c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to §82.161.
  - d) Persons disposing of small appliances, MVACs, and MVAC-like appliances must comply with record keeping requirements pursuant to §82.166. ("MVAC-like" appliance as defined at §82.152).
  - e) Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to §82.156.
  - f) Owners/operators of appliances normally containing 50 or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to §82.166.
- 3) If the permittee manufactures, transforms, imports, or exports a class I or class II substance, the permittee is subject to all the requirements as specified in 40 CFR Part 82, Subpart A, Production and Consumption Controls.
- 4) If the permittee performs a service on motor (fleet) vehicles when this service involves ozone-depleting substance refrigerant (or regulated substitute substance) in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements as specified in 40 CFR Part 82, Subpart B, Servicing of Motor Vehicle Air conditioners. The term "motor vehicle" as used in Subpart B does not include a vehicle in which final assembly of the vehicle has not been completed. The term "MVAC" as used in Subpart B does not include the air-tight sealed refrigeration system used as refrigerated cargo, or system used on passenger buses using HCFC-22 refrigerant.

The permittee shall be allowed to switch from any ozone-depleting substance to any alternative that is listed in the Significant New Alternatives Program (SNAP) promulgated pursuant to 40 CFR Part 82, Subpart G, Significant New Alternatives Policy Program. *Federal Only - 40 CFR Part 82*

#### **10 CSR 10-6.280 Compliance Monitoring Usage**

- 1) The permittee is not prohibited from using the following in addition to any specified compliance methods for the purpose of submission of compliance certificates:
  - a) Monitoring methods outlined in 40 CFR Part 64;
  - b) Monitoring method(s) approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
  - c) Any other monitoring methods approved by the Director.
- 2) Any credible evidence may be used for the purpose of establishing whether a permittee has violated or is in violation of any such plan or other applicable requirement. Information from the use of the following methods is presumptively credible evidence of whether a violation has occurred by a permittee:
  - a) Monitoring methods outlined in 40 CFR Part 64;

- b) A monitoring method approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
  - c) Compliance test methods specified in the rule cited as the authority for the emission limitations.
- 3) The following testing, monitoring or information gathering methods are presumptively credible testing, monitoring, or information gathering methods:
- a) Applicable monitoring or testing methods, cited in:
    - i) 10 CSR 10-6.030, "Sampling Methods for Air Pollution Sources";
    - ii) 10 CSR 10-6.040, "Reference Methods";
    - iii) 10 CSR 10-6.070, "New Source Performance Standards";
    - iv) 10 CSR 10-6.080, "Emission Standards for Hazardous Air Pollutants"; or
  - b) Other testing, monitoring, or information gathering methods, if approved by the Director, that produce information comparable to that produced by any method listed above.

## V. General Permit Requirements

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

### **10 CSR 10-6.065, §(5)(C)1 and §(6)(C)1.B Permit Duration**

This permit is issued for a term of five years, commencing on the date of issuance. This permit will expire at the end of this period unless renewed.

### **10 CSR 10-6.065, §(5)(C)1 and §(6)(C)1.C General Record Keeping and Reporting Requirements**

- 1) Record Keeping
  - a) All required monitoring data and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report or application.
  - b) Copies of all current operating and construction permits issued to this installation shall be kept on-site for as long as the permits are in effect. Copies of these permits shall be made immediately available to any Missouri Department of Natural Resources' personnel upon request.
- 2) Reporting
  - a) All reports shall be submitted to the Air Pollution Control Program's Enforcement Section, P. O. Box 176, Jefferson City, MO 65102.
  - b) The permittee shall submit a report of all required monitoring by:
    - i) April 1st for monitoring which covers the January through December time period.
    - ii) Exception. Monitoring requirements which require reporting more frequently than annually shall report no later than 30 days after the end of the calendar quarter in which the measurements were taken.
  - c) Each report shall identify any deviations from emission limitations, monitoring, record keeping, reporting, or any other requirements of the permit.
  - d) Submit supplemental reports as required or as needed. Supplemental reports are required no later than ten days after any exceedance of any applicable rule, regulation or other restriction. All reports of deviations shall identify the cause or probable cause of the deviations and any corrective actions or preventative measures taken.
    - i) Notice of any deviation resulting from an emergency (or upset) condition as defined in paragraph (6)(C)7 of 10 CSR 10-6.065 (Emergency Provisions) shall be submitted to the permitting authority either verbally or in writing within two working days after the date on which the emission limitation is exceeded due to the emergency, if the permittee wishes to assert an affirmative defense. The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that indicate an emergency occurred and the permittee can identify the cause(s) of the emergency. The permitted installation must show that it was operated properly at the time and that during the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or requirements in the permit. The notice must contain a description of the emergency, the steps taken to mitigate emissions, and the corrective actions taken.

- ii) Any deviation that poses an imminent and substantial danger to public health, safety or the environment shall be reported as soon as practicable.
- iii) Any other deviations identified in the permit as requiring more frequent reporting than the permittee's annual report shall be reported on the schedule specified in this permit, and no later than ten days after any exceedance of any applicable rule, regulation, or other restriction.
- e) Every report submitted shall be certified by the responsible official, except that, if a report of a deviation must be submitted within ten days after the deviation, the report may be submitted without a certification if the report is resubmitted with an appropriate certification within ten days after that, together with any corrected or supplemental information required concerning the deviation.
- f) The permittee may request confidential treatment of information submitted in any report of deviation.

**10 CSR 10-6.065 §(5)(C)1 and §(6)(C)1.D Risk Management Plan Under Section 112(r)**

The permittee shall comply with the requirements of 40 CFR Part 68, Accidental Release Prevention Requirements. If the permittee has more than a threshold quantity of a regulated substance in process, as determined by 40 CFR Section 68.115, the permittee shall submit a Risk Management Plan in accordance with 40 CFR Part 68 no later than the latest of the following dates:

- 1) June 21, 1999;
- 2) Three years after the date on which a regulated substance is first listed under 40 CFR Section 68.130; or
- 3) The date on which a regulated substance is first present above a threshold quantity in a process.

**10 CSR 10-6.065(5)(C)1.A General Requirements**

- 1) The permittee must comply with all of the terms and conditions of this permit. Any noncompliance with a permit condition constitutes a violation and is grounds for enforcement action, permit termination, permit revocation and re-issuance, permit modification or denial of a permit renewal application.
- 2) The permittee may not use as a defense in an enforcement action that it would have been necessary for the permittee to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit
- 3) The permit may be modified, revoked, reopened, reissued or terminated for cause. Except as provided for minor permit modifications, the filing of an application or request for a permit modification, revocation and reissuance, or termination, or the filing of a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- 4) This permit does not convey any property rights of any sort, nor grant any exclusive privilege.
- 5) The permittee shall furnish to the Air Pollution Control Program, upon receipt of a written request and within a reasonable time, any information that the Air Pollution Control Program reasonably may require to determine whether cause exists for modifying, reopening, reissuing or revoking the permit or to determine compliance with the permit. Upon request, the permittee also shall furnish to the Air Pollution Control Program copies of records required to be kept by the permittee. The permittee may make a claim of confidentiality for any information or records submitted under this rule.
- 6) Failure to comply with the limitations and conditions that qualify the installation for an Intermediate permit make the installation subject to the provisions of 10 CSR 10-6.065(6) and enforcement action for operating without a valid part 70 operating permit.

**10 CSR 10-6.065(5)(C)1.C Reasonably Anticipated Operating Scenarios**

None.

**10 CSR 10-6.065, §(5)(B)4; §(5)(C)1, §(6)(C)3.B; and §(6)(C)3.D; and §(5)(C)3 and §(6)(C)3.E.(I) – (III) and (V) – (VI) Compliance Requirements**

- 1) Any document (including reports) required to be submitted under this permit shall contain a certification signed by the responsible official.
- 2) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized officials of the Missouri Department of Natural Resources, or their authorized agents, to perform the following (subject to the installation's right to seek confidential treatment of information submitted to, or obtained by, the Air Pollution Control Program):
  - a) Enter upon the premises where a permitted installation is located or an emissions-related activity is conducted, or where records must be kept under the conditions of this permit;
  - b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
  - c) Inspect, at reasonable times and using reasonable safety practices, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
  - d) As authorized by the Missouri Air Conservation Law, Chapter 643, RSMo or the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the terms of this permit, and all applicable requirements as outlined in this permit.
- 3) All progress reports required under an applicable schedule of compliance shall be submitted semiannually (or more frequently if specified in the applicable requirement). These progress reports shall contain the following:
  - a) Dates for achieving the activities, milestones or compliance required in the schedule of compliance, and dates when these activities, milestones or compliance were achieved, and
  - b) An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventative or corrective measures adopted.
- 4) The permittee shall submit an annual certification that it is in compliance with all of the federally enforceable terms and conditions contained in this permit, including emissions limitations, standards, or work practices. These certifications shall be submitted annually by June 1st, unless the applicable requirement specifies more frequent submission. These certifications shall be submitted to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102. All deviations and exceedances must be included in the compliance certifications. The compliance certification shall include the following:
  - a) The identification of each term or condition of the permit that is the basis of the certification;
  - b) The current compliance status, as shown by monitoring data and other information reasonably available to the installation;
  - c) Whether compliance was continuous or intermittent;
  - d) The method(s) used for determining the compliance status of the installation, both currently and over the reporting period; and
  - e) Such other facts as the Air Pollution Control Program will require in order to determine the compliance status of this installation.

**10 CSR 10-6.065, §(5)(C)1 and §(6)(C)7 Emergency Provisions**

- 1) An emergency or upset as defined in 10 CSR 10-6.065(6)(C)7.A shall constitute an affirmative defense to an enforcement action brought for noncompliance with technology-based emissions limitations. To establish an emergency- or upset-based defense, the permittee must demonstrate, through properly signed, contemporaneous operating logs or other relevant evidence, the following:
  - a) That an emergency or upset occurred and that the permittee can identify the source of the emergency or upset,
  - b) That the installation was being operated properly,
  - c) That the permittee took all reasonable steps to minimize emissions that exceeded technology-based emissions limitations or requirements in this permit, and
  - d) That the permittee submitted notice of the emergency to the Air Pollution Control Program within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.
- 2) Be aware that an emergency or upset shall not include noncompliance caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

**10 CSR 10-6.065(5)(C)5 Off-Permit Changes**

- 1) Except as noted below, the permittee may make any change in its permitted installation's operations, activities or emissions that is not addressed in, constrained by or prohibited by this permit without obtaining a permit revision. Off-permit changes shall be subject to the following requirements and restrictions:
  - a) The change must meet all applicable requirements of the Act and may not violate any existing permit term or condition; the permittee may not change a permitted installation without a permit revision if this change is a Title I modification; Please Note: Changes at the installation which affect the emission limitation(s) classifying the installation as an intermediate source (add additional equipment to the record keeping requirements, increase the emissions above major source level) do not qualify for off-permit changes.
  - b) The permittee must provide written notice of the change to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 901 North 5th Street, Kansas City, KS 66101, no later than the next annual emissions report. This written notice shall describe each change, including the date, any change in emissions, pollutants emitted and any applicable requirement that would apply as a result of the change; and
  - c) The permittee shall keep a record describing all changes made at the installation that result in emissions of a regulated air pollutant subject to an applicable requirement and the emissions resulting from these changes.

**10 CSR 10-6.020(2)(R)12 Responsible Official**

The application utilized in the preparation of this permit was signed by Mr. Bill Krumrei, Production Manager. If this person terminates employment, or is reassigned different duties such that a different person becomes the responsible person to represent and bind the installation in environmental permitting affairs, the owner or operator of this air contaminant source shall notify the Director of the Air Pollution Control Program of the change. Said notification shall be in writing and shall be submitted within 30 days of the change. The notification shall include the name and title of the new person assigned by the source owner or operator to represent and bind the installation in environmental permitting affairs. All representations, agreement to terms and conditions and covenants made by the former responsible

person that were used in the establishment of limiting permit conditions on this permit will continue to be binding on the installation until such time that a revision to this permit is obtained that would change said representations, agreements and covenants.

**10 CSR 10-6.065 §(5)(E)4 and §(6)(E)6.A(III)(a)-(c) Reopening-Permit for Cause**

This permit may be reopened for cause if:

- 1) The Missouri Department of Natural Resources (MDNR) or EPA determines that the permit contains a material mistake or that inaccurate statements were made which resulted in establishing the emissions limitation standards or other terms of the permit,
- 2) Additional applicable requirements under the Act become applicable to the installation; however, reopening on this ground is not required if—:
  - a) The permit has a remaining term of less than three years;
  - b) The effective date of the requirement is later than the date on which the permit is due to expire;  
or
  - c) The additional applicable requirements are implemented in a general permit that is applicable to the installation and the installation receives authorization for coverage under that general permit,
- 3) The Missouri Department of Natural Resources or EPA determines that the permit must be reopened and revised to assure compliance with applicable requirements.

**10 CSR 10-6.065 §(5)(E)1.A and §(6)(E)1.C Statement of Basis**

This permit is accompanied by a statement setting forth the legal and factual basis for the permit conditions (including references to applicable statutory or regulatory provisions). This Statement of Basis, while referenced by the permit, is not an actual part of the permit.

## **VI. Attachments**

Attachments follow.















# STATEMENT OF BASIS

## **Voluntary Limitations**

In order to qualify for this Intermediate State Operating Permit, the permittee has accepted voluntary, federally enforceable emission limitations. Per 10 CSR 10-6.065(5)(C)1.A.(VI), if these limitations are exceeded, the installation immediately becomes subject to 10 CSR 10-6.065(6) and enforcement action for operating without a valid part 70 operating permit. It is the permittee's responsibility to monitor emission levels and apply for a part 70 operating permit far enough in advance to avoid this situation. This may mean applying more than eighteen months in advance of the exceedance, since it can take that long or longer to obtain a part 70 operating permit.

## **Permit Reference Documents**

These documents were relied upon in the preparation of the operating permit. Because they are not incorporated by reference, they are not an official part of the operating permit.

- 1) Intermediate Operating Permit Application, received June 19, 2007;
- 2) U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*; Volume I, Stationary Point and Area Sources, Fifth Edition.

## **Applicable Requirements Included in the Operating Permit but Not in the Application or Previous Operating Permits**

In the operating permit application, the installation indicated they were not subject to the following regulation(s). However, in the review of the application, the agency has determined that the installation is subject to the following regulation(s) for the reasons stated.

None.

## **Other Air Regulations Determined Not to Apply to the Operating Permit**

The Air Pollution Control Program (APCP) has determined that the following requirements are not applicable to this installation at this time for the reasons stated.

10 CSR 10-6.260 *Restriction of Emission of Sulfur Compounds* is not applicable because the permittee only uses pipeline grade natural gas for fuel.

10 CSR 10-2.290 *Control of Emissions From Rotogravure and Flexographic Printing Facilities* is not applicable because the permittee has emission limitations in Construction Permit No. 112002-019, issued November 8, 2002, which limit their PTE to less than 100 TPY VOC and less than 10/25 TPY individual/combined HAPs.

## **Construction Permit Revisions**

The following revisions were made to construction permits for this installation:

None.

### **New Source Performance Standards (NSPS) Applicability**

40 CFR Part 60 Subpart QQ, *Standards of Performance for the Graphic Arts Industry: Publication Rotogravure Printing* is not applicable. Publication rotogravure printing press means any number of rotogravure printing units capable of printing simultaneously on the same continuous web or substrate and includes any associated device for continuously cutting and folding the printed web, where the following saleable paper products are printed:

- Catalogues, including mail order and premium,
- Direct mail advertisements, including circulars, letters, pamphlets, cards, and printed envelopes,
- Display advertisements, including general posters, outdoor advertisements, car cards, window posters; counter and floor displays; point-of-purchase, and other printed display material,
- Magazines,
- Miscellaneous advertisements, including brochures, pamphlets, catalogue sheets, circular folders, announcements, package inserts, book jackets, market circulars, magazine inserts, and shopping news,
- Newspapers, magazine and comic supplements for newspapers, and preprinted newspaper inserts, including hi-fi and spectacolor rolls and sections,
- Periodicals, and
- Telephone and other Directories, including business reference services.

If at any time the facility decides to make any of the publication materials listed the rotogravure printing presses will be subject to this NSPS.

### **Maximum Available Control Technology (MACT) Applicability**

40 CFR Part 63 Subpart KK, *National Emission Standards for the Printing and Publishing Industry* is applicable to this facility. The installation qualifies as area source. Under the subpart area sources are required to submit initial notification and maintain records that prove the permittee has not progressed from an area source (below 10/25 TPY individual/combined HAPs) to a major source (10/25 TPY or above). Initial notification was submitted December 12, 2002. The HAPs monitoring can be seen in the compliance worksheets for Plantwide Permit Condition PW002.

### **National Emission Standards for Hazardous Air Pollutants (NESHAP) Applicability**

None.

### **Other Regulatory Determinations**

10 CSR 10-2.040 *Maximum Allowable Emission of Particulate Matter From Fuel Burning Equipment Used for Indirect Heating* is applicable. Calculations showed that the PTE of the space heaters (MHDR 1.7 MMBtu/hr) was only 0.01 lb PM /MMBtu which is far below their allowable emission limit of 0.6 lb/MMBtu PM as stated in the text of the rule for indirect heating sources with an MHDR of less than 10 MMBtu/hr.

10 CSR 10-6.220 *Restriction of Emission of Visible Air Contaminants* is applicable. The only PM emitting source at the installation is the space heaters, EP#3 which put out very little PM. The facility will always be in compliance with this rule so long as they do not add another PM emission source.

**Other Regulations Not Cited in the Operating Permit or the Above Statement of Basis**

Any regulation which is not specifically listed in either the Operating Permit or in the above Statement of Basis does not appear, based on this review, to be an applicable requirement for this installation for one or more of the following reasons.

- 1) The specific pollutant regulated by that rule is not emitted by the installation.
- 2) The installation is not in the source category regulated by that rule.
- 3) The installation is not in the county or specific area that is regulated under the authority of that rule.
- 4) The installation does not contain the type of emission unit which is regulated by that rule.
- 5) The rule is only for administrative purposes.

Should a later determination conclude that the installation is subject to one or more of the regulations cited in this Statement of Basis or other regulations which were not cited, the installation shall determine and demonstrate, to the Air Pollution Control Program's satisfaction, the installation's compliance with that regulation(s). If the installation is not in compliance with a regulation which was not previously cited, the installation shall submit to the APCP a schedule for achieving compliance for that regulation(s).

Prepared by:

---

Alana L. Rugen  
Environmental Engineer