

## 7.0 REFERENCES

- Amar, P., D. Chock, A. Hensen, M. Moran, A. Russell, D. Steyn, and W. Stockwell. 2005. "Second Peer-Review of the CMAQ Model: Final Report." Prepared for the Community Modeling and Analysis System (CMAS) Center, Carolina Environmental Program, University of North Carolina, Chapel Hill, NC
- Anderson, B.A. 2006. Synoptic Climatological Analysis of Fine Particulate Matter for the St. Louis, Missouri Metropolitan Area (2001-2003), USEPA Region 7, Kansas City, KS, September.
- Anthes, R.A. 1977. A Cumulus Parameterization Scheme Utilizing a One-Dimensional Cloud Model. *Mon. Wea. Rev.*, Vol. 105, pp. 270-286.
- Anthes, R.A. and T.T. Warner. 1978. The Development of Mesoscale Models Suitable for Air Pollution and Other Mesometeorological Studies. *Mon. Wea. Rev.*, Vol. 106, pp. 1045-1078.
- Arnold, J.R.; R.L. Dennis, and G.S. Tonnesen. 1998. Advanced techniques for evaluating Eulerian air quality models: background and methodology. In: Preprints of the 10th Joint Conference on the Applications of Air Pollution Meteorology with the Air & Waste Management Association, January 11-16, 1998, Phoenix, Arizona. American Meteorological Society, Boston, Massachusetts, paper no. 1.1, pp. 1-5.
- Arnold, J.R., R.L. Dennis, and G.S. Tonnesen. 2003. Diagnostic Evaluation of Numerical Air Quality Models with Specialized Ambient Observations: Testing the Community Multiscale Air Quality Modeling System (CMAQ) at Selected SOS 95 Ground Sites. *Atmos. Environ.*, Vol. 37, pp. 1185-1198.
- ARS. 2002. Review of Selected Factors Responsible for High and Low Extinction. Prepared by Air Resource Specialists, Inc. Prepared for VISTAS, October. <http://www.vistas-sesarm.org>.
- Bae, M.S., Schauer, J.J., DeMinter, J.T. and Turner, J.R. 2004. Hourly and Daily Patterns of Particle-Phase Organic and Elemental Carbon Concentrations in the Urban Atmosphere. *J. Air Waste Manage. Assoc.*, 54, pp. 823-833.
- Bae, M.S., Schauer, J.J. and Turner, J.R. 2007. Estimation of the Monthly Average Ratios of Organic Mass to Organic Carbon for Fine Particulate Matter at an Urban Site. *Aerosol Sci. Technol.*, in press.
- Baker, K. 2004. Presentations on latest MRPO modeling results at November 11, 2004 MRPO meeting in Chicago, Illinois. <http://www.ladco.org/tech/photo/photochemical.html>.
- Barchet, W.R., and R.L. Dennis. 1990. "ANAPAP Model Evaluation, Volume 1: Protocol", Prepared for the U.S. Environmental Protection Agency. Prepared by Battelle Pacific Northwest Laboratories, Richland, WA.

- Binkowski, F.S. and S.J. Roselle. 2003. Models-3 Community Multiscale Air Quality (CMAQ) Model Aerosol Component -- 1. Model Description. *Journal of Geophysical Research*, Vol. 108(D6), 4163, DOI:10.1029/2001JD001409. March.
- Boylan, J. W. 2004. "Calculating Statistics: Concentration Related Performance Goals." Presented at the EPA PM Model Performance Workshop, Chapel Hill, NC. February.
- Byun, D.W., and J.K.S. Ching. 1999. "Science Algorithms of the EPA Models-3 Community Multiscale Air Quality (CMAQ) Modeling System." EPA/600/R-99/030.
- Byun, D. W., et al. 2005. "Development and Operational Evaluation of the Eastern Texas Air Quality (ETAQ) Forecasting System Based on MM5/SMOKE/CMAQ." Presented at the 4th Annual CMAS Models-3 User's Conference, University of North Carolina, Chapel Hill, NC. 26-28. [http://cf.cmascenter.org/html/2005\\_conference/conf\\_agenda.cfm](http://cf.cmascenter.org/html/2005_conference/conf_agenda.cfm)
- CFR, 1997. National Ambient Air Quality Standards for Particulate Matter. Code of Federal Regulations, Part 50, Title 40, Appendix D. *Fed. Regist.*
- Chang, Ming, Constantinos Sioutas, Seongheon Kim, Henry Gong Jr, William Linn, 2000: Reduction of nitrate losses from filter and impactor samplers by means of concentration enrichment. *Atmospheric Environment*, Vol 347.
- Chung, S. H. and Seinfeld, J.H. 2002. Global distribution and climate forcing of carbonaceous aerosols. *Journal of Geophysical Research*, Vol. 107 (D19), 4407, doi:10.1029/2001JD001397.
- Chow, Judith C., John G. Watson, L.-W. Antony Chen, W.Patrick Arnott, and Hans Moosmüller, 2004: Equivalence of Elemental Carbon by Thermal/Optical Reflectance and Transmittance with Different Temperature Protocols. *Environmental Science and Technology*, **38** (16) 4414-4422. July.
- Chow, J. 2005. Memorandum: EPA Chemical Profiles for Coal Fired Power Station Emissions. Prepared for TCEQ. July.
- Clegg, S.L., P. Brimblecombe, and A. S. Wexler. 1998. Aerosol Inorganics Model; A Thermodynamic Model of the System  $H^+ - NH_4^+ - SO_4^{2-} - NO_3^- - H_2O$  at Tropospheric Temperatures. *J. Phys. Chem.*, 102A, 2137-2154.  
<http://www.hpc1.uea.ac.uk/~e770/aim.html>
- Coats, C.J., 1995. "Sparse Matrix Operator Kernel Emissions (SMOKE) Modeling System", MCNC Environmental Programs, Research Triangle Park, NC.
- Coella, P., and P. L., Woodward. 1984. The Piecewise Parabolic Method (PPM) for Gas-Dynamical Simulations. *J. Comp. Physics*, Vol. 54, pp. 174-201.
- Dennis, R. L., et al. 1990. "Evaluation of Regional Acid Deposition Models", State-of-Science/Technology Report No. 5, National Acid Precipitation Assessment Program, Washington, DC.

- Dentener, F. J., and P. J. Crutzen. 1993. Reaction of N<sub>2</sub>O<sub>5</sub> on tropospheric aerosols: Impact on global distributions of NO<sub>x</sub>, O<sub>3</sub>, and OH, *J. Geophys. Res.*, 98, 7149-7163.
- Donahue, N.M., M.K. Dubey, R. Mohrshladt, K.L. Demerjian, and J.G. Anderson. 1997. High-pressure flow study of the reactions OH+NO<sub>x</sub> → HONO<sub>x</sub>: Errors in the falloff region. *J. Geophys. Res.* **102**, 6159-6168.
- Dudhia, J. 1993. A Non-hydrostatic Version of the Penn State/NCAR Mesoscale Model: Validation Tests and Simulation of an Atlantic Cyclone and Cold Front, *Mon. Wea. Rev.*, Vol. 121. pp. 1493-1513.
- Edgerton, E. S., 2003. Sources of PM<sub>2.5</sub> Carbon in the Southeast US. Presented at the MARAMA Science Meeting, Baltimore, MD. January. <http://www.marama.org>.
- ENVIRON. 2006. "User's Guide Comprehensive Air Quality Model with Extensions (CAMx) Version 4.4." Prepared by ENVIRON International Corporation, Novato, CA. [www.camx.com](http://www.camx.com). April.
- ENVIRON, Alpine Geophysics and UC Riverside. 2003a. "VISTAS Emissions and Air Quality Modeling – Phase I Task 2 Report: Recommended Model Configurations and Evaluation Methodology for Phase I Modeling." Prepared by ENVIRON International Corporation, Alpine Geophysics, LLC and University of California at Riverside. Novato, CA. August. <http://pah.cert.ucr.edu/vistas/docs.shtml>.
- ENVIRON, Alpine Geophysics and UC Riverside. 2003b. "VISTAS Emissions and Air Quality Modeling – Phase I Task 3 Report: Review and Assessment of Available Ambient Air Quality Modeling and Performance Evaluation for the Three VISTAS Phase I Episodes." Prepared by ENVIRON International Corporation, Alpine Geophysics, LLC and University of California at Riverside. Novato, CA. July. <http://pah.cert.ucr.edu/vistas/docs.shtml>.
- ENVIRON, Alpine Geophysics and UC Riverside. 2003c. "VISTAS Emissions and Air Quality Modeling – Phase I Task 4a/b Report: Review of Model Sensitivity Simulations and Recommendations of Initial CMAQ Model Configurations and Sensitivity Tests." Prepared by ENVIRON International Corporation, Alpine Geophysics, LLC and University of California at Riverside. Novato, CA. July. <http://pah.cert.ucr.edu/vistas/docs.shtml>.
- ENVIRON. 2003d. "Development of an Advanced Photochemical Model for Particulate Matter: PMCAMx." Prepared by ENVIRON International Corporation, Novato, CA. Prepared for Coordinating Research Council, Inc. Project A-30. [www.crcao.com](http://www.crcao.com)
- ENVIRON, Alpine Geophysics, UC Riverside and UC Davis. 2004. "VISTAS Emissions and Air Quality Modeling — Phase I Task 6 Report: Modeling Protocol for the VISTAS Phase II Regional Haze Modeling." Second Draft. May.

- ENVIRON and Alpine Geophysics, 2005a. "Draft Final St. Louis Ozone and PM<sub>2.5</sub> Modeling Study: Modeling Protocol" Prepared by ENVIRON International Corporation and Alpine Geophysics, LLC. Prepared for Calvin Ku, Air Quality Analysis Section Chief Air Pollution Control Division, MDNR, September.
- ENVIRON and Alpine Geophysics, 2005b. "Draft Final St. Louis Ozone and PM<sub>2.5</sub> Modeling Study: Preliminary Ozone and PM<sub>2.5</sub> Model Performance Evaluation" Prepared by ENVIRON International Corporation and Alpine Geophysics, LLC Prepared for Calvin Ku, Air Quality Analysis Section Chief Air Pollution Control Division, MDNR. September.
- ENVIRON and UCR. 2007. Technical Support Document for CENRAP Emissions and Air Quality Modeling to Support Regional haze State Implementation Plans. Prepared by ENVIRON International Corporation, Novato, CA. September.  
<http://www.cenrap.org/projects.asp#>.
- EPA. 2007a. Guidance on the Use of Models and Other Analyses for Demonstrating Attainment of Air Quality Goals for Ozone, PM<sub>2.5</sub> and Regional Haze. U.S. Environmental Protection Agency, Research Triangle Park, NC. EPA-454/B-07-002. April.
- EPA. 2007b. Guidance for Setting Reasonable Progress Goals Under the Regional Haze Program. U.S. Environmental Protection Agency, Office of Air Quality and Planning Standards, Air Policy Division, Geographic Strategies Group, Research Triangle Park, NC. June. [http://epa.gov/ttn/oarpg/t1/memoranda/reasonable\\_progress\\_guid071307.pdf](http://epa.gov/ttn/oarpg/t1/memoranda/reasonable_progress_guid071307.pdf)
- EPA. 2005c. Technical Support Document for the Final Clean Air Interstate Rule – Air Quality Modeling. U.S. Environmental Protection Agency, Office of Air Quality and Planning Standards, Research Triangle Park, North Carolina. March.
- EPA. 2004. Technical Support Document for the Interstate Air Quality Rule – Air Quality Modeling Analysis. January. Docket Number OAR-2003-0053-0162.
- EPA. 2003. Federal Reference Method Quality Assurance Report.
- EPA. 2003a. "Guidance for Tracking Progress Under the Regional Haze Rule", U.S. Environmental Protection Agency, Research Triangle Park, NC.
- EPA. 2003b. "Guidance for Estimating Natural Visibility Conditions Under the Regional Haze Rule", U.S. Environmental Protection Agency, Research Triangle Park, NC.
- EPA. 2003c. *A Conceptual Model to Adjust Fugitive Dust Emissions to Account for Near Source Particle Removal in Grid Model Applications*. Prepared by Tom Pace, U.S. Environmental Protection Agency. August.  
[http://www.epa.gov/ttn/chief/emch/invent/statusfugdustemissions\\_082203.pdf](http://www.epa.gov/ttn/chief/emch/invent/statusfugdustemissions_082203.pdf).
- EPA. 2003d. National Emission Inventory QA and Augmentation Memo. Prepared by Anne Pope, U.S. Environmental Protection Agency. June.  
[http://www.epa.gov/ttn/chief/emch/invent/qaaugmentationmemo\\_99nei\\_60603.pdf](http://www.epa.gov/ttn/chief/emch/invent/qaaugmentationmemo_99nei_60603.pdf)

- EPA. 2002. 3 Year Quality Assurance Report- Calendar Years 1999, 2000, and 2001-PM<sub>2.5</sub> Performance Evaluation Program.
- EPA. 2001. "Guidance for Demonstrating Attainment of Air Quality Goals for PM<sub>2.5</sub> and Regional Haze", Draft Report, U.S. Environmental Protection Agency, Research Triangle Park, NC.
- EPA. 1999. "Draft Guidance on the Use of Models and Other Analyses in Attainment Demonstrations for the 8-hr Ozone NAAQS". U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC. May.
- EPA. 1991. "Guidance for Regulatory Application of the Urban Airshed Model (UAM), "Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency, Research Triangle Park, NC.
- ERG. 2006a. WRAP Point and Area Source Emissions Projections for the 2018 Base Case. Eastern Research Group, Inc., Sacramento, California. January.  
[http://www.wrapair.org/forums/ssjf/documents/eiccts/docs/WRAP\\_2018\\_EI-Version\\_1-Report\\_Jan2006.pdf](http://www.wrapair.org/forums/ssjf/documents/eiccts/docs/WRAP_2018_EI-Version_1-Report_Jan2006.pdf).
- ERG. 2006b. Mexico National Emissions Inventory, 1999. Eastern Research Group, Inc, Sacramento, California and TransEngineering, El Paso, Texas. October.  
[http://www.epa.gov/ttn/chief/net/mexico/1999\\_mexico\\_nei\\_final\\_report.pdf](http://www.epa.gov/ttn/chief/net/mexico/1999_mexico_nei_final_report.pdf).
- Frank, N. 2006a. Retained Nitrate, Hydrated Sulfates, and Carbonaceous Mass in Federal Reference Method Fine Particulate Matter for Six Eastern U.S. Cities. *J. Air & Waste Management Assoc.*, **56**:500-511.
- Frank, N. 2006b. SANDWICH Material Balance Approach for PM<sub>2.5</sub> Data Analysis. Presented at 2006 National Air Monitoring Conference, Las Vegas, Nevada. November.  
<http://www.epa.gov/ttn/amtic/files/ambient/2006conference/frank.pdf>
- Frank, N. 2005. Composition of the FRM PM<sub>2.5</sub> for Modeling and NAAQS Implementation. Presented at EPA PM/Regional Haze/Ozone Modeling Workshop. May 18-20, 2005.  
[http://cleanairinfo.com/modelingworkshop/presentations/FRM2\\_Frank.pdf](http://cleanairinfo.com/modelingworkshop/presentations/FRM2_Frank.pdf).
- Garlock, J.L. (2006) "PM<sub>2.5</sub> Mass Source Apportionment for the St. Louis – Midwest Supersite: Sensitivity Studies and Refinements", M.S. Thesis, Environmental Engineering Program, Washington University in St. Louis. December.
- Gery, M. W., G.Z. Whitten, J.P. Killus, and M.C. Dodge. 1989. A photochemical mechanism for urban and regional-scale computer modeling. *J. Geophys. Res.* **94**, 12925-12956.
- Grell, G. A., J. Dudhia, and D. R. Stauffer. 1994. A Description of the Fifth Generation Penn State/NCAR Mesoscale Model (MM5). NCAR Tech. Note, NCAR TN-398-STR, 138 pp.
- Hering, S. and G. Cass. 1999. The Magnitude of Bias in Measurement of PM<sub>2.5</sub> Arising from Volatilization of Particulate Nitrate from Teflon Filters. *JAWMA* **49**:725-733.

- Houyoux, M.R., J.M. Vukovich, C.J. Coats, Jr. N.J.M. Wheeler, and P. Kasibhatla. 2000. Emission inventory development and processing for the seasonal model for regional air quality. *J. Geophysical Research*, **105**, (D7), 9079-9090.
- Jacob, D. J. 1999. Heterogeneous chemistry and tropospheric ozone. *Atmos. Environ.*, special issue, 1999 NARSTO Assessment.
- Jacob, D.J., R. Park and J.A. Logan. 2005. Documentation and Evaluation of the GEOS-CHEM Simulation for 2002 Provided to the VISTAS Group. Harvard University. June.
- Jang, M., N.M. Czoschke, S. Lee, and R.M. Kamens. 2002. Heterogeneous Atmospheric Aerosol Production by Acid-Catalyzed Particle Phase Reactions. *Science*, 298,814.
- Jang, M., N.M. Czoschke and A.L. Northcross. 2005. Semiempirical Model for Organic Aerosol Growth by Acid-Catalyzed Heterogeneous Reactions of Organic Carbonyls. *Environ. Sci. Technol.*, 39, 164-174.
- Johnson, M. 2007. Meteorological Model Performance Evaluation of an Annual 2002 MM5 (Version 3.6.3) Simulation. Iowa Department of natural Resources, Air Quality Bureau. November. <http://www.iowadnr.gov/air/prof/progdev/modeling.html>.
- Johnson, J., Y. Jia, C. Emery, R. Morris, Z. Wang and G. Tonnesen. 2006. Comparison of CENRAP 36 km and 12 km MM5 Model Runs for 2002. Prepared for CENRAP Modeling Work Group. May. [http://pah.cert.ucr.edu/aqm/cenrap/ppt\\_files/CENRAP\\_2002\\_36km\\_vs\\_12km\\_MM5\\_May22\\_2006.ppt](http://pah.cert.ucr.edu/aqm/cenrap/ppt_files/CENRAP_2002_36km_vs_12km_MM5_May22_2006.ppt).
- Kain, J.S., and J.M. Fritsch, 1993: Convective parameterization for mesoscale models: The Kain-Fritsch scheme. "The representation of cumulus convection in numerical models". *Meteor. Monogr.*, No. 24, Amer. Meteor. Soc., 165-170
- Kalberer M., D. Paulson, M. Sax, M. Steinbacher, J. Dommen, A.S. H. Prevot, R. Fisseha, E. Weingartner, V. Franhevich, R. Zenob: and U. Baltersperger. 2004. Identification of Polymers as Major Components of Atmospheric Organic Aerosols. *Science*, Vol. 303, 1,659 – 1,662. March.
- Koerber, M. 2005. "Regional Air Quality Planning for the Upper Midwest: Attainment Strategy options". Presented to the Lake Michigan Air Directors Consortium (LADCO). October 31, 2005.
- Kemball-Cook, S., Y. Jia, C. Emery, R. Morris, Z. Wang and G. Tonnesen. 2004. Comparison of CENRAP, VISTAS and WRAP 36 km MM5 Model Runs for 2002, Task 3: Meteorological Gatekeeper Report. December. [http://pah.cert.ucr.edu/aqm/cenrap/ppt\\_files/CENRAP\\_VISTAS\\_WRAP\\_2002\\_36km\\_MM5\\_eval.ppt](http://pah.cert.ucr.edu/aqm/cenrap/ppt_files/CENRAP_VISTAS_WRAP_2002_36km_MM5_eval.ppt).

- Khasibatla, P. et al. 1997. Impact of inert organic nitrate formation on ground-level ozone in a regional air quality model using the Carbon Bond Mechanism 4. *Geophys. Res. Letters*, **24**, 3205-3208.
- Lee, J.H. and Hopke, P.K. 2006. Apportioning sources of PM<sub>2.5</sub> in St. Louis, MO using speciation trends network data. *Atmos. Environ.*, **20**, S360-S377.
- Lee, J.H., Hopke, P.K. and Turner, J.R. 2006. Source Identification of Airborne PM-2.5 at the St. Louis - Midwest Supersite. *J. Geophys. Res. – Atmos.*, **111**, D10S10.
- Lewandoski, M., T.E. Kleindienst, J.H. Offenber, E.O. Edney, M. Jaoui, R.J. Sheesley, and J.J. Schauer. 2007. “Secondary Organic Carbon Contributions to Ambient PM<sub>2.5</sub> in the Midwestern United States.” Presented at the 26<sup>th</sup> Annual Conference of the American Association of Aerosol Research (AAAR), Reno, NV. September 25-28, 2007.
- MACTEC. 2006. Documentation of the Base G 2002 Base Year, 2009 and 2018, Emission Inventories for VISTAS. Prepared for Visibility Improvement State and Tribal Association of the Southeast (VISTAS). Prepared by MACTEC, Inc., Gainesville, Florida.
- Matthias-Maser, S. and R. Jaenicke. 1995. The size distribution of primary biological aerosol particles with radii >0.2 μm in an urban-rural influenced region. *Atmos. Res.*, **39**, 279-286.
- Matsunaga, S., C. Wiedinmyer, A. Guenther, J. Orlando, T. Karl, J. Greenberg, and Y. Kajii. 2005. Isoprene oxidation products are a significant atmospheric aerosol component. Submitted to Geophysical Research letters.
- Matsunaga, S., M. Mochida, and K. Kawamura. 2003. Growth of organic aerosols by semi-volatile carbonyls in the forestal atmosphere. *Atmospheric Environment*, **35** 2045-2050.
- Mansell, G., S. Lau, J. Russell and M. Omary. “Fugitive Wind Blown Dust Emissions and Model Performance Evaluation – Phase II.” Prepared by ENVIRON International Corporation, Novato California and University of California at Riverside. May. [http://www.wrapair.org/forums/dejf/documents/WRAP\\_WBD\\_PhaseII\\_Final\\_Report\\_050506.pdf](http://www.wrapair.org/forums/dejf/documents/WRAP_WBD_PhaseII_Final_Report_050506.pdf).
- Millstein, D., Harley, R.A. and Hering; S.V. 2006. “Analysis of Fine Particulate Nitrate on Diurnal, Weekly and Seasonal Time Scales.” Presented at International Aerosol Conference, St. Paul, MN. September.
- Mlawer, E. J., S. J. Taubman, P. D. Brown, M. J. Iacono, and S. A. Clough, 1997: Radiative transfer for inhomogeneous atmospheres: RRTM, a validated correlated-k model for the longwave. *J. Geophys. Res.*, **102**(D14), 16,663-16,682.
- Mlawer, E. J., S. J. Taubman, P. D. Brown, M. J. Iacono, and S. A. Clough, 1997: Radiative transfer for inhomogeneous atmospheres: RRTM, a validated correlated-k model for the longwave. *J. Geophys. Res.*, **102**(D14), 16,663-16,682.

- MMS. 2006. Gulfwide Emission Inventory Study for the Regional Haze and Ozone Modeling Effort. May.
- Morris, R.E., B. Koo, S. Lau, T.W. Tesche, D. McNally, C. Loomis, G. Stella, G. Tonnesen and Z. Wang. 2004a. "VISTAS Emissions and Air Quality Modeling – Phase I Task 4cd Report: Model Performance Evaluation and Model Sensitivity Tests for Three Phase I Episodes". Prepared by ENVIRON International Corporation, Alpine Geophysics, LLC, and the University of California, Riverside (CE-CERT). Prepared for the VISTAS Technical Analysis Committee.
- Morris, R.E., B. Koo, S. Lau, D. McNally, T.W. Tesche, C. Loomis, G. Stella, G. Tonnesen and C-J. Chien. 2004b. "VISTAS Phase II Emissions and Air Quality Modeling – Task 4a Report: Evaluation of the Initial CMAQ 2002 Annual Simulation" Prepared by ENVIRON International Corporation, Alpine Geophysics, LLC, and the University of California, Riverside (CE-CERT). Prepared for the VISTAS Technical Analysis Committee. September.
- Morris, R.E., B. Koo, S. Lau, D. McNally, T.W. Tesche, G. Tonnesen, Z. Wang and C-J. Chien. 2004c. "Initial VISTAS Phase II 2002 CMAQ Operational Model Performance Evaluation." Presented by ENVIRON International Corporation, Novato, CA. September. [http://pah.cert.ucr.edu/vistas/vistas2/ppt\\_files/Sept\\_2004\\_tawg/358,1,Slide 1](http://pah.cert.ucr.edu/vistas/vistas2/ppt_files/Sept_2004_tawg/358,1,Slide 1)
- Morris R.E., T.W. Tesche and G.S. Tonnesen. 2004. "Quality Assurance Project Plan (Draft) for the Visibility Improvements for State and Tribal Associations for the Southeastern States (VISTAS) Emissions and Air Quality Modeling." Revision 0. Prepared by ENVIRON International Corporation, Novato, CA. November.
- Morris R.E., D.E. McNally, T.W. Tesche, G.S. Tonnesen, J.W. Boylan and P. Brewer. 2005. Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States. *J. Air and Waste Manage. Assoc.* **55**:1694-1708. November.
- Morris R.E. and G.M. Stella. 2005. "Quality Assurance Project Plan (Draft) for the Association for Southeastern Integrated Planning (AIP) Emissions and Air Quality Modeling to Address 8-Hour Ozone and PM 2.5 Nonattainment in the Southeastern States". Revision 0. Prepared by ENVIRON International Corporation, Novato, CA. November.
- Morris, R.E., B. Koo, A. Guenther, G. Yarwood, D. McNally, T.W. Tesche, G. Tonnesen, J. Boylan and P. Brewer. 2006a. Model Sensitivity Evaluation for Organic Carbon using Two Multi-Pollutant Air Quality Models that Simulate Regional Haze in the Southeastern United States. *Atmos. Env.* 40 (2006) 4960-4972.
- Morris, R.E., B. Koo, A. Hoats, S. Lau, G. Stella, D. McNally, C. Loomis and T.W. Tesche. 2006b. "Modeling Protocol for Association for Southeastern Integrated Planning (ASIP) – Emissions and Air Quality Modeling to Address 8-Hour Ozone and PM 2.5 Nonattainment in the Southeastern U.S." Prepared by ENVIRON International Corporation and Alpine Geophysics, LLC. Novato, CA. January.

- Morris, R.E., B. Koo, B. Wang, G. Stella, D. McNally and C. Loomis. 2007. "Technical Support Document for VISTAS Emissions and Air Quality Modeling to Support Regional Haze State Implementation Plans." Prepared by ENVIRON International Corporation, Novato, CA and Alpine Geophysics, LLC, Arvada, CO. February.
- Mozurkewich, Michael, 1993: The dissociation constant of ammonium nitrate and its dependence on temperature, relative humidity and particle size. *Atmospheric Environment*, Vol. 27, Pages 261-270.
- Odman, M. T.; Boylan, J.W.; Wilkinson, J.G.; and Russell, A.G. "SAMI Air Quality Modeling Final Report." Southern Appalachian Mountains Initiative. 2002.  
<http://www.saminet.org>.
- Olerud, D. 2003a. "Evaluation Methodologies for Meteorological Modeling in Support of VISTAS (Visibility Improvement – State and Tribal Association): Task 1 Deliverables" (Draft) Prepared by Baron Advanced Meteorological Systems, LLC, Research Triangle Park, NC. April. <http://www.baronams.com/projects/VISTAS/#reports>.
- Olerud, D. 2003b. "Protocol for Annual MM5 Modeling of VISTAS (Visibility Improvement – State and Tribal Association): Task 7c Deliverable." Prepared by Baron Advanced Meteorological Systems, LLC, Research Triangle Park, NC. March.  
<http://www.baronams.com/projects/VISTAS/#reports>.
- Olerud, D. 2003c. "MM5 Sensitivity Modeling in Support of VISTAS (Visibility Improvement – State and Tribal Association): Task 2e Deliverable" (Draft) Prepared by Baron Advanced Meteorological Systems, LLC, Research Triangle Park, NC. December.
- Olerud, D. 2003d. "VISTAS Meteorological Modeling Sensitivity Results", PowerPoint presentation at the 29-30 September 2003 VISTAS Technical Review Meeting, Research Triangle Park, NC. Prepared by Baron Advanced Meteorological Systems, LLC, Research Triangle Park, NC. September.
- Olerud, D and A. Sims. 2004. "Episode Selection from a Meteorological Perspective for VISTAS (Visibility Improvement – State and Tribal Association): Task 3a Deliverable." Prepared by Baron Advanced Meteorological Systems, LLC, Research Triangle Park, NC. February. <http://www.baronams.com/projects/VISTAS/#reports>.
- Park, R.J., Jacob, D.J., Chin, M., and Martin, R.V. 2003. Sources of carbonaceous aerosols over the United States and implications for natural visibility. *Journal of Geophysical Research*, Vol. 108 (D12), 4355, doi:10.1029/2002JD003190.
- Park, R.J., Jacob, D.J., Field, B.D., Yantosca, R.M., and Chin, M. 2004. Natural and transboundary pollution influences on sulfate-nitrate-ammonium aerosols in the United States: Implications for policy. *Journal of Geophysical Research*, Vol. 109, D15204, doi:10.1029/2003JD004473.
- Park, R.J., Jacob, D.J., Kumar, N., and Yantosca, R.M. 2006. Regional visibility statistics in the United States: Natural and transboundary pollution influences, and implications for the Regional Haze Rule. *Atmospheric Environment*, Vol. 40, pp. 5405-5423.

- Pitchford, M. 2006. "Natural Haze Levels II: Application of the New IMPROVE Algorithm to Natural Species." Prepared by the Natural Haze Levels II Committee. Prepared for the RPO Monitoring/Data Analysis Workgroup. ([Marck.Pitchford@NOAA.gov](mailto:Marck.Pitchford@NOAA.gov)).
- Pleim, J.E. and J.S. Chang. 1992. A non-local closure model for vertical mixing in the convective boundary layer. *Atmos. Env.*, **26A**, pp. 965-981.
- Pun B., S-Y. Chen and C. Seigneur. 2004. "CENRAP Model Simulations and Performance Evaluations". Prepared by Atmospheric and Environmental Research, Inc. (AER). August.
- Reid S., S. Brown, D. Sullivan, H. Arkinson, T. Funk, and P. Stiefer. 2004a. "Research and Development of Planned Burning Emission Inventories for the Central States Regional Air Planning Association". Prepared by Sonoma Technology, Inc. (STI). July.
- Reid, S., D. Sullivan, B. Penfold, T. Funk, T. Tamura, P. Stiefer, S. Raffuse and H. Arkinson. 2004. "Emission Inventory Development for Mobile Sources and Agricultural Dust Sources from the Central States". Prepared by Sonoma Technology, Inc. (STI). September.
- Reisner, J.R., R.M. Rasmussen, and R.T. Bruintjes, 1998: Explicit forcing of supercooled liquid water in winter storms using the MM5 mesoscale model. *Quart. J. Roy. Met. Soc.*, 124B, pp. 1071-1107.
- Sarwar, G., D. Luecken, G. Yarwood, G. Whitten and W. Carter, 2005. "Implementing an Updated Carbon Bond Mechanism into the Community Multiscale Air Quality Model," Presented at the 4th Annual CMAS Models-3 User's Conference, Chapel Hill, NC. September.
- Saxena, P. and Hildemann, L. 1996: "Water Soluble Organics in Atmospheric Particles: A Critical Review of the Literature and Application of thermodynamics to Identify Candidate Compounds." *J. Atmos. Chem.* 24:57-109
- Seaman, N.L. 2000. Meteorological Modeling for Air Quality Assessments. *Atmos. Environ.*, Vol. 34, No. 12-14, 2231-2260.
- Seigneur, C., et al. 2000. Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility. *J. Air & Waste Manage. Assoc.* Vol. 50, pp. 588-599.
- Seinfeld, J.H. and Pandis, S.N. 1998. *Atmospheric Chemistry and Physics: From Air pollution to Global Change*, McGraw-Hill.
- Seppanen, C. 2005. "Recent Updates to the SMOKE emissions modeling system." Presented at 4<sup>th</sup> CMASModels-3 Conference. 18-20 October, Chapel Hill, NC.

- Solomon, P.S., T. Klamser-Williams, P. Egeghy, D. Crumpler and J. Rice. 2004. "STN/IMPROVE Comparison Study Preliminary Results". Presented at PM Model Performance Workshop, Chapel Hill, NC. February.
- Stauffer, D.R. and N.L. Seaman. 1990. Use of Four-Dimensional Data Assimilation in a Limited-Area Mesoscale Model. Part I: Experiments with Synoptic Data. *Mon. Wea. Rev.*, **118**, 1250-1277.
- Strait, R., S. Roe and J. Vukovich. 2004. "2002 Base Case Modeling Inventory – Work Plan." Prepared by E.H. Pechan and Associates, Inc. Durham, North Carolina. July.
- Timin, B. 2007. "Final Ozone/PM<sub>2.5</sub>/Regional Haze Modeling Guidance Summary." Presented at Region IV Modeling Workshop. U.S. Environmental Protection Agency, Office of Air Quality and Planning Standards, RTP, NC. March.  
<http://www.epa.gov/region04/air/modeling/Wed%203-28-07/Timin%20-%20Final-guidance-summary-R4-v2.pdf>
- Timin, B. 2004. "PM<sub>2.5</sub> Model Performance Evaluation: Purpose and Goals". Presented at PM Model Evaluation Workshop, Chapel Hill, NC. February.
- Timin, B. 2002. "PM<sub>2.5</sub> and Regional Haze Modeling Guidance". Prepared by the U.S. EPA/OAQPS. April.
- Turpin, Barbara J. and Ho-Jin Lim. 2001. Species Contributions to PM<sub>2.5</sub> Mass Concentrations: Revisiting Common Assumptions for Estimating Organic Mass. *Aerosol Science and Technology* **35**: 602-610.
- Turner, J.R. and J.L. Garlock. 2007a. A Conceptual Model for Ambient Fine Particulate Matter over the St. Louis Area. Revision 3.0. Washington University, St. Louis, MO. October.
- Turner, J., J. Garlock, S. Raffuse, J. Rubin, S. Brown, B. Anderson and G. Norris. 2007b. Task#5 Transport Regimes Analysis, Version 1. Technical Memorandum. Washington University, St. Louis, MO. October.
- Turner, J.R., J. Garlock, J. Jaekels and J. Schauer. 2007c. Task#2 Fine Particulate Matter Carbon Apportionment, Version 1. Washington University, St. Louis, MO. October.
- Turner, J. and J. Garlock. 2007d. Task#4 Urban/Regional Contrast and Intraurban Variability, Version 1. Washington University, St. Louis, MO. October.
- Vickery, J.S. (2004) "Conceptual Models of PM for North American Regions" In *Particulate Matter Science for Policy Makers: A NARSTO Assessment*, P.H. McMurry, M.F. Shepherd, J.S. Vickery, eds., Cambridge University Press.
- Xiu, A., and J.E. Pleim. 2000. Development of a land surface model. Part I: Application in a mesoscale meteorology model. *Journal of Applied Meteorology*, **40**, 192-209.
- Yarwood, G., G. Whitten, and S. Rao, 2005. "Updates to the Carbon Bond 4 Photochemical Mechanism". Prepared for the Lake Michigan Air Directors Consortium. March.

Yua, Jian Zhen, Hong Yanga, Hongyi Zhanga, Alexis K.H.Lau, 2004: Size distributions of water-soluble organic carbon in ambient aerosols and its size-resolved thermal characteristics. *Atmospheric Environment* 38:1061–1071

Zhang, X. and P.H. McMurry. 1992: Evaporative losses of fine particulate nitrates during sampling. *Atmospheric Environment*, Vol 26, Pages 3305-3312.