

## 7. REFERENCES

- Aggett, J. and Kriegman, M.R. 1988. "The extent of formation of arsenic (III) in sediment interstitial waters and its release to hypolimnetic waters in Lake Ohakuri," *Water Res*, **22**(4):407-411.
- Bicehouse, H. 1992. Quadrex Corporation, *Hematite Pond Assessment Project, Final Report*, Prepared for ABB Combustion Engineering Inc., June.
- Civil and Environmental Consultants, Inc. 2003. Underground Storage Tank Closure, Westinghouse Electric Company, MDNR Reference No. ST20497.
- Connor, J.J. and Shacklette, H.T. 1975. *Background geochemistry of some rocks, soils, plants, and vegetables in the conterminous United States*, U.S. Geological Survey Professional Paper 574-F.
- Cowart, J.B. and Osmond, J.K. 1977. "Uranium isotopes in groundwater: Their Use in Prospecting for Sandstone-Type Uranium Deposits," *Journal of Geochemical Exploration* (**8**), 365-379.
- DOE 1991. "Environmental Regulatory Guide for Radiological Effluent Monitoring and Environmental Surveillance," U.S. Department of Energy Report DOE/EH-0173T, January.
- DOE 1997. <http://risk.lsd.ornl.gov/homepage/paducahsoil.shtml>.
- Dreher, G.B., and L.R. Follmer 2004. Mercury content of Illinois soils, *Water, Air, and Soil Pollution*, 156:299-315.
- Ecology and Environment, Inc. 1990. *Preliminary Assessment, Hematite Radioactive Site, Hematite Jefferson County, MO*, Prepared for Region 7 Environmental Protection Agency, April.
- EPA (U.S. Environmental Protection Agency) 1992. *Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA*, EPA 540 G-89 004.
- EPA 1995. *Superfund Program Representative Sampling Guidance*.
- EPA 1999. EPA Contract Laboratory Program: National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, PB99-963506, EPA540/R-99/008, October.
- EPA 2000. *Multi-Agency Radiation Survey and Site Investigation Manual (MARSSIM)*, Revision 1, August, <http://www.epa.gov/docs/rpdweb00/marssim/obtain.htm>.
- EPA 2002. *Guidance for Comparing Background and Chemical Concentrations in Soil for CERCLA Sites*, EPA, Washington, D.C.
- EPA 2004. *PRG (Preliminary Remediation Goals) Table, EPA Region 9*, October.
- Fergusson, J.E. and Kim, N.D. 1991. "Trace elements in street and house dusts: sources and speciation," *Science of the Total Environment*, 100:125-150.
- Firestone, R.B. and V.S. Shirley 1996. *Table of Isotopes, 8<sup>th</sup> Edition*. John Wiley & Sons, New York.

- Fleischhauer, H.L. and Korte, N.E. 1990. "Formulation of cleanup standards for trace elements with probability plots," *Environmental Management*. 14(1):95-105.
- Focazio, M.J., Zoltan Szabo, Kraemer, T.F., Mullin, A.F., Barringer, T.H., and DePaul, V.T. 2001. *Occurrence of Selected Radionuclides in Ground Water Used for Drinking Water in the United States: A Targeted Reconnaissance Survey, 1998*, Water-Resources Investigations Report 00-4273, U.S. Geological Survey.
- Freeze, R.A. and Cherry, J.A. 1979. *Groundwater*, Prentice-Hall, Englewood Cliffs, New Jersey.
- GEA (Gateway Environmental Associates, Inc.) 1996. *Investigation to Determine the Source of Technetium-ii in Groundwater Monitoring Wells 17 and 17B, Combustion Engineering Hematite Facility*, Prepared for ABB Combustion Engineering, September.
- GEA 1997. *Exploratory Probehole Investigation for the Evaporation Ponds at the ABB Combustion Engineering Hematite Facility*, Letter report to ABB Combustion Engineering, Inc., April.
- Geophex, Ltd. 2005. *Geophysical Survey at the Westinghouse Hematite Facility, Festus, MO*, Prepared for the Westinghouse Electric Company, February.
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B. 1983. "Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois," Illinois Water Resources Center Report no. 83-0180, 93 p.
- Holm, T. and Curtiss, C.D. 1988. Arsenic contamination in east-central Illinois groundwaters, ILENR/RE-WR-88/16, Illinois Department of Energy and Natural Resources, Springfield, Illinois.
- Hutson, S.S., Barber, N.L., Kenny, J.F., Linsey, K.S., Lumia, D.S., and Maupin, M.A. 2005. *Estimated Use of Water in the United States in 2000*, U.S. Geological Survey Circular 1268, February, <http://water.usgs.gov/watuse/data/2000/index.html>.
- IEPA (Illinois Environmental Protection Agency) 1994. *A summary of selected background conditions for inorganics in soil*, IEPA/ENV/94-161, Springfield, Illinois.
- Imes, J.L. and Emmett, L.F. 1994. *Geohydrology of the Ozark Plateaus Aquifer System in Parts of Missouri, Arkansas, Oklahoma, and Kansas*, U.S. Geological Survey Professional Paper 1414-D.
- ITRC (Interstate Technology Regulatory Council) 2004. *Strategies for Monitoring the Performance of DNAPL Source Zone Remedies*, Interstate Technology Regulatory Council, August.
- Kennedy, V.C., Zellweger, G.W., Jones, B.F. 1974. "Filter pore size effects on the analysis of Al, Fe, Mn, and Ti in water," *Water Resources Research*. 10(4):785-790.
- Korte, N. 1991. "Naturally occurring arsenic in groundwaters of the Midwestern U.S.," *Environ. Geology and Water Sci.* 18(2):137-141.
- Korte, N.; Fernando, Q.; 1991. "A review of arsenic (III) in groundwater," *Critical Reviews in Environmental Control*. 21(1):1-39.
- Laxen, D.P.H. and Chandler, I.M.; 1982. "Comparison of filtration techniques for size distribution in fresh waters," *Analytical Chemistry*. 54(8):1350-1355.

- LBG (Leggette, Brashears and Graham, Inc.) 1999. Combustion Engineering: *Hydrogeologic Investigation and Groundwater, Soil and Stream Characterization*, Prepared for Combustion Engineering, March.
- LBG 2002a. *Water Wells within Two Mile Radius of the Hematite Site, Jefferson County, Missouri*, Prepared for the Westinghouse Electric Company, May.
- LBG 2002b. *Interim Hydrogeologic Investigation to Support the Engineering Evaluation and Cost Analysis for Response Actions for Off-Site Ground-Water Quality*, Prepared for Westinghouse Electric Company, Rev 0, November.
- LBG 2003. *Remedial Investigation/Feasibility Study Work Plan, Rev 0*, Prepared for Westinghouse Electric Company, May.
- Lindsay, W.L. 1973. *Chemical Equilibria in Soils*, John Wiley & Sons, New York.
- Luczaj, J. 1998. Regional and Stratigraphic Distribution of Uranium in the Lower Permian Chase Group Carbonates of Southwest Kansas, *Log Analyst*, Volume 39 No. 4.
- Martin, J.A., Knight, R.D., and Hayes, W.C. 1961. Ordovician System, in Howe, W.B., coordinator, and Koenig, J.W., editor, *The Stratigraphic Succession in Missouri: Missouri Geological Survey and Water Resources*, 2nd Series, Volume 40, P. 20-32.
- McCracken, M. 1966. *Structural Features of Missouri*, Missouri Geological Survey & Water Resources.
- Metz, P. and Brendle, D. 1996. *Potential for Water-Quality Degradation of Interconnected Aquifers in West-Central Florida*, U.S. Geological Survey Water-Resources Investigations Report 96-4030.
- MDNR (Missouri Department of Natural Resources) 1970. *Base-Flow Recession Characteristics and Seasonal Low-Flow Frequency Characteristics for Missouri Streams*, WR-25.
- MDNR 1974. *Water Resources of the St. Louis Area, Missouri*, WR-30.
- MDNR 1986. *Missouri Water Atlas*.
- MDNR 1996. *Regulations for Monitoring Well Construction Code, 10 CSR 24-4*, May.
- MDNR 2001. *Cleanup Levels for Missouri (CALM)*, September.
- MDNR 2003. *Conditional Approval Letter for Remedial Investigation/Feasibility Study Work Plan, Westinghouse Hematite Facility, Rev. 0.*, November.
- MDNR 2004. *Missouri Environmental Geology Atlas, MEGA, Ver. 2003.1, Sesquicentennial Edition, NAD83 Datum, Zone 15*.
- NOAA (National Oceanic and Atmospheric Administration) 2005. [http://www.crh.noaa.gov/lx/cli\\_record/php](http://www.crh.noaa.gov/lx/cli_record/php).
- Newell, C. J., Rifai, H.S., Wilson, J.T., Connor, J.A., Aziz, J.A., and Suarez, M.P. 2002, *Calculation and Use of First-Order Rate Constants for Monitored Natural Attenuation Studies*, Ground Water Issue, U.S. Environmental Protection Agency EPA/540/S-02/500, November.

- Pike, R.W. 1929. Geologic map of the Crystal City, Missouri 15 minute quadrangle, M.S. thesis, University of Chicago.
- Puls, Robert W., and Michael J. Barcelona 1996. *Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures*, EPA Groundwater Issue, EPA/540/S-95/504, April.
- Rai, D., Eary, L.E., Zachara, J.M. 1989. "Environmental Chemistry of Chromium," *Sci. Tot. Environ.* 86:15-23.
- RMC (Radiation Management Corporation) 1983. *Radiological Survey of the Combustion Engineering Burial Site, Hematite, MO*, Prepared for the U.S. Nuclear Regulatory Commission, July.
- SAIC (Science Applications International Corporation). *Quality Assurance (QA) Field Technical Procedure (FTP)-370, Groundwater Sampling Procedures: Water Level Measurements*.
- SAIC. *FTP-370, 880: Field Measurement Procedures: pH, Temperature, and Conductivity*, August.
- SAIC. *FTP-376, Aquifer Analysis by Slug Test Method*.
- SAIC. *FTP-400, Equipment Decontamination*.
- SAIC. *FTP-405, Cleaning and Decontaminating Sample Containers and Sampling Equipment*, August.
- SAIC. *FTP-451, Field Measurement Procedures: Operation of Radiation Survey Instruments*.
- SAIC. *FTP-525, Soil Sampling Using an Auger*.
- SAIC. *FTP-550, Soil Sampling Using a Spade or Scoop*.
- SAIC. *FTP-577, Water Sampling Using a Dipper*.
- SAIC. *FTP-625, Chain-of-Custody*.
- SAIC. *FTP-650: Labeling, Packaging, and Shipping Environmental Field Samples*, February.
- SAIC. *FTP-750, Field Measurement Procedures: Organic Vapor Detection*.
- SAIC 2003a. *Gamma Survey Data Evaluation Report, Rev. 1*, Prepared for Westinghouse Electric Company, May.
- SAIC 2003c. *Determination of Distribution Coefficients for Radionuclides of Concern at the Westinghouse Hematite Facility*, Prepared for Westinghouse Electric Company, December.
- SAIC 2004a. *Remedial Investigation Task-Specific Work Plan, Surface Water and Sediment Investigation, Rev. 0*, Prepared for Westinghouse Electric Company, March.
- SAIC 2004b. *Remedial Investigation Task-Specific Work Plan, Surface Soil Investigation, Rev. 0*, Prepared for Westinghouse Electric Company, March.
- SAIC 2004c. *Remedial Investigation Task-Specific Work Plan, Subsurface Soil Investigation and Overburden Monitoring Well Installation and Development, Rev 0*, Prepared for Westinghouse Electric Company, April.

- SAIC 2004d. *Remedial Investigation Task-Specific Work Plan, Packer Isolation and Discrete Interval Groundwater Sampling and Bedrock Monitoring Well Installation and Development, Rev 0*, Prepared for Westinghouse Electric Company, April.
- SAIC 2004e. *Remedial Investigation Task-Specific Work Plan, Background Sampling, Rev. 0*, Prepared for Westinghouse Electric Company, October.
- SAIC 2004f. *Remedial Investigation Task-Specific Work Plan, Site-wide Groundwater Well Assessment and Baseline Sampling, Rev. 1.1*, Prepared for Westinghouse Electric Company, November.
- SAIC 2004g. *Baseline Groundwater Well Assessment Well Inspection Reports*.
- SAIC 2007. *Groundwater and Contaminant Transport Modeling for the WEC Hematite Site*, Prepared for Westinghouse Electric Corporation, January.
- Sasman, R.T., Benson, C.R., Ludwigs, R.S., and Williams, T.L., 1982. Water-level trends, pumpages, and chemical quality in the Cambrian Ordovician aquifer in Illinois: Illinois State Water Survey Circular 154, 64 p.
- Schmitz, R.J., 1965. Geologic map of the Festus 7.5 minute quadrangle, State of Missouri Geological Survey and Water Resources.
- Srinivasan, P.T., Viraraghavan, T., Subramanian, K.S. 1999. "Aluminum in drinking water: An overview," *Water SA*. 25(1):47-55.
- Stumm, W., Morgan, J. J. 1981. *Aquatic Chemistry, An Introduction Emphasizing Chemical Equilibria in Natural Waters*. John Wiley and Sons, New York.
- Tidball, R.R. 1984. *Chemical Variation of Soils in Missouri Associated with Selected Levels of the Soil Classification System*, Geochemical Survey of Missouri, Geological Survey Professional Paper 954-B, pp. 16.
- U.S. Army Corps of Engineers (USACE), Monitoring Well Design, Installation, and Documentation at Hazardous, Toxic, and Radioactive Waste Sites, EM 1110-1-4000, 1998).
- USDA (U.S. Department of Agriculture) 2003. *Soil Survey of Jefferson County, Missouri*.
- USGS (U.S. Geological Survey) 1982. *Bedrock Geologic Map of the Festus 7.5 Minute Quadrangle*, Photorevised.
- USGS 2005. Archived and real time data for USGS 381405090260301 Festus, MO, [http://waterdata.usgs.gov/mo/nwis/dv/?site\\_no=381405090260301&agency\\_cd=USGS](http://waterdata.usgs.gov/mo/nwis/dv/?site_no=381405090260301&agency_cd=USGS).
- WEC (Westinghouse Electric Company, LLC). WEC-FTP-01, *Groundwater Sampling Procedure – Using a Bladder Pump*.
- WEC. WEC-FTP-02, *Groundwater Sampling Procedure – Using a Peristaltic Pump*.
- WEC 2004a. *Engineering Evaluation and Cost Analysis (EE/CA) for Removal Action on Buildings and Equipment, Westinghouse Former Fuel Cycle Facility Site, Festus, MO*. September.

WEC 2004b. *Engineering Evaluation and Cost Analysis (EE/CA) for Deul's Mountain Westinghouse Former Fuel Cycle Facility Site, Festus, Mo, August.*

WEC 2006. *Burial Pit Area Task Specific Work Plan, October.*

Whitfield, J. and Middendorf, M. 1992. *Bedrock Geologic Map of the Festus 7.5' Quadrangle, Jefferson County, Missouri, IFM 92-296-GMR, Missouri Department of Natural Resources.*