

Missouri Clean Water Commission Meeting  
Department of Natural Resources  
Lewis and Clark State Office Building  
LaCharrette/Nightingale Creek Conference Rooms  
1101 Riverside Drive  
Jefferson City, Missouri

March 9, 2012

**Permits and Water Quality Antidegradation Review Update**

**Issue:** State of Water Pollution Control Branch Permitting

**Background:** Update for the Missouri Clean Water Commission on timeliness of permit actions.

**Recommended Action:** None.

**Suggested Motion Language:** None.


**List of Attachments:**

- Site Specific State Operating Permits
- General State Operating Permits
- Master General Permits
- Concentrated Animal Feeding Operation (CAFO) & AG-Chemical Construction Permits
- Water Quality Review Assistance Report



# Site Specific State Operating Permits Water Protection Program


As of February 14, 2012





# General State Operating Permits Water Protection Program

As of February 14, 2012





# Master General Permits

## MO-G

- Units – 401/MS4, Unit Chief Carrie Schultie  
 – Agriculture, Unit Chief Darrick Steen  
 – NPDES, Unit Chief Curt Gateley

Number	Permit Name	Issued	Expires	CO Unit responsible for Master General Permit	Office responsible for issuance of coverage to a GPCF	Status
G01	CAFO	2-24-11	2-23-16	Agriculture	CO	
G05	Abandoned Mine Land Rec >5 acres	5-27-11	5-26-16	NPDES	CO	
G09	Ag/Wood/Food Compost Sites	12-14-07	12-13-12	NPDES	RO	
G13	Flow through Aquaculture	12-19-08	12-18-13	NPDES	RO	
G13A	Pond Aquaculture	12-24-08	12-23-13	NPDES	RO	
G14	Oil/Water Separators	12-24-08	12-23-13	NPDES	RO	
G251	Discharging Ground Source Heat Pumps	9-17-10	9-16-15	NPDES	RO	
G35	Petroleum Storage	6-15-07	6-14-12	NPDES	RO	
G49	Limestone Quarries	10-6-11	10-5-16	NPDES	RO	
G50	Sand & Gravel Washing	6-1-10	5-31-15	NPDES	RO	
G64	Water Treatment Plants	10-24-08	10-23-13	NPDES	RO	Modify at renewal to clarify soil metals sampling information
G641	Zeolite Softeners	5-30-08	5-29-13	NPDES	RO	
G67	Hydrostatic testing, petroleum related	10-5-07	10-4-12	NPDES	RO	
G685	Hydrostatic testing, non-petroleum related	4-23-10	4-22-15	NPDES	RO	
G69	Dredging, Lakes & Harbors	3-14-08	3-13-13	NPDES	RO	
G698	Dredging, return water from aggregate 'mining' in the Mo & Miss.	3-14-08	3-13-13	NPDES	RO	
G75	Car Washes	5-30-08	5-29-13	NPDES	RO	
G76	Swimming Pools	4-10-09	4-9-14	NPDES	RO	
G821	Land Application Septage	10-5-07	10-4-12	NPDES	RO	
G822	Land Application Food Waste	6-16-11	6-15-16	NPDES	RO	
G84	Clay Mining	11-16-09	11-15-14	NPDES	RO	
G92	Compost, including biosolids	11-30-07	11-29-12	NPDES	RO	
G94	Fuel Spill Cleanup	11-12-10	11-11-15	NPDES	RO	
G97	Yard Waste Composting	11-30-07	11-29-12	NPDES	RO	

MO-R

Number	Permit Name	Issued	Expires	CO Unit responsible for Master General Permit	Office responsible for issuance of coverage to a GPCF	Status
R04	Small MS4	3-10-03	6-12-13	401/MS4	CO	
R100	Land Disturbance by City or County	5-31-07	5-30-12	401/MS4	RO	
R101-R108	Land Disturbance	2-14-12	2-13-17	401/MS4	RO	
R109	Land Disturbance in designated areas	2-14-12	3-13-17	401/MS4	RO	
R13	Textile & Apparel/Printing & Publ./ Food & Kindred Products	5-30-08	5-29-13	NPDES	RO	
R203	Metal fabrication	6-15-09	6-14-14	NPDES	RO	
R22A	Primary Lumber & Wood	7-2-09	7-1-14	NPDES	RO	
R22B	Wood treaters	2-12-10	2-11-15	NPDES	RO	
R22C	Secondary Lumber & Wood	5-30-08	5-29-13	NPDES	RO	
R23A	Chemical Manufacturing	3-12-10	3-11-15	NPDES	RO	
R23D	Plastics & Rubber Manufacturing	2-4-11	2-3-16	NPDES	RO	
R23E	Biodiesel Manufacturing	5-30-08	5-29-13	NPDES	RO	
R240	Agchem Facilities, legacy	2-20-09	2-19-14	Agriculture	RO	
R241	No discharge agchem facilities, antideg compliant	2-19-10	2-18-15	Agriculture	RO	
R60A	Motor Vehicle Salvage	5-30-08	5-29-13	NPDES	RO	Combine with R203?
R80C	Motor Freight Transportation	10-5-07	10-4-12	NPDES	RO	
R80F	Airports	10-5-07	10-4-12	NPDES	RO	
R80H	Solid Waste Transfer Station	7-24-09	7-23-14	NPDES	RO	

If you have questions about any of the information above, please contact Curt Gateley in the Water Protection Program. (573) 526-1155.



## CAFO & AG-CHEMICAL CONSTRUCTION PERMITS

### PERMIT STATUS REPORT as of 2-14-12

Site Name	Permit Number	County	Date Received	Date Issued	Proposed Construction
Whitworth Pork	CPCF00068	Putnam	11/28/2011	in processing	New 4960 swine with deep pit
Shannon Culwell	CPCF00069	Audrain	11/16/2011	in processing	Berm Modification
Christman Farm	CPCF00070	Newton	12/27/2011	<b>1/31/2012</b>	3 new broiler houses - 141,000 birds
Dale Stebler	CPCF00071	Barry	12/27/2011	<b>1/31/2012</b>	4 new broiler houses - total 8 houses and 280,000 birds
Maxwell Farms, LLC	CPCF00072	Audrain	1/23/2012	<b>Under Review</b>	1 new deep pit hog barn-Total 2 barns & 5360 finishing hogs
David Moore	CPCF00073	McDonald	1/26/2012	<b>Under Review</b>	2 new broiler houses - total 6 houses and 190,260 birds
Anita Brown Farms LLC	CPCF00074	Barry	2/6/2012	in processing	1 new broiler house at facility w/ 4 houses & 155K birds



# Water Quality Review Assistance (WQRA) Report

**March, 2012**

**Categories**

WQRA Active Requests	5
Active WQRA Requests Older than Two Months	2
WQRA Requests Received Since Last CWC Report	4
WQRA Requests Completed Since Last CWC Report	7
Returned Incomplete Since Last CWC Report	0

**Current Request List:**

**Final: Applicant 30-day appeal period has ended.**

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Home Place Addition	Henry	0.01554	2 / 6 / 2012	9	Active	Not yet started.
City of Boonville WWTP	Cooper	2.0	3 / 9 / 2011	343	Active	Comments provided to applicant.
BCSD Twin Lakes Subdivision WWTP	Boone	0.02 mgd	12/15/2011	62	Active	Technical review complete.
Carl Junction WWTF		1.60	1 / 3 / 2012	43	Active	Technical review complete.
Cedar View Estates WWTF	Camden	0.004464	1 / 5 / 2012	41	Active	Comments provided to applicant.
Brookfield WWTP	Linn		1 / 23 / 2012	23	Active	Active Review
Foley WWTF	Lincoln		6 / 28 / 2011	232	Complete	Review mailed.
Pezzetti WWTF	Camden	0.00124	7 / 25 / 2011	205	Complete	Review mailed.
Kinder Morgan St. Louis Liquid Terminal	St. Louis	.03	11 / 3 / 2011	104	Complete	Review mailed.
Chamois Municipal WWTF	Osage		12 / 7 / 2011	70	Complete	Review mailed.
Brunswick WWTF	Chariton		12 / 12 / 2011	65	Complete	Review mailed.

**CWC Report Date:** Tuesday, February 14, 2012

**Last CWC Report Date:** December 15, 2011

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Mid-Missouri Energy LLC	Saline	0.4658 mgd	12/14/2011	63	Complete	Review mailed.
Bedford Falls	Camden				Final	Antidegradation not applicable.
Columbia Regional WWTP	Boone	25.2	3 /14/2008	1433	Final	Review mailed.
Blue Springs Sni-A-Bar WWTF	Jackson	10.0	5 /19/2008	1367	Final	Review mailed.
DOE - National Nuclear Security Administration - K	Jackson		7 /14/2008	1311	Final	Antidegradation not applicable.
Metropolitan St. Louis Sewer Dist - MO River WWTF	Saline	38.0	7 /15/2008	1310	Final	Review mailed.
Windsor Southwest Lagoon	Henry	0.5	8 /1 /2008	1293	Final	Review mailed.
Bayer - CropScience	Jackson	2.4	9 /22/2008	1241	Final	Review mailed.
AOK Campground WWTF	Andrew	0.005	9 /30/2008	1233	Final	Review mailed.
Missouri-American Water CO - St. Joseph Groundwater	Barry	1.4	10/3 /2008	1230	Final	Review mailed.
Kingston Mo WWTF Improvements	Caldwell	0.41	10/8 /2008	1225	Final	Review mailed.
Village of McKittrick Central Sewer System	Montgomery	0.035	10/14/2008	1219	Final	Review mailed.
Shoal Creek WWTP	Newton	0.006	10/17/2008	1216	Final	Review mailed.
Turkey Creek WWTP	Jasper	0.015	10/17/2008	1216	Final	Review mailed.
Travel Centers of America, Mount Vernon	Lawrence	0.036	11/3 /2008	1199	Final	Review mailed.
LBVSD Middle Big Creek WWTF	Cass	2.25	11/6 /2008	1196	Final	Review mailed.
Stoney Gap	Pulaski	0.01	11/7 /2008	1195	Final	Review mailed.
Brown Station WWTF	Boone	0.0018	11/13/2008	1189	Final	Review mailed.
Shawnee Bend Six Association	Camden	0.0006	11/21/2008	1181	Final	Returned incomplete.
Perryville Airport WWTF (Sabreliner)	Perry	0.015	11/21/2008	1181	Final	Review mailed.
Lot 3 & 4 Eagle View WWTP	Camden	0.0066	12/23/2008	1149	Final	Review mailed.
Lake Torino WWTF	Franklin	0.034	1 /1 /2009	1140	Final	Review mailed.
Eugene Golden Acres Apartments	Cole	0.001	1 /6 /2009	1135	Final	Review mailed.
City of Cuba WWTF	Crawford	?	1 /8 /2009	1133	Final	Review mailed.
Paradise Landing Kimberling Shores Treatment Facil	Stone	0.043	1 /28/2009	1113	Final	Review mailed.

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Iatan Generating Station	Platte	0.012	2/2/2009	1108	Final	Review mailed.
Belton WWTF Expansion	Cass	?	2/18/2009	1092	Final	Review mailed.
CDC W-20 WWTP	Miller	0.00392	2/18/2009	1092	Final	Review mailed.
US Army Maneuver Support Center & Ft Leonard Wood	Pulaski	5.0 MGD	2/25/2009	1085	Final	Review mailed.
Whitewater/Allenville WWTF	Cape Girardeau	0.021	2/27/2009	1083	Final	Review mailed.
Union East STP	Franklin	0.8	3/2/2009	1080	Final	Review mailed.
Les Bourgeois Winery	Boone	?	3/5/2009	1077	Final	Review mailed.
New Florence WWTF	Montgomery	0	3/5/2009	1077	Final	Review mailed.
Francis Howell High School	St. Charles	0.025	3/25/2009	1057	Final	Review mailed.
Wyeth Holdings Corp.	Marion	0.288	4/9/2009	1042	Final	Review mailed.
Bethel WWTF	Shelby	0	4/10/2009	1041	Final	Review mailed.
Leonard WWTF	Shelby	0	4/17/2009	1034	Final	Antidegradation not applicable.
Branson. Compton Drive WWTP	Taney	?	4/17/2009	1034	Final	Antidegradation not applicable.
Atlanta WWTP	Macon	0	4/20/2009	1031	Final	Antidegradation not applicable.
Box Canyon Watershed WWTF	Stone	0.1	4/27/2009	1024	Final	Review mailed.
Richmond South WWTP	Ray	0.92	5/12/2009	1009	Final	Review mailed.
City of Gerald North Lagoon	Franklin	0.15	5/13/2009	1008	Final	Review mailed.
Northern Heights Estates II Sewage Treatment Plant	Pulaski	0.069	5/18/2009	1003	Final	Review mailed.
Shoal Creek WWTF	Newton	6.5	5/22/2009	999	Final	Review mailed.
Lake Hannibal Estates WWTF	Ralls	0.0315	6/5/2009	985	Final	Review mailed.
St. Charles, Mississippi River TP	St. Charles	9.63	6/8/2009	982	Final	Review mailed.
West Sullivan WWTF	Crawford	0.035	7/8/2009	952	Final	Review withdrawn
Stoney Gap WWTF	Pulaski	0.013	7/29/2009	931	Final	Review withdrawn
City of Cuba WWTF	Crawford	1.55	8/7/2009	922	Final	Review mailed.
Enclave Apartments WWTF	Cape Girardeau	.014	8/10/2009	919	Final	Review mailed.

CWC Report Date: Tuesday, February 14, 2012

Last CWC Report Date: December 15, 2011

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
City of Stover	Morgan	.008	8 /12/2009	917	Final	Review mailed.
Hopewell Road Membrane Bioreactor	St. Charles	0.3	8 /14/2009	915	Final	Review mailed.
West Sullivan WWTF	Crawford	.035	8 /17/2009	912	Final	Review withdrawn
Beaufort Apartments	Franklin	.0013	8 /18/2009	911	Final	Review mailed.
Summit Lake Winery	Callaway	.002	8 /19/2009	910	Final	Review mailed.
Lafargc North America Inc - Sugar Creek Plant	Jackson	.072	8 /24/2009	905	Final	Review mailed.
Grand Cru WWTF	Stone	.024	8 /26/2009	903	Final	Review mailed.
Sun Valley & Sunny Hills	Benton		9 /1 /2009	897	Final	Review mailed.
Lot 3 & 4 Eagle View WWTP	Camden		9 /9 /2009	889	Final	Review mailed.
Sleepy Hollow Mobile Home Park	Franklin	.0225	9 /17/2009	881	Final	Review mailed.
Buccaneer Bay	Camden	.038	9 /17/2009	881	Final	Enforcement
Bayer Crop Science LP	Jackson		9 /21/2009	877	Final	Review mailed.
Stoney Gap/Taylor Hills WWTF	Pulaski	0.072	9 /28/2009	870	Final	Review mailed.
Box Canyon Watershed WWTF	Stone	.15	9 /28/2009	870	Final	Review mailed.
KC, Fishing River WWTP	Clay		9 /30/2009	868	Final	Review mailed.
Sibley Generating Station Utility Waste Landfill	Jackson	.0123	10/5 /2009	863	Final	Review mailed.
City of Green City	Sullivan	0.1 MGD	10/9 /2009	859	Final	Review mailed.
Spring Valley Lake Estates	Cape Girardeau	.014	10/15/2009	853	Final	Review mailed.
Martinsville Properties	Cooper		11/2 /2009	835	Final	Review mailed.
Lanagan Housing Authority	McDonald	0.003	11/12/2009	825	Final	Review mailed.
Maksimov Addition	Pettis	.00312	11/16/2009	821	Final	Review withdrawn
St. Clair R-XIII School District	Franklin	.001	11/18/2009	819	Final	Review mailed.
Eagle Plaza	Camden	.006062	11/25/2009	812	Final	Review withdrawn
Waynesville WWTF	Pulaski	1.25 MGD	1 /5 /2010	771	Final	Review mailed.
Shilo Warehouse	Franklin	.0076	1 /5 /2010	771	Final	Review mailed.

**CWC Report Date:** Tuesday, February 14, 2012  
**Last CWC Report Date:** December 15, 2011

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Shady Gators WWTF	Camden	.0122	1/15/2010	761	Final	Returned incomplete.
Box Canyon Watershed WWTF	Stone	.15	2/10/2010	735	Final	Review mailed.
Sunrise Beach WWTF	Camden	0.20	2/10/2010	735	Final	Review mailed.
Cape Girardeau Municipal WWTF	Cape Girardeau	11.0	2/17/2010	728	Final	Review mailed.
New Haven WWTF	Franklin	.330	2/17/2010	728	Final	Review mailed.
LBYS Middle Big Creek WWTF	Cass	3.48	2/19/2010	726	Final	Review mailed.
Rehme on the Lake	Camden	.000555	2/22/2010	723	Final	Review mailed.
Sunrise Beach WWTF	Camden	0.2	3/1/2010	716	Final	Review mailed.
Cedar Creek Conference Center	Franklin	12,000 gpd	3/3/2010	714	Final	Review mailed.
Tribute Falls/Big M Marina	Barry		3/8/2010	709	Final	Review mailed.
Eagle Bluff Estates	Stone		3/8/2010	709	Final	Review mailed.
LaFarge Mine Stabilization Project	Jackson	NEW	3/15/2010	702	Final	Review mailed.
City Of Waverly	Lafayette	0.119 MGD	3/25/2010	692	Final	Antidegradation not applicable.
City Of Bismarck	St. Francois	.250 MGD	3/26/2010	691	Final	Review mailed.
City of St. Peters	St. Charles	N/A	4/21/2010	665	Final	Water Quality Model Review
Kansas City Rocky Branch Sewage Treatment Plant	Clay	3mgd	4/22/2010	664	Final	Antidegradation not applicable.
Beverly Hills Trailer Park	Johnson	0.0025	4/23/2010	663	Final	Review mailed.
Pinnae Shores WWTF	Stone	0.045	4/26/2010	660	Final	Review mailed.
Golden City WWTF	Barton	0.310	4/26/2010	660	Final	Review mailed.
Holden Municipal WWTP	Johnson		4/27/2010	659	Final	Review mailed.
Excelsior Springs WWTP	Clay	3.5 MGD	5/3/2010	653	Final	Review mailed.
Willow Creek WWTF	Pulaski	.0028	5/5/2010	651	Final	Review mailed.
Grand Cru	Stone	0.019	5/6/2010	650	Final	Review mailed.
Pulaski County Sewer Dist. # 1 - Weeks Hollow WWTF	Pulaski	1.65	5/26/2010	630	Final	Review mailed.
Teri's Country Homes No. 1	Dent		6/7/2010	618	Final	Returned incomplete.

CWC Report Date: Tuesday, February 14, 2012  
Last CWC Report Date: December 15, 2011

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Odessa NW WWTP	Lafayette	1.0 MGD	6 /11/2010	614	Final	Review mailed.
MDOC, Central Missouri Correctional Center	Cole	0.47	6 /14/2010	611	Final	Review mailed.
East Prairie WWTF	Mississippi	0.6 MGD	6 /23/2010	602	Final	Review mailed.
Hornersville Municipal Lagoon	Dunklin	0.120	7 /9 /2010	586	Final	Review mailed.
Eagle Bluff Estates WWTP	Stone	0.0064	7 /15/2010	580	Final	Review mailed.
Basswood Resort	Platte		7 /19/2010	576	Final	Review mailed.
Monsees Lake Estates	Pettis	28,300 gpd	7 /22/2010	573	Final	Review mailed.
Prarie Valley Disposal, Inc.	Crawford	4.18	7 /29/2010	566	Final	Review mailed.
Woobies RV Park	Henry	0.0135	9 /3 /2010	530	Final	Review mailed.
Marthasville Reloc of WWTF discharge to Mo. River	Warren	0.12	9 /7 /2010	526	Final	Review mailed.
City of Booneville	Cooper	2.0 MGD	9 /10/2010	523	Final	Review mailed.
Taos WWTF	Cole	0.15	9 /15/2010	518	Final	Review mailed.
Lake Ozark Amphitheater	Camden		9 /23/2010	510	Final	Review mailed.
City of Maryville WWTF	Nodaway	2.0	9 /24/2010	509	Final	Review mailed.
KC, Fishing River WWTP	Clay	2.0	9 /24/2010	509	Final	Review mailed.
Oakmont Hills	Taney	0.05	10/4 /2010	499	Final	Review mailed.
Northeast Public Sewer District	Jefferson	6.75	10/7 /2010	496	Final	Review mailed.
The Village at Indian Point Resort	Stone	0.030	10/13/2010	490	Final	Review mailed.
Festus Fuel	Jefferson	0.015	10/29/2010	474	Final	Review mailed.
Ozark Correctional Center WWTP	Webster		11/12/2010	460	Final	Review mailed.
Lake Ozarks Amphitheater	Camden	.012792	12/13/2010	429	Final	Review mailed.
Tyson Foods - Sedalia Processing Plant	Pettis	2.16	12/21/2010	421	Final	Review mailed.
Puxico WWTF	Stoddard	0.131	1 /3 /2011	408	Final	Review mailed.
Rocky Fork Creek, Boone County Regional Sewer Dist	Boone	0.60	1 /24/2011	387	Final	Review mailed.
Trager Quarry, Gallatin Facility	Daviss		2 /8 /2011	372	Final	Antidegradation not applicable.

CWC Report Date: Tuesday, February 14, 2012

Last CWC Report Date: December 15, 2011



Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Sunrise Beach WWTF	Camden	.2	2/10/2011	370	Final	Review mailed.
Platte_Clay/Holmes Creek Sewer Co. LLC	Clay		2/15/2011	365	Final	Review mailed.
Ron-Rog WWTP	Jefferson	6.75	2/18/2011	362	Final	Review mailed.
Arbor Place of Festus	Jefferson	0.007875	3/2/2011	350	Final	Review mailed.
Lebanon WWTP	Laclede	3.5	3/31/2011	321	Final	Review mailed.
Hamiton Northeast Municipal WWTF	Caldwell	.13	3/31/2011	321	Final	Review mailed.
Trehouse Condominiums WWTF	Stone		4/1/2011	320	Final	Review mailed.
City of Perry	Ralls	other	4/13/2011	308	Final	Review mailed.
City of Camdenton WWTF	Camden	0.64 mgd	4/19/2011	302	Final	Review mailed.
Terre Du Lac Oxidation Ditch	St. Francois	.250	4/28/2011	293	Final	Review mailed.
Terre Du Lac North Facility	St. Francois		4/28/2011	293	Final	Review mailed.
Independence Rock creek WWTF	Jackson	10 MGD	5/2/2011	289	Final	Review mailed.
OCC1 Inc	Callaway	0.005	5/11/2011	280	Final	Review mailed.
Hollywood Camp and RV Park	St. Francois	0.0025	5/23/2011	268	Final	Review mailed.
Lookout Point Mobile Home Park	Pulaski	.003375	5/31/2011	260	Final	Review mailed.
Greenview Community Improvement District	Camden	.006000	6/2/2011	258	Final	Review mailed.
Wings Enterprises Iron Ore Mine	Washington	4.46 MGD	6/9/2011	251	Final	Review mailed.
Risco Municipal Wastewater Treatment Facility	New Madrid	0.09 MGD	6/10/2011	250	Final	Review mailed.
Arbyrd Wastewater Treatment Facility	Dunklin	na	6/24/2011	236	Final	Review mailed.
Hawk Point Wastewater Lagoon	Lincoln	0.08	6/30/2011	230	Final	Review mailed.
RMSD WWTF	Morgan	0.05	7/11/2011	219	Final	Review mailed.
KCPL Montrose Station-Outfall 008	Henry	0.0333	7/13/2011	217	Final	Review mailed.
Four Seasons Resort WWTF	Stone	0.003750	7/14/2011	216	Final	Review mailed.
Braden Park Village	Benton	0.0015750	7/25/2011	205	Final	Review mailed.
Village of Country Club	Andrew	0.24 MGD	7/26/2011	204	Final	Review mailed.

CWC Report Date: Tuesday, February 14, 2012  
Last CWC Report Date: December 15, 2011

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
City of Clever WWTF	Christian	0.21	8 / 8 /2011	191	Final	Review mailed.
Lake Forest Estates Subdivision	Ste. Genevieve	0.376	8 / 15/2011	184	Final	Review mailed.
Shores of TRL	Stone	.003 mgd	8 / 31/2011	168	Final	Review mailed.
Missouri City Power Station	Clay	19.5	9 / 12/2011	156	Final	Review mailed.
Evergreen Drive Acres WWTF	Callaway	0.021	9 / 14/2011	154	Final	Review mailed.
AEC1, St. Francis Power Plant	Dunklin	1.4 mgd &	9 / 14/2011	154	Final	Review mailed.
Stover SW Municipal WWTF	Morgan	0.12	9 / 29/2011	139	Final	Review mailed.
Richmond South WWTP	Ray	2.0	9 / 30/2011	138	Final	Review mailed.
Magellan Pipeline Company, LP	Platte	< 1MGD (3	10/6 /2011	132	Final	Technical review complete.
Viburnum WWTF	Iron	0.31	10/21/2011	117	Final	Review mailed.
BF1 Waste Systems of North America	Clay		10/28/2011	110	Final	Review mailed.
Paridisc Point WWTF	Taney	0.0648	11/4 /2011	103	Final	Technical review complete.
Bucksaw Resort RV Park South	Henry	0.050	11/7 /2011	100	Final	Review mailed.
project deleted			11/10/2011	97	Final	Review mailed.
The Peninsula WWTF	Stone	0.021 mgd	11/17/2011	90	Final	Review mailed.
Hillside Mobile Home Park	Crawford	0.0012	11/21/2011	86	Final	Review mailed.

CWC Report Date: Tuesday, February 14, 2012  
Last CWC Report Date: December 15, 2011