

Missouri Clean Water Commission
Department of Natural Resources
Lewis and Clark State Office Building
LaCharrette/Nightingale Conference Rooms
1101 Riverside Drive
Jefferson City, Missouri 65102

May 2, 2012

Permits and Water Quality Antidegradation Review Update

Issue: State of Water Pollution Control Branch Permitting

Background: Update for the Missouri Clean Water Commission on timeliness of permit actions.

Recommended Action: None.


Suggested Motion Language: None.

List of Attachments:

- Site Specific State Operating Permits
- General State Operating Permits
- Master General Permits
- Concentrated Animal Feeding Operation (CAFO) & AG-Chemical Construction Permits
- Water Quality Review Assistance Report

Expired Site Specific and General Permits

As of April 10, 2012



Master General Permits

MO-G

- Units**
- 401/MS4, Unit Chief Carrie Schultie
 - Agriculture, Unit Chief Darrick Steen
 - NPDES, Unit Chief Curt Gateley

Number	Permit Name	Issued	Expires	CO Unit responsible for Master General Permit	Office responsible for issuance of coverage to a GPCF	Status
G01	CAFO	2-24-11	2-23-16	Agriculture	CO	
G05	Abandoned Mine Land Rec >5 acres	5-27-11	5-26-16	NPDES	CO	
G09	Ag/Wood/Food Compost Sites	12-14-07	12-13-12	NPDES	RO	
G13	Flow through Aquaculture	12-19-08	12-18-13	NPDES	RO	
G13A	Pond Aquaculture	12-24-08	12-23-13	NPDES	RO	
G14	Oil/Water Separators	12-24-08	12-23-13	NPDES	RO	
G251	Discharging Ground Source Heat Pumps	9-17-10	9-16-15	NPDES	RO	
G35	Petroleum Storage	6-15-07	6-14-12	NPDES	RO	
G49	Limestone Quarries	10-6-11	10-5-16	NPDES	RO	
G50	Sand & Gravel Washing	6-1-10	5-31-15	NPDES	RO	
G64	Water Treatment Plants	10-24-08	10-23-13	NPDES	RO	Modify at renewal to clarify soil metals sampling information
G641	Zeolite Softeners	5-30-08	5-29-13	NPDES	RO	
G67	Hydrostatic testing, petroleum related	10-5-07	10-4-12	NPDES	RO	
G685	Hydrostatic testing, non-petroleum related	4-23-10	4-22-15	NPDES	RO	
G69	Dredging, Lakes & Harbors	3-14-08	3-13-13	NPDES	RO	
G698	Dredging, return water from aggregate 'mining' in the Mo & Miss.	3-14-08	3-13-13	NPDES	RO	
G75	Car Washes	5-30-08	5-29-13	NPDES	RO	
G76	Swimming Pools	4-10-09	4-9-14	NPDES	RO	
G821	Land Application Septage	10-5-07	10-4-12	NPDES	RO	
G822	Land Application Food Waste	6-16-11	6-15-16	NPDES	RO	
G84	Clay Mining	11-16-09	11-15-14	NPDES	RO	
G92	Compost, including biosolids	11-30-07	11-29-12	NPDES	RO	
G94	Fuel Spill Cleanup	11-12-10	11-11-15	NPDES	RO	
G97	Yard Waste Composting	11-30-07	11-29-12	NPDES	RO	

Water Quality Review Assistance (WQRA) Report

Categories

May, 2012

WQRA Active Requests	12
Active WQRA Requests Older than Two Months	2
WQRA Requests Received Since Last CWC Report	13
WQRA Requests Completed Since Last CWC Report	2
Returned Incomplete Since Last CWC Report	0

Current Request List:

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
City of Boonville WWTP	Cooper	2.0	3 /9 /2011	399	Active	Comments provided to applicant.
Brookfield WWTP	Linn	1.5 mgd	1 /23 /2012	79	Active	Technical review complete.
City of Calhoun WWTF	Henry	0.050	3 /9 /2012	33	Active	Technical review complete.
Deepwater WWTF	Henry		3 /13 /2012	29	Active	Active Review
Gainesville WWTF	Ozark	0.206	3 /22 /2012	20	Active	Active Review
Lehman Acres WWTF	Cole	6300 gpd	3 /22 /2012	20	Active	Active Review
Lake Point Landing WWTF	Barry	0.01	3 /23 /2012	19	Active	Active Review
Glasgow WWTF	Howard	0.15	3 /26 /2012	16	Active	Active Review
Lake Hills Trailer Park WWTF	Benton	0.0117	3 /28 /2012	14	Active	Comments provided to applicant.
Saddle Saloon WWTP	Cooper		4 /3 /2012	8	Active	Active Review
Oak Harbour 2nd Addition WWTF	Miller		4 /3 /2012	8	Active	Active Review

Final: Applicant 30-day appeal period has ended.

CWC Report Date: Wednesday, April 11, 2012

Last CWC Report Date: February 14, 2012

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Horseshoe Bend #7, Lots 169 & 170 WWTP	Camden		4/6/2012	5	Active	Active Review
Foley WWTF	Lincoln		6/28/2011	288	Complete	Review mailed.
Pezzetti WWTF	Camden	0.00124	7/25/2011	261	Complete	Review mailed.
BCSD Twin Lakes Subdivision WWTP	Boone	0.02 mgd	12/15/2011	118	Complete	Review mailed.
Carl Junction WWTF		1.60	1/3/2012	99	Complete	Review mailed.
Beverly Hills Mobile Home Park	Johnson		3/1/2012	41	Complete	Technical review complete.
Underhill Heights	Taney	0.0035 mgd	3/15/2012	27	Complete	Technical review complete.
Simmons Prepared Foods, Inc.			4/9/2012	2	Complete	Review mailed.
Bedford Falls	Camden				Final	Antidegradation not applicable.
Columbia Regional WWTP	Boone	25.2	3/14/2008	1489	Final	Review mailed.
Blue Springs Sni-A-Bar WWTF	Jackson	10.0	5/19/2008	1423	Final	Review mailed.
DOE - National Nuclear Security Administration - K	Jackson		7/14/2008	1367	Final	Antidegradation not applicable.
Metropolitan St. Louis Sewer Dist - MO River WWTF	Saline	38.0	7/15/2008	1366	Final	Review mailed.
Windsor Southwest Lagoon	Henry	0.5	8/1/2008	1349	Final	Review mailed.
Bayer - CropScience	Jackson	2.4	9/22/2008	1297	Final	Review mailed.
AOK Campground WWTF	Andrew	0.005	9/30/2008	1289	Final	Review mailed.
Missouri-American Water CO - St. Joseph Groundwater	Barry	1.4	10/3/2008	1286	Final	Review mailed.
Kingston Mo WWTF Improvements	Caldwell	0.41	10/8/2008	1281	Final	Review mailed.
Village of McKittrick Central Sewer System	Montgomery	0.035	10/14/2008	1275	Final	Review mailed.
Shoal Creek WWTP	Newton	0.006	10/17/2008	1272	Final	Review mailed.
Turkey Creek WWTP	Jasper	0.015	10/17/2008	1272	Final	Review mailed.
Travel Centers of America, Mount Vernon	Lawrence	0.036	11/3/2008	1255	Final	Review mailed.
LBVSD Middle Big Creek WWTF	Cass	2.25	11/6/2008	1252	Final	Review mailed.
Stoney Gap	Pulaski	0.01	11/7/2008	1251	Final	Review mailed.
Brown Station WWTF	Boone	0.0018	11/13/2008	1245	Final	Review mailed.

CWC Report Date: Wednesday, April 11, 2012

Last CWC Report Date: February 14, 2012

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Perryville Airport WWTF (Sabreliner)	Perry	0.015	11/21/2008	1237	Final	Review mailed.
Shawnee Bend Six Association	Camden	0.0006	11/21/2008	1237	Final	Returned incomplete.
Lot 3 & 4 Eagle View WWTP	Camden	0.0066	12/23/2008	1205	Final	Review mailed.
Lake Torino WWTF	Franklin	0.034	1 / 1 /2009	1196	Final	Review mailed.
Eugene Golden Acres Apartments	Cole	0.001	1 / 6 /2009	1191	Final	Review mailed.
City of Cuba WWTF	Crawford	?	1 / 8 /2009	1189	Final	Review mailed.
Paradise Landing Kimberling Shores Treatment Facil	Stone	0.043	1 / 28 /2009	1169	Final	Review mailed.
Iatan Generating Station	Platte	0.012	2 / 2 /2009	1164	Final	Review mailed.
CDC W-20 WWTP	Miller	0.00392	2 / 18 /2009	1148	Final	Review mailed.
Belton WWTF Expansion	Cass	?	2 / 18 /2009	1148	Final	Review mailed.
US Army Maneuver Support Center & Ft Leonard Wood	Pulaski	5.0 MGD	2 / 25 /2009	1141	Final	Review mailed.
Whitewater/Allenville WWTF	Cape Girardeau	0.021	2 / 27 /2009	1139	Final	Review mailed.
Union East STP	Franklin	0.8	3 / 2 /2009	1136	Final	Review mailed.
Les Bourgeois Winery	Boone	?	3 / 5 /2009	1133	Final	Review mailed.
New Florence WWTF	Montgomery	0	3 / 5 /2009	1133	Final	Review mailed.
Francis Howell High School	St. Charles	0.025	3 / 25 /2009	1113	Final	Review mailed.
Wyeth Holdings Corp.	Marion	0.288	4 / 9 /2009	1098	Final	Review mailed.
Bethel WWTF	Shelby	0	4 / 10 /2009	1097	Final	Review mailed.
Branson. Compton Drive WWTP	Taney	?	4 / 17 /2009	1090	Final	Antidegradation not applicable.
Leonard WWTF	Shelby	0	4 / 17 /2009	1090	Final	Antidegradation not applicable.
Atlanta WWTP	Macon	0	4 / 20 /2009	1087	Final	Antidegradation not applicable.
Box Canyon Watershed WWTF	Stone	0.1	4 / 27 /2009	1080	Final	Review mailed.
Richmond South WWTP	Ray	0.92	5 / 12 /2009	1065	Final	Review mailed.
City of Gerald North Lagoon	Franklin	0.15	5 / 13 /2009	1064	Final	Review mailed.
Northern Heights Estates II Sewage Treatment Plant	Pulaski	0.069	5 / 18 /2009	1059	Final	Review mailed.

CWC Report Date: Wednesday, April 11, 2012

Last CWC Report Date: February 14, 2012

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Shoal Creek WWTF	Newton	6.5	5 /22/2009	1055	Final	Review mailed.
Lake Hannibal Estates WWTF	Ralls	0.0315	6 /5 /2009	1041	Final	Review mailed.
St. Charles, Mississippi River TP	St. Charles	9.63	6 /8 /2009	1038	Final	Review mailed.
West Sullivan WWTF	Crawford	0.035	7 /8 /2009	1008	Final	Review withdrawn
Stoney Gap WWTF	Pulaski	0.013	7 /29/2009	987	Final	Review withdrawn
City of Cuba WWTF	Crawford	1.55	8 /7 /2009	978	Final	Review mailed.
Enclave Apartments WWTF	Cape Girardeau	.014	8 /10/2009	975	Final	Review mailed.
City of Stover	Morgan	.008	8 /12/2009	973	Final	Review mailed.
Hopewell Road Membrane Bioreactor	St. Charles	0.3	8 /14/2009	971	Final	Review mailed.
West Sullivan WWTF	Crawford	.035	8 /17/2009	968	Final	Review withdrawn
Beaufort Apartments	Franklin	.0013	8 /18/2009	967	Final	Review mailed.
Summit Lake Winery	Callaway	.002	8 /19/2009	966	Final	Review mailed.
Lafarge North America Inc - Sugar Creek Plant	Jackson	.072	8 /24/2009	961	Final	Review mailed.
Grand Cru WWTF	Stone	.024	8 /26/2009	959	Final	Review mailed.
Sun Valley & Sunny Hills	Benton		9 /1 /2009	953	Final	Review mailed.
Lot 3 & 4 Eagle View WWTP	Camden		9 /9 /2009	945	Final	Review mailed.
Sleepy Hollow Mobile Home Park	Franklin	.0225	9 /17/2009	937	Final	Review mailed.
Buccancer Bay	Camden	.038	9 /17/2009	937	Final	Enforcement
Bayer Crop Science LP	Jackson		9 /21/2009	933	Final	Review mailed.
Stoney Gap/Taylor Hills WWTF	Pulaski	0.072	9 /28/2009	926	Final	Review mailed.
Box Canyon Watershed WWTF	Stone	.15	9 /28/2009	926	Final	Review mailed.
KC, Fishing River WWTP	Clay		9 /30/2009	924	Final	Review mailed.
Sibley Generating Station Utility Waste Landfill	Jackson	.0123	10/5 /2009	919	Final	Review mailed.
City of Green City	Sullivan	0.1 MGD	10/9 /2009	915	Final	Review mailed.
Spring Valley Lake Estates	Cape Girardeau	.014	10/15/2009	909	Final	Review mailed.

CWC Report Date: Wednesday, April 11, 2012

Last CWC Report Date: February 14, 2012

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Martinsville Properties	Cooper		11/2 /2009	891	Final	Review mailed.
Lanagan Housing Authority	McDonald	0.003	11/12/2009	881	Final	Review mailed.
Maksimov Addition	Pettis	.00312	11/16/2009	877	Final	Review withdrawn
St. Clair R-XIII School District	Franklin	.001	11/18/2009	875	Final	Review mailed.
Eagle Plaza	Camden	.006062	11/25/2009	868	Final	Review withdrawn
Shilo Warehouse	Franklin	.0076	1 /5 /2010	827	Final	Review mailed.
Waynesville WWTF	Pulaski	1.25 MGD	1 /5 /2010	827	Final	Review mailed.
Shady Gators WWTF	Camden	.0122	1 /15 /2010	817	Final	Returned incomplete.
Sunrise Beach WWTF	Camden	0.20	2 /10 /2010	791	Final	Review mailed.
Box Canyon Watershed WWTF	Stone	.15	2 /10 /2010	791	Final	Review mailed.
Cape Girardeau Municipal WWTF	Cape Girardeau	11.0	2 /17 /2010	784	Final	Review mailed.
New Haven WWTF	Franklin	.330	2 /17 /2010	784	Final	Review mailed.
LBVSD Middle Big Creek WWTF	Cass	3.48	2 /19 /2010	782	Final	Review mailed.
Rehme on the Lake	Camden	.000555	2 /22 /2010	779	Final	Review mailed.
Sunrise Beach WWTF	Camden	0.2	3 /1 /2010	772	Final	Review mailed.
Cedar Creek Conference Center	Franklin	12,000 gpd	3 /3 /2010	770	Final	Review mailed.
Eagle Bluff Estates	Stone		3 /8 /2010	765	Final	Review mailed.
Tribute Falls/Big M Marina	Barry		3 /8 /2010	765	Final	Review mailed.
LaFarge Mine Stabilization Project	Jackson	NEW	3 /15 /2010	758	Final	Review mailed.
City Of Waverly	Lafayette	0.119 MGD	3 /25 /2010	748	Final	Antidegradation not applicable.
City Of Bismarck	St. Francois	.250 MGD	3 /26 /2010	747	Final	Review mailed.
City of St. Peters	St. Charles	N/A	4 /21 /2010	721	Final	Water Quality Model Review
Kansas City Rocky Branch Sewage Treatment Plant	Clay	3mgd	4 /22 /2010	720	Final	Antidegradation not applicable.
Beverly Hills Trailer Park	Johnson	0.0025	4 /23 /2010	719	Final	Review mailed.
Pinnacle Shores WWTF	Stone	0.045	4 /26 /2010	716	Final	Review mailed.

CWC Report Date: Wednesday, April 11, 2012
Last CWC Report Date: February 14, 2012

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Golden City WWTF	Barton	0.310	4 /26/2010	716	Final	Review mailed.
Holden Municipal WWTP	Johnson		4 /27/2010	715	Final	Review mailed.
Excelstior Springs WWTP	Clay	3.5 MGD	5 /3 /2010	709	Final	Review mailed.
Willow Creek WWTF	Pulaski	.0028	5 /5 /2010	707	Final	Review mailed.
Grand Cru	Stone	0.019	5 /6 /2010	706	Final	Review mailed.
Pulaski County Sewer Dist. # 1 - Weeks Hollow WWTF	Pulaski	1.65	5 /26/2010	686	Final	Review mailed.
Teri's Country Homes No. 1	Dent		6 /7 /2010	674	Final	Returned incomplete.
Odessa NW WWTP	Lafayette	1.0 MGD	6 /11/2010	670	Final	Review mailed.
MDOC, Central Missouri Correctional Center	Cole	0.47	6 /14/2010	667	Final	Review mailed.
East Prairie WWTF	Mississippi	0.6 MGD	6 /23/2010	658	Final	Review mailed.
Hornersville Municipal Lagoon	Dunklin	0.120	7 /9 /2010	642	Final	Review mailed.
Eagle Bluff Estates WWTP	Stone	0.0064	7 /15/2010	636	Final	Review mailed.
Basswood Resort	Platte		7 /19/2010	632	Final	Review mailed.
Monsees Lake Estates	Pettis	28,300 gpd	7 /22/2010	629	Final	Review mailed.
Prarie Valley Disposal, Inc.	Crawford	4.18	7 /29/2010	622	Final	Review mailed.
Woobies R V Park	Henry	0.0135	9 /3 /2010	586	Final	Review mailed.
Marthasville Reloc of WWTF discharge to Mo. River	Warren	0.12	9 /7 /2010	582	Final	Review mailed.
City of Booneville	Cooper	2.0 MGD	9 /10/2010	579	Final	Review mailed.
Taos WWTF	Cole	0.15	9 /15/2010	574	Final	Review mailed.
Lake Ozark Amphitheater	Camden		9 /23/2010	566	Final	Review mailed.
City of Maryville WWTF	Nodaway	2.0	9 /24/2010	565	Final	Review mailed.
KC, Fishing River WWTP	Clay	2.0	9 /24/2010	565	Final	Review mailed.
Oakmont Hills	Taney	0.05	10/4 /2010	555	Final	Review mailed.
Northeast Public Sewer District	Jefferson	6.75	10/7 /2010	552	Final	Review mailed.
The Village at Indian Point Resort	Stone	0.030	10/13/2010	546	Final	Review mailed.

CWC Report Date: Wednesday, April 11, 2012
Last CWC Report Date: February 14, 2012

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Festus Fuel	Jefferson	0.015	10/29/2010	530	Final	Review mailed.
Ozark Correctional Center WWTP	Webster		11/12/2010	516	Final	Review mailed.
Lake Ozarks Amphitheater	Camden	.012792	12/13/2010	485	Final	Review mailed.
Tyson Foods - Sedalia Processing Plant	Pettis	2.16	12/21/2010	477	Final	Review mailed.
Puxico WWTF	Stoddard	0.131	1/3/2011	464	Final	Review mailed.
Rocky Fork Creek, Boone County Regional Sewer Dist	Boone	0.60	1/24/2011	443	Final	Review mailed.
Trager Quarry, Gallatin Facility	Daviess		2/8/2011	428	Final	Antidegradation not applicable.
Sunrise Beach WWTF	Camden	.2	2/10/2011	426	Final	Review mailed.
Platte_Clay/Holmes Creek Sewer Co. LLC	Clay		2/15/2011	421	Final	Review mailed.
Ron-Rog WWTP	Jefferson	6.75	2/18/2011	418	Final	Review mailed.
Arbor Place of Festus	Jefferson	0.007875	3/2/2011	406	Final	Review mailed.
Lebanon WWTP	Laclede	3.5	3/31/2011	377	Final	Review mailed.
Hamiton Northeast Municipal WWTF	Caldwell	.13	3/31/2011	377	Final	Review mailed.
Treehouse Condominiums WWTF	Stone		4/1/2011	376	Final	Review mailed.
City of Perry	Ralls	other	4/13/2011	364	Final	Review mailed.
City of Camdenton WWTF	Camden	0.64 mgd	4/19/2011	358	Final	Review mailed.
Terre Du Lac North Facility	St. Francois		4/28/2011	349	Final	Review mailed.
Terre Du Lac Oxidation Ditch	St. Francois	.250	4/28/2011	349	Final	Review mailed.
Independence Rock creek WWTF	Jackson	10 MGD	5/2/2011	345	Final	Review mailed.
OCCI Inc	Callaway	0.005	5/11/2011	336	Final	Review mailed.
Hollywood Camp and RV Park	St. Francois	0.0025	5/23/2011	324	Final	Review mailed.
Lookout Point Mobile Home Park	Pulaski	.003375	5/31/2011	316	Final	Review mailed.
Greenview Community Improvement District	Camden	.006000	6/2/2011	314	Final	Review mailed.
Wings Enterprises Iron Ore Mine	Washington	4.46 MGD	6/9/2011	307	Final	Review mailed.
Risco Municipal Wastewater Treatment Facility	New Madrid	0.09 MGD	6/10/2011	306	Final	Review mailed.

CWC Report Date: Wednesday, April 11, 2012
Last CWC Report Date: February 14, 2012

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Arbyrd Wastewater Treatment Facility	Dunklin	na	6 /24/2011	292	Final	Review mailed.
Hawk Point Wastewater Lagoon	Lincoln	0.08	6 /30/2011	286	Final	Review mailed.
RMSD WWTF	Morgan	0.05	7 /11/2011	275	Final	Review mailed.
KCPL Montrose Station-Outfall 008	Henry	0.0333	7 /13/2011	273	Final	Review mailed.
Four Seasons Resort WWTF	Stone	0.003750	7 /14/2011	272	Final	Review mailed.
Braden Park Village	Benton	0.0015750	7 /25/2011	261	Final	Review mailed.
Village of Country Club	Andrew	0.24 MGD	7 /26/2011	260	Final	Review mailed.
City of Clever WWTF	Christian	0.21	8 /8 /2011	247	Final	Review mailed.
Lake Forest Estates Subdivision	Stc. Genevieve	0.376	8 /15/2011	240	Final	Review mailed.
Shores of TRL	Stone	.003 mgd	8 /31/2011	224	Final	Review mailed.
Missouri City Power Station	Clay	19.5	9 /12/2011	212	Final	Review mailed.
Evergreen Drive Acres WWTF	Callaway	0.021	9 /14/2011	210	Final	Review mailed.
AECI, St. Francis Power Plant	Dunklin	1.4 mgd &	9 /14/2011	210	Final	Review mailed.
Stover SW Municipal WWTF	Morgan	0.12	9 /29/2011	195	Final	Review mailed.
Richmond South WWTF	Ray	2.0	9 /30/2011	194	Final	Review mailed.
Magellan Pipeline Company, LP	Platte	< 1MGD (3	10/6 /2011	188	Final	Technical review complete.
Viburnum WWTF	Iron	0.31	10/21/2011	173	Final	Review mailed.
BFI Waste Systems of North America	Clay		10/28/2011	166	Final	Review mailed.
Kinder Morgan St. Louis Liquid Terminal	St. Louis	.03	11/3 /2011	160	Final	Review mailed.
Paradise Point WWTF	Taney	0.0648	11/4 /2011	159	Final	Technical review complete.
Bucksaw Resort RV Park South project deleted	Henry	0.050	11/7 /2011	156	Final	Review mailed.
The Peninsula WWTF	Stone	0.021 mgd	11/10/2011	153	Final	Review mailed.
Hillside Mobile Home Park	Crawford	0.0012	11/17/2011	146	Final	Review mailed.
Chamois Municipal WWTF	Osage		11/21/2011	142	Final	Review mailed.
			12/7 /2011	126	Final	Review mailed.

CWC Report Date: Wednesday, April 11, 2012
Last CWC Report Date: February 14, 2012

Facility Name	County	Design Flow	Date Received	Aging	Status	Comments
Brunswick WWTF	Chariton		12/12/2011	121	Final	Review mailed.
Mid-Missouri Energy LLC	Saline	0.4658 mgd	12/14/2011	119	Final	Review mailed.
Cedar View Estates WWTF	Camden	0.004464	1 / 5 /2012	97	Final	Review mailed.
Home Place Addition	Henry	0.01554	2 / 6 /2012	65	Final	Review mailed.

CWC Report Date: Wednesday, April 11, 2012
Last CWC Report Date: February 14, 2012

**CAFO & AG-CHEMICAL CONSTRUCTION PERMITS
PERMIT STATUS REPORT 4-11-12**

Site Name	Permit Number	County	Date Received	Date Issued	Proposed Construction
Maxwell Farms, LLC	CPCF00072	Audrain	1/23/2012		1 new & 1 existing deep pit hog barn, total 5360 finishers
David Moore	CPCF00073	McDonald	1/26/2012	3/2/2012	2 new broiler houses - total 6 houses and 190,260 birds
Anita Brown Farms, LLC	CPCF00074	Barry	2/6/2012	3/21/2012	1 new broiler house at facility w/ 4 houses & 155K birds
MFA Agri Service - Bernie	CPAG00021	Stoddard	2/27/2012	in processing	New Bulk dry fertilizer bldg to replace two existing
Sharpe Land & Cattle Company	CPCF00075	Lewis	3/12/2012		1 new loafing barn & ext. of existing barn for 2,667 goats
Great Lion Farm	CPCF00076	Newton	3/14/2012		4 new broiler houses - 184,000 birds
Matthew Martin Broiler	CPCF00077	Moniteau	3/26/2012		New 4 houses broiler op for a total of 104,000 birds
Lavon Martin	CPCF00078	Morgan	3/27/2012		New 4 houses broiler op for a total of 104,000 birds
Brad Blaise CAFO	CPCF00079	Shelby	3/29/2012		New 4980 swine with deep pit
Shawn McEwen Facility	CPCF00080	Shelby	3/29/2012		New 4960 swine with deep pit

