



Jeremiah W. (Jay) Nixon, Governor • Sara Parker Pauley, Director

## DEPARTMENT OF NATURAL RESOURCES

[www.dnr.mo.gov](http://www.dnr.mo.gov)

March 28, 2013

Mr. Greg Boettcher, Executive Director  
Little Blue Valley Sewer District  
21101 East 78 Highway  
Independence, MO 64057

RE: C295439-03 - Little Blue Valley Sewer District (LBVSD) – Phase 2 Conveyance System Improvements - Excess Flow Holding Basin, flows to LBVSD Atherton Wastewater Treatment Facility (WWTF), MO-0101087 - Construction Permit No.CPSE00656

Dear Mr. Boettcher:

The Missouri Department of Natural Resources' Water Protection Program has reviewed and approved the plans and specifications submitted by HDR Engineering, Inc. for the LBVSD. Please find enclosed Construction Permit No. CPSE00656 and one (1) set of approved plans and specifications. You must maintain these with your official project file for a minimum of four (4) years following completion of the project.

This permit will terminate 24 months from the date of issuance. In accordance with 10 CSR 20-6.010(4)(G), the Department may grant an extension only one (1) time. If you believe that an extension is necessary, you must submit a request and a justification in writing for the extension at least 30 days prior to the permit expiration date.

Nothing in this permit removes any obligations to comply with county or other local ordinances or restrictions.

If you were adversely affected by this decision, you may appeal to have the matter heard by the Administrative Hearing Commission. To appeal, you must file a petition with the Administrative Hearing Commission within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the Administrative Hearing Commission.


Mr. Greg Boettcher, Executive Director  
March 28, 2013  
Page 2

If you have any questions concerning this matter, please contact Ms. Cynthia Smith, of the Water Protection Program, at 573-522-9723 or Missouri Department of Natural Resources, Water Protection Program, P.O. Box 176, Jefferson City, MO 65102-0176.

Thank you for your efforts to help ensure clean water in Missouri.

Sincerely,

WATER PROTECTION PROGRAM



Byron F. Shaw, Jr., P.E.  
SRF Engineering Unit Chief

BFS:csk

Enclosures

c: Mr. Brandon Coleman, P.E., HDR Engineering, Inc.  
Mr. Scott Honig, P.E., Kansas City Regional Office  
Mr. Mark Buersmeyer, Water Protection Program, Financial Assistance Center  
Ms. Cynthia Smith, Water Protection Program, Financial Assistance Center

C295439-03 LBVSD Atherton WWTF, MO-0101087  
Little Blue Valley Sewer District (LBVSD)  
Phase 2 Conveyance System Improvements - Excess Flow Holding Basin

Permit No. CPSE00656

STATE OF MISSOURI  
DEPARTMENT OF NATURAL RESOURCES

MISSOURI CLEAN WATER COMMISSION



# CONSTRUCTION PERMIT

The Missouri Department of Natural Resources hereby issues a permit to:

Little Blue Valley Sewer District  
21101 East 78 Highway  
Independence, MO 64057

for the construction of (described facilities):

See attached.

Permit Conditions:

See attached.

Construction of such proposed facilities shall be in accordance with the provisions of the Missouri Clean Water Law, Chapter 644, RSMo, and regulation promulgated thereunder, or this permit may be revoked by the Department of Natural Resources (Department).

As the Department does not examine structural features of design or the efficiency of mechanical equipment, the issuance of this permit does not include approval of these features.

A representative of the Department may inspect the work covered by this permit during construction. Issuance of a permit to operate by the Department will be contingent on the work substantially adhering to the approved plans and specifications.

This permit applies only to the construction of water pollution control components; it does not apply to other environmentally regulated areas.

March 28, 2013  
Effective Date

March 27, 2015  
Expiration Date

Sara Parker Pauley, Director, Department of Natural Resources

Director of Staff, Clean Water Commission or Designee



C295439-03 LBVSD Atherton WWTF, MO-0101087  
Little Blue Valley Sewer District (LBVSD)  
Phase 2 Conveyance System Improvements - Excess Flow Holding Basin

Permit No. CPSE00656

## **CONSTRUCTION PERMIT**

### **COLLECTION SYSTEM:**

This project consists of Phase 2 Conveyance System Improvements – Excess Flow Holding Basin. The work includes the following:

- Site Demolition
- Earthwork
- Road Construction and Pavement
- Concrete Basin Lining
- Groundwater Under Drain System
- Yard Piping
- Control Building
- Chemical Storage and Feed Equipment
- Water Booster Pump
- Water Distribution and Water Cannons
- Electrical Duct Banks
- Supervisory Control and Data Acquisition (SCADA) System Improvements
- Site Restoration and Improvements
- Diversion Structure
- Inflow/Outflow Structure
- Kansas City, Missouri Sewer Improvements

These wastewater facilities will be in the vicinity of 10301 Raytown Road in the city of Kansas City in Jackson County, Missouri and will discharge to an existing sewer system and be treated at the LBVSD Atherton Wastewater Treatment Facility (WWTF), Missouri State Operating Permit No. MO-0101087.

### **PERMIT CONDITIONS:**

1. All construction shall be in accordance with the plans and specifications submitted by HDR Engineering, Inc. on March 15, 2013 and approved by the Department on March 28, 2013.
2. Regulation 10 CSR 20-4.040(19)(B)1 requires that projects be publicly advertised, allowing sufficient time for bids to be prepared and submitted. Projects should be advertised at least 30 days prior to bid opening.

3. The Department must be contacted in writing prior to making any changes to the approved plans and specifications that would directly or indirectly have an impact on the capacity, flow, system layout, or reliability of the proposed WWTFs or any design parameter that is addressed by 10 CSR 20-8, in accordance with 10 CSR 20-8.110(8).
4. As per 10 CSR 20-4.040, all changes in contract price or time within the approved scope of work must be by change order in accordance with Section 20 of this rule.
5. State and federal law does not permit bypassing of raw wastewater; therefore, steps must be taken to ensure that raw wastewater does not discharge during construction. If a sanitary sewer overflow or bypass occurs, report the appropriate information to the Department's Kansas City Regional Office per 10 CSR 20-7.015(9)(E)2.
6. Protection of drinking water supplies shall be in accordance with 10 CSR 20-8.120(10). "There shall be no physical connections between a public or private potable water supply system and a sewer, or appurtenance thereto which would permit the passage of any wastewater or polluted water into the potable supply. No water pipe shall pass through or come in contact with any part of a sewer manhole."
  - A. Sewers in relation to water works structures shall meet the requirements of 10 CSR 23-3.010 with respect to minimum distances from public water supply wells or other water supply sources and structures.
  - B. Sewer mains shall be laid at least ten (10) feet horizontally from any existing or proposed water main. The distances shall be measured edge-to-edge. In cases where it is not practical to maintain a ten (10) foot separation, the Department may allow a deviation on a case-by-case basis, if supported by data from the design engineer. Such a deviation may allow installation of the sewer closer to a water main, provided that the water main is in a separate trench or on an undisturbed earth shelf located on either side of the sewer and at an elevation so the bottom of the water main is at least 18 inches above the top of the sewer. If it is impossible to obtain proper horizontal and vertical separation as described above for sewers, the sewer must be constructed of slip-on or mechanical joint pipe or continuously encased and be pressure tested to 150 pounds per square inch to assure water tightness.
  - C. Manholes should be located at least ten (10) feet horizontally from any existing or proposed water main.
  - D. Sewers crossing water mains shall be laid to provide a minimum vertical distance of 18 inches between the outside of the water main and the outside of the sewer. This shall be the case where the water main is either above or below the sewer. The crossing shall be arranged so that the sewer joints will be equidistant and as far as possible from the water main joints. Where a water main crosses under a sewer, adequate structural support shall be provided for the sewer to maintain line

and grade. When it is impossible to obtain proper vertical separation as stipulated above, one (1) of the following methods must be specified:

- 1) The sewer shall be designed and constructed equal to the water pipe and shall be pressure tested to assure water tightness prior to backfilling; or
  - 2) Either the water main or sewer line may be continuously encased or enclosed in a water tight carrier pipe which extends ten (10) feet on both sides of the crossing, measured perpendicular to the water main. The carrier pipe shall be of materials approved by the Department for use in water main construction.
7. In addition to the requirements for a construction permit, 10 CSR 20-6.200 requires land disturbance activities of one (1) acre or more to obtain a Missouri State Operating Permit to discharge stormwater. The permit requires Best Management Practices sufficient to control runoff and sedimentation to protect waters of the state. Starting September 1, 2012, land disturbance permits will only be obtained by means of the Department's ePermitting system available online at [www.dnr.mo.gov/env/wpp/epermit/help.htm](http://www.dnr.mo.gov/env/wpp/epermit/help.htm).
- See [www.dnr.mo.gov/env/wpp/stormwater/sw-land-disturb-permits.htm](http://www.dnr.mo.gov/env/wpp/stormwater/sw-land-disturb-permits.htm) for more information.
8. A United States (U.S.) Army Corps of Engineers (COE) permit (404) and a Water Quality Certification (401) issued by the Department or permit waiver may be required for the activities described in this permit. This permit is not valid until these requirements are satisfied. If construction activity will disturb any land below the ordinary high water mark of Jurisdictional Waters of the U.S. then a 404/401 will be required. Since the COE makes determinations on what is jurisdictional, you must contact the COE to determine permitting requirements. You may call the Department's Water Protection Program at 573-751-1300 for more information.
- See [www.dnr.mo.gov/env/wpp/401/](http://www.dnr.mo.gov/env/wpp/401/) for more information.
9. Upon completion of construction, the Little Blue Valley Sewer district will become the continuing authority for operation, maintenance, and modernization of these facilities.
10. In accordance with 10 CSR 20-6.010(5)(D), submit the enclosed form Statement of Work Completed to the Department following completion of construction. Submit an electronic copy of the as built with this form.

