



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM
LARGE QUANTITY GENERATOR INSPECTION CHECKLIST

L

FOR FACILITIES THAT GENERATE/ACCUMULATE > 1,000 KILOGRAMS OR > 1 KILOGRAM OF ACUTELY HAZARDOUS WASTE (APPROXIMATELY 2,200 POUNDS OR 2.2 POUNDS OF ACUTELY HAZARDOUS WASTE)

NAME		DATE	EPA ID NUMBER	
ADDRESS	RESOURCE RECOVERY NUMBER	MO ID NUMBER	TELEPHONE NUMBER WITH AREA CODE	
CITY	COUNTY	ZIP CODE	YEARS AT SITE	NUMBER OF EMPLOYEES
DATE OF LAST INSPECTION	REGIONAL OFFICE <input type="checkbox"/> KCRO <input type="checkbox"/> NERO <input type="checkbox"/> SERO <input type="checkbox"/> SLRO <input type="checkbox"/> SWRO	REGIONAL OFFICE TRACKING NUMBER		
PRIMARY CONTACT NAME		PRIMARY CONTACT TITLE		
SECONDARY CONTACT NAME		SECONDARY CONTACT TITLE		

CHECKLIST ATTACHMENTS

Used Oil <input type="checkbox"/> Yes <input type="checkbox"/> No	Resource Recovery <input type="checkbox"/> Yes <input type="checkbox"/> No	Tank <input type="checkbox"/> Yes <input type="checkbox"/> No	Universal Waste <input type="checkbox"/> Yes <input type="checkbox"/> No	Solvent Wipes <input type="checkbox"/> Yes <input type="checkbox"/> No
--	---	--	---	---

DESCRIPTION OF THE FACILITY'S OPERATION AND PLANT

[Empty space for description of the facility's operation and plant]

C (Compliant) **V** (Violation) **NA** (Not Applicable)

WATESTREAM ANALYSIS

Wastestream Description(s)	Waste Code(s)	Process that Generates the Waste and Location	How Managed Onsite (i.e., drums/containers, rollofs, etc.) + Storage Duration	Quantity Generated Per Month or Year (note which time period)	Transporter Name, Location & Method of Transport (i.e., truck, rail)	MO Transporter License Verified	Receiving Facility Name + Location + Method of Treatment & Disposal

C (Compliant) V (Violation) NA (Not Applicable)

A. GENERAL				
	C	V	NA	COMMENTS
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility has registered as a hazardous waste generator and paid fees – Section 260.380.1(1) RSMo and 10 CSR 25.5.262(2)(A). 1
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Generator determines if waste is hazardous pursuant to methods referenced in 40 CFR 262.11 – 10 CSR 25-5.262(1) incorporating 40 CFR 262.11. 1
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility uses a licensed hazardous waste transporter – Section 260.380.1(5) RSMo. 1
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility uses authorized hazardous waste treatment, storage or disposal facility or resource recovery facility – Section 260.380.1(7) RSMo. 1
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility has not constructed, substantially altered or operated a hazardous waste facility without first obtaining a hazardous waste facility permit from the department as specified in Section 260.395 – Section 260.390.1(1) RSMo. 1
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A person required to register shall also complete and file an updated generator registration form if the information filed with the department changes – 10 CSR 25-5.262(2)(A)3.B. 2
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Materials are not accumulated speculatively – 10 CSR 25-4.261 incorporating 40 CFR 261.1(c)(8). 2
8.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility can demonstrate legitimate recycling – 10 CSR 25-4.261 incorporating 40 CFR 261.2(f). 2

PART 1: WALK-THROUGH INSPECTION

B. PRE-TRANSPORT, CONTAINERIZATION AND STORAGE				
	C	V	NA	COMMENTS
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Storage does not exceed 90 days – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(b) or 40 CFR 262.34(a). 1
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If a container holding hazardous waste is not in good condition or if it begins to leak, the owner or operator must transfer the hazardous waste from this container to a container that is in good condition or manage the waste in some other way that complies with the requirements of this part – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(1) referencing 40 CFR 265.171. 1
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The owner or operator must use a container made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste to be stored, so that the ability of the container to contain the waste is not impaired – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(1) referencing 40 CFR 265.172. 1
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(1) referencing 40 CFR 265.173(a). 1
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Container is not opened, handled or stored in a manner which may rupture it or cause it to leak – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(1) referencing 40 CFR 265.173(b). 1
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A storage container holding a hazardous waste that is incompatible with any waste or other materials stored nearby in other containers, piles, open tanks or surface impoundments must be separated from the other materials or protected from them by means of a dike, berm, wall or other device – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(1) referencing 40 CFR 265.177(c). 1

B. PRE-TRANSPORT, CONTAINERIZATION AND STORAGE (CONTINUED)					
C	V	NA	COMMENTS		
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Containers of ignitable or reactive waste are stored at least 50 feet from property line (or meet requirements) – 10 CSR 25-5.262(2)(C)5 referencing 40 CFR 265.176 as amended by 10 CSR 25-7.264(2)(l)2 or 3.	2
8.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility inspects areas where containers are stored at least weekly, looking for leaking containers and for deterioration of containers caused by corrosion or other factors [Comment: See § 265.171 for remedial action required if deterioration or leaks are detected] 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(1)(i) referencing 40 CFR 265.174.	2
9.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adequate aisle space is maintained to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment and decontamination equipment to any area of facility operation in an emergency, <i>unless</i> aisle space is not needed for any of these purposes – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.35.	2
10.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Before transporting hazardous waste or offering hazardous waste for transportation off-site, a generator placards or offers the initial transporter the appropriate placards according to Department of Transportation regulations for hazardous materials under 49 CFR part 172, subpart F – 10 CSR 25-5.262(1) incorporating 40 CFR 262.33.	2
11.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The date upon which each period of accumulation begins is clearly marked and visible for inspection on each container – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(2)	2
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	While being accumulated on-site, each container is labeled or marked clearly with the words "Hazardous Waste" - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(3).	2

All containers used to accumulate waste must follow **13A or 13B** below. **One gallon exception:** *If a generator determines that labeling a container with a capacity of less than one gallon is not feasible, the generator shall affix the appropriate label(s) to the locker, rack or other device used to hold or accumulate any such container.*

13A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All containers used to accumulate hazardous waste must be labeled in accordance with applicable US DOT labeling requirements in 49 CFR part 172 subpart E during the entire time the waste is accumulated onsite – 10 CSR 25-5.262(2)(C)1.A.	2
13B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clearly label each container with words that correctly identify the hazards of the contents of the container during the entire on-site storage period. Such words shall include one or more of those defined in 40 CFR 261 subparts C and D. Label shall be white with black lettering or black with white lettering that is a minimum of one inch in height – 10 CSR 25-5.262(2)(C)1.B.	2

C.a. FEDERAL SATELLITE ACCUMULATION REQUIREMENTS (TO BE USED WHEN NO "MISSOURI OPTION" NOTIFICATION FOR SATELLITE ACCUMULATION IS ON FILE)

C	V	NA	COMMENTS		
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A satellite container holding hazardous waste is always closed during storage, except when it is necessary to add or remove waste – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.173(a).	1
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If a satellite container holding hazardous waste is not in good condition, or if it begins to leak, the owner or operator transfers the hazardous waste from this container to a container that is in good condition, or manages the waste in some other way that complies with the requirements of this part – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.171.	1
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Satellite container is made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste stored – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.172.	1

C.a. FEDERAL SATELLITE ACCUMULATION REQUIREMENTS (TO BE USED WHEN NO "MISSOURI OPTION" NOTIFICATION FOR SATELLITE ACCUMULATION IS ON FILE) (CONTINUED)

C V NA			COMMENTS	
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Satellite Accumulation Area storage does not exceed 55 gallons (or 1 quart of acutely hazardous wastes) total for all wastes being accumulated- 10 CSR 25-5.262(C)3 incorporating 40 CFR 262.34(c)(1). 1
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hazardous waste in excess 55 gallons (or 1 quart of acutely hazardous wastes) stored in a satellite area must, with respect to that amount of excess, go to storage or be shipped within three days and container holding the excess accumulation is marked with the date the excess amount began accumulating – 10 CSR 25-5.262(2)(C)3 incorporating 40 CFR 262.34(c)(2). 1
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Satellite container is marked with words "Hazardous Waste" or with other words identifying the contents–10 CSR 25-5.262(2)(C)3 incorporating 40 CFR 262.34(c)(1)(ii). 2
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Satellite containers are stored at or near any point of waste generation where wastes initially accumulate which are under the control of the operator of the process generating the waste –10 CSR 25-5.262(2)(C)3 incorporating 40 CFR 262.34(c)(1). 2

C.b. MISSOURI SATELLITE ACCUMULATION (TO BE USED WHEN "MISSOURI OPTION" NOTIFICATION FOR SATELLITE ACCUMULATION IS ON FILE)

C V NA			COMMENTS	
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility has notified the department that it chooses to comply with the additional Missouri satellite accumulation requirements using a Notification of Regulated Waste Activity form and renotified upon changing the decision – 10 CSR 25-5.262(2)(C)3.A. 1
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator does not use more than one (1) container per wastestream - 10 CSR 25-5.262(C)3.B. 1
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Each container is marked with its beginning date of satellite storage – 10 CSR 25-5.262(2)(C)3.C. 1
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hazardous waste is stored in satellite areas less than one year – 10 CSR 25-5.262(2)(C)3.D(I). 1
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A container of hazardous waste that has reached time or volume limits is removed from the satellite accumulation area within three calendar days - 10 CSR 25-5.262(2)(C)3.D. 1
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A container of hazardous waste that has reached time or volume limits and is removed from the satellite accumulation area is taken to the generator storage area, shipped offsite for proper hazardous waste management or managed in accordance with an approved hazardous waste permit or certification at the site – 10 CSR 25-5.262(2)(C)3.E. 1
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Satellite container is marked with words "Hazardous Waste" or with other words identifying the contents – 10 CSR 25-5.262(2)(C)3 incorporating 40 CFR 262.34(c)(1)(ii). 2
8.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Satellite Accumulation Area storage does not exceed 55 gallons (or 1 quart of acutely hazardous wastes) for each wastestream being accumulated- 10 CSR 25-5.262(C)3. 1
9.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Satellite containers are stored at or near any point of waste generation where wastes initially accumulate, which is under the control of the operator of the process generating the waste – 10 CSR 25-5.262(2)(C)3 referencing 40 CFR 262.34(c)(1). 2

C.b. MISSOURI SATELLITE ACCUMULATION (TO BE USED WHEN "MISSOURI OPTION" NOTIFICATION FOR SATELLITE ACCUMULATION IS ON FILE) (CONTINUED)

C V NA			COMMENTS		
10.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A satellite container holding hazardous waste is always closed during storage, except when it is necessary to add or remove waste – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.173(a).	1
11.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If a satellite container holding hazardous waste is not in good condition, or if it begins to leak, the owner or operator transfers the hazardous waste from this container to a container that is in good condition, or manages the waste in some other way that complies with the requirements of this part – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.171.	1
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Satellite container is made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste stored – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.172.	1

D. PREPAREDNESS, PREVENTION AND EMERGENCY PROCEDURES

C V NA			COMMENTS		
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facilities must be maintained and operated to minimize the possibility of a fire, explosion or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil or surface water which could threaten human health or the environment – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.31.	1
All facilities must be equipped with the items in 2-5 below unless none of the hazards posed by waste handled at the facility could require a particular kind of equipment specified below:					
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility has an internal communications or alarm system capable of providing immediate emergency instruction (voice or signal) to facility personnel – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.32(a).	2
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility has a device, such as a telephone or a hand-held two way radio, capable of summoning emergency assistance from local police departments, fire departments or state or local emergency response teams immediately available at the scene of operations – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.32(b).	2
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility has portable fire extinguishers, fire control equipment (including special extinguishing equipment, such as that using foam, inert gas or dry chemicals), spill control equipment and decontamination equipment – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.32(c).	2
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility has water at adequate volume and pressure to supply water hose streams, or foam producing equipment, automatic sprinklers or water spray systems – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.32(d).	2
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Communication and emergency equipment is tested and maintained – 10 CSR 5-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.33.	2
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Whenever hazardous waste is being poured, mixed, spread or otherwise handled, all personnel involved in the operation have immediate access to an internal alarm or emergency communication device, either directly or through visual or voice contact with another employee, unless such a device is not required under 265.32 – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.34(a).	2

D. PREPAREDNESS, PREVENTION AND EMERGENCY PROCEDURES (CONTINUED)					
C	V	NA	COMMENTS		
8.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If ever just one employee is on the premises while the facility is operating he has immediate access to a device, such as a telephone or two-way radio immediately available at the scene of operations capable of summoning local fire or police department or local or state emergency response teams, unless such a device is not required under 265.32 – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.34(b).	2
9.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Based on types of waste handled and potential need for services, the owner or operator has attempted to make arrangements with police, fire department and emergency response teams to familiarize them with the layout of facility, properties of waste handled, associated hazards, places where facility personnel would normally be working, entrances to roads inside the facility and possible evacuation routes – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.37(a)(1).	2
10.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Where more than one police and fire department might respond to an emergency, the owner or operator has attempted to make arrangements designating primary emergency authority to a specific police and a specific fire department and agreements are in place with any others to provide support to the primary emergency authority – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.37(a)(2).	2
11.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The owner or operator has attempted to make agreements with state emergency response teams, emergency response contractors and equipment suppliers – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.37(a)(3).	2
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The owner or operator has attempted to make arrangements to familiarize local hospitals with the properties of hazardous waste handled at the facility and types of injuries and illnesses that could result from fires, explosions or releases at the facility – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.37(a)(4).	2
13.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Where state or local authorities decline to enter into such agreements, the owner or operator has documented the refusal in the operating record – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.37(a)(4)(b).	2

PART 2: RECORDS INSPECTION

E. MANIFESTS					
C	V	NA	COMMENTS		
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility uses the manifest system, or the wastes are reclaimed under a contractual agreement – Section 260.380.1(6) RSMo and 10 CSR 25-5.262(2)(B) or 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(e)(1) and (2).	1
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator maintains a copy of the reclamation agreement in his files for a period of at least three years after termination or expiration of the agreement – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(e)(2).	2
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Manifests are maintained for three years from the date the waste was accepted by the initial transporter – 10 CSR 25-5.262(1) incorporating 40 CFR 262.40(a).	2

E. MANIFESTS (CONTINUED)			COMMENTS		
	C	V	NA		
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator who transports or offers for transport a hazardous waste for off-site treatment, storage or disposal, or a treatment, storage and disposal facility who offers for transport a rejected hazardous waste load, must prepare a manifest (OMB Control Number 2050-0039) on EPA Form 8700-22A, according to the instructions included in the appendix to 40 CFR Part 262 – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator's EPA ID number is entered on the manifest (Item #1) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The total number of pages used to complete the manifest, plus the number of continuation sheets if any is entered on the manifest (Item #2) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The emergency response phone number is entered on the manifest (Item #3)– 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
8.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A unique manifest tracking number (preprinted by a forms printer) is entered on the manifest (Item #4) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
9.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator's name, mailing address and phone number (site address only if different from the mailing address) are entered on the manifest (Item #5) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
10.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All transporter's names and EPA ID numbers are entered on the manifest (Items #6 & #7) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
11.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The designated facility name, address, phone number and EPA ID numbers are entered on the manifest (Item #8) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The Department of Transportation shipping description (proper shipping name, hazard class or division, waste identification numbers and packing group, plus reportable quantities if required) are entered on the manifest (Item #9) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
13.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Types of containers with appropriate abbreviations are entered on manifest (Item #10) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
14.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The total quantity of waste, without decimals or fractions, based on actual measurements or reasonably accurate estimates of actual quantities shipped is entered on manifest (Item #11). Container capacities are not acceptable as estimates – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
15.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Either the total weight in kilograms or pounds or the specific gravity in gallons, liters or cubic yards is recorded on the manifest (Item #12) – 10 CSR 25-5.262(2)(B)1.	2
16.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Waste codes most representative of the waste (federal and state codes) to describe each wastestream in Item #9 are entered on the manifest (Item #13) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2

E. MANIFESTS (CONTINUED)				COMMENTS	
	C	V	NA		
17.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Special handling instructions for federally required information for which there is no specific space on the manifest, such as alternative facility designations, manifest tracking number of the original manifest for rejected wastes and residues that are re-shipped under a second manifest, and the specification of PCB waste-descriptions and PCB out-of-service dates, are entered on manifest (Item #14) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
18.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The manifest is signed and dated (Item #15) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
19.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator designates another facility or instructs the transporter to return the waste if the transporter is unable to deliver the waste to the designated facility or to the alternate facility designated on the manifest – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(d).	2
20.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A generator who does not receive a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within 35 days of the date the waste was accepted by the initial transporter contacts the transporter and/or the owner or operator of the designated facility to determine the status of the hazardous waste – 10 CSR 25-5.262(1) incorporating 40 CFR 262.42(a)(1).	2
21.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A generator must submit an Exception Report to the EPA Regional Administrator for the Region in which the generator is located if he has not received a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within 45 days of the date the waste was accepted by the initial transporter – 10 CSR 25-5.262(1) incorporating 40 CFR 262.42(a)(2).	2
22.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator determines if waste must be treated before land disposal and if waste meets treatment standards – 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a)(1).	2
23.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A "Land-Ban" notification/certification is sent with manifests or with the first shipment if the waste or contaminated soil does not meet the treatment standards, or if the generator chooses not to make the determination – 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a)(2).	2
24.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The notification/certification includes the correct EPA hazardous waste number, corresponding treatment standards, manifest number and waste analysis data – 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(b)(3)(ii).	2

F. LAND DISPOSAL RESTRICTIONS				COMMENTS	
	C	V	NA		
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator tests the waste or uses knowledge of the waste to determine if the waste is restricted from land disposal – 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a).	1
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dilution of waste to meet Land Disposal Restriction treatment standards is not occurring – 10 CSR 25-7.268(1) incorporating 40 CFR 268.3(a).	1
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Notification/certification includes correct EPA hazardous waste number, corresponding treatment standards, manifest number and waste analysis data – 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(b).	2

G. PERSONNEL TRAINING				COMMENTS	
	C	V	NA		
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Personnel are trained to respond effectively to emergencies, including familiarization with emergency procedures, equipment and systems. This includes, where applicable: (i) procedures for using, inspecting, repairing and replacing facility emergency and monitoring equipment; (ii) key parameters for automatic waste feed cut-off systems; (iii) communications or alarm systems; (iv) response to fires or explosions; (v) response to ground-water contamination incidents and (vi) shutdown of operation – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(a)(3).	2
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Employees do not work in unsupervised positions until they have completed the training – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(b).	2
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Personnel receive an annual review of initial training as required in paragraph (a) of this section – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(c).	2
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The program director is trained in hazardous waste management procedures, contingency plan implementation and hazardous waste procedures relevant to the employee's positions – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(a)(2).	2
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The personnel training plan is maintained at the facility – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(d).	2
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The training plan gives the job title for each position at the facility related to hazardous waste management and the job title and name of the employee filling each position – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(d)(1).	2
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The training plan gives the job description for each position at the facility related to hazardous waste management. The descriptions must include the requisite skill, education, or other qualifications and duties of facility personnel assigned to each position – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(d)(2).	2
8.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Written description of type and amount of introductory and continuing training that will be given to each position – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(d)(3).	2
9.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Documentation that the training or job experience required under paragraphs (a), (b), and (c) of this section has been given to, and completed by, facility personnel – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(d)(4).	2
10.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Records of current personnel maintained until facility closure and former employee records maintained for at least three years from the last date the employee worked at the facility – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.16(e).	2

H. CONTINGENCY PLAN				
	C	V	NA	COMMENTS
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility maintains contingency plan on site – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.53(a). 2
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contingency plan submitted to all local police departments, fire departments, hospitals and state and local emergency response teams that may be called upon to provide emergency services – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.53(b). 2
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Emergency coordinator on site or on call and thoroughly familiar with the contingency plan and site operations, activities, locations and characteristics of wastes handled, records locations and facility layout – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.55. 2
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contingency plan describes actions personnel must take in response to fires, explosions or any unplanned sudden or non-sudden releases of hazardous waste or hazardous waste constituents to air, soil or surface water at the facility – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.52(a). 2
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contingency plan describes arrangements with local police departments, fire departments, hospitals, contractors and state and local emergency response teams to coordinate emergency services pursuant to 265.37 – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.52(c). 2
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contingency plan lists names, addresses and phone numbers (home and office) of all persons qualified to act as emergency coordinator(s) and the list is kept up to date. Where more than one is listed, the primary emergency coordinator is named and others listed in the order in which they will assume responsibility as alternates – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.52(d). 2
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contingency plan includes a list of emergency equipment at the facility (such as fire extinguishing systems, spill control equipment, communications and alarm systems [internal and external] and decontamination equipment) and where this equipment is required. This list is kept up to date. The plan also includes the location, a physical description of each item on the list and a brief outline of its capabilities – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.52(e). 2
8.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contingency plan includes evacuation plan (where there is a possibility that evacuation could be necessary). This plan describes signal(s) to be used to begin evacuation, evacuation routes and alternate evacuation routes (in cases where the primary routes could be blocked by releases of hazardous waste or fires) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.52(f). 2

CHECK ALL POTENTIAL MULTI-MEDIA VIOLATIONS AND IMPACTS (SPECIFY AND COMMENT BELOW)

Air Pollution Control	Public Drinking Water	Solid Waste Management	Hazardous Waste	Water Pollution Control	
<input type="checkbox"/> Fugitive Dust <input type="checkbox"/> Particulate <input type="checkbox"/> Burning <input type="checkbox"/> Asbestos <input type="checkbox"/> Odors <input type="checkbox"/> Toxics <input type="checkbox"/> Other	<input type="checkbox"/> Taste & Odors <input type="checkbox"/> Bacteria <input type="checkbox"/> Pressure <input type="checkbox"/> Color <input type="checkbox"/> Flow <input type="checkbox"/> Toxics <input type="checkbox"/> Other	<input type="checkbox"/> Open Dumps <input type="checkbox"/> Littering <input type="checkbox"/> Waste Tire Dump <input type="checkbox"/> SLF <input type="checkbox"/> Other	<input type="checkbox"/> Transportation <input type="checkbox"/> PCBs <input type="checkbox"/> USTs/LUSTs <input type="checkbox"/> Other	<input type="checkbox"/> Animal Waste <input type="checkbox"/> Bypassing <input type="checkbox"/> Treatment Plant Operation <input type="checkbox"/> Sawdust <input type="checkbox"/> Sludge	<input type="checkbox"/> Single Family <input type="checkbox"/> Ground Water <input type="checkbox"/> Storm Water <input type="checkbox"/> Toxics/UST <input type="checkbox"/> Other

INSPECTOR'S SIGNATURE

DATE