MIDWEST SURVEYS
LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

Permit # 20381

Company Osborn Energy, LLC

Well Bagby No. 1-33

Field Wildcat

County Bates State Missouri

Location

200' FSL & 1190' FWL
SW/4

Sec. 33 Twp. 42n Rge. 32w

Other Services

Elevation

K.B. NA
D.F. NA
G.L. 910'

Permanent Datum	GL	Elevation 910'
Log Measured From	GL	
Drilling Measured From	GL	

Date	7-08-2009			
Run Number	One			
Depth Driller	860.0			
Depth Logger	853.8			
Bottom Logged Interval	851.8			
Top Log Interval	15.0			
Fluid Level	62.0			
Type Fluid	Water			
Density / Viscosity	NA			
Salinity - PPM Cl	NA			
Max Recorded Temp	NA			
Estimated Cement Top	Not Cemented			
Equipment No. / Location	107 / Osawatomie			
Recorded By	Steve Windisch			
Witnessed By	Jeff Taylor			

RUN	BORE-HOLE RECORD			CASING RECORD			
No.	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	9.75"	0.0	20.0	7.00"		0.0	20.0
Two	6.25"	20.0	860.0	2.875"		0.0	854.0

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractors :
Osborn Energy, LLC

Database File: bgby1-33.db
Dataset Pathname: pass1

Database File: bgby1-33.db
Dataset Pathname: pass1
Presentation Format: gr-n-ccl
Dataset Creation: Wed Jul 08 09:25:55 2009 by Log Std Casedhole 07122
Charted by: Depth in Feet scaled 1:240




200
250
Gamma Ray
Neutron
CCL
300
350


400
450
500
550


550
600
650
700
750


750
800
850
Gamma Ray
150
10
Neutron
200