TOWN OIL CO., INC.

R. Rt. 4 • Paola, Kansas 66071
Telephone: 913-294-2125

G02999

FILING NO.

COMPANY KANZOU EXPLORATION
WELL ~~F-2~~ M-5
FIELD E. BROWN
COUNTY JACKSON, MISSOURI

LOCATION 1818' FWL 4-2472' FWL
SEC. 21 TWP 47N RGE 33W

OTHER SERVICES: CCL Perforate

PERMANENT DATUM GL ELEV. N/A
LOG MEASURED FROM GL FT. ABOVE PERM. DATUM
DRILLING MEASURED FROM GL

ELEV.: K.B. N/A
D.F. N/A
G.L. N/A

DATE	11-29-84	11-29-84
RUN NO.	1 NW	1 NW
TYPE LOG	GAMMA RAY	NEUTRON
DEPTH - DRILLER		
DEPTH - LOGGER	322.0	322.0
BOTTOM LOGGED INTERVAL	316.5	321.0
TOP LOGGED INTERVAL	0.0	4.5
TYPE FLUID IN HOLE	WATER	WATER
SALINITY, PPM CL		
DENSITY		
LEVEL	FULL	FULL
MAX. REC. TEMP. DEG F		
OPERATING RIG TIME		
RECORDED BY	MORGAN	MORGAN
WITNESSED BY		

BORE-HOLE RECORD

RUN NO.	BIT	FROM	TO

CASING RECORD

SIZE	WGT.	FROM	TO
2"		0.0	T.D.

FOLD HERE

THIS HEADING AND LOG CONFORMS TO API RP 33

EQUIPMENT DATA

GAMMA RAY			NEUTRON		
RUN NO.	1 NW		RUN NO.	1 NW	
TOOL MODEL NO.	705		LOG TYPE	NEU/NEU	
DIAMETER	1 11/16"		TOOL MODEL NO.	705	
DETECTOR MODEL NO.	705-GF		DIAMETER	1 11/16"	
TYPE	GEIGER		DETECTOR MODEL NO.	705 HE-3	
LENGTH	1 3/8x18"		TYPE	HE	
DISTANCE TO N. SOURCE	4.5		LENGTH	1" x 6"	
			SOURCE MODEL NO.	71-1	
GENERAL			SERIAL NO.	71-1-335	G
HOIST TRUCK NO.	0020		SPACING	13"	
INSTRUMENT TRUCK NO.	0020		TYPE	AMBF-241	
TOOL SERIAL NO.	0002		STRENGTH	3 CI	

LOGGING DATA

GENERAL				GAMMA RAY				NEUTRON			
RUN NO.	DEPTHS FROM	DEPTHS TO	SPEED FT/MIN	T.C. SEC.	SENS SETTINGS	ZERO DIV. L OR R	API G.R. UNITS PER LOG DIV.	T.C. SEC.	SENS SETTINGS	ZERO DIV. L OR R	API N. UNITS PER LOG DIV.
1	0.0	T.D.	25	4.0	100/095	2-L	10	1.0	500/100	3-L	20

REFERENCE LITERATURE: 2" - CEMENTED
SEATING NIPPLE: 286.0

REMARKS D.C. TOWN OIL COMPANY


0
50
100
150
200


200
250
300
BAS
OIL
LIME
GAS SAND
GOOD OIL SAND
Perforations:
290 - 299
13 shots
T.D. 322.0
R.D. 316.5
T.D. 322.0
R.D. 321.0
KANZON EXPLORATION
F. BROWN NO. F-2 (M-5)
JACKSON COUNTY, MISSOURI
NOVEMBER 29, 1984