

County Atchison

	⊙		

 sec. 16 twp. 63 rge. 40

owner Roger Williams ✓
Oil Co. elev. 881 MGS# 20410 spl ✓

farm Seymore No. 1 TD 2960 fm ATD ^{Kimmswick} ✓ shows 005 ₅₀₅

status D&A date completed 11-14-61

remarks:
00040
~~00036~~

Index: 2—Atchison County
Name: Roger F. Williams No. 1 Seymour
Loc.: C SE NW sec. 16, T. 63 N., R. 40 W.
Elev.: Surface 373 ft. Kelly bushing 883 ft. T.D.: 2960 ft.
Prod.: P. & A. Spud: 10-24-61 Rotary Comp.: 11-14-61
Casing: 8 $\frac{3}{8}$ " surface csg. set @ 230', 5 $\frac{1}{2}$ " csg. @ 2765', 7 $\frac{7}{8}$ " hole to 2765'
 and 4 $\frac{3}{4}$ " hole to 2960'
Log by: Jack Wells **Contractor:** Nemaha Drilling Company

	Rotary tools	
	Thickness	Depth
Pleistocene and Recent Series		
Glacial drift.....	140	140
Pennsylvanian System		
Wabaunsee gp.....	93	233

16

Northwest Missouri Oil and Gas Exploratory Logs

17

Roger F. Williams No. 1 Seymour—Continued

	Thickness	Depth
Shawnee gp.....	209	442
Douglas gp.....	128	570
Pedee gp.....	47	617
Lansing-Kansas City gps.....	323	940
Pleasanton-Marmaton gps.....	167	1107
Cherokee gp.....	653	1760
Mississippian System		
Spergen-Warsaw fms.....	70	1830
Burlington fm.....	50	1880
Chouteau gp.....	82	1962
"Kinderhook shale".....	245	2207
Devonian System		
Undifferentiated.....	278	2485?
Silurian System		
Undifferentiated (no spl. -2600-2765).....	285	2770
Ordovician System		
Maquoketa fm.....	40	2810
Kimmswick fm.....	150	2960 T.D.

**Northwest Missouri Oil and Gas
Exploratory Logs
(1945 - 1963)**

Compiled by

JACK WELLS and EARL McCRACKEN



INFORMATION CIRCULAR NO. 17

May, 1964

STATE OF MISSOURI

Department of Business and Administration

Division of

GEOLOGICAL SURVEY AND WATER RESOURCES

THOMAS R. BEVERIDGE, *State Geologist*

Rolla, Missouri

Plugging of wells

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 North Market, Insurance Bldg.
Wichita, Kansas

WELL PLUGGING RECORD

Atchison County, Sec. 16 Twp. 63 Rge. 40 (#) (W)

Location as "NE/CNW/SW" or footage from lines SE NW

Lease Owner Roger F. Williams

Lease Name Seymour Well No. 1

Office Address 3420 S.W. 9th St., Des Moines, Iowa

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed November 14 19 61

Application for plugging filed November 14 19 61

Application for plugging approved November 14 19 61


Plugging commenced November 14 19 61

Plugging completed November 15 19 61

Reason for abandonment of well or producing formation No commercial shows of oil or gas

If a producing well is abandoned, date of last production None 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Jack Wells - Mo. Geol. Survey

Producing formation None Depth to top _____ Bottom _____ Total Depth of Well 2960 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TD	SIZE	PUT IN	PULLED OUT
<u>Sand, gravel, shale and limestone</u>	<u>Water</u>	<u>0</u>	<u>200</u>	<u>8 5/8</u>	<u>230</u>	<u>Cemented</u>
<u>Lime & shale</u>	<u>Salt water</u>	<u>200</u>	<u>2960</u>	<u>5 1/2</u>	<u>2765</u>	<u>W/120 sax</u> <u>2765</u>

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

H ole drilled with commercial rotary mud from surface to total depth.
Set 230' of 8 5/8 and cemented to surface with 120 sax
Pulled 5 1/2 production string - filled hole with rotary mud from pits.
Set bridge at 240 feet - ran 10 sax cement from 240 to 212 feet.
Pumped mud from pits into surface pipe
Set bridge at 40' - ran 15 sax cement to surface
Cut off surface and welded plate 2' below grd level

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Nemaha Drilling Company

Address Falls City, Nebraska

STATE OF Kansas, COUNTY OF Neosho, ss.

James E. Guinotte (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) James E. Guinotte Prod. Supt.

9 1/2 E. Main, Chanute, Kansas

(Address)

SUBSCRIBED AND SWORN TO before me this 20th day of November, 19 61

Vertie P. Mason

Notary Public.

My commission expires March 31, 1965

