

OCT 10 2012



STATE OF MISSOURI
GEOLOGICAL SURVEY PROGRAM
APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK

Mo. Oil & Gas Council

APPLICATION TO DRILL DEEPEN PLUG BACK FOR AN OIL WELL OR GAS WELL

NAME OF COMPANY OR OPERATOR: S & B Operating, LLC DATE: 10/02/2012

ADDRESS: 9393 West 110th St., Suite 500 CITY: Overland Park STATE: KS ZIP CODE: 66210

DESCRIPTION OF WELL AND LEASE

NAME OF LEASE: Benjamin WELL NUMBER: KR-29 ELEVATION (GROUND): 1073'

WELL LOCATION: 4455 ft. from North South section line 1485 ft. from East West section line

WELL LOCATION: Sec. 9 Township 46 North Range 33 East West LATITUDE: N38 49' 44.960" LONGITUDE: W94 34' 16.210" COUNTY: Cass

NEAREST DISTANCE FROM PROPOSED LOCATION TO PROPERTY OR LEASE LINE: 350 FEET
DISTANCE FROM PROPOSED LOCATION TO NEAREST DRILLING, COMPLETED OR APPLIED - FOR WELL ON THE SAME LEASE: 330 FEET

PROPOSED DEPTH: 700' DRILLING CONTRACTOR, NAME AND ADDRESS: Utah Oil, LLC ROTARY OR CABLE TOOLS: Rotary APPROX. DATE WORK WILL START: 10/20/2012

NUMBER OF ACRES IN LEASE: 120 NUMBER OF WELLS ON LEASE INCLUDING THIS WELL, COMPLETED IN OR DRILLING TO THIS RESERVOIR: 1
NUMBER OF ABANDONED WELLS ON LEASE: 0

IF LEASE PURCHASED WITH ONE OR MORE WELLS DRILLED, FROM WHOM PURCHASED?
NAME: _____ ADDRESS: _____ NO. OF WELLS PRODUCING: 0
INJECTION: 0
INACTIVE: 0
ABANDONED: 0

STATUS OF BOND: SINGLE WELL AMOUNT \$ _____ BLANKET BOND AMOUNT \$ 20,000 ON FILE ATTACHED

REMARKS: (IF THIS IS AN APPLICATION TO DEEPEN OR PLUG BACK, BRIEFLY DESCRIBE WORK TO BE DONE, GIVING PRESENT PRODUCING/INJECTION ZONE AND EXPECTED NEW INJECTION ZONE; USE BACK OF FORM IF NEEDED)

PROPOSED CASING PROGRAM

APPROVED CASING - TO BE FILLED IN BY STATE GEOLOGIST

AMOUNT	SIZE	WT/FT	CEMENT	AMOUNT	SIZE	WT/FT	CEMENT
20'	8 5/8"	20	6 sks	20'	8 5/8"	20	Full length
700'	4 1/2"	11.6	125 sks	700'	4 1/2"	11.6	Full length

I, the Undersigned, state that I am the C.O.O of the K.R.E.D (Company), and that I am authorized by said company to make this report, and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct, and complete to the best of my knowledge.

SIGNATURE: BK DATE: 10/9/12

PERMIT NUMBER: 037-21129 APPROVED DATE: 11-8-12
 DRILLER'S LOG REQUIRED E-LOGS REQUIRED IF RUN
 CORE ANALYSIS REQUIRED IF RUN DRILL SYSTEM TEST INFO REQUIRED IF RUN
 SAMPLES REQUIRED SAMPLES NOT REQUIRED
 WATER SAMPLES REQUIRED AT

NOTE: THIS PERMIT NOT TRANSFERABLE TO ANY OTHER PERSON OR TO ANY OTHER LOCATION.

APPROVAL OF THIS PERMIT BY THE OIL AND GAS COUNCIL DOES NOT CONSTITUTE ENDORSEMENT OF THE GEOLOGIC MERITS OF THE PROPOSED WELL NOR ENDORSEMENT OF THE QUALIFICATIONS OF THE PERMITTEE

I, B. Leech of the Utah Oil (Company), confirm that an approved drilling permit has been obtained by the owner of this well. Council approval of this permit will be shown on this form by presence of a permit number and signature of authorized council representative.

DRILLER'S SIGNATURE: B. Leech DATE: 10/9/12

R - 160' below TD



STATE OF MISSOURI
MISSOURI DEPARTMENT OF NATURAL RESOURCES
GEOLOGICAL SURVEY PROGRAM
WELL LOCATION PLAT

FORM OGC-4

OWNER'S NAME
S & B Operating, LLC

LEASE NAME
Benjamin KR-29


COUNTY
Cass

WELL LOCATION (GIVE FOOTAGE FROM SECTION LINES)
4455 ft. from North South from section line 1485 ft. from East West from section line

WELL LOCATION
Sec. 9 Township 46 North Range 33 East West

LATITUDE
N38° 49' 44.96"

LONGITUDE
W94° 34' 16.21"



REMARKS
1 square = 660 feet

INSTRUCTIONS

On the above plat, show distance of the proposed well from the two nearest section lines, the nearest lease line, and from the nearest well on the same lease completed in or drilling to the same reservoir. Do not confuse survey lines with lease lines. See rule 10 CSR 50-2.030 for survey requirements. Lease lines must be marked.

This is to certify that I have executed a survey to accurately locate oil and gas wells in accordance with 10 CSR 50-2.030 and that the results are correctly shown on the above plat.

REMIT TWO (2) COPIES TO:
GEOLOGICAL SURVEY PROGRAM
PO BOX 250, ROLLA, MO 65402-0250 (573) 368-2143
ONE (1) COPY WILL BE RETURNED

REGISTERED LAND SURVEYOR

NUMBER



Check Location

Select a coordinate format, enter a pair of coordinates in the boxes below it, and then press the SUBMIT button. Please be patient while your information is retrieved. Your coordinates will be converted to the other formats, the information on the right-hand side of the page will be filled in based on your coordinates, and a map will be generated. NOTE: All coordinates must use the North American Datum of 1983 (NAD83).

<input type="button" value="Submit"/>	
<input type="radio"/> Universal Transverse Mercator [Zone 15 North]	
Easting <input type="text" value="363619.4194049586"/> meters	
Northing <input type="text" value="4298990.673801459"/> meters	
<input type="radio"/> Decimal Degrees	
Latitude <input type="text" value="38.8291555555556"/> °	
Longitude <input type="text" value="-94.5711694444444"/> °	
<input checked="" type="radio"/> Degrees, Minutes and Seconds	
Latitude Degrees <input type="text" value="38"/> °	
Latitude Minutes <input type="text" value="49"/> '	
Latitude Seconds <input type="text" value="44.96"/> "	
Longitude Degrees <input type="text" value="-94"/> °	
Longitude Minutes <input type="text" value="34"/> '	
Longitude Seconds <input type="text" value="16.21"/> "	

UTM Zone 15N [Easting, Northing]	[363619.4, 4298990.6] meters
Decimal Degrees [Lat, Lon]	[38.829155°, -94.57117°]
Deg, Min, Sec [Lat, Lon]	[38° 49' 44.9", -94° 34' 16.2"]
County Name	Cass
County FIPS Code	037
Legal Description	Section 09 T46N R33W
Municipality	Belton
House District	123
Senate District	31
Congressional District	5
MoDNR Region	Kansas City Regional Office
USGS 1:24,000 Quadrangle	Belton [38094-G5]
8 Digit Watershed	10300101 [Lower Missouri-Crooked]
10 Digit Watershed	1030010101 [Blue River]
12 Digit Watershed	103001010104 [Camp Branch-Blue River]
Special Well Drilling Area	Area 2
Ecological Drainage Unit	Central Plains/Blackwater/Lamine
Level III Ecoregion	Central Irregular Plains
Query Time	9.047 s


Rows with text indicate that the input location is too close to a boundary to produce reliable results.

NOTE: A result of 'NO VALUE' is usually an indication that no data was found for the location. For example, not every point in Missouri will lie within a municipal boundary, so some will result in a 'NO VALUE'. If 'County Name' results in 'NO VALUE', your point probably lies outside the state.

Metadata


- [Interstate Highways](#)
- [US Highways](#)
- [State Highways](#)
- [Railroad](#)
- [Major and Minor Roads](#)
- [County Boundary](#)
- [Lakes](#)
- [Major Rivers](#)
- [Rivers and Streams](#)
- [Missouri River](#)
- [Mississippi River](#)
- [Municipal](#)

- Legend**
-  Interstate Highways
 -  US Highways
 -  State Highways
 -  Railroad
 -  Major and Minor Roads
 -  County Boundary
 -  Lakes
 -  Major Rivers
 -  Rivers and Streams
 -  Missouri River
 -  Mississippi River
 -  Municipal



View Scale 1:24,000

DISCLAIMER: Although this map has been compiled by the Missouri Department of Natural Resources, no warranty, expressed or implied, is made by the department as to the data and related materials. The act of distribution shall not constitute any such warranty, and no responsibility is assumed by the department in the use of these data or related materials.



P.O. Box 176, Jefferson City, MO 65102
 800-361-4827 / 573-751-3443
 E-mail: contact@dnr.mo.gov



STATE OF MISSOURI
MISSOURI DEPARTMENT OF NATURAL RESOURCES
GEOLOGICAL SURVEY PROGRAM

FORM OGC-5

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

NEW WELL WORKOVER DEEPEN PLUG BACK INJECTION SAME RESERVOIR DIFFERENT RESERVOIR OIL GAS DRY

OWNER: S & B Operating, LLC ADDRESS: 9393 W. 110th St., Ste #500, Overland Park, KS 66210

LEASE NAME: Benjamin WELL NUMBER: KR-29

LOCATION OF WELL: Sec. 9 Twp 46 North, Rng 33 East West OR 4455 ft. from North South 1485 ft. from East West N 38 49' 44.96" W 94 34' 16.210"

COUNTY: Cass PERMIT NUMBER (OGC-3 OR OGC-31): 037-21129

DATE SPUNDED: 12/04/2012 DATE TOTAL DEPTH REACHED: 12/05/2012 DATE COMPLETED READY TO PRODUCE OR INJECT: 12/17/2012 ELEVATION (DF, RKR, RT, OR Gr.) FEET: 1073' ELEVATION OF CASING HD. FLANGE FEET: 1073

TOTAL DEPTH: 700' PLUG BACK TOTAL DEPTH: 655.75'

PRODUCING OR INJECTION INTERVAL(S) FOR THIS COMPLETION: 585' - 605' ROTARY TOOLS USED (INTERVAL): 0 TO 900 CABLE TOOLS USED (INTERVAL): N/A

WAS THIS WELL DIRECTIONALLY DRILLED? Yes No WAS DIRECTIONAL SURVEY MADE? Yes No WAS COPY OF DIRECTIONAL SURVEY FILED? Yes No DATE FILED: N/A

TYPE OF ELECTRICAL OR OTHER LOGS RUN (JUST LOGS FILED WITH THE STATE GEOLOGIST): Gamma Ray/Neutron/CCL DATE FILED: 11/20/2013

CASING RECORD

CASING (REPORT ALL STRINGS SET IN WELL - CONDUCTOR, SURFACE, INTERMEDIATE, PRODUCING, ETC.)

PURPOSE	SIZE HOLE DRILLED	SIZE CASING SET	WEIGHT (LB. FT)	DEPTH SET	SACKS CEMENT	AMOUNT PULLED
Surface	9 7/8"	7"	17#	20'	8	0
Longstring	5 7/8"	2 7/8"	6.5#	687.25'	76	0

TUBING RECORD

SIZE	DEPTH SET	PACKER SET AT	SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN
1 INCH	655 FEET	N/A FEET	N/A INCH	N/A FEET	N/A FEET	N/A	N/A FEET

LINER RECORD

PERFORATION RECORD

NUMBER PER FOOT	SIZE AND TYPE	DEPTH INTERVAL	AMOUNT AND KIND OF MATERIAL USED	DEPTH INTERVAL
2	2" DML RTG	585' - 605'	40 sks, 20/40 sand	585' - 605'

ACID. SHOT. FRACTURE. CEMENT SQUEEZE RECORD

DATE OF FIRST PRODUCTION OR INJECTION: 12/17/2012 PRODUCING METHOD (INDICATE IF FLOWING, GAS LIFT, OR PUMPING - IF PUMPING, SHOW SIZE AND TYPE OF PUMP.): Pumping

DATE OF TEST: 12/17/2012 HOURS TESTED: 24 CHOKER SIZE: N/A OIL PRODUCED DURING TEST: 3 BBLS GAS PRODUCED DURING TEST: 0 MCF WATER PRODUCED DURING TEST: 5 BBLS OIL GRAVITY: 24 API (CORR.)

TUBING PRESSURE: 0 CASING PRESSURE: 0 CALCULATED RATE OF PRODUCTION PER 24 HOURS: 4 OIL: 4 BBLS GAS: 0 MCF WATER: 5 BBLS GAS OIL RATIO: 0

DISPOSITION OF GAS (STATE WHETHER VENTED, USED FOR FUEL OR SOLD): Vented

METHOD OF DISPOSAL OF MUD PIT CONTENTS: Air dry

CERTIFICATE: I, the Undersigned, state that I am the Chief Operating Officer of the S & B Operating, LLC (Company), and that I am authorized by said company to make this report, and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

DATE: 11/20/2013 SIGNATURE: [Signature]

INSTRUCTIONS: Attach drillers log or other acceptable log of well.

- * Show all important zones of porosity, detail of all cores, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

DETAIL OF FORMATIONS PENETRATED

FORMATION	TOP	BOTTOM	DESCRIPTION (SEE * ABOVE)
See Attached Logs			

Benjamin KR-29

Thickness	Formation	Comment	Depth	Thickness	Formation	Comment	Depth
9	oil sand		9	5	oil sand		605
21	lim		30	5	brn sand		610
30	shale		60	3	silt shale	Base Squirrel Sand	613
11	lim		71	87	shale	Verdigris, Oakley	700
22	shale		93				
4	lim		97				
16	shale		113				
2	lim		115				
41	shale		156				
12	lim		168				
8	shale		176				
16	lim		192				
6	shale		198				
21	lim		219				
5	shale		224				
12	lim		236		Base Pawnee lim		
135	shale		371		Labette shale		
13	lim		384		Higginsville lim		
13	shale		397				
8	lim		405				
11	shale		416		Labette Shale Base		
7	lim		423		Higginsville lim		
11	shale		434		Summit Coal		
11	lim		445		Blackjack Creek lim		
35	shale		480		Mulky Coal		
5	lim		485				
30	shale		515				
20	gray sand		535		Top Squirrel		
6	brn sand		541				
5	silt shale		546				
35	shale		581				
5	oil sand		586				
5	brn sand		591				
4	oil sand		595				
5	brn sand		600				