

BARRY

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
018898

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1960/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	952FT
<u>DRILL DEPTH:</u>	465FT	21N	25W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				446,586.30	4,046,222.46
<u>S.W.L. (BEFORE CASING):</u>	41	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	47	FT				
		<u>REMARKS:</u>				

LOG ID:
025267

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1967/11/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	950FT
<u>DRILL DEPTH:</u>	305FT	21N	25W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				446,763.30	4,046,360.46
<u>S.W.L. (BEFORE CASING):</u>	62	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	64	FT				
		<u>REMARKS:</u>	U.S. Army Corps of Engineers			

LOG ID:
026815

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1970/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,034FT
<u>DRILL DEPTH:</u>	500FT	21N	25W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				447,636.31	4,045,565.44
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
		<u>REMARKS:</u>	formerly in name of Cecil Davis Subdivision or Twin Rivers Development Corporation			

LOG ID:
027045

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1971/06/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,010FT
<u>DRILL DEPTH:</u>	370FT	21N	25W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				446,991.30	4,046,545.45
<u>S.W.L. (BEFORE CASING):</u>	135				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		FT				
		<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024677

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1967/01/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,044FT
<u>DRILL DEPTH:</u>	226FT	21N	25W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				445,276.31	4,044,523.48
<u>S.W.L. (BEFORE CASING):</u>	75 FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	141 FT	<u>REMARKS:</u>	U.S. CORPS OF ENGINEERS RECREATION AREA; POOR SAMPLES 160-175'			

LOG ID:
028978

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	2002/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,000FT
<u>DRILL DEPTH:</u>	748FT	21N	25W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				444,858.33	4,042,014.49
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>			ZONE 15			

LOG ID:
021002

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1962/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,048FT
<u>DRILL DEPTH:</u>	280FT	21N	25W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				439,671.31	4,042,679.60
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>			ZONE 15			

LOG ID:
020982

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1962/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	965FT
<u>DRILL DEPTH:</u>	235FT	21N	25W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				439,226.31	4,041,847.61
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>			ZONE 15			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019125

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1960/06/01 TOWNSHIP 21N RANGE 25W SECTION 2 ELEVATION: 973FT

DRILL DEPTH: 400FT

DEPTH TO BED: 10FT UTM X 445,931.30 UTM Y 4,045,516.47
ZONE 15

S.W.L. (BEFORE CASING): 55 FT REMARKS: formerly in name of L.S. Hensey and Royal Point Motel

S.W.L. (AFTER CASING): 90 FT

LOG ID:
019833

WELL TYPE
Private Well

DRILL DATE: 1961/04/01 TOWNSHIP 21N RANGE 25W SECTION 2 ELEVATION: 1,007FT

DRILL DEPTH: 210FT

DEPTH TO BED: UTM X 445,731.30 UTM Y 4,046,318.48
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 6 MI NE OF OLDEN

S.W.L. (AFTER CASING):

LOG ID:
019507

WELL TYPE
Private Well

DRILL DATE: 1961/02/14 TOWNSHIP 21N RANGE 25W SECTION 21 ELEVATION: 985FT

DRILL DEPTH: 450FT

DEPTH TO BED: UTM X 441,980.33 UTM Y 4,040,957.55
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 80

LOG ID:
028917

WELL TYPE
Private Well

DRILL DATE: 2003/12/ TOWNSHIP 21N RANGE 25W SECTION 21 ELEVATION: 1,145FT

DRILL DEPTH: 810FT

DEPTH TO BED: 15FT UTM X 441,680.33 UTM Y 4,040,653.56
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: domestic well drilled to noncommunity standards due to nearby well
being contaminated w/ MTBE > 2,000 ppm.

S.W.L. (AFTER CASING): 265



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019141

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1960/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	985FT
<u>DRILL DEPTH:</u>	300FT	21N	25W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				439,307.29	4,044,481.60
<u>S.W.L. (BEFORE CASING):</u>	100	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	185	FT				

REMARKS:

LOG ID:
018476

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/08/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	994FT
<u>DRILL DEPTH:</u>	232FT	21N	26W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				433,899.28	4,044,504.71
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100					

REMARKS:

LOG ID:
020179

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,119FT
<u>DRILL DEPTH:</u>	630FT	21N	26W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				434,099.28	4,043,884.71
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	170					

REMARKS:

LOG ID:
020495

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/05/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,095FT
<u>DRILL DEPTH:</u>	335FT	21N	26W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					433,999.28	4,043,987.71
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	175					

REMARKS: 2 MI PAST EAGLE ROCK ON HWY 86



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028023

WELL TYPE
Noncommunity Public Well

DRILL DATE: _____ TOWNSHIP 21N RANGE 26W SECTION 5 ELEVATION: 985FT
DRILL DEPTH: 456FT UTM X 431,734.26 UTM Y 4,045,677.74
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): 70 REMARKS:
S.W.L. (AFTER CASING): _____ FT

LOG ID:
006126

WELL TYPE
Private Well

DRILL DATE: 1940/06/13 TOWNSHIP 21N RANGE 26W SECTION 7 ELEVATION: 1,127FT
DRILL DEPTH: 130FT UTM X 429,315.25 UTM Y 4,045,509.77
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: YIELD = 0.25 GPM; "TOP OF WELL - 130' BELOW CHATTANOOGA
S.W.L. (AFTER CASING): 60 SHALE"

LOG ID:
019123

WELL TYPE
Private Well

DRILL DATE: 1960/04/13 TOWNSHIP 21N RANGE 26W SECTION 9 ELEVATION: 1,015FT
DRILL DEPTH: 255FT UTM X 432,287.27 UTM Y 4,044,997.74
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: AT EAGLE ROCK
S.W.L. (AFTER CASING): 170

LOG ID:
012513

WELL TYPE
Community Public Well

DRILL DATE: 1953/10/01 TOWNSHIP 21N RANGE 28W SECTION 23 ELEVATION: 1,565FT
DRILL DEPTH: 1,695FT UTM X 416,014.20 UTM Y 4,041,929.91
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): 559 FT REMARKS: confirmed well# w/Seligman Public Works 10/12/01(sh) - aka Old Tower
S.W.L. (AFTER CASING): 570 FT Well

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024998

WELL TYPE
Community Public Well

DRILL DATE: 1967/05/23 TOWNSHIP 21N RANGE 28W SECTION 23 ELEVATION: 1,520FT

DRILL DEPTH: 1,730FT

DEPTH TO BED: 40FT UTM X 415,782.19 UTM Y 4,042,238.92
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: confirmed well# w/Seligman Public Works 10/12/01(sh) located @
S.W.L. (AFTER CASING): 555 Walnut & Larimer

LOG ID:
028263

WELL TYPE
Community Public Well

DRILL DATE: 1979/07/24 TOWNSHIP 21N RANGE 28W SECTION 23 ELEVATION: 1,529FT

DRILL DEPTH: 1,925FT

DEPTH TO BED: 65FT UTM X 415,730.19 UTM Y 4,042,124.92
ZONE 15

S.W.L. (BEFORE CASING): 700 FT REMARKS: confirmed well # w/ Seligman Public Works on 10/12/01(sh) - located at
S.W.L. (AFTER CASING): 563 FT City Park

LOG ID:
028701

WELL TYPE
Community Public Well

DRILL DATE: 1990/02/26 TOWNSHIP 21N RANGE 28W SECTION 26 ELEVATION: 1,644FT

DRILL DEPTH: 2,150FT

DEPTH TO BED: 25FT UTM X 416,852.21 UTM Y 4,041,301.90
ZONE 15

S.W.L. (BEFORE CASING): 680 FT REMARKS: confirmed well# w/ Seligman Public Works 10/12/01(sh) located on Doc
S.W.L. (AFTER CASING): 665 FT Meyers Rd

LOG ID:
002074

WELL TYPE
Dry Oil &/or Gas Well

DRILL DATE: TOWNSHIP 21N RANGE 28W SECTION 9 ELEVATION: 1,523FT

DRILL DEPTH: 1,982FT

DEPTH TO BED: 20FT UTM X 413,420.14 UTM Y 4,045,474.96
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: #1 P.E. ROLLER - DRY OIL TEST
S.W.L. (AFTER CASING): 350

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019124

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,006FT
<u>DRILL DEPTH:</u>	320FT	22N	25W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				445,048.26	4,051,546.49
<u>S.W.L. (BEFORE CASING):</u>	85	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	85	FT				

REMARKS:

LOG ID:
019915

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1961/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,043FT
<u>DRILL DEPTH:</u>	770FT	22N	25W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				445,206.26	4,051,656.49
<u>S.W.L. (BEFORE CASING):</u>	120	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	130	FT				

REMARKS:

LOG ID:
025966

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1968/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,100FT
<u>DRILL DEPTH:</u>	551FT	22N	25W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				445,948.25	4,052,560.48
<u>S.W.L. (BEFORE CASING):</u>	123	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	171	FT				

REMARKS: 22 GPM @ 171'.

LOG ID:
019881

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	946FT
<u>DRILL DEPTH:</u>	400FT	22N	25W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				444,747.26	4,052,011.50
<u>S.W.L. (BEFORE CASING):</u>	37	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	37	FT				

REMARKS:

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020367

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	967FT
		22N	25W	24		
<u>DRILL DEPTH:</u>	400FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				446,494.27	4,050,875.47
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	60	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	60	FT				

LOG ID:
017331

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	949FT
		22N	25W	25		
<u>DRILL DEPTH:</u>	280FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				447,648.28	4,049,087.44
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
019176

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	965FT
		22N	25W	25		
<u>DRILL DEPTH:</u>	400FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				447,299.28	4,049,109.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u> Charles H. Meyer			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
018843

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1960/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,026FT
		22N	25W	26		
<u>DRILL DEPTH:</u>	400FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				445,738.27	4,049,655.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	200	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	180	FT				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026057

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1969/01/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	965FT
<u>DRILL DEPTH:</u>	564FT	22N	25W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				445,498.27	4,049,646.48
<u>S.W.L. (BEFORE CASING):</u>	45	FT	<u>REMARKS:</u> POOR SAMPLES 465-564'			
<u>S.W.L. (AFTER CASING):</u>	10	FT			ZONE 15	

LOG ID:
027344

WELL TYPE
Multi-Family Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,040FT
<u>DRILL DEPTH:</u>	578FT	22N	25W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				446,238.28	4,049,349.47
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> BERNARD HOUGEN, VERN KERL			
<u>S.W.L. (AFTER CASING):</u>	175				ZONE 15	

LOG ID:
029010

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	2002/04/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,050FT
<u>DRILL DEPTH:</u>	608FT	22N	25W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					446,143.28	4,048,369.47
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> Cuttings from 470 ft. to 608 ft. not submitted. No pump test data			
<u>S.W.L. (AFTER CASING):</u>	110		submitted.			

LOG ID:
027676

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,025FT
<u>DRILL DEPTH:</u>	575FT	22N	25W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				439,998.27	4,048,433.59
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> formerly in name of Mr. Llewellyn Green and Emerald Beach			
<u>S.W.L. (AFTER CASING):</u>	75		Subdivision			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023831

WELL TYPE
Noncommunity Public Well

DRILL DATE: _____ TOWNSHIP 22N RANGE 27W SECTION 27 ELEVATION: 1,040FT
DRILL DEPTH: 1,170FT UTM X 424,863.19 UTM Y 4,049,150.83
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): 16 FT REMARKS: Old Well #1 and #2 were abandoned and this well was renamed to Well
S.W.L. (AFTER CASING): 9 FT #1

LOG ID:
023846

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1965/11/01 TOWNSHIP 22N RANGE 27W SECTION 27 ELEVATION: 1,130FT
DRILL DEPTH: 800FT UTM X 425,518.19 UTM Y 4,049,727.82
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): 70 REMARKS: Missouri State Park Board - BEHIND DINING LODGE
S.W.L. (AFTER CASING): FT

LOG ID:
003990

WELL TYPE
Private Well

DRILL DATE: 1936/09/01 TOWNSHIP 22N RANGE 27W SECTION 34 ELEVATION: _____
DRILL DEPTH: 505FT UTM X 425,177.20 UTM Y 4,048,634.82
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: POOR SAMPLES, MANY MISSING
S.W.L. (AFTER CASING): _____

LOG ID:
019235

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1960/08/01 TOWNSHIP 22N RANGE 27W SECTION 34 ELEVATION: 1,169FT
DRILL DEPTH: 1,195FT UTM X 425,077.20 UTM Y 4,048,734.82
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: New Complex - now plugged
S.W.L. (AFTER CASING): 96

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002739

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1933/07/08 TOWNSHIP 22N RANGE 27W SECTION 35 ELEVATION: 1,110FT

DRILL DEPTH: 388FT UTM X 427,078.22 UTM Y 4,048,075.80

DEPTH TO BED: 50FT ZONE 15

S.W.L. (BEFORE CASING): REMARKS: LOG IN POOR SHAPE, VERY INCOMPLETE, MANY SAMPLES MISSING

S.W.L. (AFTER CASING):

LOG ID:
004848

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1938// TOWNSHIP 22N RANGE 27W SECTION 35 ELEVATION: 1,110FT

DRILL DEPTH: 811FT UTM X 426,078.21 UTM Y 4,048,475.81

DEPTH TO BED: ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: TD EITHER 811 OR 847.

S.W.L. (AFTER CASING): 120

LOG ID:
024268

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP 22N RANGE 27W SECTION 35 ELEVATION: 1,214FT

DRILL DEPTH: 1,195FT UTM X 426,052.20 UTM Y 4,048,527.81

DEPTH TO BED: 25FT ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: Missouri Park Board

S.W.L. (AFTER CASING): 95

LOG ID:
007888

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 22N RANGE 27W SECTION 4 ELEVATION: 1,440FT

DRILL DEPTH: 1,070FT UTM X 422,960.11 UTM Y 4,056,931.86

DEPTH TO BED: 515FT ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 1.5 MI. SE OF CASSVILLE; ABANDONED 8/1942

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023844

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1965/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,472FT
<u>DRILL DEPTH:</u>	1,152FT	22N	27W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				423,906.13	4,055,209.85
<u>S.W.L. (BEFORE CASING):</u>	140	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	405	FT				ZONE 15

LOG ID:
019519

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/10/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,562FT
<u>DRILL DEPTH:</u>	665FT	22N	28W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				413,816.04	4,054,189.01
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	205					ZONE 15

LOG ID:
020074

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,523FT
<u>DRILL DEPTH:</u>	340FT	22N	28W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				412,361.07	4,051,247.01
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	185					ZONE 15

LOG ID:
004317

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1937/05/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,435FT
<u>DRILL DEPTH:</u>	540FT	22N	28W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				418,246.11	4,051,831.93
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	375					ZONE 15

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027697

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 23N RANGE 26W SECTION 19 ELEVATION: 1,480FT
DRILL DEPTH: 405FT UTM X 429,990.16 UTM Y 4,060,817.73
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 240

LOG ID:
022121

WELL TYPE
Private Well

DRILL DATE: 1963/06/01 TOWNSHIP 23N RANGE 26W SECTION 5 ELEVATION: 1,484FT
DRILL DEPTH: 315FT UTM X 431,246.15 UTM Y 4,066,059.69
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 80

LOG ID:
005469

WELL TYPE
Private Well

DRILL DATE: 1939/03/01 TOWNSHIP 23N RANGE 26W SECTION 6 ELEVATION: 1,469FT
DRILL DEPTH: 280FT UTM X 430,829.14 UTM Y 4,066,316.70
DEPTH TO BED: 205FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 225

LOG ID:
001615

WELL TYPE
Private Well

DRILL DATE: 1908/09/29 TOWNSHIP 23N RANGE 27W SECTION 26 ELEVATION: 1,463FT
DRILL DEPTH: 95FT UTM X 426,734.13 UTM Y 4,059,319.80
DEPTH TO BED: 68FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: 3 MI E OF CASSVILLE
S.W.L. (AFTER CASING): _____



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024002

WELL TYPE
Irrigation Well

<u>DRILL DATE:</u>	1965/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,530FT
<u>DRILL DEPTH:</u>	1,400FT	23N	28W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	550FT				417,025.02	4,059,484.98
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	214					
					<u>REMARKS:</u> NO SAMPLES ABOVE 550'; SAMPLES TAKEN ON UNEVEN FOOTAGE	

LOG ID:
017949

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1959/02/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,555FT
<u>DRILL DEPTH:</u>	990FT	23N	28W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				415,838.02	4,058,720.00
<u>S.W.L. (BEFORE CASING):</u>	81				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	190					
					<u>REMARKS:</u>	

LOG ID:
011998

WELL TYPE
Irrigation Well

<u>DRILL DATE:</u>	1952/08/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,527FT
<u>DRILL DEPTH:</u>	1,407FT	23N	28W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				417,178.03	4,058,789.97
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	156					
					<u>REMARKS:</u> Fruit Farm	

LOG ID:
027996

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1976/07/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,500FT
<u>DRILL DEPTH:</u>	1,002FT	23N	28W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				416,608.03	4,058,611.98
<u>S.W.L. (BEFORE CASING):</u>	40				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	175					
					<u>REMARKS:</u>	

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021795

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 1,440FT
 _____ 23N 29W 24
DRILL DEPTH: 125FT UTM X UTM Y
DEPTH TO BED: 60FT 408,703.92 4,061,379.15
 ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS:
S.W.L. (AFTER CASING): _____

LOG ID:
023880

WELL TYPE
Private Well

DRILL DATE: 1965/11/16 TOWNSHIP RANGE SECTION ELEVATION: 1,468FT
 _____ 23N 29W 24
DRILL DEPTH: 405FT UTM X UTM Y
DEPTH TO BED: 45FT 409,003.91 4,061,775.14
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 175

LOG ID:
009605

WELL TYPE
Private Well

DRILL DATE: 1947/08/01 TOWNSHIP RANGE SECTION ELEVATION: 1,250FT
 _____ 24N 26W 21
DRILL DEPTH: 170FT UTM X UTM Y
DEPTH TO BED: 90FT 433,600.11 4,070,440.64
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 100

LOG ID:
002082

WELL TYPE
Oil Well

DRILL DATE: 1922/00/00 TOWNSHIP RANGE SECTION ELEVATION: 1,120FT
 _____ 24N 26W 23
DRILL DEPTH: 1,932FT UTM X UTM Y
DEPTH TO BED: 1,700FT 436,819.11 4,070,126.61
 ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: NEAR JENKINS
S.W.L. (AFTER CASING): _____



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:

018533

WELL TYPE

Noncommunity Public Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 1,287FT
 _____ 24N 26W 26
DRILL DEPTH: 265FT UTM X UTM Y
DEPTH TO BED: 5FT 436,567.13 4,068,926.61
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: SUB STATION AT JENKINS
S.W.L. (AFTER CASING): 128

LOG ID:

005809

WELL TYPE

Private Well

DRILL DATE: 1939/10/ _____ TOWNSHIP RANGE SECTION ELEVATION: 1,488FT
 _____ 24N 27W 4
DRILL DEPTH: 304FT UTM X UTM Y
DEPTH TO BED: 40FT 424,254.91 4,074,795.84
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 75

LOG ID:

005797

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1939/10/01 _____ TOWNSHIP RANGE SECTION ELEVATION: 1,481FT
 _____ 24N 28W 11
DRILL DEPTH: 539FT UTM X UTM Y
DEPTH TO BED: 50FT 417,941.84 4,074,578.98
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 65

LOG ID:

005810

WELL TYPE

Private Well

DRILL DATE: 1939/10/ _____ TOWNSHIP RANGE SECTION ELEVATION: 1,483FT
 _____ 24N 28W 11
DRILL DEPTH: 140FT UTM X UTM Y
DEPTH TO BED: 50FT 417,741.83 4,074,780.99
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008380

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,347FT
<u>DRILL DEPTH:</u>	375FT	24N	29W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				410,495.73	4,076,122.14
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	PROSPECT HOLE			

LOG ID:
008379

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1943/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,345FT
<u>DRILL DEPTH:</u>	400FT	24N	29W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				408,914.72	4,075,906.17
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:
006575

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1940/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,387FT
<u>DRILL DEPTH:</u>	1,008FT	24N	29W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				405,845.80	4,069,098.24
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120	<u>REMARKS:</u>				

LOG ID:
027514

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,383FT
<u>DRILL DEPTH:</u>	1,010FT	24N	29W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				405,948.80	4,069,019.24
<u>S.W.L. (BEFORE CASING):</u>	30	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	70	FT	<u>REMARKS:</u>			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006279

WELL TYPE
Private Well

DRILL DATE: 1940// TOWNSHIP 25N RANGE 27W SECTION 6 ELEVATION: 1,397FT
DRILL DEPTH: 175FT UTM X 417,425.68 UTM Y 4,084,460.98
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 97

LOG ID:
006854

WELL TYPE
Private Well

DRILL DATE: 1941/00/00 TOWNSHIP 25N RANGE 27W SECTION 6 ELEVATION: 1,374FT
DRILL DEPTH: 104FT UTM X 418,025.69 UTM Y 4,084,359.97
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 75

LOG ID:
012793

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1954/00/00 TOWNSHIP 25N RANGE 27W SECTION 6 ELEVATION: 1,340FT
DRILL DEPTH: 492FT UTM X 418,025.69 UTM Y 4,084,359.97
DEPTH TO BED: 200FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI SE OF MONETT & 0.25 MI E OF HWY 39
S.W.L. (AFTER CASING): 166

LOG ID:
023644

WELL TYPE
Community Public Well

DRILL DATE: 1965/00/00 TOWNSHIP 25N RANGE 27W SECTION 6 ELEVATION: 1,288FT
DRILL DEPTH: 1,475FT UTM X 416,976.65 UTM Y 4,085,746.99
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 249

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
001895

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1915// TOWNSHIP 26N RANGE 27W SECTION 31 ELEVATION: 1,335FT
DRILL DEPTH: 1,220FT UTM X 417,484.64 UTM Y 4,086,674.97
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: DRILLER'S LOG ONLY
S.W.L. (AFTER CASING): 90

LOG ID:
009604

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1947/08/01 TOWNSHIP 26N RANGE 27W SECTION 31 ELEVATION: 1,285FT
DRILL DEPTH: 1,200FT UTM X 417,484.65 UTM Y 4,086,076.98
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Well #1
S.W.L. (AFTER CASING): 184

LOG ID:
009841

WELL TYPE
Community Public Well

DRILL DATE: 1947/12/01 TOWNSHIP 26N RANGE 27W SECTION 31 ELEVATION: 1,320FT
DRILL DEPTH: 1,270FT UTM X 417,401.64 UTM Y 4,086,854.98
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Wishart & Central Streets
S.W.L. (AFTER CASING): 220

LOG ID:
013984

WELL TYPE
Community Public Well

DRILL DATE: 1955/07/01 TOWNSHIP 26N RANGE 27W SECTION 31 ELEVATION: 1,321FT
DRILL DEPTH: 1,600FT UTM X 416,640.63 UTM Y 4,087,302.99
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: north of Cleveland Avenue, east of Eisenhower Avenue
S.W.L. (AFTER CASING): 194



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006512

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940// TOWNSHIP 26N RANGE 27W SECTION 35 ELEVATION: 1,395FT
DRILL DEPTH: 165FT UTM X 423,232.71 UTM Y 4,085,736.86
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Tate, Well #1
S.W.L. (AFTER CASING):

LOG ID:
006513

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 26N RANGE 27W SECTION 35 ELEVATION: 1,390FT
DRILL DEPTH: 185FT UTM X 423,232.71 UTM Y 4,085,736.86
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Tate, Well #2
S.W.L. (AFTER CASING):

LOG ID:
006743

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/12/01 TOWNSHIP 26N RANGE 27W SECTION 35 ELEVATION: 1,424FT
DRILL DEPTH: 138FT UTM X 423,732.71 UTM Y 4,086,253.85
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Rose, Well #4
S.W.L. (AFTER CASING):

LOG ID:
006744

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/12/01 TOWNSHIP 26N RANGE 27W SECTION 35 ELEVATION: 1,401FT
DRILL DEPTH: 180FT UTM X 423,932.72 UTM Y 4,085,736.85
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Rose, Well #5
S.W.L. (AFTER CASING):

