



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010503

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: _____ TOWNSHIP 28N RANGE 9W SECTION 12 ELEVATION: 1,270FT
DRILL DEPTH: 38FT
DEPTH TO BED: _____ UTM X 599,462.15 UTM Y 4,108,367.06
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: RESIDUAL JEFFERSON CITY - IRON PROSPTEC
S.W.L. (AFTER CASING): _____

LOG ID:
025447

WELL TYPE
Private Well

DRILL DATE: 1967// _____ TOWNSHIP 28N RANGE 9W SECTION 24 ELEVATION: 1,268FT
DRILL DEPTH: 290FT
DEPTH TO BED: 25FT _____ UTM X 599,763.17 UTM Y 4,104,433.05
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 9-10 MI N OF WILLOW SPRGS ON HWY 137
S.W.L. (AFTER CASING): 140

LOG ID:
024350

WELL TYPE
Private Well

DRILL DATE: 1966/03/14 _____ TOWNSHIP 28N RANGE 10W SECTION 22 ELEVATION: 1,379FT
DRILL DEPTH: 290FT
DEPTH TO BED: 95FT _____ UTM X 587,059.10 UTM Y 4,105,239.10
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS:
S.W.L. (AFTER CASING): _____

LOG ID:
022003

WELL TYPE
Private Well

DRILL DATE: 1963/06/18 _____ TOWNSHIP 28N RANGE 10W SECTION 28 ELEVATION: 1,473FT
DRILL DEPTH: 205FT
DEPTH TO BED: 25FT _____ UTM X 585,237.11 UTM Y 4,103,820.10
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 5 MI SE OF CABOOL ON HWYS 60 & 63
S.W.L. (AFTER CASING): 41



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024190

WELL TYPE
Private Well

DRILL DATE: 1966/04/05 TOWNSHIP 28N RANGE 11W SECTION 13 ELEVATION: 1,343FT
DRILL DEPTH: 225FT UTM X 580,055.08 UTM Y 4,106,457.13
DEPTH TO BED: 13FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 125

LOG ID:
021543

WELL TYPE
Private Well

DRILL DATE: 1962/10/06 TOWNSHIP 28N RANGE 11W SECTION 14 ELEVATION: 1,311FT
DRILL DEPTH: 110FT UTM X 578,353.08 UTM Y 4,106,646.13
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: S OF CABOOL ON HWY E TO CEMETARY, 1.5 MI W
S.W.L. (AFTER CASING): 48

LOG ID:
022876

WELL TYPE
Private Well

DRILL DATE: 1964/02/14 TOWNSHIP 28N RANGE 11W SECTION 16 ELEVATION: 1,458FT
DRILL DEPTH: 221FT UTM X 576,135.07 UTM Y 4,107,792.15
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ABT 3 MI SW OF CABOOL ON FARM-TO-MARKET RD
S.W.L. (AFTER CASING): 115

LOG ID:
022332

WELL TYPE
Community Public Well

DRILL DATE: 1964/03/ TOWNSHIP 28N RANGE 11W SECTION 2 ELEVATION: 1,347FT
DRILL DEPTH: 1,300FT UTM X 578,722.07 UTM Y 4,109,742.15
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): 187 FT REMARKS:
S.W.L. (AFTER CASING): 188 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022766

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 28N RANGE 11W SECTION 24 ELEVATION: 1,476FT
DRILL DEPTH: 175FT
DEPTH TO BED: 40FT UTM X 579,549.09 UTM Y 4,105,338.12
 S.W.L. (BEFORE CASING): _____ REMARKS: 2 MI S OF CABOOL ON HWY E
 S.W.L. (AFTER CASING): _____ ZONE 15

LOG ID:
020275

WELL TYPE
Private Well

DRILL DATE: 1961/06/13 TOWNSHIP 28N RANGE 11W SECTION 25 ELEVATION: 1,461FT
DRILL DEPTH: 195FT
DEPTH TO BED: 10FT UTM X 580,937.10 UTM Y 4,103,722.11
 S.W.L. (BEFORE CASING): _____ FT REMARKS: formerly in name of Clyde Crowe
 S.W.L. (AFTER CASING): 80 ZONE 15

LOG ID:
023186

WELL TYPE
Private Well

DRILL DATE: 1964/07/20 TOWNSHIP 28N RANGE 11W SECTION 26 ELEVATION: 1,465FT
DRILL DEPTH: 250FT
DEPTH TO BED: 10FT UTM X 579,341.09 UTM Y 4,104,646.12
 S.W.L. (BEFORE CASING): _____ FT REMARKS: NW CORNER JCT HWYS E & EE, S OF CABOOL
 S.W.L. (AFTER CASING): 95 ZONE 15

LOG ID:
018540

WELL TYPE
Private Well

DRILL DATE: 1958/06/20 TOWNSHIP 28N RANGE 11W SECTION 28 ELEVATION: 1,194FT
DRILL DEPTH: 160FT
DEPTH TO BED: 75FT UTM X 575,704.09 UTM Y 4,104,689.13
 S.W.L. (BEFORE CASING): _____ FT REMARKS:
 S.W.L. (AFTER CASING): 95 ZONE 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008733

WELL TYPE
Private Well

DRILL DATE: 1944/09/30 TOWNSHIP 28N RANGE 12W SECTION 10 ELEVATION: 1,475FT

DRILL DEPTH: 60FT

DEPTH TO BED: 5FT UTM X 567,666.06 UTM Y 4,109,587.18
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 34

LOG ID:
018535

WELL TYPE
Private Well

DRILL DATE: 1959/06/10 TOWNSHIP 28N RANGE 12W SECTION 11 ELEVATION: 1,214FT

DRILL DEPTH: 100FT

DEPTH TO BED: 5FT UTM X 569,364.07 UTM Y 4,108,241.17
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ABT 2 MI E & S OF MTN. GROVE

S.W.L. (AFTER CASING): 28

LOG ID:
022887

WELL TYPE
Private Well

DRILL DATE: 1963/11/19 TOWNSHIP 28N RANGE 12W SECTION 11 ELEVATION: 1,453FT

DRILL DEPTH: 406FT

DEPTH TO BED: 120FT UTM X 569,264.06 UTM Y 4,109,259.18
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ABT 2 MI E OF MTN. GROVE ON HWY 60, 0.5 MI S OF X CROSSING

S.W.L. (AFTER CASING): 249

LOG ID:
018534

WELL TYPE
Private Well

DRILL DATE: 1959/03/23 TOWNSHIP 28N RANGE 12W SECTION 11 ELEVATION: 1,462FT

DRILL DEPTH: 300FT

DEPTH TO BED: 5FT UTM X 568,464.06 UTM Y 4,109,565.18
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ABT 1 MI E OF MTN GROVE CITY LIMITS ON S SD RR TRACKS

S.W.L. (AFTER CASING): 74



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021300

WELL TYPE
Private Well

DRILL DATE: 1962/09/ TOWNSHIP 28N RANGE 12W SECTION 11 ELEVATION: 1,462FT
DRILL DEPTH: 500FT UTM X 568,364.06 UTM Y 4,109,667.18
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 250

LOG ID:
004895

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1938/07/ TOWNSHIP 28N RANGE 12W SECTION 11 ELEVATION:
DRILL DEPTH: 302FT UTM X 569,564.06 UTM Y 4,109,463.18
DEPTH TO BED: 152FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL TO 152'; 2,5 MI E OF MTN. GROVE
S.W.L. (AFTER CASING):

LOG ID:
011475

WELL TYPE
Private Well

DRILL DATE: 1950/10/02 TOWNSHIP 28N RANGE 12W SECTION 11 ELEVATION: 1,302FT
DRILL DEPTH: 204FT UTM X 569,664.07 UTM Y 4,108,343.17
DEPTH TO BED: 3FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ABT 2 MI E, 1 MI S OF MTN GROVE
S.W.L. (AFTER CASING): 119

LOG ID:
008382

WELL TYPE
Private Well

DRILL DATE: 1943/09/16 TOWNSHIP 28N RANGE 12W SECTION 11 ELEVATION: 1,329FT
DRILL DEPTH: 130FT UTM X 568,864.06 UTM Y 4,109,361.18
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 106

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024219

WELL TYPE
Private Well

DRILL DATE: 1966/04/20 TOWNSHIP 29N RANGE 7W SECTION 2 ELEVATION: 1,212FT

DRILL DEPTH: 285FT

DEPTH TO BED: 70FT UTM X 617,412.19 UTM Y 4,119,777.91
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: LONG 1 X 2.66 MI SECTION

S.W.L. (AFTER CASING):

LOG ID:
026551

WELL TYPE
Community Public Well

DRILL DATE: 1968/11/21 TOWNSHIP 29N RANGE 7W SECTION 24 ELEVATION: 1,235FT

DRILL DEPTH: 1,250FT

DEPTH TO BED: 140FT UTM X 619,217.22 UTM Y 4,115,522.91
ZONE 15

S.W.L. (BEFORE CASING): 200 FT REMARKS:

S.W.L. (AFTER CASING): 348 FT

LOG ID:
022892

WELL TYPE
Private Well

DRILL DATE: 1963/07/ TOWNSHIP 29N RANGE 7W SECTION 24 ELEVATION: 1,213FT

DRILL DEPTH: 295FT

DEPTH TO BED: 50FT UTM X 618,517.22 UTM Y 4,114,506.92
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
019643

WELL TYPE
Community Public Well

DRILL DATE: 1961/01/ TOWNSHIP 29N RANGE 7W SECTION 24 ELEVATION: 1,230FT

DRILL DEPTH: 1,250FT

DEPTH TO BED: 60FT UTM X 618,696.21 UTM Y 4,115,789.91
ZONE 15

S.W.L. (BEFORE CASING): 200 FT REMARKS:

S.W.L. (AFTER CASING): 348 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:

002898

WELL TYPE

Community Public Well

DRILL DATE: 1934/08/ TOWNSHIP 29N RANGE 7W SECTION 24 ELEVATION: 1,233FT
DRILL DEPTH: 855FT UTM X 619,317.22 UTM Y 4,115,218.91
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 343

LOG ID:

024217

WELL TYPE

Private Well

DRILL DATE: 1966/01/ TOWNSHIP 29N RANGE 7W SECTION 27 ELEVATION: 1,250FT
DRILL DEPTH: 240FT UTM X 615,085.21 UTM Y 4,113,099.96
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 160

LOG ID:

024800

WELL TYPE

Private Well

DRILL DATE: 1966/06/22 TOWNSHIP 29N RANGE 7W SECTION 6 ELEVATION: 1,266FT
DRILL DEPTH: 135FT UTM X 610,982.15 UTM Y 4,121,376.97
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LONG 1 X 2.72 MI SECTION
S.W.L. (AFTER CASING):

LOG ID:

027522

WELL TYPE

Private Well

DRILL DATE: 1970/11/06 TOWNSHIP 29N RANGE 7W SECTION 6 ELEVATION: 1,328FT
DRILL DEPTH: 200FT UTM X 610,182.14 UTM Y 4,121,376.97
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 8 MI FROM SUMMERSVILLE ON HWY 17, RT ON HWY TT; YIELD
S.W.L. (AFTER CASING): 100 12-15 GPM



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023806

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 29N RANGE 7W SECTION 8 ELEVATION: 1,368FT
DRILL DEPTH: 210FT UTM X 612,959.17 UTM Y 4,118,833.96
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: E. GERMANO FARM
S.W.L. (AFTER CASING): _____

LOG ID:
026735

WELL TYPE
Private Well

DRILL DATE: 1970/12/08 TOWNSHIP 29N RANGE 7W SECTION 9 ELEVATION: 1,306FT
DRILL DEPTH: 280FT UTM X 614,577.18 UTM Y 4,117,610.94
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 4 MI W OF JCT HWYS 17 & K, 0.25 MI N OF HWY 17, 1ST HOUSE
S.W.L. (AFTER CASING): 200 ON LEFT

LOG ID:
021479

WELL TYPE
Private Well

DRILL DATE: 1962/02/07 TOWNSHIP 29N RANGE 8W SECTION 1 ELEVATION: 1,379FT
DRILL DEPTH: 250FT UTM X 609,362.14 UTM Y 4,121,376.98
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: NEAR EUNICE; LONG 1 X 2.75 MILE SECTION
S.W.L. (AFTER CASING): _____

LOG ID:
022853

WELL TYPE
Private Well

DRILL DATE: 1964/08/14 TOWNSHIP 29N RANGE 8W SECTION 29 ELEVATION: 1,253FT
DRILL DEPTH: 285FT UTM X 603,306.14 UTM Y 4,113,320.04
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 0.75 MI FROM HWY 137
S.W.L. (AFTER CASING): 95



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023922

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 29N RANGE 8W SECTION 4 ELEVATION: 1,270FT
DRILL DEPTH: 100FT UTM X 604,092.10 UTM Y 4,121,392.03
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: 2.5 MI S OF YUKON; LONG 1 X 2.79 MI SECTION
S.W.L. (AFTER CASING): _____

LOG ID:
024797

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 29N RANGE 8W SECTION 4 ELEVATION: 1,273FT
DRILL DEPTH: 170FT UTM X 604,292.10 UTM Y 4,123,100.02
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: formerly in name of Herman Halder - about 2.75 miles E of Yukon on
S.W.L. (AFTER CASING): _____ Hwy 17; long 1 X 2.79 mile section

LOG ID:
024918

WELL TYPE
Private Well

DRILL DATE: 1967/04/ _____ TOWNSHIP 29N RANGE 8W SECTION 4 ELEVATION: 1,264FT
DRILL DEPTH: 350FT UTM X 604,492.11 UTM Y 4,120,254.02
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: LONG 1 X 2.78 MI SECTION
S.W.L. (AFTER CASING): 50

LOG ID:
014309

WELL TYPE
Private Well

DRILL DATE: 1955/10/03 _____ TOWNSHIP 29N RANGE 8W SECTION 4 ELEVATION: 1,280FT
DRILL DEPTH: 115FT UTM X 603,892.11 UTM Y 4,119,116.03
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: LONG 1 X 2 MI SECTION
S.W.L. (AFTER CASING): 40

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024349

WELL TYPE
Private Well

DRILL DATE: 1966/05/11 TOWNSHIP 29N RANGE 10W SECTION 2 ELEVATION: 1,139FT

DRILL DEPTH: 200FT

DEPTH TO BED: 65FT UTM X 587,915.00 UTM Y 4,122,755.17
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: LONG 1 X 2.56 MI SECTION

S.W.L. (AFTER CASING):

LOG ID:
014099

WELL TYPE
Private Well

DRILL DATE: 1955// TOWNSHIP 29N RANGE 10W SECTION 2 ELEVATION: 1,212FT

DRILL DEPTH: 170FT

DEPTH TO BED: 10FT UTM X 588,515.01 UTM Y 4,119,507.15
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: LONG 1 X 2.5 MI SECTION; W SD ELK CREEK RD

S.W.L. (AFTER CASING):

LOG ID:
013695

WELL TYPE
Private Well

DRILL DATE: 1955/06/01 TOWNSHIP 29N RANGE 10W SECTION 2 ELEVATION: 1,133FT

DRILL DEPTH: 85FT

DEPTH TO BED: 38FT UTM X 587,915.00 UTM Y 4,121,131.16
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ABT 600 YDS N OF JCT HWYS 4 & 63 ON 63; LONG 1 X 2.5 MI SECTION

S.W.L. (AFTER CASING): 22

LOG ID:
018543

WELL TYPE
Private Well

DRILL DATE: 1959/02/ TOWNSHIP 29N RANGE 10W SECTION 2 ELEVATION: 1,227FT

DRILL DEPTH: 250FT

DEPTH TO BED: 10FT UTM X 588,314.99 UTM Y 4,123,297.17
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 2.5 MI SECTION; 1.5 MI N OF SIMMONS ON HWY 63

S.W.L. (AFTER CASING): 170



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004453	<u>WELL TYPE</u> Private Well					
<u>DRILL DATE:</u>	1937//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,127FT
<u>DRILL DEPTH:</u>	125FT	29N	10W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	120FT				587,515.00	4,122,755.17
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> 1 MI NE OF SIMMONS ON PINEY RIVER				

LOG ID: 011274	<u>WELL TYPE</u> Private Well					
<u>DRILL DATE:</u>	1948/01/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,130FT
<u>DRILL DEPTH:</u>	60FT	29N	10W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				587,915.00	4,121,673.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	15	<u>REMARKS:</u> IN SIMMONS; LONG 1 X 2.5 MI SECTION				

LOG ID: 026954	<u>WELL TYPE</u> Private Well					
<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,275FT
<u>DRILL DEPTH:</u>	165FT	29N	10W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				589,932.06	4,112,903.12
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> 2.5 MI S OF ELK CREEK ON HWY AC				

LOG ID: 024353	<u>WELL TYPE</u> Private Well					
<u>DRILL DATE:</u>	1966/05/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,278FT
<u>DRILL DEPTH:</u>	160FT	29N	10W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				585,979.05	4,113,532.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60	<u>REMARKS:</u> ABT 0.5 MI E OF PLEASANT GROVE SCHOOL, 4 MI NE OF CABOOL				

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025442

WELL TYPE
Private Well

DRILL DATE: 1967/01/13 TOWNSHIP 29N RANGE 10W SECTION 27 ELEVATION: 1,400FT

DRILL DEPTH: 245FT

DEPTH TO BED: 65FT UTM X 586,879.05 UTM Y 4,113,118.14
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 3.5 MI NE OF CABOOL, ABT 1 MI E OF PLEASANT GROVE SCHOOL

S.W.L. (AFTER CASING): 145 HOUSE

LOG ID:
019611

WELL TYPE
Private Well

DRILL DATE: 1961/01/05 TOWNSHIP 29N RANGE 10W SECTION 28 ELEVATION: 1,242FT

DRILL DEPTH: 70FT

DEPTH TO BED: 25FT UTM X 585,057.05 UTM Y 4,113,117.14
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of W.H. Morton - 3.5 MI NE OF CABOOL

S.W.L. (AFTER CASING): 35

LOG ID:
028496

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1965// TOWNSHIP 29N RANGE 10W SECTION 29 ELEVATION: 1,210FT

DRILL DEPTH: 1,915FT

DEPTH TO BED: 10FT UTM X 582,841.05 UTM Y 4,113,939.16
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: (65-W-32 (TE-2))

S.W.L. (AFTER CASING):

LOG ID:
025218

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 29N RANGE 10W SECTION 3 ELEVATION: 1,258FT

DRILL DEPTH: 200FT

DEPTH TO BED: 45FT UTM X 586,675.01 UTM Y 4,120,107.16
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: LONG 1 X 2.5 MI SECTION; HWY 63, 9 MI N OF CABOOL, 9 MI S OF

S.W.L. (AFTER CASING): HOUSTON

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021267

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 29N RANGE 11W SECTION 2 ELEVATION: 1,273FT
DRILL DEPTH: 215FT UTM X UTM Y
DEPTH TO BED: 125FT 578,360.00 4,122,675.22
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: LONG 1 X 2.25 MI SECTION; RT 2, CABOOL
S.W.L. (AFTER CASING): 125

LOG ID:
003720

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1936/08/08 TOWNSHIP 29N RANGE 11W SECTION 21 ELEVATION: 1,347FT
DRILL DEPTH: 225FT UTM X UTM Y
DEPTH TO BED: _____ 575,520.04 4,115,396.19
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: TRACT #31, CABOOL - NO GOOD BEDROCK ENCOUNTERED
S.W.L. (AFTER CASING): 125

LOG ID:
007703

WELL TYPE
Private Well

DRILL DATE: 1941/11/18 TOWNSHIP 29N RANGE 11W SECTION 26 ELEVATION: 1,329FT
DRILL DEPTH: 151FT UTM X UTM Y
DEPTH TO BED: 24FT 578,547.05 4,113,933.17
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: YIELDS - 2.5 GPM @ 130', 5 GPM @ TD
S.W.L. (AFTER CASING): 35

LOG ID:
009963

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1947/01/29 TOWNSHIP 29N RANGE 11W SECTION 29 ELEVATION: 1,511FT
DRILL DEPTH: 100FT UTM X UTM Y
DEPTH TO BED: 68FT 573,310.05 4,113,401.19
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: parsonage well - 2.5 miles NE of impo - "Roubidoux" on log
S.W.L. (AFTER CASING): 32

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018541

WELL TYPE
Private Well

DRILL DATE: 1959/08/24 TOWNSHIP 30N RANGE 8W SECTION 19 ELEVATION: 1,326FT

DRILL DEPTH: 200FT

DEPTH TO BED: 10FT UTM X 600,614.03 UTM Y 4,127,313.07
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI NW OF YUKON

S.W.L. (AFTER CASING): 90

LOG ID:
014313

WELL TYPE
Private Well

DRILL DATE: 1955/09/26 TOWNSHIP 30N RANGE 8W SECTION 29 ELEVATION: 1,302FT

DRILL DEPTH: 270FT

DEPTH TO BED: 135FT UTM X 602,417.05 UTM Y 4,126,303.05
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 135

LOG ID:
022629

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 30N RANGE 8W SECTION 29 ELEVATION: 1,317FT

DRILL DEPTH: 375FT

DEPTH TO BED: 255FT UTM X 603,217.06 UTM Y 4,125,895.04
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
023786

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 30N RANGE 8W SECTION 3 ELEVATION: 1,340FT

DRILL DEPTH: 352FT

DEPTH TO BED: 104FT UTM X 606,370.01 UTM Y 4,132,919.05
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: formerly in name of James N. Davis

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016315

WELL TYPE
Private Well

DRILL DATE: 1957// TOWNSHIP 30N RANGE 8W SECTION 36 ELEVATION: 1,301FT
DRILL DEPTH: 135FT UTM X 610,074.13 UTM Y 4,123,815.97
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 85

LOG ID:
021706

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 30N RANGE 8W SECTION 4 ELEVATION: 1,348FT
DRILL DEPTH: 390FT UTM X 604,341.01 UTM Y 4,132,115.06
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Charles Phillips - 0.5 MI E, 0.5 MI S, OF
S.W.L. (AFTER CASING): RAYMONDVILLE

LOG ID:
022571

WELL TYPE
Private Well

DRILL DATE: 1964/02/14 TOWNSHIP 30N RANGE 8W SECTION 4 ELEVATION: 1,368FT
DRILL DEPTH: 300FT UTM X 604,141.01 UTM Y 4,131,909.06
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI E, 1 MI S OF RAYMONDVILLE - POOR SAMPLES
S.W.L. (AFTER CASING):

LOG ID:
004455

WELL TYPE
Private Well

DRILL DATE: 1937/09/ TOWNSHIP 30N RANGE 8W SECTION 4 ELEVATION: 1,363FT
DRILL DEPTH: 250FT UTM X 604,141.02 UTM Y 4,131,499.06
DEPTH TO BED: 88FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E OF RAYMONDVILLE
S.W.L. (AFTER CASING): 224



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011354

WELL TYPE
Private Well

DRILL DATE: 1950/04/ TOWNSHIP 30N RANGE 8W SECTION 4 ELEVATION: 1,336FT
DRILL DEPTH: 171FT UTM X 605,341.02 UTM Y 4,131,499.05
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
016225

WELL TYPE
Community Public Well

DRILL DATE: 1957/05/ TOWNSHIP 30N RANGE 8W SECTION 5 ELEVATION: 1,344FT
DRILL DEPTH: 900FT UTM X 603,492.00 UTM Y 4,133,034.07
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): 211 FT REMARKS:
S.W.L. (AFTER CASING): 211 FT

LOG ID:
027884

WELL TYPE
Private Well

DRILL DATE: 1971/07/02 TOWNSHIP 30N RANGE 8W SECTION 8 ELEVATION: 1,402FT
DRILL DEPTH: 350FT UTM X 602,706.02 UTM Y 4,130,726.07
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 137, 2.5 MI S, 0.5 MI W OF RAYMONDVILLE
S.W.L. (AFTER CASING): 250

LOG ID:
021802

WELL TYPE
Private Well

DRILL DATE: 1963/06/05 TOWNSHIP 30N RANGE 8W SECTION 8 ELEVATION: 1,394FT
DRILL DEPTH: 330FT UTM X 602,506.01 UTM Y 4,131,336.07
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021447

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 30N RANGE 8W SECTION 9 ELEVATION: 1,344FT
DRILL DEPTH: 300FT UTM X UTM Y
DEPTH TO BED: 110FT 604,117.03 4,129,896.05
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: ORIGINAL LOCATION LOST WHEN DRILLER LOST WELL LOG
S.W.L. (AFTER CASING): _____ BOOK

LOG ID:
020947

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 30N RANGE 8W SECTION 9 ELEVATION: 1,367FT
DRILL DEPTH: 330FT UTM X UTM Y
DEPTH TO BED: 115FT 604,117.02 4,131,348.06
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: 0.5 MI E, 0.5 MI S OF RAYMONDVILLE
S.W.L. (AFTER CASING): _____

LOG ID:
022159

WELL TYPE
Private Well

DRILL DATE: 1963/06/26 TOWNSHIP 30N RANGE 9W SECTION 10 ELEVATION: 1,141FT
DRILL DEPTH: 135FT UTM X UTM Y
DEPTH TO BED: 10FT 596,591.99 4,130,801.11
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 2 MI S OF HOUSTON
S.W.L. (AFTER CASING): 60

LOG ID:
024795

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1966/04/20 TOWNSHIP 30N RANGE 9W SECTION 11 ELEVATION: 1,290FT
DRILL DEPTH: 165FT UTM X UTM Y
DEPTH TO BED: _____ 597,612.00 4,130,167.11
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: 4 MI E OF HOUSTON ON BRUSHY CREEK RD
S.W.L. (AFTER CASING): _____

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020857

WELL TYPE
Community Public Well

DRILL DATE: 1961// TOWNSHIP 30N RANGE 9W SECTION 18 ELEVATION: 1,272FT
DRILL DEPTH: 1,170FT UTM X 591,832.97 UTM Y 4,129,520.15
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: W OF HWY 63, S OF TOWN
S.W.L. (AFTER CASING): 203

LOG ID:
022169

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 30N RANGE 9W SECTION 18 ELEVATION: 1,194FT
DRILL DEPTH: 210FT UTM X 591,731.98 UTM Y 4,128,786.15
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI S OF HOUSTON ON HWY 63
S.W.L. (AFTER CASING):

LOG ID:
027630

WELL TYPE
Private Well

DRILL DATE: 1971/03/04 TOWNSHIP 30N RANGE 9W SECTION 20 ELEVATION: 1,260FT
DRILL DEPTH: 195FT UTM X 593,868.00 UTM Y 4,127,375.13
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: YIELDS - 6 GPM @ 155', 7 GPM @ 170'
S.W.L. (AFTER CASING):

LOG ID:
020689

WELL TYPE
Private Well

DRILL DATE: 1961/12/07 TOWNSHIP 30N RANGE 9W SECTION 22 ELEVATION: 1,352FT
DRILL DEPTH: 225FT UTM X 596,131.00 UTM Y 4,127,967.11
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI SE OF HOUSTON
S.W.L. (AFTER CASING): 170



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013697

WELL TYPE
Private Well

DRILL DATE: 1954/12/01 TOWNSHIP 30N RANGE 9W SECTION 30 ELEVATION: 1,157FT

DRILL DEPTH: 85FT

DEPTH TO BED: UTM X 591,999.99 UTM Y 4,126,596.14
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of M.F. Hawkins - 3 MI S OF HOUSTON ON INDIAN CREEK

S.W.L. (AFTER CASING): 48

LOG ID:
020945

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 30N RANGE 9W SECTION 30 ELEVATION: 1,217FT

DRILL DEPTH: 210FT

DEPTH TO BED: 5FT UTM X 591,199.99 UTM Y 4,126,596.15
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: LOCATION QUESTIONED

S.W.L. (AFTER CASING):

LOG ID:
019331

WELL TYPE
Private Well

DRILL DATE: 1960/11/ TOWNSHIP 30N RANGE 9W SECTION 30 ELEVATION: 1,219FT

DRILL DEPTH: 200FT

DEPTH TO BED: UTM X 590,999.99 UTM Y 4,125,776.15
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 3 MI S OF HWY 63

S.W.L. (AFTER CASING): 140

LOG ID:
020357

WELL TYPE
Private Well

DRILL DATE: 1961/09/20 TOWNSHIP 30N RANGE 9W SECTION 31 ELEVATION: 1,122FT

DRILL DEPTH: 50FT

DEPTH TO BED: 5FT UTM X 590,885.00 UTM Y 4,123,652.15
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Mr. Light - 1.5 miles N of Simmons, 2 miles E on Hog Creek, 2 miles E on Hwy 63

S.W.L. (AFTER CASING): 25

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023895

WELL TYPE
Private Well

DRILL DATE: 1965// TOWNSHIP 30N RANGE 10W SECTION 1 ELEVATION: 1,175FT
DRILL DEPTH: 225FT UTM X 589,204.94 UTM Y 4,133,036.17
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ABT 5 MI W OF HOUSTON, 2 MI E OF BUCYRUS, 1 MI E OF HWY
S.W.L. (AFTER CASING): 17, ON PINEY R

LOG ID:
011276

WELL TYPE
Private Well

DRILL DATE: 1947/12/09 TOWNSHIP 30N RANGE 10W SECTION 10 ELEVATION: 1,113FT
DRILL DEPTH: 125FT UTM X 586,931.95 UTM Y 4,131,073.18
DEPTH TO BED: FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI W OF JCT OF HWYS 17 & Z
S.W.L. (AFTER CASING): 78

LOG ID:
008725

WELL TYPE
Private Well

DRILL DATE: 1944/05/17 TOWNSHIP 30N RANGE 10W SECTION 10 ELEVATION: 1,129FT
DRILL DEPTH: 112FT UTM X 586,831.95 UTM Y 4,130,563.18
DEPTH TO BED: 13FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 40

LOG ID:
024316

WELL TYPE
Private Well

DRILL DATE: 1966/06/15 TOWNSHIP 30N RANGE 10W SECTION 14 ELEVATION: 1,195FT
DRILL DEPTH: 260FT UTM X 587,540.96 UTM Y 4,129,246.18
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.5 MI NE OF CLARA ON HWY Z
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013849

WELL TYPE
Private Well

DRILL DATE: 1955/06/08

TOWNSHIP RANGE SECTION

ELEVATION: 1,279FT

DRILL DEPTH: 260FT

30N 10W 15

UTM X UTM Y
586,724.96 4,128,624.18
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: 0-110' (#8550), 110-TD #13849 -

S.W.L. (AFTER CASING):

LOG ID:
008550

WELL TYPE
Private Well

DRILL DATE: 1955/06/08

TOWNSHIP RANGE SECTION

ELEVATION: 1,279FT

DRILL DEPTH: 260FT

30N 10W 15

UTM X UTM Y
586,724.96 4,128,624.18
ZONE 15

DEPTH TO BED: 110FT

S.W.L. (BEFORE CASING): FT

REMARKS: 0-110' (#8550), 110-TD #13849 - THIS IS COMPLETE LOG

S.W.L. (AFTER CASING): 190

LOG ID:
010801

WELL TYPE
Private Well

DRILL DATE: 1949/05/10

TOWNSHIP RANGE SECTION

ELEVATION: 1,262FT

DRILL DEPTH: 90FT

30N 10W 15

UTM X UTM Y
586,524.96 4,128,828.18
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS: "NO PUMP, HAND BAILED, POOR CONSTRUCTION"

S.W.L. (AFTER CASING): 70

LOG ID:
021474

WELL TYPE
Private Well

DRILL DATE: 1962/12/05

TOWNSHIP RANGE SECTION

ELEVATION: 1,198FT

DRILL DEPTH: 250FT

30N 10W 2

UTM X UTM Y
587,975.94 4,132,447.18
ZONE 15

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 190



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010462

WELL TYPE
Private Well

DRILL DATE: 1947/08/16 TOWNSHIP 30N RANGE 11W SECTION 17 ELEVATION: 1,487FT
DRILL DEPTH: 105FT UTM X 574,212.98 UTM Y 4,128,584.25
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Lester Coble - 0.25 MI NE OF JCT HWYS 38 & M
S.W.L. (AFTER CASING): 55

LOG ID:
010866

WELL TYPE
Private Well

DRILL DATE: 1949/05/23 TOWNSHIP 30N RANGE 11W SECTION 17 ELEVATION: 1,483FT
DRILL DEPTH: 100FT UTM X 574,012.98 UTM Y 4,128,380.25
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: IN FAIRVIEW, NE CORNER OF JCT OF HWYS 38 & M
S.W.L. (AFTER CASING): 42

LOG ID:
010806

WELL TYPE
Private Well

DRILL DATE: 1942/05/08 TOWNSHIP 30N RANGE 11W SECTION 18 ELEVATION: 1,482FT
DRILL DEPTH: 105FT UTM X 571,696.98 UTM Y 4,129,499.26
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 38 FT REMARKS: SEE #7824 FOR COMPLETE LOG
S.W.L. (AFTER CASING): 36 FT

LOG ID:
010456

WELL TYPE
Private Well

DRILL DATE: 1947/08/07 TOWNSHIP 30N RANGE 11W SECTION 18 ELEVATION: 1,506FT
DRILL DEPTH: 140FT UTM X 571,196.99 UTM Y 4,128,375.26
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E OF BEN DAVIS ON HWY 38
S.W.L. (AFTER CASING): 37



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023923

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 31N RANGE 10W SECTION 30 ELEVATION: 1,480FT
DRILL DEPTH: 500FT
DEPTH TO BED: 50FT UTM X 582,212.94 UTM Y 4,134,754.21
S.W.L. (BEFORE CASING): _____ FT REMARKS: ON HWY 17
S.W.L. (AFTER CASING): 400 ZONE 15

LOG ID:
013826

WELL TYPE
Private Well

DRILL DATE: 1955/07/06 TOWNSHIP 31N RANGE 10W SECTION 30 ELEVATION: 1,486FT
DRILL DEPTH: 180FT
DEPTH TO BED: 70FT UTM X 582,212.94 UTM Y 4,134,754.21
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 130 ZONE 15

LOG ID:
011724

WELL TYPE
Private Well

DRILL DATE: 1951/01/27 TOWNSHIP 31N RANGE 10W SECTION 30 ELEVATION: 1,427FT
DRILL DEPTH: 58FT
DEPTH TO BED: 35FT UTM X 582,412.93 UTM Y 4,135,670.21
S.W.L. (BEFORE CASING): _____ FT REMARKS: ABT 1 MI NW OF JCT HWYS 17 & 38
S.W.L. (AFTER CASING): 28 ZONE 15

LOG ID:
021532

WELL TYPE
Private Well

DRILL DATE: 1963/01/01 TOWNSHIP 31N RANGE 10W SECTION 31 ELEVATION: 1,448FT
DRILL DEPTH: 430FT
DEPTH TO BED: 55FT UTM X 582,012.95 UTM Y 4,133,608.21
S.W.L. (BEFORE CASING): _____ FT REMARKS: 0.5 MI W OF BLUE MOON ON HWY 38, 0.5 MI OFF HWY 17
S.W.L. (AFTER CASING): 350 ZONE 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017318

WELL TYPE
Private Well

DRILL DATE: 1958// TOWNSHIP 32N RANGE 8W SECTION 5 ELEVATION: 1,356FT
DRILL DEPTH: 227FT UTM X 602,817.83 UTM Y 4,150,981.15
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E OF LICKING ON HWY 32
S.W.L. (AFTER CASING): 150

LOG ID:
022163

WELL TYPE
Private Well

DRILL DATE: 1963/08/24 TOWNSHIP 32N RANGE 8W SECTION 5 ELEVATION: 1,342FT
DRILL DEPTH: 285FT UTM X 602,617.83 UTM Y 4,150,981.15
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI E OF LICKING ON HWY 32
S.W.L. (AFTER CASING): 180

LOG ID:
025113

WELL TYPE
Community Public Well

DRILL DATE: 1939/05/ TOWNSHIP 32N RANGE 8W SECTION 6 ELEVATION: 1,267FT
DRILL DEPTH: 931FT UTM X 601,160.83 UTM Y 4,150,689.15
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): 168 FT REMARKS: OLD WELL (#5362) DEEPENED 861-931' IN 1967
S.W.L. (AFTER CASING): 185 FT

LOG ID:
024878

WELL TYPE
Private Well

DRILL DATE: 1966// TOWNSHIP 32N RANGE 8W SECTION 7 ELEVATION: 1,336FT
DRILL DEPTH: 245FT UTM X 602,039.85 UTM Y 4,149,175.15
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LICKING
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
014738

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1956/03/ TOWNSHIP 32N RANGE 9W SECTION 12 ELEVATION: 1,277FT
DRILL DEPTH: 285FT
DEPTH TO BED: 95FT UTM X 600,057.84 UTM Y 4,149,396.15
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
018189

WELL TYPE
Community Public Well

DRILL DATE: 1959/07/ TOWNSHIP 32N RANGE 9W SECTION 12 ELEVATION: 1,302FT
DRILL DEPTH: 903FT
DEPTH TO BED: 75FT UTM X 600,401.84 UTM Y 4,150,257.15
ZONE 15
S.W.L. (BEFORE CASING): 210 FT REMARKS: @ NE CORNER OF CITY PARK
S.W.L. (AFTER CASING): 187 FT

LOG ID:
026730

WELL TYPE
Private Well

DRILL DATE: 1971/01/22 TOWNSHIP 32N RANGE 9W SECTION 20 ELEVATION: 1,222FT
DRILL DEPTH: 360FT
DEPTH TO BED: 75FT UTM X 593,094.86 UTM Y 4,146,657.17
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 4 MI W ON HWY BB
S.W.L. (AFTER CASING):

LOG ID:
028921

WELL TYPE
Community Public Well

DRILL DATE: 2002/10/ TOWNSHIP 32N RANGE 9W SECTION 25 ELEVATION: 1,400FT
DRILL DEPTH: 1,190FT
DEPTH TO BED: UTM X 600,387.89 UTM Y 4,144,478.14
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 152



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015220

WELL TYPE
Private Well

DRILL DATE: 1956/04/07 TOWNSHIP 32N RANGE 9W SECTION 30 ELEVATION: 1,181FT
DRILL DEPTH: 260FT UTM X 591,112.86 UTM Y 4,145,906.18
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 125

LOG ID:
021021

WELL TYPE
Private Well

DRILL DATE: 1962/04/30 TOWNSHIP 32N RANGE 9W SECTION 36 ELEVATION: 1,269FT
DRILL DEPTH: 430FT UTM X 600,294.90 UTM Y 4,142,772.13
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Hall & Riley - 5 miles S of Licking on Hwy 63, then 2
S.W.L. (AFTER CASING): 130 miles W

LOG ID:
027841

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1975/06/17 TOWNSHIP 32N RANGE 10W SECTION 1 ELEVATION: 915FT
DRILL DEPTH: 420FT UTM X 589,976.82 UTM Y 4,151,407.19
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Bill Wallace Resort - FLOWS
S.W.L. (AFTER CASING):

LOG ID:
024978

WELL TYPE
Private Well

DRILL DATE: 1966/11/28 TOWNSHIP 32N RANGE 10W SECTION 14 ELEVATION: 1,201FT
DRILL DEPTH: 305FT UTM X 587,484.84 UTM Y 4,148,929.20
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 6 MI E OF SUCCESS ON HWY 32
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023879

WELL TYPE
Private Well

DRILL DATE: 1965/07/10 TOWNSHIP 32N RANGE 11W SECTION 9 ELEVATION: 1,325FT

DRILL DEPTH: 86FT

DEPTH TO BED: 5FT UTM X 574,560.90 UTM Y 4,149,411.26
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI SW OF ROBY

S.W.L. (AFTER CASING): 20

LOG ID:
023290

WELL TYPE
Private Well

DRILL DATE: 1964/11/16 TOWNSHIP 32N RANGE 12W SECTION 11 ELEVATION: 1,198FT

DRILL DEPTH: 250FT

DEPTH TO BED: 50FT UTM X 569,299.92 UTM Y 4,150,881.28
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
027118

WELL TYPE
Private Well

DRILL DATE: 1969/03/29 TOWNSHIP 32N RANGE 12W SECTION 11 ELEVATION: 1,115FT

DRILL DEPTH: 151FT

DEPTH TO BED: 20FT UTM X 568,899.93 UTM Y 4,150,881.28
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: IN PLATO

S.W.L. (AFTER CASING): 79

LOG ID:
013632

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1955/06/06 TOWNSHIP 32N RANGE 12W SECTION 11 ELEVATION: 1,148FT

DRILL DEPTH: 337FT

DEPTH TO BED: 8FT UTM X 568,699.93 UTM Y 4,150,881.29
ZONE 15

S.W.L. (BEFORE CASING): 80 FT REMARKS: MUD OPENING @ 325' CEMENTED OFF

S.W.L. (AFTER CASING): 93 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003791

WELL TYPE
Private Well

DRILL DATE: 1936// TOWNSHIP 32N RANGE 12W SECTION 11 ELEVATION: 1,138FT
DRILL DEPTH: 135FT UTM X 569,299.92 UTM Y 4,150,881.28
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: @ PLATO
S.W.L. (AFTER CASING): 80

LOG ID:
004312

WELL TYPE
Private Well

DRILL DATE: 1937/06/ TOWNSHIP 32N RANGE 12W SECTION 11 ELEVATION: 1,126FT
DRILL DEPTH: 173FT UTM X 568,699.93 UTM Y 4,150,675.28
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: @ PLATO
S.W.L. (AFTER CASING): 70

LOG ID:
023852

WELL TYPE
Private Well

DRILL DATE: 1965/07/01 TOWNSHIP 32N RANGE 12W SECTION 2 ELEVATION: 1,148FT
DRILL DEPTH: 147FT UTM X 568,907.92 UTM Y 4,151,083.29
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: @ PLATO
S.W.L. (AFTER CASING): 82

LOG ID:
003790

WELL TYPE
Private Well

DRILL DATE: 1936// TOWNSHIP 32N RANGE 12W SECTION 2 ELEVATION: 1,131FT
DRILL DEPTH: 177FT UTM X 568,907.92 UTM Y 4,151,083.29
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 55



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015952

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/03/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,269FT
DRILL DEPTH: 155FT UTM X 601,293.79 UTM Y 4,157,431.23
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD IRON PROSPECT IN SINK HOLE - JEFFERSON CITY -
S.W.L. (AFTER CASING): ROUBIDOUX RESIDUUM

LOG ID:
016027

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/04/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,268FT
DRILL DEPTH: 150FT UTM X 601,293.79 UTM Y 4,157,431.23
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: BROWN IRON ORE 120-142'
S.W.L. (AFTER CASING):

LOG ID:
016065

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/04/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,260FT
DRILL DEPTH: 160FT UTM X 601,293.79 UTM Y 4,157,431.23
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: BROWN IRON ORE - 135-155'
S.W.L. (AFTER CASING):

LOG ID:
015951

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/03/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,261FT
DRILL DEPTH: 120FT UTM X 601,293.79 UTM Y 4,157,431.23
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD IRON PROSPECT IN SINK HOLE
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016026

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/04/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,277FT
DRILL DEPTH: 180FT UTM X UTM Y
DEPTH TO BED: 50FT 601,293.79 4,157,431.23
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: BROWN IRON ORE TEST - NO IRON IN HOLE - MOSTLY CHERT
S.W.L. (AFTER CASING):

LOG ID:
015985

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/04/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,269FT
DRILL DEPTH: 180FT UTM X UTM Y
DEPTH TO BED: 65FT 601,293.79 4,157,431.23
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: BROWN IRON ORE 155-170'; DOLOMITE DESCRIBED AS
 "DOLOMITE BOULDERS"
S.W.L. (AFTER CASING):

LOG ID:
008273

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/05/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,283FT
DRILL DEPTH: 75FT UTM X UTM Y
DEPTH TO BED: 35FT 601,193.78 4,157,894.24
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FERRIS-DORMAN LEASE - IRON PROSPECT
S.W.L. (AFTER CASING):

LOG ID:
008274

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/05/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,268FT
DRILL DEPTH: 110FT UTM X UTM Y
DEPTH TO BED: 601,093.79 4,157,709.24
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FERRIS-DORMAN LEASE - IRON PROSPECT - RESIDUAL
S.W.L. (AFTER CASING): JEFFERSON CITY



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008275

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/05/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,271FT
DRILL DEPTH: 125FT UTM X 601,193.78 UTM Y 4,157,894.24
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FERRIS-DORMAN LEASE - IRON PROSPECT
S.W.L. (AFTER CASING):

LOG ID:
008276

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/05/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,280FT
DRILL DEPTH: 125FT UTM X 601,193.78 UTM Y 4,157,894.24
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: IRON PROSPECT - FERRIS DORMAN LEASE
S.W.L. (AFTER CASING):

LOG ID:
008277

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/05/ TOWNSHIP 33N RANGE 8W SECTION 18 ELEVATION: 1,282FT
DRILL DEPTH: 155FT UTM X 601,193.78 UTM Y 4,157,894.24
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: IRON PROSPECT - RESIDUAL JEFFERSON CITY
S.W.L. (AFTER CASING):

LOG ID:
023562

WELL TYPE
Community Public Well

DRILL DATE: 1965/07/ TOWNSHIP 33N RANGE 8W SECTION 30 ELEVATION: 1,285FT
DRILL DEPTH: 300FT UTM X 600,560.81 UTM Y 4,154,587.20
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 BRIARWOOD
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016267

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/06/07 TOWNSHIP 33N RANGE 8W SECTION 8 ELEVATION: 1,270FT
DRILL DEPTH: 155FT
DEPTH TO BED: 40FT UTM X 602,816.78 UTM Y 4,159,012.25
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: IRON ORE 135-155'
S.W.L. (AFTER CASING):

LOG ID:
021409

WELL TYPE
Private Well

DRILL DATE: 1962/11/06 TOWNSHIP 33N RANGE 9W SECTION 1 ELEVATION: 1,192FT
DRILL DEPTH: 150FT
DEPTH TO BED: 75FT UTM X 599,504.76 UTM Y 4,161,250.28
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI N OF SHERRILL
S.W.L. (AFTER CASING): 70

LOG ID:
028549

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1983/03/ TOWNSHIP 33N RANGE 9W SECTION 14 ELEVATION: 1,175FT
DRILL DEPTH: 950FT
DEPTH TO BED: 75FT UTM X 598,316.79 UTM Y 4,157,555.24
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES LOGGED - TOPS ONLY
S.W.L. (AFTER CASING):

LOG ID:
002879

WELL TYPE
Irrigation Well

DRILL DATE: 1934/11/11 TOWNSHIP 33N RANGE 9W SECTION 17 ELEVATION: 1,177FT
DRILL DEPTH: 1,657FT
DEPTH TO BED: 50FT UTM X 593,894.79 UTM Y 4,157,291.24
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LICKING FOREST NURSERY #1
S.W.L. (AFTER CASING): 61



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015218

WELL TYPE
Private Well

DRILL DATE: 1956/04/27 TOWNSHIP 33N RANGE 9W SECTION 2 ELEVATION: 1,102FT
DRILL DEPTH: 85FT UTM X 597,475.76 UTM Y 4,161,278.28
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 30

LOG ID:
021735

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1963/05/ TOWNSHIP 33N RANGE 9W SECTION 24 ELEVATION: 1,190FT
DRILL DEPTH: 1,080FT UTM X 599,182.79 UTM Y 4,156,917.23
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: GEORGE O. WHITE NURSERY WELL #2
S.W.L. (AFTER CASING): 60

LOG ID:
023664

WELL TYPE
Private Well

DRILL DATE: 1965/04/ TOWNSHIP 33N RANGE 9W SECTION 26 ELEVATION: 1,252FT
DRILL DEPTH: 196FT UTM X 597,602.80 UTM Y 4,155,432.22
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 5 MI NW OF LICKING - ALSO LOGGED AS #23534 (THIS IS
S.W.L. (AFTER CASING): 126 COMPLETE LOG)

LOG ID:
023534

WELL TYPE
Private Well

DRILL DATE: 1965/04/ TOWNSHIP 33N RANGE 9W SECTION 26 ELEVATION: 1,252FT
DRILL DEPTH: 196FT UTM X 597,602.80 UTM Y 4,155,432.22
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 5 MI NW OF LICKING - ALSO LOGGED AS #23664
S.W.L. (AFTER CASING): 126



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021943

WELL TYPE
Outcrop Description

DRILL DATE: _____ TOWNSHIP 33N RANGE 10W SECTION 20 ELEVATION: 919FT
DRILL DEPTH: 80FT UTM X 583,295.81 UTM Y 4,156,581.27
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: 1-FT SAMPLES
S.W.L. (AFTER CASING): _____

LOG ID:
021399

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1963// _____ TOWNSHIP 33N RANGE 10W SECTION 20 ELEVATION: 906FT
DRILL DEPTH: 200FT UTM X 583,995.80 UTM Y 4,157,292.27
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: PADDY CREEK PICNIC AREA
S.W.L. (AFTER CASING): 10

LOG ID:
027156

WELL TYPE
Private Well

DRILL DATE: 1969/05/ _____ TOWNSHIP 33N RANGE 10W SECTION 35 ELEVATION: 930FT
DRILL DEPTH: 140FT UTM X 587,662.82 UTM Y 4,152,754.21
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 10 MI W OF LICKING ON HWY 32, THEN 2 MI S
S.W.L. (AFTER CASING): 80

LOG ID:
026931

WELL TYPE
Private Well

DRILL DATE: 1977/10/07 _____ TOWNSHIP 33N RANGE 10W SECTION 35 ELEVATION: 982FT
DRILL DEPTH: 140FT UTM X 587,662.82 UTM Y 4,152,754.21
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: OLD WELL DEEPENED (SEE #27156 FOR COMPLETE LOG)
S.W.L. (AFTER CASING): _____



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026167

WELL TYPE
Private Well

DRILL DATE: 1968/06/27 TOWNSHIP 33N RANGE 11W SECTION 10 ELEVATION: 1,335FT

DRILL DEPTH: 275FT

DEPTH TO BED: 60FT UTM X 575,985.81 UTM Y 4,159,558.33
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 0.5 MI N OF EVENING SHADE

S.W.L. (AFTER CASING):

LOG ID:
022581

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 33N RANGE 11W SECTION 10 ELEVATION: 1,336FT

DRILL DEPTH: 430FT

DEPTH TO BED: 50FT UTM X 575,985.81 UTM Y 4,159,350.33
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: IN PLATO - formerly in name of R.W. Friend

S.W.L. (AFTER CASING):

LOG ID:
013566

WELL TYPE
Private Well

DRILL DATE: 1955/05/16 TOWNSHIP 33N RANGE 11W SECTION 12 ELEVATION: 1,215FT

DRILL DEPTH: 300FT

DEPTH TO BED: 55FT UTM X 580,066.80 UTM Y 4,159,122.31
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: REPORTED "WELL IS DRY 5/80"

S.W.L. (AFTER CASING): 220

LOG ID:
024897

WELL TYPE
Private Well

DRILL DATE: 1966/11/11 TOWNSHIP 33N RANGE 11W SECTION 14 ELEVATION: 1,178FT

DRILL DEPTH: 325FT

DEPTH TO BED: 55FT UTM X 577,929.81 UTM Y 4,158,854.31
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 1.5 MI DUE E OF EVENING SHADE

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025979

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 33N RANGE 11W SECTION 3 ELEVATION: 1,284FT
DRILL DEPTH: 400FT UTM X UTM Y
DEPTH TO BED: 70FT 576,590.79 4,161,589.35
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING): _____

LOG ID:
024811

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1966/01/06 TOWNSHIP 33N RANGE 11W SECTION 3 ELEVATION: 1,290FT
DRILL DEPTH: 343FT UTM X UTM Y
DEPTH TO BED: 290FT 576,390.79 4,161,589.35
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 3 MI N OF EVENING SHADE
S.W.L. (AFTER CASING): 277

LOG ID:
026989

WELL TYPE
Private Well

DRILL DATE: 1969/08/27 TOWNSHIP 33N RANGE 12W SECTION 10 ELEVATION: 1,167FT
DRILL DEPTH: 275FT UTM X UTM Y
DEPTH TO BED: 30FT 566,523.83 4,159,721.37
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: ON ROUBIDOUX CK 4 MI W OF HWY 17 ON HWY V
S.W.L. (AFTER CASING): 175

LOG ID:
023617

WELL TYPE
Private Well

DRILL DATE: 1965/02/05 TOWNSHIP 33N RANGE 12W SECTION 27 ELEVATION: 1,153FT
DRILL DEPTH: 190FT UTM X UTM Y
DEPTH TO BED: _____ 567,296.88 4,155,060.33
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 2.5 MI NW OF PLATO - "GOOD SET OF SAMPLES"
S.W.L. (AFTER CASING): 107



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013558

WELL TYPE
Private Well

DRILL DATE: 1954/09/26

TOWNSHIP RANGE SECTION

ELEVATION: 1,168FT

DRILL DEPTH: 180FT

33N 12W 35

UTM X UTM Y
568,894.91 4,152,650.30
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

TEXAS