

Appendix A

Frac Tank Information

Steel Tank

Bi-Level

Overview:

21,000 gallon bi-level tanks from Rain for Rent have a standard "V" shaped floor for ease of draining all stored liquids completely through a 4" butterfly valve with Buna seals standard. This tank also has a standard vacuum pressure relief valve.

Features:

Store liquids with confidence with Rain for Rent's 21,000 gallon bi-level tank. Permanently attached axels for maximum maneuverability allow this 21,000 gallon tank to be moved with ease on the jobsite and a safety staircase ensures proper protection for workers on site.




Specs:

Manways	Four 22" hatches
Material	Steel
Capacity	21,000 gallons
Dry weight	26,000 lbs.
Footprint (LxWxH):	516" x 96" x 141"

Accessories:

- Spillguard
- Suction and discharge piping
- Vapor tight features
- Level gauges
- Steam coils



PUMPS • TANKS • FILTRATION • PIPE • SPILLGUARDS

Rain for Rent is a registered trademark of Western Oilfields Supply Company. Features and specifications are subject to change without notice.



Liquid ingenuity.™

800-742-7246
rainforrent.com

Steel Tank

Flat Top Corrugated Wall

Overview:

Store water for frac sites, groundwater remediation projects, or other temporary applications with this easy to clean 21,000 gallon flat top, smooth wall tank.

Features:

Store liquids with confidence with Rain for Rent's 21,000 gallon flat top tank. Permanently attached axels for maximum maneuverability allow this 21,000 gallon tank to be moved with ease on the jobsite and a safety staircase ensures proper protection for workers on site.




Specs:

Material	Steel
Capacity	21,000 gallons
Dry weight	26,000 lbs.
Footprint:	516" x 96" x 141"

Accessories:

- Spillguard
- Suction and discharge hoses
- Level gauges
- Steam coils





PUMPS • TANKS • FILTRATION • PIPE • SPILLGUARDS

Rain for Rent is a registered trademark of Western Oilfields Supply Company. Features and specifications are subject to change without notice.

Liquid ingenuity.™

800-742-7246
rainforrent.com



The information contained herein is proprietary to Baker Tanks and shall not be reproduced or disclosed in whole or in part, or used for any design or manufacture except when used in strict accordance with the instructions directed written subscription from Baker Tanks.



3020 OLD RANCH PARKWAY
SEAL BEACH, CA 90740-2751

REV.	DESCRIPTION	DATE	BY	SCALE:	SIZE	ORIGINAL DWG. DATE
G				A		18DEC06
F						
E						
D						
C						
B						
A						

DRAWN BY:	P.U.B.	APPROVED BY:	-
TITLE	DRAGON/ESP V-BOTTOM		
DRAWING NO.	S-2-MXXXX-1-		
REV.	0	SHEET	1 OF 1



Easy-to-clean, smooth-wall interior



21,000 Gallon Closed-Top Frac Tank

Capacity: 21,000 gal (500 bbl)
Height: 11' 1"
Width: 8' 6"
Length: 45'
Tare Weight: 29,500 lbs

All sizes are approximate

At Adler Tank Rentals, we are committed to providing safe and reliable containment solutions for all types of applications where performance matters.


Combined with our standard smooth-wall construction and sloped V bottom for ease of cleaning, the 21,000 Gallon Closed-Top Frac Tank is a top-performing liquid storage solution. It boasts a wide array of safety features including a safety side stairway, non-slip materials on all climbable surfaces and "safety yellow" rails and catwalks for high visibility.



Mechanical Features

- Epoxy-lined interior
- 3" fill line
- Four (4) standard 22" side-hinged manways
- Multiple 4" valved fill/drain ports, including floor-level valves for low point drain out
- 4" vent with 1 lb pressure/4 oz vacuum pressure relief valve
- Sloped and V bottom for quicker drain out and easier cleaning
- Easy-to-clean design with smooth-wall interior, no corrugations and no internal rods
- Meets Cal/OSHA guidelines
- Fixed rear axle for increased maneuverability
- Nose rail cut-out for easy access when installing hose and fittings on the front/bottom of tank
- One (1) front and one (1) rear 6" valved fill/drain port
- Two (2) top connection ports for vapor recovery

21,000 Gallon Closed-Top Frac Tank



Safety Features

- Non-slip step materials on stairs and catwalks
- "Safety yellow" rails and catwalks for high visibility
- Safe operation reminder decals
- Safety side stairway—no mechanical guard rails to set up
- Strapping charts

Options

- Round bottom
- Dual manifold
- SS 316 stainless steel
- Bare steel interior
- Heating coils
- Level gauges (fixed or temporary)
- External or internal manifold
- White exterior for MSS compliance
- Audible alarms, strobes and level gauges (digital and mechanical)

Comprehensive Service

Adler Tank Rentals provides containment solutions for hazardous and non-hazardous liquids and solids. We offer 24-hour emergency service, expert planning assistance, transportation, repair and cleaning services. All of our rental equipment is serviced by experienced Adler technicians and tested to exceed even the most stringent industry standards.

