


STATE OF MISSOURI



PERMIT BOOK

DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: 06 2015 - 012

Project Number: 2015-03-103
Installation ID: 023-0076

Parent Company: Cane Creek Quarry LLC

Parent Company Address: 2179 County Road 321, Popular Bluff, MO 63901

Installation Name: Cane Creek Quarry LLC - Lake Site

Installation Address: 375 Hibiscus Lane, Poplar Bluff, MO 63901

Location Information: Butler County, S30 T24N R6E

Application for Authority to Construct was made for:
New stationary rock crushing facility. This review was conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

-
- Standard Conditions (on reverse) are applicable to this permit.
- Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

JUN 22 2015

EFFECTIVE DATE

Handwritten signature of Kyna L Moore in cursive script.

DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Department's Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department of Natural Resources' regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

Page No.	3
Permit No.	
Project No.	2015-03-103

SITE SPECIFIC SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."

1. **Best Management Practices Requirement**
Cane Creek Quarry LLC - Lake Site shall control fugitive emissions from all of the haul roads and vehicular activity areas at this site by performing BMPs as defined in Attachment AA.
2. **Ambient Air Impact Limitation**
 - A. Cane Creek Quarry LLC - Lake Site shall not cause an exceedance of the NAAQS for PM₁₀ of 150.0 µg/m³ 24-hour average in ambient air.
 - B. Cane Creek Quarry LLC - Lake Site shall demonstrate compliance with Special Condition 2.A using Attachment A or other equivalent forms that have been approved by the Air Pollution Control Program, including electronic forms. Cane Creek Quarry LLC - Lake Site shall account for the impacts from other sources of PM₁₀ as instructed in the attachments.
3. **Annual Emission Limit**
 - A. Cane Creek Quarry LLC - Lake Site shall emit less than 15.0 tons of PM₁₀ in any consecutive 12-month period from the entire installation.
 - B. Cane Creek Quarry LLC - Lake Site shall demonstrate compliance with Special Condition 3.A using Attachment B or another equivalent form that has been approved by the Air Pollution Control Program, including an electronic form.
4. **Moisture Content Testing Requirement**
 - A. Cane Creek Quarry LLC - Lake Site shall verify that the moisture content of the processed rock is greater than or equal to 1.5 percent by weight.
 - B. Testing shall be conducted according to the method prescribed by the American Society for Testing Materials (ASTM) D-2216, C-566 or another method approved by the Director.
 - C. The initial test shall be conducted no later than 45 days after the start of operation. A second test shall be performed the calendar year following the initial test during the months of July or August.
 - D. The test samples shall be taken from rock that has been processed by the plant or from each source of aggregate (e.g. quarry).

Page No.	4
Permit No.	
Project No.	2015-03-103

SITE SPECIFIC SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- E. The written analytical report shall include the raw data and moisture content of each sample, the test date and the original signature of the individual performing the test. The report shall be filed on-site or at the Cane Creek Quarry LLC - Lake Site main office within 30 days of completion of the required test.
 - F. If the moisture content of either of the two tests is less than the moisture content in Special Condition 4.A, another test may be performed within 15 days of the noncompliant test. If the results of that test is less than the moisture content in Special Condition 4.A, Cane Creek Quarry LLC - Lake Site shall either:
 - 1) Apply for a new permit to account for the revised information, or
 - 2) Submit a plan for the installation of wet spray devices to the Compliance/Enforcement Section of the Air Pollution Control Program within 10 days of the second noncompliant test. The wet spray devices shall be installed and operational within 40 days of the second noncompliant test.
 - G. In lieu of testing, Cane Creek Quarry LLC - Lake Site may obtain test results that demonstrate compliance with the moisture content in Special Condition 4.A from the supplier of the aggregate.
5. Minimum Distance to Property Boundary Requirement
The primary emission point shall be located at least 100 feet from the nearest property boundary.
6. Primary Equipment Requirement
Cane Creek Quarry LLC - Lake Site shall process all rock through the primary crusher (EP-3). Bypassing the primary crusher is prohibited.
7. Nonroad Engine Requirement
Cane Creek Quarry LLC - Lake Site's engine shall not remain at one location within this site longer than 12 consecutive months in order for the engine to meet the definition of a nonroad engine as stated in 40 CFR 89.2. The engine shall be moved with its associated equipment at least once every 12 consecutive months at this site.
8. Record Keeping Requirement
Cane Creek Quarry LLC - Lake Site shall maintain all records required by this permit for not less than five years and make them available to any Missouri Department of Natural Resources' personnel upon request.
9. Reporting Requirement
Cane Creek Quarry LLC - Lake Site shall report to the Air Pollution Control Program, Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than 10 days after any exceedances of the limitations imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (6) REVIEW

Project Number: 2015-03-103
Installation ID Number: 023-0076
Permit Number:

Cane Creek Quarry LLC - Lake Site
375 Hibiscus Lane
Poplar Bluff, MO 63901

Complete: April 2, 2015

Parent Company:
Cane Creek Quarry LLC
2179 County Road 321
Popular Bluff, MO 63901

Butler County, S30 T24N R6E

PROJECT DESCRIPTION

Cane Creek Quarry, LLC – Lake Site is a proposed limestone Quarry operation at 375 Hibiscus Lane near Poplar Bluff, Missouri in Butler County. The Lake Site is a new quarry site approximately 1.0 mile north of the Cane Creek Site (Project # 2015-01-039/ Permit # 042015-003/Site ID: 023-0076). The Cane Creek Site will operate under a separate permit. The proposed facility consists of a quarry operation and a portable generator that is classified as a non-road engine. The plant, along with the generator, will be moved within the confines of the property to appropriate sites where the rock has been blasted. The diesel engine(s) meet the definition of non-road engine as defined in 40 CFR 89.2 (1)(i). Therefore, the emissions of the engine were not included. A loader will transport shot rock to the grizzly and process through the primary (jaw) and secondary (impact) crushers, screen and associated conveyors. The primary crusher will be located not less than 100 feet from the property line. The MHDR of the plant will be 279 tons per hour. Total storage piles will be 0.4 acres. Haul road length will be 770 feet. Cane Creek Quarry has proposed using wet spray devices on all the crushers and screens but has also opted for a 1.5% by weight moisture content as specified in Special Condition 4. Because New Source Performance Standard (NSPS) Subpart OOO applies to this new stationary rock crushing application, a Basic Operating Permit is required and should be applied for within the first 30 days of operation. No other plants are located at this site, and no concurrent operations are permitted.

Table 1: Equipment List (Site ID: 023-0076)

Emission Unit Ref #	Equipment Description	Combined MHDR (tph)	New (N) or Existing (E)?
EP1	Rock Unloading Area	279	N
EP2	Grizzly Feeder	279	N
EP3	Primary Jaw Crusher	279	N
EP4	Screening Unit	279	N
EP5	Secondary Impact Crusher	279	N
EP6	Processed Rock Conveyor	279	N
EP7 - EP11	Transfer Conveyors (5)	1395	N

The applicant is using one of the methods described in Attachment AA, "Best Management Practices," to control emissions from haul roads and vehicular activity areas.

This installation is located in Butler County, an attainment area for all criteria pollutants.

This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability.

At the time of this application, another permit (Project # 2015-01-039/ Permit # 042015-003/Site ID: 023-0076) was issued to Cane Creek Quarry LLC at a different site near this project from the Air Pollution Control Program.

TABLES

The table below summarizes the emissions of this project. There are no existing actual emissions since this is a new facility. The potential emissions of the application represent the emissions of all equipment and activities assuming continuous operation (8760 hours per year). The conditioned potential emissions include emissions from sources that will limit their production to ensure compliance with the annual emission limit for PM₁₀.

Table 2: Emissions Summary (tons per year)

Air Pollutant	De Minimis Level/SMAL	Existing Actual Emissions	^a Potential Emissions of the Application	Conditioned Potential Emissions
PM	25.0	N/A	89.48	38.82
PM ₁₀	15.0	N/A	34.58	<15.0
PM _{2.5}	10.0	N/A	10.37	4.50
SO _x	40.0	N/A	N/A	N/A
NO _x	40.0	N/A	N/A	N/A
VOC	40.0	N/A	N/A	N/A
CO	100.0	N/A	N/A	N/A
GHG (CO ₂ e)	75,000 / 100,000	N/A	N/A	N/A
GHG (mass)	0.0 / 100.0 / 250.0	N/A	N/A	N/A
Total HAPs	25.0	N/A	N/A	N/A

N/A = Not Applicable; N/D = Not Determined

^aIncludes site specific haul road and storage pile emissions

Table 3 summarizes the ambient air quality impact analysis. The maximum modeled impact is the impact of each pollutant when the plant is operating continuously. The 24-hour limited impacts and daily limit are based on compliance with the NAAQS for PM₁₀.

Table 3: Ambient Air Quality Impact Analysis

Pollutant	NAAQS/ RAL (µg/m ³)	Averaging Time	^a Maximum Modeled Impact (µg/m ³)	Limited Impact (µg/m ³)	Background (µg/m ³)	^b Daily Limit (tons/day)
^c PM ₁₀ (solitary)	150.0	24-hour	265.15	130.0	20.0	3,727.7

^aModeled impact at maximum capacity with controls

^bIndirect limit based on compliance with NAAQS.

^cSolitary operation

EMISSIONS CALCULATIONS

Emissions for the project were calculated using emission factors found in the United States EPA document AP-42 *Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources*, Fifth Edition (AP-42).

Emissions from the rock-crushing equipment were calculated using emission factors from AP-42 Section 11.19.2 “Crushed Stone Processing and Pulverized Mineral Processing,” August 2004. The controlled emission factors were used because the inherent moisture content of the crushed rock is greater than 1.5 % by weight.

Emissions from haul roads and vehicular activity areas were calculated using the predictive equation from AP-42 Section 13.2.2 “Unpaved Roads,” November 2006. A 90% control efficiency for PM and PM₁₀ and a 40% control efficiency for PM_{2.5} were applied to the emission calculations for the use of BMPs. Emissions from load-in and load-out of storage piles were calculated using the predictive equation from AP-42 Section 13.2.4. The moisture content of the aggregate is 1.5% by weight. Emissions from wind erosion of storage piles were calculated using an equation found in the Air Pollution Control Program’s Emissions Inventory Questionnaire Form 2.8 “Storage Pile Worksheet.”

The engines emissions were not evaluated for this review as the diesel engines at this site are classified as nonroad engines. 40 CFR 63 Subpart ZZZZ, “National Emission Standard for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines” and 40 CFR 60 Subpart IIII, “Standards of Performance for Stationary Compression Ignition Internal Combustion Engines” do not apply. However, if the engines were to remain in one location for longer than 12 consecutive months, it would not be in compliance with this permit because engine emissions were not evaluated. It may also not be in compliance with MACT ZZZZ or NSPS IIII. The nonroad engines are subject to further applicable requirements in 40 CFR 89 and 40 CFR 1039 which are outside the purview of this program.

AMBIENT AIR QUALITY IMPACT ANALYSIS

An ambient air quality impact analysis (AAQIA) was performed to determine the impact of the pollutants listed in Table 3. The Air Pollution Control Program requires an AAQIA of PM₁₀ for all asphalt, concrete and rock-crushing plants regardless of the level of PM₁₀ emissions if a permit is required. An AAQIA is required for other pollutants if their emissions exceed their respective de minimis or screening model action level (SMAL). The AAQIA was performed using the Air Pollution Control Program's generic nomographs and when appropriate the EPA modeling software AERSCREEN. For each pollutant that was modeled, the maximum concentration that occurs at or beyond the site boundary was compared to the NAAQS or RAL for the pollutant. If during continuous operation the modeled concentration of a pollutant is greater than the applicable NAAQS or RAL, the plant's production is limited to ensure compliance with the standard.

This plant uses BMPs to control emissions from haul roads and vehicular activity areas, so emissions from these sources were not included in the AAQIA. Instead they were addressed as a background concentration of 20 µg/m³ of PM₁₀ in accordance with the Air Pollution Control Program's BMPs interim policy.

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (6) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of PM₁₀ are conditioned below de minimis and no refined modeling is required. Potential emissions of PM are above de minimis but below major source levels. There are no modeling requirements for PM.

APPLICABLE REQUIREMENTS

Cane Creek Quarry LLC - Lake Site shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved. For a complete list of applicable requirements for your installation, please consult your operating permit.

GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110.
- A Basic Operating Permit application is required for this installation within 30 days of commencement of operations.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170

- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-6.165

SPECIFIC REQUIREMENTS

- 40 CFR 60 Subpart OOO, "Standards of Performance for Nonmetallic Mineral Processing Plants" applies to the equipment.
- None of the National Emission Standards for Hazardous Air Pollutants (NESHAPS) or National Emission Standards for Hazardous Air Pollutants for Source Categories (MACTS) apply to the proposed equipment.

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

Kathy Kolb
New Source Review Unit

Date

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated March 10, 2015, received March 30, 2015, designating Cane Creek Quarry LLC as the owner and operator of the installation.

Attachment AA: Best Management Practices

Haul roads and vehicular activity areas shall be maintained in accordance with at least one of the following options when the plant is operating.

1. Pavement
 - A. The operator shall pave the area with materials such as asphalt, concrete or other materials approved by the Air Pollution Control Program. The pavement will be applied in accordance with industry standards to achieve control of fugitive emissions while the plant is operating.
 - B. Maintenance and repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator shall periodically wash or otherwise clean all of the paved portions of the haul roads as necessary to achieve control of fugitive emissions from these areas while the plant is operating.

2. Application of Chemical Dust Suppressants
 - A. The operator shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to unpaved areas.
 - B. The quantities of the chemical dust suppressant shall be applied and maintained in accordance with the manufacturer's recommendation (if available) and in sufficient quantities to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator shall keep these records with the plant for not less than five (5) years and make these records available to Department of Natural Resources' personnel upon request.

3. Application of Water-Documented Daily
 - A. The operator shall apply water to unpaved areas. Water shall be applied at a rate of 100 gallons per day per 1,000 square feet of unpaved or untreated surface area while the plant is operating.
 - B. Precipitation may be substituted for watering if the precipitation is greater than one quarter of one inch and is sufficient to control fugitive emissions.
 - C. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads.
 - D. The operator shall record the date, volume of water application and total surface area of active haul roads or the amount of precipitation that day. The operators shall also record the rationale for not watering (e.g. freezing conditions or not operating).
 - E. The operator shall keep these records with the plant for not less than five (5) years, and the operator shall make these records available to Department of Natural Resources' personnel upon request.

APPENDIX A

Abbreviations and Acronyms

%	percent	MMBtu	Million British thermal units
°F	degrees Fahrenheit	MMCF	million cubic feet
acfm	actual cubic feet per minute	MSDS	Material Safety Data Sheet
BACT	Best Available Control Technology	NAAQS ...	National Ambient Air Quality Standards
BMPs	Best Management Practices	NESHAPs ..	National Emissions Standards for Hazardous Air Pollutants
Btu	British thermal unit	NO_x	nitrogen oxides
CAM	Compliance Assurance Monitoring	NSPS	New Source Performance Standards
CAS	Chemical Abstracts Service	NSR	New Source Review
CEMS	Continuous Emission Monitor System	PM	particulate matter
CFR	Code of Federal Regulations	PM_{2.5}	particulate matter less than 2.5 microns in aerodynamic diameter
CO	carbon monoxide	PM₁₀	particulate matter less than 10 microns in aerodynamic diameter
CO₂	carbon dioxide	ppm	parts per million
CO_{2e}	carbon dioxide equivalent	PSD	Prevention of Significant Deterioration
COMS	Continuous Opacity Monitoring System	PTE	potential to emit
CSR	Code of State Regulations	RACT	Reasonable Available Control Technology
dscf	dry standard cubic feet	RAL	Risk Assessment Level
EQ	Emission Inventory Questionnaire	SCC	Source Classification Code
EP	Emission Point	scfm	standard cubic feet per minute
EPA	Environmental Protection Agency	SDS	Safety Data Sheet
EU	Emission Unit	SIC	Standard Industrial Classification
fps	feet per second	SIP	State Implementation Plan
ft	feet	SMAL	Screening Model Action Levels
GACT	Generally Available Control Technology	SO_x	sulfur oxides
GHG	Greenhouse Gas	SO₂	sulfur dioxide
gpm	gallons per minute	tph	tons per hour
gr	grains	tpy	tons per year
GWP	Global Warming Potential	VMT	vehicle miles traveled
HAP	Hazardous Air Pollutant	VOC	Volatile Organic Compound
hr	hour		
hp	horsepower		
lb	pound		
lbs/hr	pounds per hour		
MACT	Maximum Achievable Control Technology		
µg/m³	micrograms per cubic meter		
m/s	meters per second		
Mgal	1,000 gallons		
MW	megawatt		
MHDR	maximum hourly design rate		

Mr. Chris Williams
Owner
Cane Creek Quarry LLC - Lake Site
2179 County Road 321
Popular Bluff, MO 63901

RE: New Source Review Permit - Project Number: 2015-03-103

Dear Mr. Williams:

Enclosed with this letter is your permit to construct. Please study it carefully and refer to Appendix A for a list of common abbreviations and acronyms used in the permit. Also, note the special conditions on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit application and with your operating permit is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

If you were adversely affected by this permit decision, you may be entitled to pursue an appeal before the administrative hearing commission pursuant to Sections 621.250 and 643.075.6 RSMo. To appeal, you must file a petition with the administrative hearing commission within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed; if it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the administrative hearing commission, whose contact information is: Administrative Hearing Commission, Truman State Office Building, Room 640, 301 W. High Street, P.O. Box 1557, Jefferson City, Missouri 65102, phone: 573-751-2422, fax: 573-751-5018, website: www.ao.mo.gov/ahc.

If you have any questions, please do not hesitate to contact Kathy Kolb, at the department's Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Susan Heckenkamp
New Source Review Unit Chief

SH:kk1

Enclosures

c: Southeast Regional Office
PAMS File: 2015-03-103
Permit Number: