

Missouri Department of dnr.mo.gov

NATURAL RESOURCES

Michael L. Parson, Governor

Carol S. Comer, Director

AUG 19 2019

Mr. Jeff Green
CERT Operations RCB, LLC
226 Labadie Power Plant Road
Labadie, MO 63055

Re: Part 70 Operating Permit Renewal
Installation ID: 071-0234, Permit Number: OP2019-028

Dear Mr. Green:

Enclosed with this letter is your Part 70 operating permit. Please review this document carefully. Operation of your installation in accordance with the rules and regulations cited in this document is necessary for continued compliance. It is very important that you read and understand the requirements contained in your permit.


This permit may include requirements with which you may not be familiar. If you would like the department to meet with you to discuss how to understand and satisfy the requirements contained in this permit, an appointment referred to as a Compliance Assistance Visit (CAV) can be set up with you. To request a CAV, please contact your local regional office or fill out an online request. The regional office contact information can be found at <http://dnr.mo.gov/regions/>. The online CAV request can be found at <http://dnr.mo.gov/cav/compliance.htm>.

You may appeal this permit to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.078.16 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you have any questions or need additional information regarding this permit, please contact the Air Pollution Control Program (APCP) at (573) 751-4817, or you may write to the Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102.

Sincerely,

AIR POLLUTION CONTROL PROGRAM


Michael J. Stansfield, P.E.
Operating Permit Unit Chief

MJS

Enclosures

c: St. Louis Regional Office
PAMS File: 2019-03-050





PART 70 PERMIT TO OPERATE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth herein.

Operating Permit Number: OP2019-028
Expiration Date: AUG 19 2024
Installation ID: 071-0234
Project Number: 2019-03-050

Installation Name and Address

CERT Operations RCB, LLC
226 Labadie Power Plant Road
Labadie, MO 63055
Franklin County

Parent Company's Name and Address

Combustion Emissions Reduction Technology, LLC
2100 SouthBridge Parkway, Suite 585
Birmingham, AL 35209

Installation Description:

CERT Operations RCB, LLC (CERT) operates two small coal additive facilities on the grounds of the Ameren Missouri Labadie Energy Center (Labadie). This facility applies additives to Labadie's coal supply that is used downstream in the Labadie Units 1 through 4 Boilers. Operations include additive receiving, conveying and storage of additives and fugitive emissions from paved and unpaved haul roads. CERT is considered to be a support facility for Labadie. Although potential emissions from CERT are below de-minimis levels, it is required to obtain this Part 70 Operating Permit because it is considered one installation with Ameren – Labadie for permitting purposes.

AUG 19 2019

Effective Date

Director or Designee
Department of Natural Resources

Table of Contents

I. INSTALLATION DESCRIPTION AND EQUIPMENT LISTING	3
EMISSION UNITS WITH LIMITATIONS	3
EMISSION UNITS WITHOUT LIMITATIONS	3
II. PLANT WIDE EMISSION LIMITATIONS.....	4
III. EMISSION UNIT SPECIFIC EMISSION LIMITATIONS	5
SORB SILOS	5
Permit Condition 001	5
10 CSR 10-6.060 Construction Permits Required	5
Construction Permit 122013-004, Issued December 13, 2013	5
SORB SILOS AND TRANSFER POINTS	6
PERMIT CONDITION 002	6
10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants.....	6
IV. CORE PERMIT REQUIREMENTS	8
V. GENERAL PERMIT REQUIREMENTS.....	14
VI. ATTACHMENTS	20
ATTACHMENT A	21
Fugitive Emission Observations.....	21
ATTACHMENT B.....	22
Method 22 Visible Emissions Observations.....	22
ATTACHMENT C.....	23
Method 9 Opacity Observations.....	23
ATTACHMENT C (CONTINUED)	24
ATTACHMENT D	25
Inspection/Maintenance/Repair/Malfunction Log.....	25

I. Installation Equipment Listing

EMISSION UNITS WITH LIMITATIONS

The following list provides a description of the equipment at this installation that emits air pollutants and that are identified as having unit-specific emission limitations.

<u>Emission Unit #</u>	<u>Description of Emission Unit</u>
EU-01	S-Sorb Receiving Silo 1
EU-02	S-Sorb Receiving Silo 2
EU-05	S-Sorb Receiving Silo 3
EU-06	S-Sorb Active Silo 1
EU-07	S-Sorb Active Silo 2
EU-03	S-Sorb Transfer Point 1
EU-04	S-Sorb Transfer Point 2
EU-08	S-Sorb Transfer Point 3
EU-09	S-Sorb Transfer Point 4

EMISSION UNITS WITHOUT LIMITATIONS

The following list provides a description of the equipment that does not have unit specific limitations at the time of permit issuance.

<u>Description of Emission Source</u>
EU-10 Paved Receiving Haul Road
EU-11 Unpaved Receiving Haul Road

II. Plant Wide Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

None.

III. Emission Unit Specific Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

Sorb Silos	
Emission Unit	Description
EU-01	S-Sorb Receiving Silos 1, 2, 3 and S-Sorb Active Silos 1 and 2; Vertical Storage Silos used for storing and dispensing S-Sorb material; MHDR = 50 tons/hour each; Manufactured by Standley Batch Systems; Constructed 11/2013 (3 South Silos) and 12/2013 (2 North Silos); Equipped with Integrated Filter System
EU-02	
EU-05	
EU-06	
EU-07	

<p style="text-align: center;">Permit Condition 001 10 CSR 10-6.060 Construction Permits Required Construction Permit 122013-004, Issued December 13, 2013</p>

Control Device Requirement – Integrated Filter Systems:

- 1) The permittee shall control emission from each of the three Receiving Silos and each of the two Active silos using integrated filter systems. [Special Condition 1.A]
- 2) The filter systems shall be operated and maintained in accordance with the manufacturer’s specifications. [Special Condition 1.B]
- 3) Replacement filters shall be kept on hand at all times. The filters shall be made of fibers appropriate for operating conditions expected to occur (i.e. temperature limits, acidic and alkali resistance, and abrasion resistance). [Special Condition 1.C]
- 4) The permittee shall maintain a copy of the integrated filter systems’ manufacturer’s performance warranty on site. [Special Condition 1.D]
- 5) The permittee shall maintain an operating and maintenance log (using Attachment D or an equivalent form) for the filter systems which shall include the following: [Special Condition 1.E]
 - a) Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions; and
 - b) Maintenance activities, with inspection schedule, repair actions, and replacements, etc.

Recordkeeping and Reporting Requirements:

- 1) The permittee shall maintain all records required for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources’ personnel upon request. [Special Condition 2]
- 2) Reports of any deviations from monitoring, recordkeeping and reporting requirements of this permit condition shall be submitted semi-annually, in the semi-annual monitoring report and annual compliance certification, as required by Section IV of this permit.

Sorb Silos and Transfer Points	
Emission Unit	Description
EU-01 EU-02 EU-05 EU-06 EU-07	S-Sorb Receiving Silos 1, 2, 3 and S-Sorb Active Silos 1 and 2: Vertical Storage Silos used for storing and dispensing S-sorb material; MHDR = 50 tons/hour each; Manufactured by Standley Batch Systems; Constructed 11/2013 (3 South Silos) and 12/2013 (2 North Silos); Equipped with Integrated Filter System
EU-03 EU-04 EU-08 EU-09	S-Sorb Transfer Points 1 through 4; MHDR = 14.28 tons S-Sorb (combined); Constructed 11/2013; Transfer Points are covered

PERMIT CONDITION 002

10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants

Emission Limitation:

- 1) No owner or other person shall cause or permit emissions to be discharged into the atmosphere from any source any visible emissions with an opacity greater than 20%.
- 2) Exception: A person may discharge into the atmosphere from any source of emissions for a period(s) aggregating not more than six (6) minutes in any 60 minutes air contaminants with an opacity up to 40%.

Monitoring:

- 1) The permittee shall conduct opacity readings on this emission unit using the procedures contained in U.S. EPA Test Method 22. At a minimum, the observer should be trained and knowledgeable about the effects on visibility of emissions caused by background contrast, ambient lighting, observer position relative to lighting, wind and the presence of uncombined water. Readings are only required when the emission unit is operating and when the weather conditions allow. If no visible or other significant emissions are observed using these procedures, then no further observations would be required. For emission units with visible emissions perceived or believed to exceed the applicable opacity standard, the source representative would then conduct a Method 9 observation.
- 2) The following monitoring schedule must be maintained:
 - a) Weekly observations shall be conducted for a minimum of eight consecutive weeks after permit issuance. Should no violation of this regulation be observed during this period then-
 - b) Observations must be made once every two (2) weeks for a period of eight weeks. If a violation is noted, monitoring reverts to weekly. Should no violation of this regulation be observed during this period then-
 - c) Observations must be made once per month. If a violation is noted, monitoring reverts to weekly.
- 3) If the source reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner from the initial monitoring frequency.

Recordkeeping:

- 1) The permittee shall maintain records of all observation results (see Attachment B), noting:
 - a) Whether any air emissions (except for water vapor) were visible from the emission units,
 - b) All emission units from which visible emissions occurred, and
 - c) Whether the visible emissions were normal for the process.

- 2) The permittee shall maintain records of any equipment malfunctions. (see Attachment D)
- 3) The permittee shall maintain records of any Method 9 test performed in accordance with this permit condition. (see Attachment C)

Reporting:

- 1) The permittee shall report to the Air Pollution Control Program's Compliance/Enforcement Section, P.O. Box 176, Jefferson City, MO 65102 or AirComplianceReporting@dnr.mo.gov, no later than ten days after the permittee determined using the Method 9 test that the emission unit(s) exceeded the opacity limit.
- 2) The permittee shall report any deviations from the requirements of this permit condition in the semi-annual monitoring report and annual compliance certification required by Section V of this permit.

IV. Core Permit Requirements

The installation shall comply with each of the following regulations or codes. Consult the appropriate sections in the Code of Federal Regulations (CFR), the Code of State Regulations (CSR), and local ordinances for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued. The following are only excerpts from the regulation or code, and are provided for summary purposes only.

10 CSR 10-6.045 Open Burning Requirements

- 1) General Provisions. The open burning of tires, petroleum-based products, asbestos containing materials, and trade waste is prohibited, except as allowed below. Nothing in this rule may be construed as to allow open burning which causes or constitutes a public health hazard, nuisance, a hazard to vehicular or air traffic, nor which violates any other rule or statute.
- 2) Certain types of materials may be open burned provided an open burning permit is obtained from the director. The permit will specify the conditions and provisions of all open burning. The permit may be revoked if the owner or operator fails to comply with the conditions or any provisions of the permit.

10 CSR 10-6.050 Start-up, Shutdown and Malfunction Conditions

- 1) In the event of a malfunction, which results in excess emissions that exceed one hour, the permittee shall submit to the director within two business days, in writing, the following information:
 - a) Name and location of installation;
 - b) Name and telephone number of person responsible for the installation;
 - c) Name of the person who first discovered the malfunction and precise time and date that the malfunction was discovered.
 - d) Identity of the equipment causing the excess emissions;
 - e) Time and duration of the period of excess emissions;
 - f) Cause of the excess emissions;
 - g) Air pollutants involved;
 - h) Estimate of the magnitude of the excess emissions expressed in the units of the applicable requirement and the operating data and calculations used in estimating the magnitude;
 - i) Measures taken to mitigate the extent and duration of the excess emissions; and
 - j) Measures taken to remedy the situation that caused the excess emissions and the measures taken or planned to prevent the recurrence of these situations.
- 2) The permittee shall submit the paragraph 1 information to the director in writing at least ten days prior to any maintenance, start-up or shutdown activity which is expected to cause an excessive release of emissions that exceed one hour. If notice of the event cannot be given ten days prior to the planned occurrence, notice shall be given as soon as practicable prior to the activity.
- 3) Upon receipt of a notice of excess emissions issued by an agency holding a certificate of authority under section 643.140, RSMo, the permittee may provide information showing that the excess emissions were the consequence of a malfunction, start-up or shutdown. The information, at a minimum, should be the paragraph 1 list and shall be submitted not later than 15 days after receipt of the notice of excess emissions. Based upon information submitted by the permittee or any other pertinent information available, the director or the commission shall make a determination whether the excess emissions constitute a malfunction, start-up or shutdown and whether the nature, extent and duration of the excess emissions warrant enforcement action under section 643.080 or 643.151, RSMo.

- 4) Nothing in this rule shall be construed to limit the authority of the director or commission to take appropriate action, under sections 643.080, 643.090 and 643.151, RSMo to enforce the provisions of the Air Conservation Law and the corresponding rule.
- 5) Compliance with this rule does not automatically absolve the permittee of liability for the excess emissions reported.

10 CSR 10-6.060 Construction Permits Required

The permittee shall not commence construction, modification, or major modification of any installation subject to this rule, begin operation after that construction, modification, or major modification, or begin operation of any installation which has been shut down longer than five years without first obtaining a permit from the permitting authority.

10 CSR 10-6.065 Operating Permits

The permittee shall file a complete application for renewal of this operating permit at least six months before the date of permit expiration. In no event shall this time be greater than eighteen months. The permittee shall retain the most current operating permit issued to this installation on-site. The permittee shall make such permit available within a reasonable period of time to any Missouri Department of Natural Resources personnel upon request.

10 CSR 10-6.110 Reporting of Emission Data, Emission Fees and Process Information

- 1) The permittee shall submit a Full Emissions Report either electronically via MoEIS, which requires Form 1.0 signed by an authorized company representative, or on Emission Inventory Questionnaire (EIQ) paper forms on the frequency specified in this rule and in accordance with the requirements outlined in this rule. Alternate methods of reporting the emissions, such as spreadsheet file, can be submitted for approval by the director.
- 2) Public Availability of Emission Data and Process Information. Any information obtained pursuant to the rule(s) of the Missouri Air Conservation Commission that would not be entitled to confidential treatment under 10 CSR 10-6.210 shall be made available to any member of the public upon request.
- 3) The permittee shall pay an annual emission fee per ton of regulated air pollutant emitted according to the schedule in the rule. This fee is an emission fee assessed under authority of RSMo. 643.079.

10 CSR 10-6.130 Controlling Emissions During Episodes of High Air Pollution Potential

This rule specifies the conditions that establish an air pollution alert (yellow/orange/red/purple), or emergency (maroon) and the associated procedures and emission reduction objectives for dealing with each. The permittee shall submit an appropriate emergency plan if required by the Director.

10 CSR 10-6.150 Circumvention

The permittee shall not cause or permit the installation or use of any device or any other means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes an emission or air contaminant which violates a rule of the Missouri Air Conservation Commission.

10 CSR 10-6.165 Restriction of Emission of Odors

This is a State Only permit requirement.

No person may cause, permit or allow the emission of odorous matter in concentrations and frequencies or for durations that odor can be perceived when one volume of odorous air is diluted with seven volumes of odor-free air for two separate trials not less than 15 minutes apart within the period of one hour. This odor evaluation shall be taken at a location outside of the installation's property boundary.

10 CSR 10-6.170

Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin

Emission Limitation:

- 1) The permittee shall not cause or allow to occur any handling, transporting or storing of any material; construction, repair, cleaning or demolition of a building or its appurtenances; construction or use of a road, driveway or open area; or operation of a commercial or industrial installation without applying reasonable measures as may be required to prevent, or in a manner which allows or may allow, fugitive particulate matter emissions to go beyond the premises of origin in quantities that the particulate matter may be found on surfaces beyond the property line of origin. The nature or origin of the particulate matter shall be determined to a reasonable degree of certainty by a technique proven to be accurate and approved by the director.
- 2) The permittee shall not cause nor allow to occur any fugitive particulate matter emissions to remain visible in the ambient air beyond the property line of origin.
- 3) Should it be determined that noncompliance has occurred, the director may require reasonable control measures as may be necessary. These measures may include, but are not limited to, the following:
 - a) Revision of procedures involving construction, repair, cleaning and demolition of buildings and their appurtenances that produce particulate matter emissions;
 - b) Paving or frequent cleaning of roads, driveways and parking lots;
 - c) Application of dust-free surfaces;
 - d) Application of water; and
 - e) Planting and maintenance of vegetative ground cover.

Monitoring:

The permittee shall conduct inspections of its facilities sufficient to determine compliance with this regulation. If the permittee discovers a violation, the permittee shall undertake corrective action to eliminate the violation.

The permittee shall maintain the following monitoring schedule:

- 1) The permittee shall conduct weekly observations for a minimum of eight (8) consecutive weeks after permit issuance.
- 2) Should no violation of this regulation be observed during this period then-
 - a) The permittee may observe once every two (2) weeks for a period of eight (8) weeks.
 - b) If a violation is noted, monitoring reverts to weekly.
 - c) Should no violation of this regulation be observed during this period then-
 - i) The permittee may observe once per month.
 - ii) If a violation is noted, monitoring reverts to weekly.
- 3) If the permittee reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner to the initial monitoring frequency.

Recordkeeping:

The permittee shall document all readings on Attachment A, or its equivalent, noting the following:

- 1) Whether air emissions (except water vapor) remain visible in the ambient air beyond the property line of origin.
- 2) Whether equipment malfunctions contributed to an exceedance.
- 3) Any violations and any corrective actions undertaken to correct the violation.

10 CSR 10-6.180 Measurement of Emissions of Air Contaminants

- 1) The director may require any person responsible for the source of emission of air contaminants to make or have made tests to determine the quantity or nature, or both, of emission of air contaminants from the source. The director may specify testing methods to be used in accordance with good professional practice. The director may observe the testing. All tests shall be performed by qualified personnel.
- 2) The director may conduct tests of emissions of air contaminants from any source. Upon request of the director, the person responsible for the source to be tested shall provide necessary ports in stacks or ducts and other safe and proper sampling and testing facilities, exclusive of instruments and sensing devices as may be necessary for proper determination of the emission of air contaminants.
- 3) The director shall be given a copy of the test results in writing and signed by the person responsible for the tests.

10 CSR 10-6.280 Compliance Monitoring Usage

- 1) The permittee is not prohibited from using the following in addition to any specified compliance methods for the purpose of submission of compliance certificates:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) Monitoring method(s) approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Any other monitoring methods approved by the director.
- 2) Any credible evidence may be used for the purpose of establishing whether a permittee has violated or is in violation of any such plan or other applicable requirement. Information from the use of the following methods is presumptively credible evidence of whether a violation has occurred at an installation:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) A monitoring method approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Compliance test methods specified in the rule cited as the authority for the emission limitations.
- 3) The following testing, monitoring or information gathering methods are presumptively credible testing, monitoring, or information gathering methods:
 - a) Applicable monitoring or testing methods, cited in:
 - i) 10 CSR 10-6.030, "Sampling Methods for Air Pollution Sources";
 - ii) 10 CSR 10-6.040, "Reference Methods";
 - iii) 10 CSR 10-6.070, "New Source Performance Standards";
 - iv) 10 CSR 10-6.080, "Emission Standards for Hazardous Air Pollutants"; or
 - b) Other testing, monitoring, or information gathering methods, if approved by the director, that produce information comparable to that produced by any method listed above.

10 CSR 10-5.040 Use of Fuel in Hand-Fired Equipment Prohibited

No owner or operator shall operate applicable hand-fired fuel burning equipment unless the owner or operator meets the conditions set forth in 10 CSR 10-5.040. This regulation shall apply to all hand-fired fuel-burning equipment at commercial facilities including, but not limited to, furnaces, heating and cooking stoves and hot water furnaces. It shall not apply to wood-burning fireplaces and wood-burning stoves in dwellings, nor to fires used for recreational purpose, nor to fires used solely for the preparation of food by barbecuing or to other equipment exempted under 10 CSR 10-5.040. Hand-fired fuel-burning equipment is any stove, furnace, or other fuel-burning device in which fuel is manually introduced directly into the combustion chamber.

10 CSR 10-5.060 Refuse Not to be Burned in Fuel Burning Installations

(Rescinded on February 11, 1979, Contained in State Implementation Plan)

No person shall burn or cause or permit the burning of refuse in any installation which is designed for the primary purpose of burning fuel.

10 CSR 10-5.120 Information on Sales of Fuels to be Provided and Maintained

(Rescinded on September 30, 2018, Contained in State Implementation Plan)

Every delivery of coal or residual fuel oil when first delivered to a consumer or wholesaler in the St. Louis metropolitan area must be accompanied by a ticket prepared in triplicate and containing at least the name and address of the seller and the buyer; the grade of fuel; ash content of coal, the source of the fuel, which must be an approved source, and such other information as the Air Conservation Commission may require. One copy of each ticket shall be kept by the person delivering the fuel and be retained for one year; one copy is to be given to the recipient of the fuel to be retained for one year; and, upon request, within 30 days after delivery of the fuel, the delivering party shall mail one copy to the Air Conservation Commission.

10 CSR 10-5.130 Certain Coals to be Washed

(Rescinded on September 30, 2018, Contained in State Implementation Plan)

The permittee shall not import, sell, offer for sale, expose for sale, exchange, deliver or transport for use and consumption in the St. Louis metropolitan area or use or consume in the said area any coal which as mined containing in excess of 2.0% sulfur or 12.0% ash calculated as described in 10 CSR 10-5.110, unless it has been cleaned by a process known as "washing" so that it shall contain no more than 12.0% ash on a dry basis. The term "washing" is meant to include purifying, cleaning, or removing impurities from coal by mechanical process, regardless of cleaning medium used.

40 CFR Part 82 Protection of Stratospheric Ozone (Title VI)

- 1) The permittee shall comply with the standards for labeling of products using ozone-depleting substances pursuant to 40 CFR Part 82, Subpart E:
 - a) All containers in which a class I or class II substance is stored or transported, all products containing a class I substance, and all products directly manufactured with a class I substance must bear the required warning statement if it is being introduced into interstate commerce pursuant to 40 CFR §82.106.
 - b) The placement of the required warning statement must comply with the requirements of 40 CFR §82.108.
 - c) The form of the label bearing the required warning statement must comply with the requirements of 40 CFR §82.110.
 - d) No person may modify, remove, or interfere with the required warning statement except as described in 40 CFR §82.112.
- 2) The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners (MVACs) in Subpart B of 40 CFR Part 82:
 - a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices described in 40 CFR §82.156.
 - b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment described in 40 CFR §82.158.

- c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR §82.161.
 - d) Persons disposing of small appliances, MVACs, and MVAC-like appliances must comply with the record keeping requirements of 40 CFR §82.166. ("MVAC-like" appliance as defined at 40 CFR §82.152).
 - e) Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to 40 CFR §82.156.
 - f) Owners/operators of appliances normally containing 50 or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to 40 CFR §82.166.
- 3) If the permittee manufactures, transforms, imports, or exports a class I or class II substance, the permittee is subject to all the requirements as specified in 40 CFR part 82, Subpart A, Production and Consumption Controls.
 - 4) If the permittee performs a service on motor (fleet) vehicles when this service involves ozone-depleting substance refrigerant (or regulated substitute substance) in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements contained in 40 CFR part 82, Subpart B, Servicing of Motor Vehicle Air Conditioners. The term "motor vehicle" as used in Subpart B does not include a vehicle in which final assembly of the vehicle has not been completed. The term "MVAC" as used in Subpart B does not include the air-tight sealed refrigeration system used as refrigerated cargo, or system used on passenger buses using HCFC-22 refrigerant.
 - 5) The permittee shall be allowed to switch from any ozone-depleting substance to any alternative that is listed in the Significant New Alternatives Program (SNAP) promulgated pursuant to 40 CFR part 82, Subpart G, Significant New Alternatives Policy Program. *Federal Only - 40 CFR Part 82.*

V. General Permit Requirements

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued,

Permit Duration

10 CSR 10-6.065(5)(C)1.B, 10 CSR 10-6.065(5)(E)3.C

This permit is issued for a term of five years, commencing on the date of issuance. This permit will expire at the end of this period unless renewed. If a timely and complete application for a permit renewal is submitted, but the Air Pollution Control Program fails to take final action to issue or deny the renewal permit before the end of the term of this permit, this permit shall not expire until the renewal permit is issued or denied.

General Record Keeping and Reporting Requirements

10 CSR 10-6.065(5)(C)1.C

- 1) Record Keeping
 - a) All required monitoring data and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report or application.
 - b) Copies of all current operating and construction permits issued to this installation shall be kept on-site for as long as the permits are in effect. Copies of these permits shall be made available within a reasonable period of time to any Missouri Department of Natural Resources' personnel upon request.
- 2) Reporting
 - a) All reports shall be submitted to the Air Pollution Control Program, Compliance and Enforcement Section, P. O. Box 176, Jefferson City, MO 65102 or AirComplianceReporting@dnr.mo.gov.
 - b) The permittee shall submit a report of all required monitoring by:
 - i) October 1st for monitoring which covers the January through June time period, and
 - ii) April 1st for monitoring which covers the July through December time period.
 - c) Each report shall identify any deviations from emission limitations, monitoring, record keeping, reporting, or any other requirements of the permit, this includes deviations or Part 64 exceedances.
 - d) Submit supplemental reports as required or as needed. All reports of deviations shall identify the cause or probable cause of the deviations and any corrective actions or preventative measures taken.
 - i) Notice of any deviation resulting from an emergency (or upset) condition as defined in paragraph (5)(C)7.A of 10 CSR 10-6.065 (Emergency Provisions) shall be submitted to the permitting authority either verbally or in writing within two working days after the date on which the emission limitation is exceeded due to the emergency, if the permittee wishes to assert an affirmative defense. The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that indicate an emergency occurred and the permittee can identify the cause(s) of the emergency. The permitted installation must show that it was operated properly at the time and that during the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or requirements in the permit. The notice

- must contain a description of the emergency, the steps taken to mitigate emissions, and the corrective actions taken.
- ii) Any deviation that poses an imminent and substantial danger to public health, safety or the environment shall be reported as soon as practicable.
 - iii) Any other deviations identified in the permit as requiring more frequent reporting than the permittee's semiannual report shall be reported on the schedule specified in this permit.
- e) Every report submitted shall be certified by the responsible official, except that, if a report of a deviation must be submitted within ten days after the deviation, the report may be submitted without a certification if the report is resubmitted with an appropriate certification within ten days after that, together with any corrected or supplemental information required concerning the deviation.
- f) The permittee may request confidential treatment of information submitted in any report of deviation.

Risk Management Plan Under Section 112(r)

10 CSR 10-6.065(5)(C)1.D

If the installation is required to develop and register a risk management plan pursuant to Section 112(R) of the Act, the permittee will verify that it has complied with the requirement to register the plan.

Severability Clause

10 CSR 10-6.065(5)(C)1.F

In the event of a successful challenge to any part of this permit, all uncontested permit conditions shall continue to be in force. All terms and conditions of this permit remain in effect pending any administrative or judicial challenge to any portion of the permit. If any provision of this permit is invalidated, the permittee shall comply with all other provisions of the permit.

General Requirements

10 CSR 10-6.065(5)(C)1.G

- 1) The permittee must comply with all of the terms and conditions of this permit. Any noncompliance with a permit condition constitutes a violation and is grounds for enforcement action, permit termination, permit revocation and re-issuance, permit modification or denial of a permit renewal application.
- 2) The permittee may not use as a defense in an enforcement action that it would have been necessary for the permittee to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit
- 3) The permit may be modified, revoked, reopened, reissued or terminated for cause. Except as provided for minor permit modifications, the filing of an application or request for a permit modification, revocation and reissuance, or termination, or the filing of a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- 4) This permit does not convey any property rights of any sort, nor grant any exclusive privilege.
- 5) The permittee shall furnish to the Air Pollution Control Program, upon receipt of a written request and within a reasonable time, any information that the Air Pollution Control Program reasonably may require to determine whether cause exists for modifying, reopening, reissuing or revoking the permit or to determine compliance with the permit. Upon request, the permittee also shall furnish to the Air Pollution Control Program copies of records required to be kept by the permittee. The permittee may make a claim of confidentiality for any information or records submitted pursuant to 10 CSR 10-6.065(5)(C)1.

Incentive Programs Not Requiring Permit Revisions

10 CSR 10-6.065(5)(C)1.H

No permit revision will be required for any installation changes made under any approved economic incentive, marketable permit, emissions trading, or other similar programs or processes provided for in this permit.

Reasonably Anticipated Operating Scenarios

10 CSR 10-6.065(5)(C)1.I

There are no reasonably anticipated operating scenarios.

Compliance Requirements

10 CSR 10-6.065(5)(C)3

- 1) Any document (including reports) required to be submitted under this permit shall contain a certification signed by the responsible official.
- 2) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized officials of the Missouri Department of Natural Resources, or their authorized agents, to perform the following (subject to the installation's right to seek confidential treatment of information submitted to, or obtained by, the Air Pollution Control Program):
 - a) Enter upon the premises where a permitted installation is located or an emissions-related activity is conducted, or where records must be kept under the conditions of this permit;
 - b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
 - c) Inspect, at reasonable times and using reasonable safety practices, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
 - d) As authorized by the Missouri Air Conservation Law, Chapter 643, RSMo or the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the terms of this permit, and all applicable requirements as outlined in this permit.
- 3) All progress reports required under an applicable schedule of compliance shall be submitted semiannually (or more frequently if specified in the applicable requirement). These progress reports shall contain the following:
 - a) Dates for achieving the activities, milestones or compliance required in the schedule of compliance, and dates when these activities, milestones or compliance were achieved, and
 - b) An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventative or corrective measures adopted.
- 4) The permittee shall submit an annual certification that it is in compliance with all of the federally enforceable terms and conditions contained in this permit, including emissions limitations, standards, or work practices. These certifications shall be submitted annually by April 1st, unless the applicable requirement specifies more frequent submission. These certifications shall be submitted to EPA Region VII, 11201 Renner Blvd., Lenexa, KS 66219, as well as the Air Pollution Control Program, Compliance and Enforcement Section, P.O. Box 176, Jefferson City, MO 65102 or AirComplianceReporting@dnr.mo.gov. All deviations and Part 64 exceedances and excursions must be included in the compliance certifications. The compliance certification shall include the following:
 - a) The identification of each term or condition of the permit that is the basis of the certification;

- b) The current compliance status, as shown by monitoring data and other information reasonably available to the installation;
- c) Whether compliance was continuous or intermittent;
- d) The method(s) used for determining the compliance status of the installation, both currently and over the reporting period; and
- e) Such other facts as the Air Pollution Control Program will require in order to determine the compliance status of this installation.

Permit Shield

10 CSR 10-6.065(5)(C)6

- 1) Compliance with the conditions of this permit shall be deemed compliance with all applicable requirements as of the date that this permit is issued, provided that:
 - a) The applicable requirements are included and specifically identified in this permit, or
 - b) The permitting authority, in acting on the permit revision or permit application, determines in writing that other requirements, as specifically identified in the permit, are not applicable to the installation, and this permit expressly includes that determination or a concise summary of it.
- 2) Be aware that there are exceptions to this permit protection. The permit shield does not affect the following:
 - a) The provisions of section 303 of the Act or section 643.090, RSMo concerning emergency orders,
 - b) Liability for any violation of an applicable requirement which occurred prior to, or was existing at, the time of permit issuance,
 - c) The applicable requirements of the acid rain program,
 - d) The authority of the Environmental Protection Agency and the Air Pollution Control Program of the Missouri Department of Natural Resources to obtain information, or
 - e) Any other permit or extra-permit provisions, terms or conditions expressly excluded from the permit shield provisions.

Emergency Provisions

10 CSR 10-6.065(5)(C)7

- 1) An emergency or upset as defined in 10 CSR 10-6.065(5)(C)7.A shall constitute an affirmative defense to an enforcement action brought for noncompliance with technology-based emissions limitations. To establish an emergency- or upset-based defense, the permittee must demonstrate, through properly signed, contemporaneous operating logs or other relevant evidence, the following:
 - a) That an emergency or upset occurred and that the permittee can identify the source of the emergency or upset,
 - b) That the installation was being operated properly,
 - c) That the permittee took all reasonable steps to minimize emissions that exceeded technology-based emissions limitations or requirements in this permit, and
 - d) That the permittee submitted notice of the emergency to the Air Pollution Control Program within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.
- 2) Be aware that an emergency or upset shall not include noncompliance caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

Operational Flexibility

10 CSR 10-6.065(5)(C)8

An installation that has been issued a Part 70 operating permit is not required to apply for or obtain a permit revision in order to make any of the changes to the permitted installation described below if the changes are not Title I modifications, the changes do not cause emissions to exceed emissions allowable under the permit, and the changes do not result in the emission of any air contaminant not previously emitted. The permittee shall notify the Air Pollution Control Program, Compliance and Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 11201 Renner Blvd., Lenexa, KS 66219, at least seven days in advance of these changes, except as allowed for emergency or upset conditions. Emissions allowable under the permit means a federally enforceable permit term or condition determined at issuance to be required by an applicable requirement that establishes an emissions limit (including a work practice standard) or a federally enforceable emissions cap that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject.

- 1) Section 502(b)(10) changes. Changes that, under section 502(b)(10) of the Act, contravene an express permit term may be made without a permit revision, except for changes that would violate applicable requirements of the Act or contravene federally enforceable monitoring (including test methods), record keeping, reporting or compliance requirements of the permit.
 - a) Before making a change under this provision, The permittee shall provide advance written notice to the Air Pollution Control Program, Compliance and Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 11201 Renner Blvd., Lenexa, KS 66219, describing the changes to be made, the date on which the change will occur, and any changes in emission and any permit terms and conditions that are affected. The permittee shall maintain a copy of the notice with the permit, and the APCP shall place a copy with the permit in the public file. Written notice shall be provided to the EPA and the APCP as above at least seven days before the change is to be made. If less than seven days notice is provided because of a need to respond more quickly to these unanticipated conditions, the permittee shall provide notice to the EPA and the APCP as soon as possible after learning of the need to make the change.
 - b) The permit shield shall not apply to these changes.

Off-Permit Changes

10 CSR 10-6.065(5)(C)9

- 1) Except as noted below, the permittee may make any change in its permitted operations, activities or emissions that is not addressed in, constrained by or prohibited by this permit without obtaining a permit revision. Insignificant activities listed in the permit, but not otherwise addressed in or prohibited by this permit, shall not be considered to be constrained by this permit for purposes of the off-permit provisions of this section. Off-permit changes shall be subject to the following requirements and restrictions:
 - a) The change must meet all applicable requirements of the Act and may not violate any existing permit term or condition; the permittee may not change a permitted installation without a permit revision if this change is subject to any requirements under Title IV of the Act or is a Title I modification;
 - b) The permittee must provide contemporaneous written notice of the change to the Air Pollution Control Program, Compliance and Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 11201 Renner Blvd., Lenexa, KS 66219. This notice shall not be required for changes that are insignificant activities under 10 CSR 10-6.065(5)(B)3 of this rule. This written notice shall describe each change, including the date, any change in emissions, pollutants emitted and any applicable requirement that would apply as a result of the change.

- c) The permittee shall keep a record describing all changes made at the installation that result in emissions of a regulated air pollutant subject to an applicable requirement and the emissions resulting from these changes; and
- d) The permit shield shall not apply to these changes.

Responsible Official

10 CSR 10-6.020(2)(R)34

The application utilized in the preparation of this permit was signed by Jeff Green, Vice-President of Operations; Mr. Green and Rand Linton, Compliance Officer are the responsible officials at this installation. If either of these individuals terminates employment, or is reassigned different duties such that a different person becomes the responsible person to represent and bind the installation in environmental permitting affairs, the owner or operator of this air contaminant source shall notify the Director of the Air Pollution Control Program of the change. Said notification shall be in writing and shall be submitted within 30 days of the change. The notification shall include the name and title of the new person assigned by the source owner or operator to represent and bind the installation in environmental permitting affairs. All representations, agreement to terms and conditions and covenants made by the former responsible person that were used in the establishment of limiting permit conditions on this permit will continue to be binding on the installation until such time that a revision to this permit is obtained that would change said representations, agreements and covenants.

Reopening-Permit for Cause

10 CSR 10-6.065(5)(E)6

This permit shall be reopened for cause if:

- 1) The Missouri Department of Natural Resources (MoDNR) receives notice from the Environmental Protection Agency (EPA) that a petition for disapproval of a permit pursuant to 40 CFR § 70.8(d) has been granted, provided that the reopening may be stayed pending judicial review of that determination,
- 2) MoDNR or EPA determines that the permit contains a material mistake or that inaccurate statements were made which resulted in establishing the emissions limitation standards or other terms of the permit,
- 3) Additional applicable requirements under the Act become applicable to the installation; however, reopening on this ground is not required if—:
 - a) The permit has a remaining term of less than three years;
 - b) The effective date of the requirement is later than the date on which the permit is due to expire;
or
 - c) The additional applicable requirements are implemented in a general permit that is applicable to the installation and the installation receives authorization for coverage under that general permit,
- 4) The installation is an affected source under the acid rain program and additional requirements (including excess emissions requirements), become applicable to that source, provided that, upon approval by EPA, excess emissions offset plans shall be deemed to be incorporated into the permit;
or
- 5) MoDNR or EPA determines that the permit must be reopened and revised to assure compliance with applicable requirements.

Statement of Basis

10 CSR 10-6.065(5)(E)1.C

This permit is accompanied by a statement setting forth the legal and factual basis for the permit conditions (including references to applicable statutory or regulatory provisions). This Statement of Basis, while referenced by the permit, is not an actual part of the permit.

VI. Attachments

Attachments follow.

Attachment B

Method 22 Visible Emissions Observations					
Installation Name			Observer Name		
Location			Date		
Sky Conditions			Wind Direction		
Precipitation			Wind Speed		
Time			Emission unit		
Sketch emission unit: indicate observer position relative to emission unit; indicate potential emission points and/or actual emission points.					
Minute	Seconds				Comments
	0	15	30	45	
	Visible Emissions Yes (Y) or No (N)				
0					
1					
2					
3					
4					
5					
6					

If visible emissions are observed, the installation is not required to complete the entire six-minute observation. The installation shall note when the visible emissions were observed and shall conduct a Method 9 opacity observation.

Attachment C

Method 9 Opacity Observations		
Installation Name:	Sketch of the observer's position relative to the emission unit	
Emission Point:		
Emission Unit:		
Observer Name and Affiliation:		
Observer Certification Date:		
Method 9 Observation Date:		
Height of Emission Point:		
Time:	Start of observations	End of observations
Distance of Observer from Emission Point:		
Observer Direction from Emission Point:		
Approximate Wind Direction:		
Estimated Wind Speed:		
Ambient Temperature:		
Description of Sky Conditions (Presence and color of clouds):		
Plume Color:		
Approximate Distance Plume is Visible from Emission Point:		

Attachment C (continued) Method 9 Opacity Observations

Minute	Seconds				1-minute Avg. % Opacity ¹	6-minute Avg. % Opacity ²	Steam Plume (check if applicable)		Comments
	0	15	30	45			Attached	Detached	
	Opacity Readings (% Opacity) ³								
0						N/A			
1						N/A			
2						N/A			
3						N/A			
4						N/A			
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

The emission unit is in compliance if each six-minute average opacity is less than or equal to 20%. Exception: The emission unit is in compliance if one six-minute average opacity is greater than 20 %, but less than 40 %.

Was the emission unit in compliance at the time of evaluation (yes or no)?

 Signature of Observer

¹ 1-minute avg. % opacity is the average of the four 15 second opacity readings during the minute.
² 6-minute avg. % opacity is the average of the six most recent 1-minute avg. % opacities.
³ Each 15 second opacity reading shall be recorded to the nearest 5% opacity as stated within Method 9.

STATEMENT OF BASIS

Installation Description

CERT Operations RCB, LLC (CERT) operates two small coal additive facilities on the grounds of the Ameren Missouri Labadie Energy Center (Labadie). This facility applies additives to Labadie’s coal supply which is used downstream in the Labadie Units 1 through 4 Boilers. Operations include additive receiving, conveying and storage of additives and fugitive emissions from paved and unpaved haul roads. CERT is considered to be a support facility for Labadie. Although potential emissions from CERT are below de-minimis levels, it is required to obtain this Part 70 Operating Permit because it is considered to be one installation with Ameren – Labadie for permitting purposes.

Updated Potential to Emit for the Installation and Reported Air Pollutant Emissions, in tons per year

Pollutants	Potential Emissions ¹	Reported Emissions				
		2018	2017	2016	2015	2014
Particulate Matter ≤ Ten Microns (PM ₁₀)	0.68	0.0012	-	0.0013	0.0052	0.0063
Particulate Matter ≤ 2.5 Microns (PM _{2.5})	0.09	0.0003	-	0.0003	0.0013	0.0016
Sulfur Oxides (SO _x)	-	-	-	-	-	-
Nitrogen Oxides (NO _x)	-	-	-	-	-	-
Volatile Organic Compounds (VOC)	-	-	-	-	-	-
Carbon Monoxide (CO)	-	-	-	-	-	-
Hazardous Air Pollutants (HAPs)	-	-	-	-	-	-

¹ Potential Emissions were taken from Construction Permit 122013-004, Issued December 13, 2013

Permit Reference Documents

These documents were relied upon in the preparation of the operating permit. Because they are not incorporated by reference, they are not an official part of the operating permit.

- 1) Part 70 Operating Permit Application, received March 26, 2019;
- 2) U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*; Volume I, Stationary Point and Area Sources, Fifth Edition; and
- 3) Construction Permit 122013-004, Issued December 13, 2013.

Applicable Requirements Included in the Operating Permit but Not in the Application or Previous Operating Permits

In the operating permit application, the installation indicated it was not subject to the following regulation(s). However, in the review of the application, the agency has determined that the installation is subject to the following regulation(s) for the reasons stated.

None.

Other Air Regulations Determined Not to Apply to the Operating Permit

The Air Pollution Control Program (APCP) has determined the following requirements to not be applicable to this installation at this time for the reasons stated.

10 CSR 10-6.100, *Alternate Emission Limits*

This rule is not applicable because the installation is in an ozone attainment area.

10 CSR 10-6.400, *Restriction of Emission of Particulate Matter from Industrial Processes*

All of the emission units at this facility are exempt from this rule per various exemptions listed in 10 CSR 10-6.400(1)(B). The table below summarizes these exemptions:

Emission Unit ID	Description	Short Term Emissions (lb/hr)	10 CSR 10-6.400
EU-01	S-Sorb Receiving Silo 1		10 CSR 10-6.400(1)(B)(15) – Federally enforceable PM control device
EU-02	S-Sorb Active Silo 1		10 CSR 10-6.400(1)(B)(15) – Federally enforceable PM control device
EU-03	S-Sorb Transfer Point 1	0.0096	10 CSR 10-6.400(1)(B)(12) – less than 0.5 lb/hr potential PM emissions
EU-04	S-Sorb Transfer Point 3 onto Coal Conveyor 6A	0.0096	10 CSR 10-6.400(1)(B)(12) – less than 0.5 lb/hr potential PM emissions
EU-05	S-Sorb Receiving Silo 2		10 CSR 10-6.400(1)(B)(15) – Federally enforceable PM control device
EU-06	S-Sorb Receiving Silo 3		10 CSR 10-6.400(1)(B)(15) – Federally enforceable PM control device
EU-07	S-Sorb Active Silo 2		10 CSR 10-6.400(1)(B)(15) – Federally enforceable PM control device
EU-08	S-Sorb Transfer Point 2	0.0096	10 CSR 10-6.400(1)(B)(12) – less than 0.5 lb/hr potential PM emissions

Emission Unit ID	Description	Short Term Emissions (lb/hr)	10 CSR 10-6.400
EU-09	S-Sorb Transfer Point 4 onto Coal Conveyor 6B	0.0096	10 CSR 10-6.400(1)(B)(12) – less than 0.5 lb/hr potential PM emissions
EU-10	Paved Receiving Haul Road		10 CSR 10-6.400(1)(B)(7) – Fugitive emissions
EU-11	Unpaved Receiving Haul Road		10 CSR 10-6.400(1)(B)(7) – Fugitive emissions

Construction Permit History

Construction Permit 122013-004, Issued December 13, 2013

This permit authorized the addition of the two refined coal additive systems for Boilers 1, 2, 3, and 4 at the Ameren Labadie Energy Center. Special Conditions of this permit require that emission from the three receiving silos and two active silos be controlled using integrated filter systems. The special conditions of this permit are included in the operating permit under Permit Condition 001.

New Source Performance Standards (NSPS) Applicability

40 CFR Part 60 Subpart Y, *Standards of Performance for Coal Preparation Plants and Processing Plants*. This subpart regulates coal preparation and processing plants. Coal preparation and processing includes breaking, crushing, screening, wet or dry cleaning and thermal drying of coal. This facility does not conduct any of these activities, therefore is not subject to this rule.

Maximum Achievable Control Technology (MACT) Applicability

None.

National Emission Standards for Hazardous Air Pollutants (NESHAP) Applicability

In the permit application and according to Air Pollution Control Program records, there was no indication that any Missouri Air Conservation Law, Asbestos Abatement, 643.225 through 643.250; 10 CSR 10-6.080, Emission Standards for Hazardous Air Pollutants, Subpart M, National Standards for Asbestos; and 10 CSR 10-6.250, Asbestos Abatement Projects - Certification, Accreditation, and Business Exemption Requirements apply to this installation. The installation is subject to these regulations if they undertake any projects that deal with or involve any asbestos containing materials. None of the installation's operating projects underway at the time of this review deal with or involve asbestos containing material. Therefore, the above regulations were not cited in the operating permit. If the installation should undertake any construction or demolition projects in the future that deal with or involve any asbestos containing materials, the installation must follow all of the applicable requirements of the above rules related to that specific project.

Compliance Assurance Monitoring (CAM) Applicability

40 CFR Part 64, *Compliance Assurance Monitoring (CAM)*

The CAM rule applies to each pollutant specific emission unit that:

- Is subject to an emission limitation or standard, and
- Uses a control device to achieve compliance, and
- Has pre-control emissions that exceed or are equivalent to the major source threshold.

40 CFR Part 64 is not applicable because none of the pollutant-specific emission units uses a control device to achieve compliance with a relevant standard.

Other Regulatory Determinations

None.

Other Regulations Not Cited in the Operating Permit or the Above Statement of Basis

Any regulation which is not specifically listed in either the Operating Permit or in the above Statement of Basis does not appear, based on this review, to be an applicable requirement for this installation for one or more of the following reasons:

- 1) The specific pollutant regulated by that rule is not emitted by the installation;
- 2) The installation is not in the source category regulated by that rule;
- 3) The installation is not in the county or specific area that is regulated under the authority of that rule;
- 4) The installation does not contain the type of emission unit which is regulated by that rule;
- 5) The rule is only for administrative purposes.

Should a later determination conclude that the installation is subject to one or more of the regulations cited in this Statement of Basis or other regulations which were not cited, the installation shall determine and demonstrate, to the Air Pollution Control Program's satisfaction, the installation's compliance with that regulation(s). If the installation is not in compliance with a regulation which was not previously cited, the installation shall submit to the Air Pollution Control Program a schedule for achieving compliance for that regulation(s).

Response to Public Comments

The draft Part 70 Operating Permit for CERT Operations RGB, LLC was placed on public notice June 14, 2019 for a 30-day comment period. The public notice was published on the Department of Natural Resources' Air Pollution Control Program's web page at:
<https://dnr.mo.gov/env/apcp/permit-publicnotices.htm>.

No public comments were received.