

STATE OF MISSOURI



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: 092016-005

Project Number: 2015-06-035
Installation Number: 195-0040

Parent Company: Ray-Carroll County Grain Growers, Inc.

Parent Company Address: P.O. Box 158, Richmond, MO 64085

Installation Name: Farmers Grain Terminal, LLC

Installation Address: 29261 North Highway 240, Slater, MO 65349

Location Information: Saline County (S10/11, T51N, R20W)

Application for Authority to Construct was made for:
Increasing the capacity of a receiving pit. This review was conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

Handwritten signature of Ryan Schott in black ink.

Prepared by
Ryan Schott
New Source Review Unit

Handwritten signature of Kyna L. Moore in black ink.

Director or Designee
Department of Natural Resources

SEP 07 2016

Effective Date

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Enforcement and Compliance Section of the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Enforcement and Compliance Section of the Department's Air Pollution Control Program of the anticipated date of startup of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department's regional office responsible for the area within which you are located within 15 days after the actual startup of this (these) air contaminant source(s).

A copy of the permit application and this permit and permit review shall be kept at the installation address and shall be made available to Department's personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit using the contact information below.

Contact Information:

Missouri Department of Natural Resources
Air Pollution Control Program
P.O. Box 176
Jefferson City, MO 65102-0176
(573) 751-4817

The regional office information can be found at the following website:
<http://dnr.mo.gov/regions/>

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."

Farmers Grain Terminal, LLC
Saline County (S10/11, T51N, R20W)

1. Superseding Condition
 - A. The conditions of this permit supersede all special conditions found in Construction Permits 0699-013 & 092015-003, previously issued by the Air Pollution Control Program.

2. Control Device Requirement – Ventilation System & Baghouse
 - A. Farmers Grain Terminal, LLC shall capture and control emissions from the following equipment using a high velocity, baffled ventilation system and a baghouse, as specified in the permit application.
 - 1) EP-1 Receiving Pit #1
 - 2) EP-2 Receiving Pit #2
 - 3) EP-3 Inbound Elevator Legs
 - 4) EP-4 Outbound Elevator Legs
 - 5) EP-7 Truck Loadout

 - B. Farmers Grain Terminal, LLC shall operate the ventilation system at all times when grain is being received and loaded out.

 - C. The baghouse shall be operated and maintained in accordance with the manufacturer's specifications. The baghouse shall be equipped with a gauge or meter, which indicates the pressure drop across the control device. This gauge or meter shall be located such that Department of Natural Resources' employees may easily observe them.

 - D. Replacement filters for the baghouse shall be kept on hand at all times. The bags shall be made of fibers appropriate for operating conditions expected to occur (i.e. temperature limits, acidic and alkali resistance, and abrasion resistance).

 - E. Farmers Grain Terminal, LLC shall monitor and record the operating pressure drop across the baghouse at least once every 24 hours, while the equipment is operating. The operating pressure drop shall be maintained within the design conditions specified by the manufacturer's performance warranty.

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- F. Farmers Grain Terminal, LLC shall maintain a copy of the baghouse manufacturer's performance warranty on site.
 - G. Farmers Grain Terminal, LLC shall maintain an operating and maintenance log for the ventilation system and baghouse which shall include the following:
 - 1) Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions; and
 - 2) Maintenance activities, with inspection schedule, repair actions, and replacements, etc.
3. Grain Receiving Truck Type Requirement
- A. Farmers Grain Terminal, LLC shall receive at least 85% of its grain by hopper trucks, and no more than 15% of its grain by straight trucks on an annual basis.
 - B. To demonstrate compliance with Special Condition 3.A, Farmers Grain Terminal, LLC shall keep a written or electronic record of the type of each truck (hopper or straight) from which the facility receives grain.
4. Application of Fugitive Dust Suppressant Requirement
- A. Farmers Grain Terminal, LLC shall apply mineral oil to the grain on the inbound elevator legs (EP-3).
 - B. The mineral oil shall be applied at a rate of at least 1 quart per 1,000 bushels.
5. Grain Receiving Limitations
- A. Farmers Grain Terminal, LLC shall limit their grain receiving operations (EP-1, EP-2, EP-3 & EP-5) in accordance with the following scenarios.
 - 1) Non-Harvest Season (December – May)
 - a) Farmers Grain Terminal, LLC shall receive no more than 10,150 tons (350,000 bushels) of grain per day between 8:00 AM and 5:00 PM.
 - b) Farmers Grain Terminal, LLC shall receive no grain between 5:00 PM and 8:00 AM.
 - 2) Non-Harvest Season (June – July)
 - a) Farmers Grain Terminal, LLC shall receive no more than 10,150 tons (350,000 bushels) of grain per day between 8:00 AM and 7:00 PM.
 - b) Farmers Grain Terminal, LLC shall receive no grain between 7:00 PM and 8:00 AM.

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- 3) Harvest Season (August – November)
 - a) Farmers Grain Terminal, LLC shall receive no more than 8,700 tons (300,000 bushels) of grain per day between 8:00 AM and 5:00 PM.
 - b) Farmers Grain Terminal, LLC shall receive no more than 3,770 tons (130,000 bushels) of grain per day between 5:00 PM and 8:00 AM.

- B. To demonstrate compliance with Special Condition 5.A, Farmers Grain Terminal, LLC shall keep a written or electronic record of the daily amount of grain received at the installation.

6. Grain Dryer Restriction
 - A. Farmers Grain Terminal, LLC shall restrict their grain dryer operations (EP-6) in accordance with the following scenarios.
 - 1) Non-Harvest Season (December – July)
 - a) Farmers Grain Terminal, LLC shall only operate the grain dryer between 8:00 AM and 5:00 PM.
 - 2) Harvest Season (August – November)
 - a) Farmers Grain Terminal, LLC may operate the grain dryer without any restrictions.

 - B. To demonstrate compliance with Special Condition 6.A, Farmers Grain Terminal, LLC shall keep a written or electronic record of the daily amount of grain dried at the installation.

7. Truck Loadout Restriction
 - A. Farmers Grain Terminal, LLC shall only loadout grain trucks (EP-7) between 8:00 AM – 5:00 PM.

 - B. To demonstrate compliance with Special Condition 7.A, Farmers Grain Terminal, LLC shall keep a written or electronic record of the daily amount of grain loaded out by trucks at the installation.

8. Rail Loadout Limitation
 - A. Farmers Grain Terminal, LLC shall limit rail loadout (EP-8) to no more than 1,595 tons (55,000 bushels) of grain per hour for 12 hours a day, which equates to 19,140 tons (660,000 bushels) of grain per day.

 - B. Farmers Grain Terminal, LLC shall use choke flow on the loadout spout to control particulate emissions.

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- C. To demonstrate compliance with Special Condition 8.A, Farmers Grain Terminal, LLC shall keep a written or electronic record of the daily amount of grain loaded out by rail at the installation.
9. Haul Road Silt Content Testing Requirements
- A. The silt loading of all haul roads at the facility shall not exceed 0.45 g/m².
 - B. Farmers Grain Terminal, LLC shall develop, maintain, and implement a Fugitive Dust Control Plan to control emissions from haul roads that insures compliance with Special Condition 9.A. The plan should include, at a minimum, control and/or cleaning methods and a procedure for documenting those methods.
 - C. Testing shall be conducted in accordance with test method ASTM-C-136. A summary of this method can be found in AP-42, Appendix C.
 - D. Testing shall be conducted once per quarter for four quarters following the issuance of this permit. If the first four tests demonstrate compliance with Special Condition 9.A, no further testing is required.
 - E. If the performance testing indicates the silt loading specified in Special Condition 9.A is exceeded, Farmers Grain Terminal, LLC shall amend their Fugitive Dust Control Plan within 30 days of submitting the performance test results. The amended plan must demonstrate how Farmers Grain Terminal, LLC will reduce the silt loading below the value specified in Special Condition 9.A. Farmers Grain Terminal, LLC shall implement any such plan immediately upon its approval by the director.
10. Record Keeping and Reporting Requirements
- A. Farmers Grain Terminal, LLC shall maintain all records required by this permit for not less than five years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request.
 - B. Farmers Grain Terminal, LLC shall report to the Air Pollution Control Program's Compliance/ Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than 10 days after the end of the month during which any limitation imposed by this permit is exceeded.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (6) REVIEW

Project Number: 2015-06-035
Installation ID Number: 195-0040
Permit Number: **092016-005**

Installation Address:

Farmers Grain Terminal, LLC
29261 North Highway 240
Slater, MO 65349
Saline County (S10/11, T51N, R20W)

Parent Company:

Ray-Carroll County Grain Growers, Inc.
P.O. Box 158
Richmond, MO 64085

REVIEW SUMMARY

- Farmers Grain Terminal, LLC has applied for authority to increase the capacity of a receiving pit.
- The application was deemed complete on June 30, 2015.
- The only HAP emissions are expected from the facility are products of combustion from the grain dryer.
- 40 CFR 60 Subpart DD – *Standards of Performance for Grain Elevators* applies to Receiving Pit #2 (EP-2) and the Inbound Elevator Legs (EP-3).
- None of the NESHAPs apply to this installation. None of the currently promulgated MACT regulations apply to the proposed equipment.
- A baghouse, the application of mineral oil, and the use of choke flow are being used to control PM, PM₁₀, and PM_{2.5} emissions from the equipment in this permit.
- This review was conducted in accordance with Section (6) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of PM₁₀ are above the de minimis level but below major source levels, and potential emissions of all other pollutants are below de minimis levels.
- This installation is located in Saline County, an attainment area for all criteria pollutants.
- This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are counted toward major source applicability.
- Ambient air quality modeling was performed to determine the ambient impact of PM₁₀ and PM_{2.5}.

- Emissions testing is not required for the equipment.
- Submittal of an amendment to your Basic Operating Permit is required within 30 days after issuance of this construction permit.
- Approval of this permit is recommended with special conditions.

INSTALLATION DESCRIPTION

Ray-Carroll County Grain Growers, Inc. operates a grain elevator in Slater, Missouri, under the name Farmers Grain Terminal, LLC. The grain elevator has a total storage capacity over 2.5 million bushels; therefore, 40 CFR 60, Subpart DD – *Standards of Performance for Grain Elevators* applies to Receiving Pit #2 (EP-2) and the Inbound Elevator Legs (EP-3). Farmers Grain Terminal, LLC is a minor source for construction permits and currently has a Basic Operating Permit that expires April 7, 2018.

The following New Source Review permits have been issued to Farmers Grain Terminal, LLC from the Air Pollution Control Program.

Table 1: Permit History

Permit Number	Description
0699-013	New 1.2 million bushel grain elevator
0699-013A	Remove cyclone gauge requirement
092015-003	Replace receiving pit and elevator leg

PROJECT DESCRIPTION

Farmers Grain Terminal, LLC is proposing to increase the receiving rate of one of their two receiving pits. The upgrade will increase the capacity of Receiving Pit #2 (EP-2) from 435 tons per hour to 725 tons per hour. This increase will result in the subsequent increase in the maximum hourly rate for the Inbound Elevator Legs (EP-3), Storage Bins (EP-5), and associated haul roads, which are currently limited by the total capacity of both receiving pits (EP-1 & EP-2), at 870 tons per hour. As part of this project, Farmers Grain Terminal, LLC is also proposing to increase the amount of grain received and shipped from the installation, set limits on the operating schedules of grain handling processes, and replace an existing cyclone with a baghouse.

EMISSIONS/ CONTROLS EVALUATION

The emission factors and control efficiencies used in this analysis were obtained from the EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition, Section 9.9.1 *Grain Elevators and Processes* (May 2003) and Section 1.4 *Natural Gas Combustion* (July 1998).

Particulate emissions from truck receiving (EP-1 & EP-2) are captured by a ventilation system, which was given a 90% capture efficiency for PM, PM₁₀, and PM_{2.5} after reviewing the equipment specifications and observing the receiving process. The inbound (EP-3) and the outbound (EP-4) grain handling legs are completely enclosed, and were therefore given a 100% capture efficiency. EP-1, EP-2, EP-3, EP-4, and EP-7 are all controlled by a baghouse (which will replace the existing cyclone), that has a 99.5% control efficiency for PM and PM₁₀, and a 99.0% control efficiency for PM_{2.5}. Mineral oil will be applied to EP-3, which will increase the control efficiency of EP-3, EP-4, and EP-7 to 99.9% for PM and PM₁₀ and to 99.4% for PM_{2.5}.

Particulate emissions from the storage bins (EP-5) and the grain dryer (EP-6) are also controlled by the previous application of mineral oil. The oil alone grants a control efficiency of 80.0% for PM and PM₁₀ and 40.0% for PM_{2.5}.

Farmers Grain Terminal, LLC is using choke flow to prevent and control particulate emissions from rail loadout (EP-8). The use of choke flow, along with the previous application of mineral oil, was given a control efficiency of 98.0% for PM and PM₁₀ and 94.0% for PM_{2.5}.

The change in grain shipping and receiving rates causes an increase in subsequent haul road emissions at the installation. The haul roads were broken down into individual segments and their use was limited by the same time-of-day and seasonal operational restrictions as the grain elevator. All paved haul road segments were given a silt load value of 0.45 g/m².

The following table provides an emissions summary for this project. Existing potential emissions were taken from the installation's previous construction permit (0699-013). Existing actual emissions were taken from the installation's 2014 EIQ. Potential emissions of the project represent the controlled potential of all emission sources affected by this project, assuming continuous operation at the restricted hourly and seasonal rates imposed by Special Conditions 5 – 8.

Table 2: Emissions Summary (tons per year)

Pollutant	Regulatory <i>De Minimis</i> Levels	Existing Potential Emissions	Existing Actual Emissions (2014 EIQ)	Potential Emissions of the Project	New Installation Conditioned Potential
PM	25.0	N/D	N/D	N/D	N/D
PM ₁₀	15.0	165.5	5.15	17.64	183.14
PM _{2.5}	10.0	N/D	0.59	8.12	N/D
SO _x	40.0	N/A	N/A	0.10	0.10
NO _x	40.0	N/A	N/A	16.00	16.00
VOC	40.0	N/A	N/A	0.88	0.88
CO	100.0	N/A	N/A	13.44	13.44
Total HAPs	25.0	N/A	N/A	0.30	0.30

N/A = Not Applicable; N/D = Not Determined

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (6) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of PM₁₀ are above the de minimis level but below major source levels, and potential emissions of all other pollutants are below de minimis levels.

APPLICABLE REQUIREMENTS

Farmers Grain Terminal, LLC shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved. For a complete list of applicable requirements for your installation, please consult your operating permit.

GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110
 - Per 10 CSR 10-6.110(4)(B)2.B(II) and (4)(B)2.C(II) a full EIQ is required for the first full calendar year the equipment (or modifications) approved by this permit are in operation.
- *Operating Permits*, 10 CSR 10-6.065
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-6.165

SPECIFIC REQUIREMENTS

- *Restriction of Emission of Particulate Matter From Industrial Processes*, 10 CSR 10-6.400
- *New Source Performance Regulations*, 10 CSR 10-6.070
 - *Standards of Performance for Grain Elevators*, 40 CFR Part 60, Subpart DD

AMBIENT AIR QUALITY IMPACT ANALYSIS

Ambient air quality modeling was performed to determine the ambient impact of PM₁₀ and PM_{2.5}. An AAQIA was previously completed as part of Construction Permit 0699-013, but a reevaluation is being performed to confirm that the proposed project emissions will not exceed the PSD increment for PM₁₀ or interfere with the NAAQS attainment for PM₁₀ and PM_{2.5}. Results of the modeling show that the facility is in compliance for both PM₁₀ and PM_{2.5}.

More information regarding the AAQIA can be found in the memorandum "Ambient Air Quality Impact Analysis (AAQIA) for Ray-Carroll County Grain Growers – Slater Facility – Revision" dated August 2, 2016.

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, it is recommended that this permit be granted with special conditions.

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated June 8, 2015, received June 10, 2015, designating Ray-Carroll County Grain Growers, Inc. as the owner and operator of the installation.
- The memo titled "Ambient Air Quality Impact Analysis (AAQIA) for Ray-Carroll County Grain Growers – Slater Facility – Revision" dated August 2, 2016.

APPENDIX A

Abbreviations and Acronyms

%	percent	m/s	meters per second
°F	degrees Fahrenheit	Mgal	1,000 gallons
acfm	actual cubic feet per minute	MW	megawatt
BACT	Best Available Control Technology	MHDR	maximum hourly design rate
BMPs	Best Management Practices	MMBtu ...	Million British thermal units
Btu	British thermal unit	MMCF	million cubic feet
CAM	Compliance Assurance Monitoring	MSDS	Material Safety Data Sheet
CAS	Chemical Abstracts Service	NAAQS ..	National Ambient Air Quality Standards
CEMS	Continuous Emission Monitor System	NESHAPs	National Emissions Standards for Hazardous Air Pollutants
CFR	Code of Federal Regulations	NO_x	nitrogen oxides
CO	carbon monoxide	NSPS	New Source Performance Standards
CO₂	carbon dioxide	NSR	New Source Review
CO_{2e}	carbon dioxide equivalent	PM	particulate matter
COMS	Continuous Opacity Monitoring System	PM_{2.5}	particulate matter less than 2.5 microns in aerodynamic diameter
CSR	Code of State Regulations	PM₁₀	particulate matter less than 10 microns in aerodynamic diameter
dscf	dry standard cubic feet	ppm	parts per million
EIQ	Emission Inventory Questionnaire	PSD	Prevention of Significant Deterioration
EP	Emission Point	PTE	potential to emit
EPA	Environmental Protection Agency	RACT	Reasonable Available Control Technology
EU	Emission Unit	RAL	Risk Assessment Level
fps	feet per second	SCC	Source Classification Code
ft	feet	scfm	standard cubic feet per minute
GACT	Generally Available Control Technology	SDS	Safety Data Sheet
GHG	Greenhouse Gas	SIC	Standard Industrial Classification
gpm	gallons per minute	SIP	State Implementation Plan
gr	grains	SMAL	Screening Model Action Levels
GWP	Global Warming Potential	SO_x	sulfur oxides
HAP	Hazardous Air Pollutant	SO₂	sulfur dioxide
hr	hour	tph	tons per hour
hp	horsepower	tpy	tons per year
lb	pound	VMT	vehicle miles traveled
lbs/hr	pounds per hour	VOC	Volatile Organic Compound
MACT	Maximum Achievable Control Technology		
µg/m³	micrograms per cubic meter		



Jeremiah W. (Jay) Nixon, Governor • Sara Parker Pauley, Director

DEPARTMENT OF NATURAL RESOURCES

www.dnr.mo.gov

SEP 07 2016

Mr. Tim Phillips
Operations Manager
Farmers Grain Terminal, LLC
P.O. Box 158
Richmond, MO 64085

RE: New Source Review Permit - Project Number: 2015-06-035

Dear Mr. Phillips:

Enclosed with this letter is your permit to construct. Please study it carefully and refer to Appendix A for a list of common abbreviations and acronyms used in the permit. Also, note the special conditions on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit application and with your amended operating permit is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

This permit may include requirements with which you may not be familiar. If you would like the department to meet with you to discuss how to understand and satisfy the requirements contained in this permit, an appointment referred to as a Compliance Assistance Visit (CAV) can be set up with you. To request a CAV, please contact your local regional office or fill out an online request. The regional office contact information can be found at the following website: <http://dnr.mo.gov/regions/>. The online CAV request can be found at <http://dnr.mo.gov/cav/compliance.htm>.

If you were adversely affected by this permit decision, you may be entitled to pursue an appeal before the administrative hearing commission pursuant to Sections 621.250 and 643.075.6 RSMo. To appeal, you must file a petition with the administrative hearing commission within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed; if it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the administrative hearing commission, whose contact information is:



Recycled Paper

Mr. Tim Phillips
Page Two

Administrative Hearing Commission, United States Post Office Building, 131 West High Street, Third Floor, P.O. Box 1557, Jefferson City, Missouri 65102, phone: 573-751-2422, fax: 573-751-5018, website: www.aa.mo.gov/ahc.

If you have any questions regarding this permit, please do not hesitate to contact Ryan Schott, at the Department of Natural Resources' Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817. Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM



Susan Heckenkamp
New Source Review Unit Chief

SH:rsj

Enclosures

c: Northeast Regional Office
PAMS File: 2015-06-035

Permit Number: 092016-005