

STATE OF MISSOURI

PERMIT BOOK



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: 082015-005

Project Number: 2015-06-027
Installation ID: 186-0043

Parent Company: Fischer Quarry and Hauling, LLC

Parent Company Address: 25501 State Route Z, St. Mary, MO 63673

Installation Name: Fischer Quarry and Hauling, LLC

Installation Address: 25501 State Route Z, St. Mary, MO 63673

Location Information: Ste. Genevieve County, Land Grant 02045/03221 T36N R9E

Application for Authority to Construct was made for:
New generic stationary rock crushing plant. This review was conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

AUG 10 2015
EFFECTIVE DATE

Kyra L Moore
DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Department's Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department of Natural Resources' regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

| | |
|-------------|-------------|
| Page No. | 3 |
| Permit No. | |
| Project No. | 2015-06-027 |

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."

Site ID Number: 186-0043

Site Name: Fischer Quarry and Hauling, LLC.

Site Address: 25501 State Route Z, St. Mary, MO 63673

Site County: Ste. Genevieve Land Grant 02045/03221 T36N R9E

1. Superseding Condition

The conditions of this permit supersede all special conditions found in the previously issued construction permit # 062010-001A from the Air Pollution Control Program.

2. Generic Plant Designation and Maximum Combined Hourly Design Rate

Fischer Quarry and Hauling, LLC has been designated to be a Generic Plant Operation. The combined MHDR each of the following generic equipment types shall not exceed the rates and numbers listed in Table 1.

Table 1: Generic Equipment

| Equipment Type | MHDR | Maximum Number of Units |
|--------------------------------------|---------------------|-------------------------|
| Primary Unit(s) (Primary Crusher) | 500 tons per hour | 1 |
| Feeder/Grizzly | 500 tons per hour | 1 |
| Crusher(s) including primary crusher | 960 tons per hour | 2 |
| Conveyor(s), Stacker(s) | 3,750 tons per hour | 15 |
| Screen(s) | 1,000 tons per hour | 2 |
| Diesel Generator | 400 horsepower | 1 |

3. Generic Plant Equipment Identification Requirement

A. Fischer Quarry and Hauling, LLC shall submit the following information to the Air Pollution Control Program's Permitting Section and the Southeast Regional Office within 15 days of actual startup.

- 1) A master list of all equipment that will be permitted for use with the generic plant. This master list shall include at minimum the following information for each piece of equipment:
 - a) Manufacturer's name
 - b) Model number
 - c) Serial number
 - d) Actual MHDR
 - e) Date of manufacture

| | |
|-------------|-------------|
| Page No. | 4 |
| Permit No. | |
| Project No. | 2015-06-027 |

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

- f) Any other additional information that is necessary to uniquely identify the equipment.
 - 2) A list of the core equipment that will always be utilized with the generic plant. The core equipment associated with the generic plant shall include at least one primary unit that controls the rate of the process flow (e.g., a primary crusher or primary screen).
 - 3) A determination of the applicability of 40 CFR Part 60, Subpart OOO, "Standards of Performance for Nonmetallic Mineral Processing Plants" for each piece of equipment indicating whether each piece of equipment is subject to Subpart OOO and justification for this determination.
 - 4) Fischer Quarry and Hauling, LLC shall notify the Air Pollution Control Program's Permitting Section and the Southeast Regional Office when new equipment is added to the master list and when core equipment is changed within 30 days of the change.
- B. Fischer Quarry and Hauling, LLC shall maintain a list of the specific equipment currently being utilized with the generic plant. Any arrangement of the generic plant's equipment must be such that the core equipment is not bypassed in the process flow.
4. **Equipment Identification Requirement**
Fischer Quarry and Hauling, LLC shall maintain easily read permanent markings on each component of the plant. These markings shall be the equipment's serial number or a company assigned identification number that uniquely identifies the individual component.
 5. **Best Management Practices Requirement**
Fischer Quarry and Hauling, LLC shall control fugitive emissions from all of the haul roads and vehicular activity areas at this site by performing BMPs as defined in Attachment AA.
 6. **Ambient Air Impact Limitation**
 - A. Fischer Quarry and Hauling, LLC shall not cause an exceedance of the NAAQS for PM₁₀ of 150.0 µg/m³ 24-hour average in ambient air.
 - B. Fischer Quarry and Hauling, LLC shall demonstrate compliance with Special Condition 6.A using Attachment A and Attachment B or other equivalent forms that have been approved by the Air Pollution Control Program, including electronic forms. Fischer Quarry and Hauling, LLC shall account for the impacts from other sources of PM₁₀ as instructed in the attachments.

| | |
|-------------|-------------|
| Page No. | 5 |
| Permit No. | |
| Project No. | 2015-06-027 |

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

7. Annual Emission Limit
 - A. Fischer Quarry and Hauling, LLC shall emit less than 15.0 tons of PM₁₀ in any consecutive 12-month period from the entire installation.
 - B. Fischer Quarry and Hauling, LLC shall demonstrate compliance with Special Condition 7.A using Attachment C or another equivalent form that has been approved by the Air Pollution Control Program, including an electronic form.
8. Moisture Content Testing Requirement
 - A. Fischer Quarry and Hauling, LLC shall verify that the moisture content of the processed rock is greater than or equal to 1.5 percent by weight.
 - B. Testing shall be conducted according to the method prescribed by the American Society for Testing Materials (ASTM) D-2216, C-566 or another method approved by the Director.
 - C. The initial test shall be conducted no later than 45 days after the start of operation. A second test shall be performed the calendar year following the initial test during the months of July or August.
 - D. The test samples shall be taken from rock that has been processed by the plant or from each source of aggregate (e.g. quarry).
 - E. The written analytical report shall include the raw data and moisture content of each sample, the test date and the original signature of the individual performing the test. The report shall be filed on-site or at the Fischer Quarry and Hauling, LLC main office within 30 days of completion of the required test.
 - F. If the moisture content of either of the two tests is less than the moisture content in Special Condition 8.A, another test may be performed within 15 days of the noncompliant test. If the results of that test is less than the moisture content in Special Condition 8.A, Fischer Quarry and Hauling, LLC shall either:
 - 1) Apply for a new permit to account for the revised information, or
 - 2) Submit a plan for the installation of wet spray devices to the Compliance/Enforcement Section of the Air Pollution Control Program within 10 days of the second noncompliant test. The wet spray devices shall be installed and operational within 40 days of the second noncompliant test.
 - G. In lieu of testing, Fischer Quarry and Hauling, LLC may obtain test results that demonstrate compliance with the moisture content in Special Condition 8.A from the supplier of the aggregate.

| | |
|-------------|-------------|
| Page No. | 6 |
| Permit No. | |
| Project No. | 2015-06-027 |

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

9. **Minimum Distance to Property Boundary Requirement**
The primary emission point shall be located at least 500 feet from the nearest property boundary.
10. **Primary Equipment Requirement**
Fischer Quarry and Hauling, LLC shall process all rock through the primary crusher (EU-3). Bypassing the primary crusher is prohibited.
11. **Requirement – Decommission Existing Crushing Plant**
Fischer Quarry and Hauling, LLC shall decommission or dismantle the existing crushing plant that was permitted in construction permit #062010-001 and is located at site #186-0043. The new stationary generic rock crushing plant (permitted in project #2015-06-027) shall take the place of the previous stationary crushing plant, and it shall be comprised of both new equipment and pieces of existing equipment from the decommissioned stationary crushing plant. Under no circumstances shall the decommissioned crushing plant be operational upon issuance of this permit and construction of the new stationary plant.
12. **Record Keeping Requirement**
Fischer Quarry and Hauling, LLC shall maintain all records required by this permit for not less than five years and make them available to any Missouri Department of Natural Resources' personnel upon request.
13. **Reporting Requirement**
Fischer Quarry and Hauling, LLC shall report to the Air Pollution Control Program, Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than 10 days after any exceedances of the limitations imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (5) REVIEW

Project Number: 2015-06-027
Installation ID Number: 186-0043
Permit Number:

Fischer Quarry and Hauling, LLC
25501 State Route Z
St. Mary, MO 63673

Complete: June 17, 2015

Parent Company:
Fischer Quarry and Hauling, LLC
25501 State Route Z
St. Mary, MO 63673

Ste. Genevieve County, S1 T36N R9E

PROJECT DESCRIPTION

Fischer Quarry and Hauling, LLC has requested that the Air Pollution Control Program update their existing generic stationary rock-crushing plant with new sized equipment. The installation operates two crushers, two screens, 15 conveyors and one diesel generator. The conveyors include a discharge conveyor (500 tph) from the primary crusher, four stacking conveyors (1250 tph combined), a feeding conveyor for the first screen (500 tph), three discharge conveyors from the first screen (500 tph combined), a feeding conveyor for the second screen (250 tph), three discharge conveyors from the second screen (250 tph combined), a feeding conveyor for the secondary crusher (250 tph), and a discharge conveyor from the secondary crusher (250 tph). The total maximum hourly design rates for each equipment type are listed in Table 1.

Fischer Quarry and Hauling, LLC is permitted to operate with other plants as described in the Operating Scenarios section.

The applicant is using one of the methods described in Attachment AA, "Best Management Practices," to control emissions from haul roads and vehicular activity areas.

This installation is located in Ste. Genevieve County, an attainment area for all criteria pollutants.

This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability.

TABLES

The following permits have been issued to Fischer Quarry and Hauling, LLC from the Air Pollution Control Program.

Table 2: Permit History

| Permit Number | Description |
|---------------|-------------------------------------|
| 062003-021 | New Rock Crushing Plant |
| 052004-003 | Amend primary plant for co-location |
| 062004-013 | Add Power Screen and BMPs |
| 062009-007 | Replace crusher and add screen |
| 062010-001 | Make generic |
| 062010-001A | Add screens |

The table below summarizes the emissions of this project. The existing actual emissions were taken from the 2012 EIQ. The potential emissions of the application represent the emissions of all equipment and activities assuming continuous operation (8760 hours per year). The conditioned potential emissions include emissions from sources that will limit their production to ensure compliance with the annual emission limit.

Table 3: Emissions Summary (tons per year)

| Air Pollutant | De Minimis Level/SMAL | ^a Existing Potential Emissions | Existing Actual Emissions (2012 EIQ) | ^b Potential Emissions of the Application | Conditioned Potential Emissions |
|-------------------|-----------------------|---|--------------------------------------|---|---------------------------------|
| PM | 25.0 | N/D | N/D | 124.83 | 37.14 |
| PM ₁₀ | 15.0 | <15.0 | 0.95 | 50.42 | <15.0 |
| PM _{2.5} | 10.0 | N/D | 0.27 | 18.25 | 5.43 |
| SO _x | 40.0 | 1.11 | N/D | 3.62 | 1.08 |
| NO _x | 40.0 | 16.95 | N/D | 55.08 | 16.39 |
| VOC | 40.0 | 1.38 | N/D | 4.50 | 1.34 |
| CO | 100.0 | 3.65 | N/D | 11.87 | 3.52 |
| Total HAPs | 25.0 | 0.02 | N/D | 0.05 | 0.01 |

N/A = Not Applicable; N/D = Not Determined

^aExisting Potential Emissions taken from permit 062010-001A

^bIncludes site specific haul road and storage pile emissions

Table 4 summarizes the ambient air quality impact analysis. The maximum modeled impact is the impact of each pollutant when the plant is operating continuously. The 24-hour limited impacts and daily limit are based on compliance with the NAAQS for PM₁₀.

Table 4: Ambient Air Quality Impact Analysis

| Pollutant | ^a NAAQS /RAL (µg/m ³) | Averaging Time | ^b Maximum Modeled Impact (µg/m ³) | Limited Impact (µg/m ³) | Background (µg/m ³) | ^c Daily Limit (tons/day) |
|--|--|----------------|--|-------------------------------------|---------------------------------|-------------------------------------|
| ^d PM ₁₀ (solitary) | 150.0 | 24-hour | 199.18 | 130.0 | 20.0 | 8,429 |
| ^e PM ₁₀ (same) | 150.0 | 24-hour | N/D | 130.0 | 20.0 | N/D |
| ^f PM ₁₀ (separate) | 150.0 | 24-hour | N/A | 65.0 | 85.0 | 5,789 |

^a National Ambient Air Quality Standards (NAAQS)

^b Modeled impact at maximum capacity with controls

^c Indirect limit based on compliance with NAAQS.

^d Solitary operation

^e Operation with other plants that are owned by Fischer Quarry & Hauling, LLC

^f Operation with other plants that are not owned by Fischer Quarry & Hauling, LLC

EMISSIONS CALCULATIONS

Emissions for the project were calculated using emission factors found in the United States EPA document AP-42 *Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources*, Fifth Edition (AP-42).

Emissions from the rock-crushing equipment were calculated using emission factors from AP-42 Section 11.19.2 “Crushed Stone Processing and Pulverized Mineral Processing,” August 2004. The controlled emission factors were used because the inherent moisture content of the crushed rock is greater than 1.5 % by weight.

Emissions from the diesel generator were calculated using emission factors from AP-42 Section 3.4 “Large Stationary Diesel and All Stationary Dual-fuel Engines,” October 1996.

Emissions from haul roads and vehicular activity areas were calculated using the predictive equation from AP-42 Section 13.2.2 “Unpaved Roads,” November 2006. A 90% control efficiency for PM and PM₁₀ and a 40% control efficiency for PM_{2.5} were applied to the emission calculations for the use of BMPs. Emissions from load-in and load-out of storage piles were calculated using the predictive equation from AP-42 Section 13.2.4. The moisture content of the aggregate is equal to or greater than 1.5% by weight. Emissions from wind erosion of storage piles were calculated using an equation found in the Air Pollution Control Program’s Emissions Inventory Questionnaire Form 2.8 “Storage Pile Worksheet.”

AMBIENT AIR QUALITY IMPACT ANALYSIS

An ambient air quality impact analysis (AAQIA) was performed to determine the impact of PM₁₀. The Air Pollution Control Program requires an AAQIA of PM₁₀ for all asphalt, concrete and rock-crushing plants regardless of the level of PM₁₀ emissions if a permit is required. An AAQIA is required for other pollutants if their emissions exceed their respective de minimis or screening model action level (SMAL). The AAQIA was performed using the Air Pollution Control Program's generic nomographs and when appropriate the EPA modeling software AERSCREEN. For each pollutant that was modeled, the maximum concentration that occurs at or beyond the site boundary was compared to the NAAQS or RAL for the pollutant. If during continuous operation the modeled concentration of a pollutant is greater than the applicable NAAQS or RAL, the plant's production is limited to ensure compliance with the standard.

This plant uses BMPs to control emissions from haul roads and vehicular activity areas, so emissions from these sources were not included in the AAQIA. Instead they were addressed as a background concentration of 20 µg/m³ of PM₁₀ in accordance with the Air Pollution Control Program's BMPs interim policy.

OPERATING SCENARIOS

The plant is permitted to operate with other plants located at the site as long as the NAAQS is not exceeded. The following scenarios explain how Fischer Quarry and Hauling, LLC shall demonstrate compliance with the NAAQS.

- When no other plants are located at this site, Fischer Quarry & Hauling, LLC shall demonstrate compliance with Special Condition 6.A using Attachment A or other equivalent forms that have been approved by the Air Pollution Control Program, including electronic forms.
- When plants that are owned by Fischer Quarry and Hauling, LLC, which are referred to as same owner plants, are located at the site, Fischer Quarry and Hauling, LLC must calculate the daily impact of each plant and limit the total impact of all plants to not exceed the NAAQS using Attachment A.
- When plants that are not owned by Fischer Quarry and Hauling, LLC, which are referred to as separate owner plants, are located at the site, Fischer Quarry and Hauling, LLC must account for the impacts of these plants as a background concentration and add it to the total impact of all plants owned by Fischer Quarry and Hauling, LLC that are operating at the site. This total is limited to not exceed the NAAQS. Fischer Quarry and Hauling, LLC will limit the total impact of all plants they own and operate at the site to 65 µg/m³ when any plants they do not own are located at the site. Fischer Quarry and Hauling, LLC is not permitted to operate with any plant that is not owned by Fischer Quarry and Hauling, LLC that has a separate owner background greater than 65 µg/m³. During this scenario, Fischer Quarry and Hauling, LLC shall use Attachment B to demonstrate compliance with the NAAQS.

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (6) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of PM₁₀ are conditioned below de minimis levels.

APPLICABLE REQUIREMENTS

Fischer Quarry and Hauling, LLC shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved. For a complete list of applicable requirements for your installation, please consult your operating permit.

GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110.
- A Basic Operating Permit application is required for this installation within 30 days of commencement of operations.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-6.165

SPECIFIC REQUIREMENTS

- 40 CFR 60 Subpart OOO, "Standards of Performance for Nonmetallic Mineral Processing Plants" applies to the equipment.
- 40 CFR 60 Subpart IIII, "Standards of Performance for Stationary Compression Ignition Internal Combustion Engines" applies to the equipment.
- None of the National Emission Standards for Hazardous Air Pollutants (NESHAPS) or National Emission Standards for Hazardous Air Pollutants for Source Categories (MACTS) apply to the proposed equipment.
- *Restriction of Emission of Sulfur Compounds*, 10 CSR 10-6.260

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

Chad Stephenson
New Source Review Unit

Date

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated June 5, 2015, received June 8, 2015, designating Fischer Quarry and Hauling, LLC as the owner and operator of the installation.

Attachment AA: Best Management Practices

Haul roads and vehicular activity areas shall be maintained in accordance with at least one of the following options when the plant is operating.

1. Pavement
 - A. The operator shall pave the area with materials such as asphalt, concrete or other materials approved by the Air Pollution Control Program. The pavement will be applied in accordance with industry standards to achieve control of fugitive emissions while the plant is operating.
 - B. Maintenance and repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator shall periodically wash or otherwise clean all of the paved portions of the haul roads as necessary to achieve control of fugitive emissions from these areas while the plant is operating.

2. Application of Chemical Dust Suppressants
 - A. The operator shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to unpaved areas.
 - B. The quantities of the chemical dust suppressant shall be applied and maintained in accordance with the manufacturer's recommendation (if available) and in sufficient quantities to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator shall keep these records with the plant for not less than five (5) years and make these records available to Department of Natural Resources' personnel upon request.

3. Application of Water-Documented Daily
 - A. The operator shall apply water to unpaved areas. Water shall be applied at a rate of 100 gallons per day per 1,000 square feet of unpaved or untreated surface area while the plant is operating.
 - B. Precipitation may be substituted for watering if the precipitation is greater than one quarter of one inch and is sufficient to control fugitive emissions.
 - C. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads.
 - D. The operator shall record the date, volume of water application and total surface area of active haul roads or the amount of precipitation that day. The operators shall also record the rationale for not watering (e.g. freezing conditions or not operating).
 - E. The operator shall keep these records with the plant for not less than five (5) years, and the operator shall make these records available to Department of Natural Resources' personnel upon request.

APPENDIX A

Abbreviations and Acronyms

| | | | |
|-------------------------------|--|-------------------------------|--|
| % | percent | MMBtu | Million British thermal units |
| °F | degrees Fahrenheit | MMCF | million cubic feet |
| acfm | actual cubic feet per minute | MSDS | Material Safety Data Sheet |
| BACT | Best Available Control Technology | NAAQS ... | National Ambient Air Quality Standards |
| BMPs | Best Management Practices | NESHAPs .. | National Emissions Standards for Hazardous Air Pollutants |
| Btu | British thermal unit | NO_x | nitrogen oxides |
| CAM | Compliance Assurance Monitoring | NSPS | New Source Performance Standards |
| CAS | Chemical Abstracts Service | NSR | New Source Review |
| CEMS | Continuous Emission Monitor System | PM | particulate matter |
| CFR | Code of Federal Regulations | PM_{2.5} | particulate matter less than 2.5 microns in aerodynamic diameter |
| CO | carbon monoxide | PM₁₀ | particulate matter less than 10 microns in aerodynamic diameter |
| CO₂ | carbon dioxide | ppm | parts per million |
| CO_{2e} | carbon dioxide equivalent | PSD | Prevention of Significant Deterioration |
| COMS | Continuous Opacity Monitoring System | PTE | potential to emit |
| CSR | Code of State Regulations | RACT | Reasonable Available Control Technology |
| dscf | dry standard cubic feet | RAL | Risk Assessment Level |
| EQ | Emission Inventory Questionnaire | SCC | Source Classification Code |
| EP | Emission Point | scfm | standard cubic feet per minute |
| EPA | Environmental Protection Agency | SDS | Safety Data Sheet |
| EU | Emission Unit | SIC | Standard Industrial Classification |
| fps | feet per second | SIP | State Implementation Plan |
| ft | feet | SMAL | Screening Model Action Levels |
| GACT | Generally Available Control Technology | SO_x | sulfur oxides |
| GHG | Greenhouse Gas | SO₂ | sulfur dioxide |
| gpm | gallons per minute | tph | tons per hour |
| gr | grains | tpy | tons per year |
| GWP | Global Warming Potential | VMT | vehicle miles traveled |
| HAP | Hazardous Air Pollutant | VOC | Volatile Organic Compound |
| hr | hour | | |
| hp | horsepower | | |
| lb | pound | | |
| lbs/hr | pounds per hour | | |
| MACT | Maximum Achievable Control Technology | | |
| µg/m³ | micrograms per cubic meter | | |
| m/s | meters per second | | |
| Mgal | 1,000 gallons | | |
| MW | megawatt | | |
| MHDR | maximum hourly design rate | | |

Ms. Koreen Bassham
Office Manager
Fischer Quarry and Hauling, LLC
25501 State Route Z
St. Mary, MO 63673

RE: New Source Review Permit - Project Number: 2015-06-027

Dear Ms. Bassham:

Enclosed with this letter is your permit to construct. Please study it carefully and refer to Appendix A for a list of common abbreviations and acronyms used in the permit. Also, note the special conditions on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit application and with your amended operating permit is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

If you were adversely affected by this permit decision, you may be entitled to pursue an appeal before the administrative hearing commission pursuant to Sections 621.250 and 643.075.6 RSMo. To appeal, you must file a petition with the administrative hearing commission within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed; if it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the administrative hearing commission, whose contact information is: Administrative Hearing Commission, Truman State Office Building, Room 640, 301 W. High Street, P.O. Box 1557, Jefferson City, Missouri 65102, phone: 573-751-2422, fax: 573-751-5018, website: www.aa.mo.gov/ahc. If you have any questions regarding this permit contact Chad Stephenson, at the department's Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Susan Heckenkamp
New Source Review Unit Chief

SH:csl

Enclosures

c: Southeast Regional Office
PAMS File: 2015-06-027
Permit Number: