

STATE OF MISSOURI



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: 122009-015 Project Number: 2009-06-077

Parent Company: Missouri Department Of Corrections

Parent Company Address: 2729 Plaza Drive, Jefferson City, MO 65109

Installation Name: South Central Correctional Center Furniture Restoration Factory

Installation Address: 255 West Highway 32, Licking, MO 65542

Location Information: Texas County, S1, T32N, R9W

Application for Authority to Construct was made for:

Changing from using a water based glue to petroleum based glues that contain volatile organic compounds (VOC) and hazardous air pollutant (HAPs) used in gluing down laminate and others adhesion needs in the manufacture of furniture. This review was conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

-
- Standard Conditions (on reverse) are applicable to this permit.
- Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

DEC 30 2009

EFFECTIVE DATE

A handwritten signature in black ink, appearing to read "James L. Kavanagh".

DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Departments' Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available not more than 60 days but at least 30 days in advance of this date. Also, you must notify the Department of Natural Resources Regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

Page No.	3
Permit No.	
Project No.	2009-06-077

SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."

South Central Correctional Center (SCCC) Furniture Restoration Factory
Texas County, S1, T32N, R9W

1. Use of Alternative Coating, Glues and Paints in the Installation.
 - A. When considering using an alternative material in the installation that is different than a material listed in the Application for Authority to Construct, SCCC Furniture Restoration Factory shall calculate the potential emissions of each individual HAP in the alternative material.
 - B. SCCC Furniture Restoration Factory shall seek approval from the Air Pollution Control Program before use of the alternative material in the following cases:
 - i. If the potential individual HAP emissions for the alternative material is equal to or greater than the Screening Model Action Levels (SMAL) for any compound listed in Attachment B.
 - C. Attachment A or an equivalent form shall be used to show compliance with Special Condition 1.A. and 1.B. SCCC Furniture Restoration Factory shall maintain all records required by this permit for not less than five (5) years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request.
2. Solvent/Clean up and Application Cloths
SCCC Furniture Restoration Factory shall keep the paints, varnish, stains, glues, adhesives and cleaning solution containers in sealed containers whenever the materials are not in use. SCCC Furniture Restoration Factory shall provide and maintain suitable, easily read, permanent markings on all paints, varnish, stains, glues, adhesives and cleaning solution containers used with this equipment.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (5) REVIEW

Project Number: 2009-06-077
Installation ID Number: 215-0074
Permit Number:

SCCC Furniture Restoration Factory
255 West Highway 32
Licking, MO 65542

Complete: October 15, 2009

Parent Company:
Missouri Department Of Corrections
2729 Plaza Drive
Jefferson City, MO 65109

Texas County, S1, T32N, R9W

REVIEW SUMMARY

- SCCC Furniture Restoration Factory has applied for authority to change from using a water based glue to petroleum based glues that contain volatile organic compounds (VOC) and hazardous air pollutant (HAPs) used in gluing down laminate and others adhesion needs in the manufacture of furniture.
- Hazardous Air Pollutant (HAP) emissions are expected from the proposed equipment. HAPs of concern from this process are Toluene (CAS Number 108-88-3), Methylene Chloride (CAS Number 75-09-2) and Trichloroethylene (CAS Number 79-01-06)
- None of the New Source Performance Standards (NSPS) apply to the proposed equipment.
- None of the National Emission Standards for Hazardous Air Pollutants or currently promulgated Maximum Achievable Control Technology regulations apply to the proposed equipment. Subpart JJ, *National Emission Standards for Wood Furniture Manufacturing Operations* and Subpart MMMM, *National Emissions Standards for Hazardous Air pollutants for Surface Coating of Miscellaneous Metal Parts and Products* do not apply as the installation is not a major source for HAPs.
- No air pollution control equipment is being used in association with the new equipment.
- This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of HAPS and VOC for this project are below de minimis levels of less than ten tons per year individual HAPs and less than 25 tons combined HAPs and less than 40.0 tons per year of VOC.

- This installation is located in Texas County, an attainment area for all criteria air pollutants.
- This installation is not on the List of Named Installations [10 CSR 10-6.020(3)(B), Table 2].
- Ambient air quality modeling was not performed since potential emissions of the application are below de minimis levels.
- Emissions testing is not required for the source.
- A Basic Operating Permit is required for this installation.
- Approval of this permit is recommended with special conditions.

INSTALLATION DESCRIPTION

South Central Correctional Center (SCCC) is part of the Missouri Department of Corrections in Texas County located in Licking, Missouri. The site provides housing units for inmates and buildings for administrative offices, education, recreation and support. The existing heating and cooling plant consists of three boilers each having a maximum capacity of 600 horsepower or 20 million British Thermal Units (MMBTU/hr). The site has an emergency diesel generator and a biomass boiler system. The boiler is rated at 13.4 MMBtu/hr. The SCCC site also has a furniture manufacturing facility managed by Missouri Vocational Enterprises. This furniture manufacturing facility is referred to as or called the SCCC Furniture Restoration Factory. This installation is considered one source, 215-0074.

The site has not taken limits in previous permits. The emissions for PM₁₀, NO_x, VOC and CO are less than major source levels, but are above de minimis levels for PM₁₀, NO_x, VOC and CO. This site will remain a basic source under operating permits.

The following permit activities have occurred at South Central Correctional Center from the Air Pollution Control Program.

Table 1: Permitting Activities at 215-0074.

Permit Determination	Description
Issued Permit 082000-003	Project number 2000-04-034 Security Center
Issued Basic Operating Permit	Project Number 2004-08-074 Operating Permit
Issued Permit 062006-003	Project Number 2006-01-006 Furniture Operation
Issued Permit 062006-015	Project Number 2006-01-021 LP gas for boilers
Issued Permit 112008-001	Project Number 2008-04-020 Biomass boiler
Issued Basic Operating Permit	Project Number 2008-12-038 Operating Permit

PROJECT DESCRIPTION

SCCC Furniture Restoration Factory has applied for authority change from using a water based glue to petroleum based glues that contain volatile organic compounds (VOC) and hazardous air pollutants (HAPs) used in gluing down laminate and others adhesion needs in the manufacture of furniture. According to the application emission point EP-06 assembly, gluing will be impacted by the change in glues. Four glues were reviewed by conservatively estimating emissions by using the worst case emissions per pollutant for the use of the following glues: STA-PUT S100 NF brush able contact adhesive, STA-PUT SPH Adhesive cylinder mixture, Wilsonart 600 Adhesive and Kgrip 701. Based on previous glue usage rates the maximum hourly design rate of 0.07 gallons per hour was used. The glue can be applied in a number of ways, but is primarily applied with a brush and roller.

SCCC Furniture Restoration Factory need a permit because the potential hourly amount of HAP emissions exceeded 0.5 pounds per hour as provided in 10 CSR 10-6.061 Construction Permit Exemptions (3)(A)3.B. The emission increases for this project are less than de minimis. All available VOC and HAPs are considered to be emitted.

EMISSIONS/CONTROLS EVALUATION

The emission factors and control efficiencies used in this analysis were obtained from mass balance and engineering judgment. Potential emissions of the application represent the potential of the new equipment, assuming continuous operation 8760 hours per year. The following table provides an emissions summary for this project.

Table 2: Emissions Summary (tons per year)

Pollutant	Regulatory <i>De Minimis</i> Levels	Existing Potential Emissions	Existing Actual Emissions (2008 EIQ)	Potential Emissions of the Application	Installation Conditioned Potential
PM ₁₀	15.0	38.96	1.00	N/A	N/A
SO _x	40.0	14.25	0.38	N/A	N/A
NO _x	40.0	70.14	3.69	N/A	N/A
VOC	40.0	42.74	18.83	2.33	N/A
CO	100.0	66.61	0.62	N/A	N/A
HAPs	10.0/25.0	19.02	0.09	2.55	N/A

N/A = Not Applicable; N/D = Not Determined

Existing emissions are from permit number 112008-001 with project number 2008-04-020 for the South Central Correctional Center.

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of VOCs and HAPs for this project are below de minimis levels. .

APPLICABLE REQUIREMENTS

South Central Correctional Center shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved.

GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information, 10 CSR 10-6.110*
The emission fee is the amount established by the Missouri Air Conservation Commission annually under Missouri Air Law 643.079(1). Submission of an Emissions Inventory Questionnaire (EIQ) is required June 1 for the previous year's emissions.
- *Operating Permits, 10 CSR 10-6.065*
- *Restriction of Emission of Odors, 10 CSR 10-3.090*

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

Timothy Paul Hines
Environmental Engineer

Date

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated June 2, 2009, received June 2, 2009, designating Missouri Department Of Corrections as the owner and operator of the installation.
- U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition.
- Southeast Regional Office Site Survey.

Attachment B
Hazardous Air Pollutant (HAP) Threshold Levels

Chemical	CAS#	Emission Threshold Levels (tons/year)	Synonyms
Acetaldehyde	75-07-0	9	Acetic Aldehyde, Aldehyde, Ethanal, Ethyl Aldehyde
Acetamide	60-35-5	1	Acetic Acid Amide, Ethanamide
Acetonitrile	75-05-8	4	Methyl Cyanide, Ethanenitrile, Cyanomethane
Acetophenone	98-86-2	1	Acetylbenzene, Methyl Phenyl Ketone, Hypnone
Acetylaminofluorene, [2-]	53-96-3	0.005	N-2-Fluorenyl Acetaminde, N-Fluroen-2-yl Acetamide, 2-Acetamideofluorene
Acrolein	107-02-8	0.04	Acrylaldehyde, Acrylic Aldehyde, Allyl Aldehyde, Propenal
Acrylamide	79-06-1	0.02	Propenamide, Acrylic Amide, Acrylamide Monomer, Ethylenecarboxamide
Acrylic Acid	79-10-7	0.6	Propenoic Acid, Ethylene Carboxylic Acid, Vinylformic Acid
Acrylonitrile	107-13-1	0.3	Vinyl Cyanide, Cyanoethylene, Propenenitrile
Allyl Chloride	107-05-1	1	1-Chloro-2-Propene, 3-Chloropropylene, Chloroallylene, Alpha-Propylene
Aminobiphenyl, [4-]	92-67-1	1	Biphenylene, P -Phenylaniline, Xenylamine, 4-Aminodiphenyl, 4-Biphenylamine
Aniline	62-53-3	1	Aminobenzene, Phenylamine, Aniline Oil, Aminophen, Arylamine
Anisidine, [Ortho-]	90-04-0	1	O-Methoxyaniline
Antimony Compounds (except those specifically listed)		5	Antimony (Pentachloride, Tribromide, Trichloride, Trifluoride)
Antimony Pentafluoride	7783-70-2	0.1	
Antimony Potassium Tartrate	28300-74-5	1	
Antimony Trioxide	1309-64-4	1	
Antimony Trisulfide	1345-04-6	0.1	
Arsenic and Inorganic Arsenic Compounds		0.005	Arsenic (Diethyl, Disulfide, Pentoxide, Trichloride, Trioxide, Trisulfide), Arsinine, Arsenous Oxide
Benz(a)Anthracene	56-55-3	0.01	
Benz(c)acridine	225-51-4	0.01	
Benzene	71-43-2	2	Benzol, Phenyl Hydride, Coal Naphtha, Phene, Benxole, Cyclohexatriene
Benidine	92-87-5	0.0003	4,4'-Biphenyldiamine, P-Diaminodiphenyl, 4,4'-Diaminobiphenyl, Benidine Base
Benzo(a)pyrene	50-32-8	0.01	
Benzo(b)fluoranthene	205-992	0.01	
Benzotrichloride	98-07-7	0.006	Benzoic Trichloride, PhenylChloroform, Trichloromethylbenzene
Benzyl Chloride	100-44-7	0.1	Alpha-Chlorotoluene, Toly Chloride
Beryllium Compounds (except Beryllium Salts)		0.008	Beryllium (Acetate, Carbonate, Chloride, Fluoride, Hydroxide, Nitrate, Oxide)

Beryllium Salts		0.00002	
Biphenyl*	92-52-4	10	
Bis(Chloroethyl)Ether	111-44-4	0.06	Dichloroethyl ether, Dichloroether, Dichloroethyl Oxide, BCEE
Bis(Chloromethyl)Ether	542-88-1	0.0003	BCME, Sym-Dichloromethyl ether, Dichloromethyl Ether, Oxybis-(Chloromethane)
Bromoform*	75-25-2	10	Tribromomethane
Butadiene, [1,3-]	106-99-0	0.07	Biethylene, Biviny, Butadiene Monomer, Divinyl Erythrene, Vinylethylene
Butylene Oxide, [1,2-]	106-88-7	1	1,2-Epoxybutane, 1-Butene Oxide, 1,2-Butene Oxide, Butylene Oxide, Ethylethylene
Cadmium Compounds		0.01	Cadmium (Dust, Fume, Acetate, Chlorate, Chloride, Fluoride, Oxide, Sulfate, Sulfide)
Calcium Cyanamide*	156-62-7	10	
Caprolactam*	105-60-2	10	
Captan*	133-06-2	10	
Carbaryl*	63-25-2	10	
Carbon Disulfide	75-15-0	1	Carbon Bisulfide, Dithiocarbonic Anhydride
Carbon Tetrachloride	56-23-5	1	Tetrachloromethane, Perchloromethane
Carbonyl Sulfide	463-58-1	5	Carbon Oxide Sulfide, Carbonoxysulfide
Catechol	120-80-9	5	Pyrocatechol, O-Dihydroxybenzene
Chloramben	133-90-4	1	3-Amino-2,5-Dichlorobenzoic Acid, Amben, Amiben*, Vegiben* (*Trademark)
Chlordane	57-74-9	0.01	ENT9932, Octachlor
Chlorine	7782-50-5	0.1	Bertholite
Chloroacetic Acid	79-11-8	0.1	Monochloroacetic Acid, Chloroethanoic Acid
Chlorobenzene	108-90-7	10	
Chloroacetophenone, [2-]	532-27-4	0.06	Phenacyl Chloride, Chloromethyl Phenyl Ketone, Tear Gas, Mace
Chlorobenzilate	510-15-6	0.4	Ethyl-4,4'-Dichlorobenzilate, Ethyl-4,4'-Dichlorophenyl Glycollate
Chloroform	67-66-3	0.9	Trichloromethane
Chloromethyl Methyl Ether	107-30-2	0.1	CMME, Methyl Chloromethyl Ether, Chloromethoxymethane, Monochloromethyl Ether
Chloroprene	126-99-8	1	2-Chloro-1,3-Butadiene, Chlorobutadiene, Neoprene Rubber Compound
Chromic Chloride	10025-73-7	0.1	
Chromium Compounds (except Hexavalent)		5	Chromium, Chromium(II) Compounds, Chromium (III) Compounds
Chromium Compounds, Hexavalent		0.002	Chromium (VI)
Chrysene	218-01-9	0.01	
Cobalt Carbonyl	12010-68-1	0.1	
Cobalt Metal (and compounds, except those specifically listed)		0.1	Cobalt (Bromide, Chloride, Diacetate, Formate, Nitrate, Oxide, Sulfamate)
Coke Oven Emissions	8007-45-2	0.03	Coal Tar, Coal Tar Pitch, Coal Tar Distillate
Cresol, [Meta-]	108-39-4	1	3-Cresol, M-Cresylic Acid, 1-Hydroxy-3-Methylbenzene, M-Hydroxytoluene
Cresol, [Ortho-]	95-48-7	1	2-Cresol, O-Cresylic Acid, 1-Hydroxy-2-Methylbenzene, 2-Methylphenol
Cresol, [Para-]	106-44-5	1	4-Cresol, P-Cresylic Acid, 1-Hydroxy-4-Methylbenzene, 4-Hydroxytoluene

Cresols/ Cresylic Acid (isomers and mixture)	1319-77-3	1	
Cumene	98-82-8	10	
Cyanide Compounds (except those specifically listed) ¹	20-09-7	5	Cyanide (Barium, Chlorine, Free, Hydrogen, Potassium, Silver, Sodium, Zinc)
DDE (p,p'-Dichlorodiphenyl Dichloroethylene)	72-55-9	0.01	
Di(2-Ethylhexyl)Phthalate, (DEHP)	117-81-7	5	Bis(2-ethylhexyl)Phthalate, Di(2-Ethylhexyl)Phthalate, DOP, Di-Sec-Octyl Phthalate
Diaminotoluene, [2,4-]	95-80-7	0.02	2,4-Toluene Diamine, 3-Amino-Para-Toluidine, 5-Amino-Ortho-Toluidine
Diazomethane	334-88-3	1	Azimethylene, Diazirine
Dibenz(a,h)anthracene	53-70-3		
Dibenzofuran	132-64-9	5	Diphenylene Oxide
Dibenzopyrene, [1,2:7,8]	189-55-9		
Dibutylphthalate*	84-74-2	10	
Dibromo-3-Chloropropane, [1,2-]	96-12-8	0.01	DBCP
Dibromomethane, [1,2-]	106-93-4	0.1	Ethylene Dibromide, Ethylene Bromide, Sym-Dibromoethane
Dichlorobenzene, [1,4-]	106-46-7	3	1,4-Dichloro-P-DCB, 1-4-DCB, PDB, PDCB
Dichlorobenzidene, [3,3-]	91-94-1	0.2	4,4'-Diamino-3,3'-Dichlorobiphenyl, 3,3'-Dichlorobiphenyl-4,4'-Diamine, DCB
Dichloroethane, [1,1-]	75-34-3	1	Ethylidene Dichloride, 1,1-Ethylidene Dichloride, Asymmetrical Dichlorethane
Dichloroethane, [1,2-]	107-06-2	0.8	Ethylene Dichloride, Glycol Dichloride, Ethylene Chloride
Dichloroethylene, [1,1-]	75-35-4	0.4	Vinylidene Chloride, DCE, VDC
Dichlorophenoxyacetic acid, [2,4], salt and esters*	94-75-7	10	
Dichloropropane, [1,2-]	78-87-5	1	Propylene Dichloride
Dichloropropene [1,3-]	542-75-6	1	1,3-Dichloropropylene, Alpha-Chlorallyl Chloride
Dichlorvos	62-73-7	0.2	DDVP, 2,2-Dichlorovinyl dimethylphosphate
Diethanolamine	11-42-2	5	Bis(2-Hydroxyethyl)Amine, 2,2'-Dihydroxydiethylamine, Di(2-Hydroxyethyl)Amine
Diethyl Sulfate	64-67-5	1	Diethyl Ester Sulfuric Acid, Ethyl Sulfate
Dimethoxybenzidine, [3,3-]	119-90-4	0.1	Fast Blue B Base, Dianisidine, O-Dianisidine
Dimethylbenz(a)anthracene, [7,12]	57-97-6	0.01	
Dimethyl Benzidine, [3,3-]	119-93-7	0.008	O-Tolidine, Bianisidine, 4,4'-Diamino-3,3'-Dimethylbiphenyl, Diaminoditoyl
Dimethyl Carbamoyl Chloride	79-44-7	0.02	DMCC, Chloroformic Acid Dimethyl Amide, Dimethyl Carbamyl Chloride
Dimethyl Formamide	68-12-2	1	DMF, Formyldimethylamine
Dimethyl Hydrazine, [1,1-]	57-14-7	0.008	Unsymmetrical Dimethylhydrazine, UDMH, Dimazine
Dimethyl Phthalate*	131-11-3	10	
Dimethyl Sulfate	77-78-1	0.1	Sulfuric Acid Dimethyl Ester, Methyl Sulfate
Dimethylaminoazobenzene, [4-]	60-11-7	1	N,N-Dimethyl-P-Phenylazo-Aniline, Benzeneazo Dimethylaniline

Dimethylaniline, [N,N-]	121-69-7	1	N,N-Diethyl Aniline, N,N-Dimethylphenylamine, DMA
Dinitro-O-Cresol, [4,6-] and salts	534-52-1	0.1	DNOC, 3,5-Dinitro-O-Cresol, 2-Methyl-4,6-Dinitrophenol
Dinitrophenol, [2,4-]	51-28-5	1	DNP
Dinitrotoluene, [2,4-]	121-14-2	0.02	Dinitrotoluol, DNT, 1-Methyl-2,4-Dinitrobenzene
Dioxane, [1,4-]	123-91-1	6	1,4-Diethyleneoxide, Diethylene Ether, P-Dioxane
Diphenylhydrazine, [1,2-]	122-66-7	0.09	Hydrazobenzene, N,N'-Diphenylhydrazine, N,N'-Bianiline, 1,1'-Hydrodibenzene
Diphenylmethane Diisocyanate, [4,4-]	101-68-8	0.1	Methylene Bis(Phenylisocyanate), Methylene Diphenyl Diisocyanate, MDI
Epichlorohydrin	106-89-8	2	1-Chloro-2,3-Epoxypropane, EPI, Chloropropylene Oxide, Chloromethyloxirane
Ethoxy Ethanol [2-]*	110-80-5	10	
Ethyl Acrylate	140-88-5	1	Ethyl Propenoate, Acrylic Acid Ethyl Ester
Ethyl Benzene*	100-41-4	10	
Ethyl Chloride*	75-00-3	10	
Ethylene Glycol*	107-21-1	10	
Ethylene Imine (Aziridine)	151-56-4	0.003	Azacyclopropane, Dimethyleneimine, Ethylenimine, Vinylamine, Azirane
Ethylene Oxide	75-21-8	0.1	1,2-Epoxyethane, Oxirane, Dimethylene Oxide, Anprolene
Ethylene Thiourea	96-45-7	0.6	2-Imidazolidinethione, ETU
Fluomine	62207-76-5	0.1	
Formaldehyde	50-00-0	2	Oxymethylene, Formic Aldehyde, Methanal, Methylene Oxide, Oxomethane
Glycol Ethers (except those specifically listed) ²		5	
Heptachlor	76-44-8	0.02	1,4,5,6,7,8,8A-Heptachloro-3A,4,7,7A-Tetrahydro-4,7-Methanoindiene
Hexachlorobenzene	118-74-1	0.01	Perchlorobenzene, HCB, Pentachlorophenyl Benzene, Phenyl Perchloryl
Hexachlorobutadiene	87-68-3	0.9	Perchlorobutadiene, 1,3-Hexachlorobutadiene, HCB
Hexachlorocyclopentadiene	77-47-4	0.1	HCCPD, HEX
Hexachloroethane	67-72-1	5	Perchloroethane, Carbon Hexachloride, HCE, 1,1,1,2,2,2-Hexachloroethane
Hexamethylene Diisocyanate, 1,6-	822-06-0	0.02	1,6-Diisocyanatohexane, 1,6-Hexanediol Diisocyanate
Hexamethylphosphoramide	680-31-9	0.01	Hexamethylphosphoric Triamide, HEMPA, Hexametapol, Hexamethylphosphoramide
Hydrazine	302-01-2	0.004	Methylhydrazine, Diamide, Diamine, Hydrazine Base
Hydrochloric Acid*	7647-01-0	10	
Hydrogen Fluoride	7664-39-3	0.1	Hydrofluoric Acid Gas, Fluorhydric Acid Gas, Anhydrous Hydrofluoric Acid
Hydrogen Selenide	7783-07-5	0.1	
Hydroquinone	123-31-9	1	Quinol, Hydroquinol, P-Diphenol, 1,4-Benzenediol, Hydrochinone, Arctivin
Indeno(1,2,3-cd)Pyrene	193-39-5	0.01	
Isophorone*	78-59-1	10	
Lead and Compounds (except those specifically listed)	20-11-1	0.01	Lead (Acetate, Arsenate, Chloride, Fluoride, Iodide, Nitrate, Sulfate, Sulfide)
Lindane [Gamma-	58-89-9	0.01	Benzene Hexachloride – Gamma Isomer

Hexachlorocyclohexane]			
Maleic Anhydride	108-31-6	1	2,5-Furandiene, Cis-Butenedioic Anhydride, Toxilic Anhydride
Manganese and Compounds (except those specifically listed)	20-12-2	0.8	Manganese (Acetate, Chloride, Dioxide, (II)-Oxide, (III)-Oxide, (II)-Sulfate)
Mercury Compounds (except those specifically listed)	20-13-3	0.01	Mercury Compounds (Methyl-, Ethyl-, Phenyl-)
Mercury Compounds (Inorganic)	20-13-3	0.01	Mercury (Chloride, Cyanide, (I,II)-[Bromide, Iodide, Nitrate, Sulfate], Oxide)
Methanol*	67-56-1	10	
Methoxychlor*	72-43-5	10	
Methoxy Ethanol, [2-]*	108-86-4	10	
Methyl Bromide*	74-83-9	10	Bromomethane
Methyl Chloride*	74-87-3	10	Chloromethane
Methyl Chloroform*	71-55-6	10	1,1,1,-Trichloroethane
Methyl Hydrazine	60-34-4	0.06	Monomethylhydrazine, Hydrozomethane, 1-Methylhydrazine
Methyl Iodide	74-88-4	1	Idomethane
Methyl Isobutyl Ketone*	108-10-1	10	
Methyl Isocyanate	624-83-9	0.1	Isocyanatomethane,Isocyanic Acid, Methyl Ester
Methyl Methacrylate*	80-62-6	10	
Methyl Tert-Butyl Ether*	12108-13-3	10	
Methylcyclopentadienyl Manganese	12108-13-3	0.1	
Methylene Bis(2-Chloroaniline), [4,4-]	101-14-4	0.2	Curene, MOCA, 4,4'-Diamino-3,3'-Dichlorodiphenylmethane
Methylene Chloride*	75-09-2	10	Dichloromethane
Methylenedianiline, [4,4-]	101-77-9	1	4,4'-Diaminodipheylmethane, DDM, MDA, Bis(4-Aminophenyl)Methane, DAPM
Naphthalene*	91-20-3	10	
Nickel Carbonyl	13463-39-3	0.1	
Nickel Compounds (except those specifically listed)		1	Nickel (Acetate, Ammonium Sulfate, Chloride, Hydroxide, Nitrate, Oxide, Sulfate)
Nickel Refinery Dust	12035-72-2	0.08	
Nickel Subsulfide		0.04	
Nitrobenzene	98-95-3	1	Nitrobenzoi, Oil of Mirbane, Oil of Bitter Almonds
Nitrobiphenyl, [4-]	92-93-3	1	4-Nitrodiphenyl, P-Nitrobiphenyl, P-Nitrophenyl, PNB
Nitrophenol, [4-]	100-02-7	5	4-Hydroxynitrobenzene, Para-Nitrophenol
Nitropropane, [2-]	79-46-9	1	Dimethylnitromethane, Sec-Nitropropane, Isonitropropane, Nitroisopropane
Nitroso-N-Methylurea, [N-]	684-93-5	0.0002	N-Methyl-N-Nitrosourea, N-Nitroso-N-Methylcarbamide
Nitrosodimethylamine, [N-]	62-75-9	0.001	Dimethylnitrosamine, DMN, DMNA
Nitrosomorpholine, [N-]	59-89-2	1	4-Nitrosomorpholine
Parathion	56-38-2	0.1	DNTP, Monothiophosphate, Diethyl-P-Nitrophenyl

PCB (Polychlorinated Biphenyls)	1336-36-3	0.009	Aroclors
Pentachloronitrobenzene	82-68-8	0.3	Quintobenzene, PCNB, Quiniozene
Pentachlorophenol	87-86-5	0.7	PCP, Penchlorol, Pentachlorophenate, 2,3,4,5,6-Pentachlorophenol
Phenol	108-95-2	0.1	Carbolic Acid, Phenic Acid, Phenylic Acid, Phenyl Hydrate, Hydroxybenzene
Phenyl Mercuric Acetate	62-38-4	0.01	
Phenylenediamine, [p-]*	106-50-3	10	
Phosgene	75-44-5	0.1	Carbonyl Chloride, Carbon Oxychloride, Carbonic Acid Dichloride
Phosphine	7803-51-2	5	Hydrogen Phosphide, Phosphoretted Hydrogen, Phosphorus Trihydride
Phosphorous (Yellow or White)	7723-14-0	0.1	
Phthalic Anhydride	85-44-9	5	Phthalic Acid Anhydride, Benzene-O-Dicarboxylic Acid Anhydride, Phthalandione
Polycyclic Organic Matter (except those specifically listed)	TP15	0.01	POM, PAH, Polyaromatic Hydrocarbons,
Potassium Cyanide	151508	0.1	
Propane Sultone, [1,3-]	1120-71-4	0.03	1,2-Oxathiolane-2,2-Dioxide, 3-Hydroxy-1-Propanesulphonic Acid Sultone
Propiolactone, [Beta-]	57-57-8	0.1	2-Oxeatanone, Propiolactone, BPL, 3-Hydroxy-B-Lactone-Propanoic Acid
Propionaldehyde	123-38-6	5	Propanal, Propyl Aldehyde, Propionic Aldehyde
Propoxur*	114-26-1	10	Baygone
Propylene Oxide	75-56-9	5	1,2-Epoxypropane, Methylethylene Oxide, Methyl Oxirane, Propene Oxide
Propyleneimine, [1,2-]	75-55-8	0.003	2-Methyl Aziridine, 2-Methylazacyclopropane, Methylethyleneimine
Quinoline	91-22-5	0.006	1-Azanaphthalene, 1-Benzazine, Benzo(B)Pyridine, Chinoleine, Leucoline
Quinone	016-51-4	5	Benzoquinone, Chinone, P-Benzoquinone, 1,4-Benzooquinone
Selenium and Compounds (except those specifically listed)	7782-49-2	0.1	Selenium (Metal, Dioxide, Disulfide, Hexafluoride, Monosulfide)
Sodium Cyanide	143339	0.1	
Sodium Selenate	13410010	0.1	
Sodium Selenite	101020188	0.1	
Styrene	100-42-5	1	Cinnamene, Cinnamol, Phenethylene, Phenylethylene, Vinylbenzene
Styrene Oxide	96-09-3	1	Epoxyethylbenzene, Phenylethylene Oxide, Phenyl Oxirane, Epoxystyrene
Tetrachlorodibenzo-P-Dioxin	1746-01-6	6.00E-07	
Tetrachloroethane, [1,1,2,2-]	79-34-5	0.3	Sym-Tetachloroethane, Acetylene Tetrachloride, Ethane Tetrachloride
Tetrachloroethylene*	127-18-4	10	Perchloroethylene
Tetraethyl Lead	78-00-2	0.01	
Tetramethyl Lead	75-74-1	0.01	
Titanium Tetrachloride	7550-45-0	0.1	Titanium Chloride
Toluene*	108-88-3	10	
Toluene Diisocyanate, [2,4-]	584-84-9	0.1	TDI, Tolyene Diisocyanate, Diisocyanatoluene
Toluidine, [Ortho-]	95-53-4	4	Ortho-Aminotoluene, Ortho-Methylaniline, 1-Methyl-1,2-Aminobenzene
Toxaphene	8001-35-2	0.01	Chlorinated Camphene, Camphechlor, Polychlorcamphene
Trichlorobenzene*	120-82-1	10	

Trichloroethane, [1,1,2-]	79-00-5	1	Vinyl Trichloride, Beta-Trichloroethane
Trichloroethylene*	79-01-6	10	
Triethylamine*	121-44-8	10	
Trichlorophenol, [2,4,5-]	95-95-4	1	2,4,5-TCP
Trichlorophenol, [2,4,6-]	88-06-2	6	2,4,6-TCP
Trifluralin	1582-09-8	9	2,6-Dinitro-N-N-Dipropyl-4-(Trifluoromethyl)Benzeneamine
Trimethylpentane, [2,2,4-]	540-84-1	5	Isobutyltrimethylethane, Isoctane
Urethane [Ethyl Carbamate]	51-79-6	0.8	Ethyl Urethane, O-Ethylurethane, Leucothane, NSC 746, Urethan
Vinyl Acetate	108-05-4	1	Acetic Acid Vinyl Ester, Vinyl Acetate Monomer, Ethenyl Ethanoate
Vinyl Bromide	593-60-2	0.6	Bromoethylene, Bromoethene
Xylenes (isomers and mixtures)*	1330-20-7	10	
Xylene, m-*	108-38-3	10	
Xylene, o-*	95-47-6	10	
Xylene, p-*	106-42-3	10	

*X'CN where X'H' or any other group where a formal dissociation may occur, for example, KCN or Ca(CN)₂

²Includes mono- and diethers of ethylene glycol, diethylene glycol and triethylene glycol R-(OCH₂CH₂)_n-OR' where n = 1, 2, or; R=Alkyl or oryl groups; R' R, H or groups which, when removed, yield glycol ethers with the structure R-(OCH₂CH₂)_n-OH. Polymers and ethylene glycol monobutyl ether are excluded from the glycol category.

Mr. Steve Ancell
MVE Coordinator
SCCC Furniture Restoration Factory
255 West Highway 52
Licking, MO 65542

RE: New Source Review Permit - Project Number: 2009-06-077

Dear Mr. Ancell:

Enclosed with this letter is your permit to construct. Please study it carefully. Also, note the special conditions, if any, on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files.

Operation in accordance with these conditions, your new source review permit application and with your amended operating permit is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

If you have any questions regarding this permit, please do not hesitate to contact Timothy Paul Hines at the Departments' Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102, or by telephone at (573) 751-4817. Thank you for your time and attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Kendall B. Hale
New Source Review Unit Chief

KBH:thk

Enclosures

c: Southeast Regional Office
PAMS File: 2009-06-077

Permit Number: