



**MISSOURI**  
DEPARTMENT OF  
NATURAL RESOURCES

**PERMIT  
TO  
CONSTRUCT**  
PERMIT BY RULE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct and operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth here in.

**Construction Permit Number:** 082016-014  
**Project Number:** 2016-08-031  
**Installation ID:** 067-0017

**Installation Name and Address**

Paw's of the Ozark's  
Rural Route 1 Box 3451A  
Ava, MO 65608  
Douglas County

**Parent Company's Name and Address**

Paw's of the Ozark's  
Rural Route 1 Box 3451A  
Ava, MO 65608

**Installation Description:**

Incinerator for the cremation of deceased animals

AUG 31 2016

Effective Date

  
Director or Designee  
Department of Natural Resources



MISSOURI DEPARTMENT OF NATURAL RESOURCES  
 AIR POLLUTION CONTROL PROGRAM  
 P.O. BOX 176, JEFFERSON CITY, MO 65102-0176

**APPLICATION FOR AUTHORITY TO CONSTRUCT  
 PERMIT BY RULE NOTIFICATION  
 CREMATORIES AND ANIMAL INCINERATORS**

**APCP USE ONLY**

CHECK NO. 901	CHECK RECEIVED (MM/DD/YY) 8-15-16
CHECK AMOUNT \$ 700.00	CHECK DATE (MM/DD/YY) 8-9-16
PROJECT NO. 201608-031	PERMIT NO.

**SECTION A: GENERAL NOTIFICATION INFORMATION - ALL NOTIFICATIONS MUST BE ACCOMPANIED BY A \$700 FEE.**

**SECTION A-1: GENERAL INSTALLATION INFORMATION**

1. INSTALLATION NAME Paw's of the Ozark's		2. FIPS 067	3. PLANT NO.
4. INSTALLATION STREET ADDRESS RR1 Box 3451A Ava MO 65608			
5. INSTALLATION MAILING ADDRESS same			
6. CITY Ava	STATE MO	ZIP CODE 65608	
7. COUNTY NAME Douglas	8. 1/4, of 1/4, of SECTION TOWNSHIP RANGE		
9. PARENT COMPANY			
10. PARENT COMPANY MAILING ADDRESS			
11. CITY	STATE	ZIP CODE	
12. INSTALLATION CONTACT PERSON William Fitzpatrick	13. CONTACT PERSON'S TITLE owner		
14. CONTACT PERSON'S MAILING ADDRESS RR1 Box 3451A Ava MO 65608			
15. INSTALLATION CONTACT TELEPHONE NO. (417) 683-9133	16. INSTALLATION CONTACT FAX NO. (417) 543-0547 ( )		
17. INSTALLATION CONTACT E-MAIL ADDRESS ozarkmrfitz@hotmail.com			
18. PROJECTED DATE TO COMMENCE CONSTRUCTION Aug 10th 2016	19. PROJECT DATE OF OPERATION STARTUP Sept 10th 2016		

**SECTION A-2: INSTALLATION DESCRIPTION**

20. Deceased Animals, cremation

RECEIVED  
 2016 AUG 15 AM 11:46  
 AIR POLLUTION  
 CONTROL PGM

**SECTION A-3: CERTIFICATION STATEMENT**

I certify that I have personally examined and am familiar with the information in this application and believe that the information submitted is accurate and complete. I am aware that making a false statement or misrepresentation in this application is grounds for denying or revoking this permit.

21. SIGNATURE OF RESPONSIBLE OFFICIAL Will Fitzpatrick	22. DATE Aug 9th 2016
23. TYPE OR PRINT NAME OF RESPONSIBLE OFFICIAL Will Fitzpatrick	24. RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER (417) 683-9133
25. TITLE OF RESPONSIBLE OFFICIAL owner	

**SECTION B: SPECIAL CONDITIONS FOR CREMATORIES AND ANIMAL INCINERATORS**

Construction and operation of this new air pollution source is subject to the special conditions listed below. These special conditions are based on the authority granted to the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically RSMo. 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.062 "Construction Permits by Rule").

Please indicate by marking the appropriate box as to whether or not the emission source complies with the rule listed in the applicable emission limit or standard. If any of the applicable emission source boxes are checked no, your source is not eligible for a crematories and animal incinerators permit by rule.

This Permit By Rule applies only to Crematories and Animal Incinerators constructed after October 31, 2003.

SPECIAL CONDITION	EMISSION SOURCE COMPLY?	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-6.062(3)(B)2.A.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	The materials to be disposed of shall be limited to noninfectious human materials removed during surgery, labor and delivery, autopsy, or biopsy including body parts, tissues and fetuses, organs, bulk blood and body fluids, blood or tissue laboratory specimens, and other noninfectious anatomical remains or animal carcasses in whole or in part. The owner or operator shall minimize the amount of packaging fed to the incinerator, particularly plastic containing chlorine. The incinerators shall not be used to dispose of other non-biological medical wastes including, but not limited to, sharps, rubber gloves, intravenous bags, tubing, and metal parts.	Proper work practice.
10 CSR 10-6.062(3)(B)2.B.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	The manufacturer's rated capacity (burn rate) shall be two hundred (200) pounds per hour or less.	Proper work practice.
10 CSR 10-6.062(3)(B)2.C.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	The incinerator shall be a dual-chamber design.	Proper work practice.
10 CSR 10-6.062(3)(B)2.D.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Burners shall be located in each chamber, sized to manufacturer's specifications, and operated as necessary to maintain the minimum temperature requirements of subparagraph 10 CSR 10-6.062(3)(B)2.E. at all times when the unit is burning waste.	Proper work practice.
10 CSR 10-6.062(3)(B)2.E.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Excluding crematories, the second chamber must be designed to maintain a temperature of one thousand six hundred degrees Fahrenheit (1,600°F) or more with a gas residence time of one-half (1/2) second or more. The temperature shall be monitored with equipment that is accurate to plus or minus two percent ( $\pm 2\%$ ) and continuously recorded. The thermocouples or radiation pyrometers shall be fitted to the incinerator and wired into a manual reset noise alarm such that if the temperature of either of the two (2) chambers falls below the minimum temperature above, the alarm will sound at which time plant personnel shall take immediate measures to either correct the problem or cease operation of the incinerator until the problem is corrected.	Proper work practice and maintenance of proper alarm records. These records shall be maintained for not less than five (5) years, and they shall be immediately available to any Missouri Department of Natural Resources personnel upon request.
10 CSR 10-6.062(3)(B)2.F.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	There shall be no obstruction to stack flow, such as by rain caps, unless such devices are designed to automatically open when the incinerator is operated. Properly installed and maintained spark arresters are not considered obstructions.	Proper work practice.

**SECTION B: SPECIAL CONDITIONS FOR CREMATORIES AND ANIMAL INCINERATORS (CONTINUED)**

SPECIAL CONDITION	EMISSION SOURCE COMPLY?	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-6.062(3)(B)2.G.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Each incinerator operator shall be trained in the incinerator operating procedures as developed by the American Society of Mechanical Engineers (ASME), by the incinerator manufacturer, or by a trained individual with more than one (1) year experience in the operation of the incinerator that the trainee will be operating. Minimum training shall include basic combustion control parameters of the incinerator and all emergency procedures to be followed should the incinerator malfunction or exceed operating parameters. An operator who meets the training requirements of this condition shall be on duty and immediately accessible during all periods of operation. The manufacturer's operating instructions and guidelines shall be posted at the unit and the unit shall be operated in accordance with these instructions.	Proper work practice and maintenance of proper operator training records. These records shall be maintained for not less than five (5) years, and they shall be immediately available to any Missouri Department of Natural Resources personnel upon request.
10 CSR 10-6.062(3)(B)2.H.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	The incinerator shall have an opacity of less than ten percent (10%) at all times.	Proper work practice such that no opacity violations are noted.
10 CSR 10-6.062(3)(B)2.I.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Heat shall be provided by the combustion of natural gas, liquid petroleum gas, or Number 2 fuel oil with less than three-tenths percent (0.3%) sulfur by weight, or by electric power.	Proper work practice.
10 CSR 10-6.062(3)(B)2.J.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	The operator shall maintain a log of all alarm trips and the resulting action taken. A written certification of the appropriate training received by the operator, with the date of training, that includes a list of the instructor's qualifications or ASME certification school shall be maintained for each operator. The operator shall maintain an accurate record of the monthly amount and type of waste combusted.	Determined through proper alarm and operator training record keeping. These records shall be maintained for not less than five (5) years, and they shall be immediately available to any Missouri Department of Natural Resources personnel upon request.

**SECTION C: OTHER POTENTIALLY APPLICABLE REQUIREMENTS**

This section is intended to identify regulations that may apply to this installation. There may be others not listed that apply. To determine rule applicability and specific standards please consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements.

Please note: this permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources, and other applicable federal, state, and local laws and ordinances.

REGULATION OR CONSTRUCTION PERMIT REFERENCE	APPLICABLE EMISSION LIMIT OR STANDARD	METHOD OF COMPLIANCE
10 CSR 10-6.045 Open Burning Restrictions	Shall not conduct, cause, permit or allow the disposal of tires, petroleum-based products, trade waste, construction or demolition waste, salvage operation waste or asbestos containing materials by open burning, except as allowed in the rule.	Any person intending to engage in open burning shall submit a request to the Director.
10 CSR 10-6.165, Restriction of Emission of Odors	No person may cause, permit or allow the emission of odorous matter in concentrations and frequencies or for durations that odor can be perceived when one (1) volume of odorous air is diluted to seven (7) volumes of odor-free air for two (2) separate trails not less than 15 minutes apart within the period of 1 hour. The odor evaluation shall be taken at a location outside of the installation's property boundary	No odor violations noted, if and when scentometer readings taken.
10 CSR 10-5.170 Control of Odors From Processing Animal Matter.	Applies to installations in St. Louis, St. Charles, Jefferson and Franklin counties and the City of St. Louis.  No person shall operate or use any device, machine, equipment, or other contrivance for the reduction of animal matter unless all gases, vapors, and gas-entrained effluents from the facility are incinerated at a temperature of not less than 1,200 °F for a period of not less than 0.3 seconds and otherwise in compliance with this rule.	Proper work practice.
10 CSR 10-6.050, Start-up, Shutdown and Malfunction Conditions	Shall not commence construction or modification of any installation subject to this rule; begin operation after construction or modification; or begin operation of any installation which has been shut down longer than 5 years without first obtaining a permit.	In the event of a malfunction, which results in excess emissions that exceed 1 hr, the permittee shall implement corrective action and submit reports.
10 CSR 10-6.065, Operating Permits	The permittee shall comply with all applicable requirements identified in the operating permit (OP); file for timely renewal of this OP; and retain a copy of the OP on-site and make available to any MDNR personnel upon request.	The permittee shall submit an annual compliance certification in accordance with the regulation. The permittee shall maintain a current equipment list on-site with the date of installation of the equipment.
10 CSR 10-6.110, Submission of Emission Data, Emission Fees and Process Information	Submittal of Emission Inventory Questionnaire (EIQ) and emission fees by frequency noted in 10 CSR 10-6.110.	The permittee shall complete and submit an EIQ and emission fees in accordance with 10 CSR 10-6.110.
10 CSR 10-6.200 Hospital, Medical, Infectious Waste Incinerators	No owner or operator shall cause to be discharged into the atmosphere any gases that contain stack emissions in excess of those listed in 10 CSR 10-6.200(3)(A).	Proper work practice and maintenance of appropriate performance test results.
10 CSR 10-6.070 New Source Performance Regulations	The following federal NSPS standards may apply: (Ec) Medical Waste Incinerators. Standards of Performance for Incinerators.	As required by regulations.