

STATE OF MISSOURI

PERMIT BOOK



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: 07 2 0 1 0 - 0 0 9 Project Number: 2010-05-058 Installation ID: 155-0075

Parent Company: Obermann Concrete, Inc.

Parent Company Address: P.O. Box 2045, Cape Girardeau, MO 63072

Installation Name: Semo Ready Mix

Installation Address: 1208 County Highway 281, Bragg City, MO 63827

Location Information: Pemiscot County, S33, T19N, R11E

Application for Authority to Construct was made for: A new stationary concrete plant, rated at 300 tons per hour. This review was conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, Construction Permits Required.

- Standard Conditions (on reverse) are applicable to this permit.
Standard Conditions (on reverse) and Special Conditions are applicable to this permit.

JUL 29 2010

EFFECTIVE DATE

James C. Kormanick
DIRECTOR OR DESIGNEE
DEPARTMENT OF NATURAL RESOURCES

## STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

**You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review.** In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Departments' Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department of Natural Resources Regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of this permit and permit review shall be kept at the installation address and shall be made available to Department of Natural Resources' personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit at (573) 751-4817. If you prefer to write, please address your correspondence to the Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176, attention: Construction Permit Unit.

|             |             |
|-------------|-------------|
| Page No.    | 3           |
| Permit No.  |             |
| Project No. | 2010-05-058 |

**SPECIAL CONDITIONS:**

The permittee is authorized to construct and operate subject to the following special conditions:

*The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."*

1. Best Management Practices Requirement  
Semo Ready Mix shall control fugitive emissions from all of the haul roads and vehicular activity areas at this site by performing Best Management Practices as defined in Attachment AA.
2. Ambient Air Impact Limitation
  - A. Semo Ready Mix shall not cause an exceedance of the National Ambient Air Quality Standard (NAAQS) for particulate matter less than ten microns in aerodynamic diameter (PM<sub>10</sub>) of 150.0 µg/m<sup>3</sup> 24-hour average in ambient air.
  - B. Semo Ready Mix shall demonstrate compliance with special condition 2.A using Attachment A or another equivalent form that has been approved by the Air Pollution Control Program, including an electronic form.
3. Control Device Requirement-Baghouse
  - A. Semo Ready Mix shall control emissions from the equipment listed below using baghouses as specified in the permit application.
    - 1.) Truck Mix Loadout (EP-1) (shroud vented to baghouse)
    - 2.) Cement Silo (EP-2)
    - 3.) Supplement Silo (EP-3)
  - B. The baghouses shall be operated and maintained in accordance with the manufacturer's specifications. The baghouse shall be equipped with a gauge or meter, which indicates the pressure drop across the control device. These gauges or meters shall be located such that the Department of Natural Resources employees may easily observe them.
  - C. Replacement filters for the baghouses shall be kept on hand at all times. The bags shall be made of fibers appropriate for operating conditions expected to occur (i.e. temperature limits, acidic and alkali resistance, and abrasion resistance).
  - D. Semo Ready Mix shall monitor and record the operating pressure drop across the baghouses at least once every 24 hours. The operating pressure drop shall be maintained within the design conditions specified by the manufacturer's performance warranty.

|             |             |
|-------------|-------------|
| Page No.    | 4           |
| Permit No.  |             |
| Project No. | 2010-05-058 |

**SPECIAL CONDITIONS:**

The permittee is authorized to construct and operate subject to the following special conditions:

---

- E. Semo Ready Mix shall maintain an operating and maintenance log for the baghouses which shall include the following:
  - 1.) Incidents of malfunction, with impact on emissions, duration of event, probable cause, and corrective actions; and
  - 2.) Maintenance activities, with inspection schedule, repair actions, and replacements, etc.
  
- 4. Minimum Distance to Property Boundary Requirement  
The primary emission point shall be located at least 200 feet from the nearest property boundary.
  
- 5. Record Keeping Requirement  
Semo Ready Mix shall maintain all records required by this permit for not less than five years and make them available to any Missouri Department of Natural Resources' personnel upon request.
  
- 6. Reporting Requirement  
Semo Ready Mix shall report to the Air Pollution Control Program Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after any exceedances of the limitations imposed by this permit.
  
- 7. Concurrent Operation Restriction  
Semo Ready Mix is prohibited from operating whenever other plants not owned by Semo Ready Mix are located at the site.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE  
SECTION (5) REVIEW

Project Number: 2010-05-058  
Installation ID Number: 155-0075  
Permit Number:

Semo Ready Mix  
1208 County Highway 281  
Bragg City, MO 63827

Complete: June 1, 2010

Parent Company:  
Obermann Concrete, Inc.  
P.O. Box 2045  
Cape Girardeau, MO 63072

Pemiscot County, S33, T19N, R11E

PROJECT DESCRIPTION

This permit is granting authority to Semo Ready Mix to construct and operate a new stationary concrete plant (155-0075) in Bragg City, Missouri, in Pemiscot County, (S33, T19N, R11E). The maximum hourly design rate of this truck mix plant is 300 tons of concrete per hour. Emissions from the Truck Mix Loadout (EP-1), Cement Silo (EP-2), and Supplement Silo (EP-3) are controlled by a baghouse. The plant is powered by electricity. The emissions of this project are limited to comply to the NAAQS for PM<sub>10</sub>.

The applicant is using one of the methods described in Attachment AA, "Best Management Practices," to control emissions from haul roads and vehicular activity areas. This installation is located in Pemiscot County, an attainment area for all criteria pollutants.

This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability. No permits have been issued to Semo Ready Mix from the Air Pollution Control Program.

TABLES

The potential emissions of the application represent the emissions of all equipment and activities assuming continuous operation (8,760 hours per year). The conditioned potential emissions are limited to meet NAAQS compliance for PM<sub>10</sub>.

Table 1: Emissions Summary (tons per year)

| Air Pollutant    | De Minimis Level | <sup>1</sup> Potential Emissions of the Process Equipment | Existing Actual Emissions | <sup>2</sup> Potential Emissions of the Application | <sup>3</sup> Conditioned Potential Emissions |
|------------------|------------------|---|---------------------------|---|--|
| PM <sub>10</sub> | 15.0             | 17.92   | N/A                       | 43.22   | 5.98   |
| SO <sub>x</sub>  | 40.0             | N/A   | N/A                       | N/A   | N/A  |
| NO <sub>x</sub>  | 40.0             | N/A   | N/A                       | N/A   | N/A  |
| VOC              | 40.0             | N/A   | N/A                       | N/A   | N/A  |
| CO               | 100.0            | N/A   | N/A                       | N/A   | N/A  |
| Total HAPs       | 25.0             | N/A   | N/A                       | N/A   | N/A  |

N/A = Not Applicable

<sup>1</sup> Potential Emissions of the Process Equipment excludes haul road and storage pile emissions

<sup>2</sup> Includes site specific haul road and storage pile emissions

<sup>3</sup> Conditioned Potential Emissions limited for NAAQS compliance

Table 2: Ambient Air Quality Impact Analysis

| Pollutant                            | <sup>1</sup> NAAQS (µg/m <sup>3</sup> ) | Averaging Time | <sup>2</sup> Maximum Modeled Impact (µg/m <sup>3</sup> ) | Limited Impact (µg/m <sup>3</sup> ) | Background (µg/m <sup>3</sup> ) | <sup>3</sup> Daily Limit (tons/day) |
|--------------------------------------|---|----------------|--|-------------------------------------|---------------------------------|-------------------------------------|
| <sup>4</sup> PM <sub>10</sub> (same) | 150.0                                   | 24-hour        | 1,049.15   | 130.0                               | 20.0                            | 980                                 |

<sup>1</sup> National Ambient Air Quality Standards (NAAQS)

<sup>2</sup> Modeled impact at maximum capacity with controls

<sup>3</sup> Indirect limit based on compliance with NAAQS

<sup>4</sup> Solitary operation or operation with other plants that are owned by Semo Ready Mix.

## EMISSIONS CALCULATIONS

Emissions for the project were calculated using emission factors found in the United States Environmental Protection Agency (EPA) document AP-42 *Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources*, Fifth Edition (AP-42).

Emissions from the concrete batch plant were calculated using emission factors from AP-42 Section 11.12 "Concrete Batching," June 2006. This section cites Equation (1) in Section 13.2.4 "Aggregate Handling and Storage Piles," November, 2006, for calculating the emissions from aggregate and sand transfer. The cement and supplement silos are controlled with baghouses, so the controlled emission factors were used. Emissions from the uncontrolled aggregate weigh hopper were calculated using AP-42 Section 13.2.4, Equation (1). Emissions from mix truck loading are controlled by a shroud vented to a baghouse, so the controlled emission factor was used.

Emissions from haul roads and vehicular activity areas were calculated using the predictive equation from AP-42 Section 13.2.2 "Unpaved Roads," November, 2006. A 90% control efficiency is applied to the emission calculations for the use of BMPs. Emissions from load-in and load-out of storage piles were calculated using the predictive equation from AP-42 Section 13.2.4. The moisture content of the aggregate is 1.5% weight. Emissions from wind erosion of storage piles were calculated using an equation found in the Air Pollution Control Program's Emissions Inventory Questionnaire Form 2.8 "Storage Pile Worksheet."

## AMBIENT AIR QUALITY IMPACT ANALYSIS

An ambient air quality impact analysis (AAQIA) was performed to determine the impact of the pollutants listed in Table 2. The Air Pollution Control Program requires an AAQIA of PM<sub>10</sub> for all asphalt, concrete and rock-crushing plants regardless of the level of PM<sub>10</sub> emissions if a permit is required. An AAQIA is required for other pollutants if their emissions exceed their respective de minimis or screening model action level (SMAL). The AAQIA was performed using the Air Pollution Control Program's generic nomographs and when appropriate the EPA modeling software SCREEN3. For each pollutant that was modeled, the maximum concentration that occurred at or beyond the site boundary was compared to the National Ambient Air Quality Standard (NAAQS) or Risk Assessment Level (RAL) for the pollutant. If during continuous operation the modeled concentration of a pollutant is greater than the applicable NAAQS or RAL, the plant's production is limited to ensure compliance with the standard.

This plant uses BMPs to control emissions from haul roads and vehicular activity areas, so emissions from these sources were not included in the AAQIA. Instead they were addressed as a background concentration of 20.0 µg/m<sup>3</sup> of PM<sub>10</sub> in accordance with the Air Pollution Control Program's BMPs interim policy.

## PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (5) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of PM<sub>10</sub> are conditioned below de minimis levels.

## APPLICABLE REQUIREMENTS

Semo Ready Mix shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved.

### GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110. The emission fee is the amount established by the Missouri Air Conservation Commission annually under Missouri Air Law 643.079(1). Submission of an Emissions Inventory Questionnaire (EIQ) is required June 1 for the previous year's emissions.
- No Operating Permit is required for this installation.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170

- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-3.090

#### SPECIFIC REQUIREMENTS

- None of the New Source Performance Standards (NSPS) apply to the installation.
- None of the National Emission Standards for Hazardous Air Pollutants (NESHAPS) or National Emission Standards for Hazardous Air Pollutants for Source Categories (MACTS) apply to the proposed equipment.

#### STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (5), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, I recommend this permit be granted with special conditions.

---

Daronn Williams  
Environmental Engineer

---

Date

#### PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated May 5, 2010, received May 24, 2010, designating Obermann Concrete, Inc. as the owner and operator of the installation.
- U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*, Fifth Edition.
- Southeast Regional Office Site Survey, dated June 2, 2010.



## Attachment AA: Best Management Practices

Haul roads and vehicular activity areas shall be maintained in accordance with at least one of the following options when the portable plant is operating.

1. Pavement
  - A. The operator shall pave the area with materials such as asphalt, concrete or other materials approved by the Air Pollution Control Program. The pavement will be applied in accordance with industry standards to achieve control of fugitive emissions<sup>1</sup> while the plant is operating.
  - B. Maintenance and repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
  - C. The operator shall periodically wash or otherwise clean all of the paved portions of the haul roads as necessary to achieve control of fugitive emissions from these areas while the plant is operating.
  
2. Application of Chemical Dust Suppressants
  - A. The operator shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to unpaved areas.
  - B. The quantities of the chemical dust suppressant shall be applied and maintained in accordance with the manufacturer's recommendation (if available) and in sufficient quantities to achieve control of fugitive emissions from these areas while the plant is operating.
  - C. The operator shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator shall keep these records with the plant for not less than five (5) years and make these records available to Department of Natural Resources personnel upon request.
  
3. Application of Water-Documented Daily
  - A. The operator shall apply water to unpaved areas. Water shall be applied at a rate of 100 gallons per day per 1,000 square feet of unpaved or untreated surface area while the plant is operating.
  - B. Precipitation may be substituted for watering if the precipitation is greater than one quarter of one inch and is sufficient to control fugitive emissions.
  - C. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads.
  - D. The operator shall record the date, volume of water application and total surface area of active haul roads or the amount of precipitation that day. The operators shall also record the rationale for not watering (e.g. freezing conditions or not operating).
  - E. The operator shall keep these records with the plant for not less than five (5) years, and the operator shall make these records available to Department of Natural Resources personnel upon request.

<sup>1</sup>For purposes of this document, Control of Fugitive Emissions means to control particulate matter that is not collected by a capture system and visible emissions to the extent necessary to prevent violations of the air pollution law or regulation. (Note: control of visible emission is not the only factor to consider in protection of ambient air quality.)