

STATE OF MISSOURI



DEPARTMENT OF NATURAL RESOURCES

MISSOURI AIR CONSERVATION COMMISSION

PERMIT TO CONSTRUCT

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to construct the air contaminant source(s) described below, in accordance with the laws, rules and conditions as set forth herein.

Permit Number: **032016-007**

Project Number: 2016-03-014
Installation ID: 095-0397

Parent Company: STAR Excavating, LLC

Parent Company Address: 801 Commerce Drive, Lee's Summit, MO 64081

Installation Name: STAR Excavating, LLC


Installation Address: 2249 NW Quarry Park Road, Lee's Summit, MO 64081


Location Information: Jackson County, S35 T48N R32W

Application for Authority to Construct was made for:
New rock crushing facility. This review was conducted in accordance with Section (6),
Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*.

Standard Conditions (on reverse) are applicable to this permit.

Standard Conditions (on reverse) and Special Conditions are applicable to this permit.


Prepared by
Kathy Kolb
New Source Review Unit


Director or Designee
Department of Natural Resources

MAR 28 2016

Effective Date

STANDARD CONDITIONS:

Permission to construct may be revoked if you fail to begin construction or modification within two years from the effective date of this permit. Permittee should notify the Enforcement and Compliance Section of the Air Pollution Control Program if construction or modification is not started within two years after the effective date of this permit, or if construction or modification is suspended for one year or more.

You will be in violation of 10 CSR 10-6.060 if you fail to adhere to the specifications and conditions listed in your application, this permit and the project review. In the event that there is a discrepancy between the permit application and this permit, the conditions of this permit shall take precedence. Specifically, all air contaminant control devices shall be operated and maintained as specified in the application, associated plans and specifications.

You must notify the Enforcement and Compliance Section of the Department's Air Pollution Control Program of the anticipated date of start up of this (these) air contaminant source(s). The information must be made available within 30 days of actual startup. Also, you must notify the Department's regional office responsible for the area within which you are located within 15 days after the actual start up of this (these) air contaminant source(s).

A copy of the permit application and this permit and permit review shall be kept at the installation address and shall be made available to Department's personnel upon request.

You may appeal this permit or any of the listed special conditions to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.075.6 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you choose not to appeal, this certificate, the project review and your application and associated correspondence constitutes your permit to construct. The permit allows you to construct and operate your air contaminant source(s), but in no way relieves you of your obligation to comply with all applicable provisions of the Missouri Air Conservation Law, regulations of the Missouri Department of Natural Resources and other applicable federal, state and local laws and ordinances.

The Air Pollution Control Program invites your questions regarding this air pollution permit. Please contact the Construction Permit Unit using the contact information below.

Contact Information:
Missouri Department of Natural Resources
Air Pollution Control Program
P.O. Box 176
Jefferson City, MO 65102-0176
(573) 751-4817

The regional office information can be found at the following website:

<http://dnr.mo.gov/regions/>

SITE SPECIFIC SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

The special conditions listed in this permit were included based on the authority granted the Missouri Air Pollution Control Program by the Missouri Air Conservation Law (specifically 643.075) and by the Missouri Rules listed in Title 10, Division 10 of the Code of State Regulations (specifically 10 CSR 10-6.060). For specific details regarding conditions, see 10 CSR 10-6.060 paragraph (12)(A)10. "Conditions required by permitting authority."

1. **Best Management Practices Requirement**
STAR Excavating, LLC shall control fugitive emissions from all of the haul roads and vehicular activity areas at this site by performing BMPs as defined in Attachment AA.
2. **Annual Emission Limit**
 - A. STAR Excavating, LLC shall emit less than 15.0 tons of PM₁₀ in any 12-month period from the entire installation.
 - B. STAR Excavating, LLC shall demonstrate compliance with Special Condition 2.A using Attachment A or another equivalent form that has been approved by the Air Pollution Control Program, including an electronic form.
3. **Wet Suppression Control System Requirement**
 - A. STAR Excavating, LLC shall install and operate wet spray devices on the primary crusher (EP-03), underconveyor (EP-04), and associated conveyors/stackers (EP-07).
 - B. Watering may be suspended during periods of freezing condition, when use of the wet spray devices may damage the equipment. During these conditions, STAR Excavating, LLC shall adjust the production rate to control emissions from these units. STAR Excavating, LLC shall record a brief description of such events.
4. **Minimum Distance to Property Boundary Requirement**
The primary emission point shall be located at least 480 feet from the nearest property boundary.
5. **Concurrent Operation Restriction**
STAR Excavating, LLC is prohibited from operating whenever other plants are located at the site.
6. **Primary Equipment Requirement**
STAR Excavating, LLC shall process all rock through the primary crusher (EP-03). Bypassing the primary crusher is prohibited.

SITE SPECIFIC SPECIAL CONDITIONS:

The permittee is authorized to construct and operate subject to the following special conditions:

7. Record Keeping Requirement
STAR Excavating, LLC shall maintain all records required by this permit for not less than five years and make them available to any Missouri Department of Natural Resources' personnel upon request.

8. Reporting Requirement
STAR Excavating, LLC shall report to the Air Pollution Control Program, Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than 10 days after any exceedances of the limitations imposed by this permit.

REVIEW OF APPLICATION FOR AUTHORITY TO CONSTRUCT AND OPERATE
SECTION (6) REVIEW

Project Number: 2016-03-014
Installation ID Number: 095-0397
Permit Number:

STAR Excavating, LLC
2249 NW Quarry Park Road
Lee's Summit, MO 64081

Complete: March 15, 2016

Parent Company:
STAR Excavating, LLC
801 Commerce Drive
Lee's Summit, MO 64081

Jackson County, S35 T48N R32W

PROJECT DESCRIPTION

STAR Excavating, LLC will be removing aggregate from The Family Ranch mine sight in Lee's Summit, Missouri. STAR Excavating will be the sole operator at this location in Jackson County. The plant consists of a grizzly with a 4" throat rated at 479 tph, a primary crusher, Terex® Cedarapids Andreas IP (impactor) 1316 (Model #TRXCRH1316 Terex HSI Plant) (Serial #TRX1316PEOKGB0845) rated at 350 tph, transfer conveyors, a three deck screen plant (Model #CRS8203) (Serial #TRX8203STOKGC0847), and associated conveyors. Water spray devices will be installed on the primary crusher (EP-03), undercrusher conveyor (EP-04), and on the associated conveyors (EP-07). The plant is fully electric plant that will be ran off line power supplied by KCPL on site; no engines will be used on this site. The crusher will be located approximately 480 feet from the nearest property (southern property line). STAR Excavating will be mining from the east to the west. There will be approximately 3 acres of various stockpile areas for the aggregates. The loader will transport aggregate from the conveyor to stockpiles as needed, or load from the conveyor depending on the demand for material. The loader will be loading the trucks. Haul roads will consist of 300 feet from the storage piles to the scale and 250 feet from the scale to the public road. The applicant is using one of the methods described in Attachment AA, "Best Management Practices," to control emissions from haul roads and vehicular activity areas.

Table 1: Equipment List

Equipment #	Description	MHDR
EP-01	Load-in	479 tph
EP-02	Grizzly	479 tph
EP-03	Primary Crusher Model #TRXCRH1316Terex HSI Plant Serial #TRX1316PEOKGB0845	350 tph
EP-04	Underconveyor	350 tph
EP-05	Transfer conveyor from underconveyor to screen	350 tph
EP-06	8' x 20' three deck screen Model #CRS8203 Serial # TRX8203STOKGC0847	350 tph
EP-07	4 product stacker conveyors	350 tph
EP-08	Haul Roads	550 feet (total)
EP-09	Stockpiles	3 acres

This installation is located in Jackson County, a maintenance area for ozone and an attainment area for all other criteria pollutants.

This installation is not on the List of Named Installations found in 10 CSR 10-6.020(3)(B), Table 2. The installation's major source level is 250 tons per year and fugitive emissions are not counted toward major source applicability.

No permits have been issued to STAR Excavating, LLC from the Air Pollution Control Program.

TABLES

Table 2 summarizes the emissions of this project. The potential emissions of the process equipment, which excluded emissions from haul roads and wind erosion, are not site specific and should not vary from site to site. There are no existing actual emissions since this is a new facility. The potential emissions of the application represent the emissions of all equipment and activities assuming continuous operation (8760 hours per year). The conditioned potential emissions include emissions from sources that will limit their production to ensure compliance with the annual emission limit for PM₁₀.

Table 2: Emissions Summary (tons per year)

Air Pollutant	De Minimis Level/SMAL	Potential Emissions of Process Equipment	Existing Actual Emissions	^a Potential Emissions of the Application	Conditioned Potential Emissions
PM	25.0	5.86	N/A	175.15	36.99
PM ₁₀	15.0	2.17	N/A	71.02	<15.0
PM _{2.5}	10.0	0.29	N/A	17.49	3.91
SO _x	40.0	N/A	N/A	N/A	N/A
NO _x	40.0	N/A	N/A	N/A	N/A
VOC	40.0	N/A	N/A	N/A	N/A
CO	100.0	N/A	N/A	N/A	N/A
GHG (CO ₂ e)	75,000 / 100,000	N/A	N/A	N/A	N/A
GHG (mass)	0.0 / 100.0 / 250.0	N/A	N/A	N/A	N/A
Total HAPs	25.0	N/A	N/A	N/A	N/A

N/A = Not Applicable

^aIncludes site specific haul road and storage pile emissions

Table 3 summarizes the ambient air quality impact analysis. The maximum modeled impact is the impact of each pollutant when the plant is operating continuously. The 24-hour limited impacts and daily limit are based on compliance with the NAAQS for PM₁₀.

Table 3: Ambient Air Quality Impact Analysis

Pollutant	NAAQS/RAL (µg/m ³)	Averaging Time	^a Maximum Modeled Impact (µg/m ³)	Limited Impact (µg/m ³)	Background (µg/m ³)	Daily Limit (tons/day)
^b PM ₁₀ (solitary)	150.0	24-hour	40.30	40	20.0	N/A

^aModeled impact at maximum capacity with controls/water spray devices and carryover

^bSolitary operation

EMISSIONS CALCULATIONS

Emissions for the project were calculated using emission factors found in the United States EPA document AP-42 *Compilation of Air Pollutant Emission Factors, Volume 1: Stationary Point and Area Sources*, Fifth Edition (AP-42).

Emissions from the rock-crushing equipment were calculated using emission factors from AP-42 Section 11.19.2 “Crushed Stone Processing and Pulverized Mineral Processing,” August 2004. The controlled emission factors were used because the equipment is controlled by water spray devices.

Emissions from haul roads and vehicular activity areas were calculated using the predictive equation from AP-42 Section 13.2.2 “Unpaved Roads,” November 2006. A 90% control efficiency for PM and PM₁₀ and a 40% control efficiency for PM_{2.5} were

applied to the emission calculations for the use of BMPs. Emissions from load-in and load-out of storage piles were calculated using the predictive equation from AP-42 Section 13.2.4. The moisture content of the aggregate is 0.7% by weight. Emissions from wind erosion of storage piles were calculated using an equation found in the Air Pollution Control Program's Emissions Inventory Questionnaire Form 2.8 "Storage Pile Worksheet."

AMBIENT AIR QUALITY IMPACT ANALYSIS

An ambient air quality impact analysis (AAQIA) was performed to determine the impact of the pollutants listed in Table 3. The Air Pollution Control Program requires an AAQIA of PM₁₀ for all asphalt, concrete and rock-crushing plants regardless of the level of PM₁₀ emissions if a permit is required. An AAQIA is required for other pollutants if their emissions exceed their respective de minimis or screening model action level (SMAL). The AAQIA was performed using the Air Pollution Control Program's generic nomographs and when appropriate the EPA modeling software AERSCREEN. For each pollutant that was modeled, the maximum concentration that occurs at or beyond the site boundary was compared to the NAAQS or RAL for the pollutant. If during continuous operation the modeled concentration of a pollutant is greater than the applicable NAAQS or RAL, the plant's production is limited to ensure compliance with the standard.

This plant uses BMPs to control emissions from haul roads and vehicular activity areas, so emissions from these sources were not included in the AAQIA. Instead they were addressed as a background concentration of 20 µg/m³ of PM₁₀ in accordance with the Air Pollution Control Program's BMPs interim policy.

OPERATING SCENARIOS

The plant is not permitted to operate with other plants located at the site.

PERMIT RULE APPLICABILITY

This review was conducted in accordance with Section (6) of Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*. Potential emissions of PM₁₀ are conditioned below de minimis and no refined modeling is required. Potential emissions of PM are above de minimis but below major source levels. There are no modeling requirements for PM.

APPLICABLE REQUIREMENTS

STAR Excavating, LLC shall comply with the following applicable requirements. The Missouri Air Conservation Laws and Regulations should be consulted for specific record keeping, monitoring, and reporting requirements. Compliance with these emission standards, based on information submitted in the application, has been verified at the time this application was approved.

GENERAL REQUIREMENTS

- *Submission of Emission Data, Emission Fees and Process Information*, 10 CSR 10-6.110.
- A Basic Operating Permit application is required for this installation within 30 days of commencement of operations.
- *Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin*, 10 CSR 10-6.170
- *Restriction of Emission of Visible Air Contaminants*, 10 CSR 10-6.220
- *Restriction of Emission of Odors*, 10 CSR 10-6.165

SPECIFIC REQUIREMENTS

- 40 CFR 60 Subpart OOO, "Standards of Performance for Nonmetallic Mineral Processing Plants" applies to the equipment.
- None of the National Emission Standards for Hazardous Air Pollutants (NESHAPS) or National Emission Standards for Hazardous Air Pollutants for Source Categories (MACTS) apply to the proposed equipment.

STAFF RECOMMENDATION

On the basis of this review conducted in accordance with Section (6), Missouri State Rule 10 CSR 10-6.060, *Construction Permits Required*, it is recommended that this permit be granted with special conditions.

PERMIT DOCUMENTS

The following documents are incorporated by reference into this permit:

- The Application for Authority to Construct form, dated February 26, 2016, received March 7, 2016, designating STAR Excavating, LLC as the owner and operator of the installation.

Attachment AA: Best Management Practices

Haul roads and vehicular activity areas shall be maintained in accordance with at least one of the following options when the plant is operating.

1. Pavement
 - A. The operator shall pave the area with materials such as asphalt, concrete or other materials approved by the Air Pollution Control Program. The pavement will be applied in accordance with industry standards to achieve control of fugitive emissions while the plant is operating.
 - B. Maintenance and repair of the road surface will be conducted as necessary to ensure that the physical integrity of the pavement is adequate to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator shall periodically wash or otherwise clean all of the paved portions of the haul roads as necessary to achieve control of fugitive emissions from these areas while the plant is operating.

2. Application of Chemical Dust Suppressants
 - A. The operator shall apply a chemical dust suppressant (such as magnesium chloride, calcium chloride, lignosulfonates, etc.) to unpaved areas.
 - B. The quantities of the chemical dust suppressant shall be applied and maintained in accordance with the manufacturer's recommendation (if available) and in sufficient quantities to achieve control of fugitive emissions from these areas while the plant is operating.
 - C. The operator shall record the time, date and the amount of material applied for each application of the chemical dust suppressant agent on the above areas. The operator shall keep these records with the plant for not less than five (5) years and make these records available to Department of Natural Resources' personnel upon request.

3. Application of Water-Documented Daily
 - A. The operator shall apply water to unpaved areas. Water shall be applied at a rate of 100 gallons per day per 1,000 square feet of unpaved or untreated surface area while the plant is operating.
 - B. Precipitation may be substituted for watering if the precipitation is greater than one quarter of one inch and is sufficient to control fugitive emissions.
 - C. Watering may also be suspended when the ground is frozen, during periods of freezing conditions when watering would be inadvisable for traffic safety reasons, or when there will be no traffic on the roads.
 - D. The operator shall record the date, volume of water application and total surface area of active haul roads or the amount of precipitation that day. The operators shall also record the rationale for not watering (e.g. freezing conditions or not operating).
 - E. The operator shall keep these records with the plant for not less than five (5) years, and the operator shall make these records available to Department of Natural Resources' personnel upon request.

APPENDIX A

Abbreviations and Acronyms

%	percent	MMBtu	Million British thermal units
°F	degrees Fahrenheit	MMCF	million cubic feet
acfm	actual cubic feet per minute	MSDS	Material Safety Data Sheet
BACT	Best Available Control Technology	NAAQS ...	National Ambient Air Quality Standards
BMPs	Best Management Practices	NESHAPs ..	National Emissions Standards for Hazardous Air Pollutants
Btu	British thermal unit	NO_x	nitrogen oxides
CAM	Compliance Assurance Monitoring	NSPS	New Source Performance Standards
CAS	Chemical Abstracts Service	NSR	New Source Review
CEMS	Continuous Emission Monitor System	PM	particulate matter
CFR	Code of Federal Regulations	PM_{2.5}	particulate matter less than 2.5 microns in aerodynamic diameter
CO	carbon monoxide	PM₁₀	particulate matter less than 10 microns in aerodynamic diameter
CO₂	carbon dioxide	ppm	parts per million
CO_{2e}	carbon dioxide equivalent	PSD	Prevention of Significant Deterioration
COMS	Continuous Opacity Monitoring System	PTE	potential to emit
CSR	Code of State Regulations	RACT	Reasonable Available Control Technology
dscf	dry standard cubic feet	RAL	Risk Assessment Level
EQ	Emission Inventory Questionnaire	SCC	Source Classification Code
EP	Emission Point	scfm	standard cubic feet per minute
EPA	Environmental Protection Agency	SDS	Safety Data Sheet
EU	Emission Unit	SIC	Standard Industrial Classification
fps	feet per second	SIP	State Implementation Plan
ft	feet	SMAL	Screening Model Action Levels
GACT	Generally Available Control Technology	SO_x	sulfur oxides
GHG	Greenhouse Gas	SO₂	sulfur dioxide
gpm	gallons per minute	tph	tons per hour
gr	grains	tpy	tons per year
GWP	Global Warming Potential	VMT	vehicle miles traveled
HAP	Hazardous Air Pollutant	VOC	Volatile Organic Compound
hr	hour		
hp	horsepower		
lb	pound		
lbs/hr	pounds per hour		
MACT	Maximum Achievable Control Technology		
µg/m³	micrograms per cubic meter		
m/s	meters per second		
Mgal	1,000 gallons		
MW	megawatt		
MHDR	maximum hourly design rate		

Mr. Steve Clancy
Operations Manager
STAR Excavating, LLC
801 Commerce Drive
Lee's Summit, MO 64081

RE: New Source Review Permit - Project Number: 2016-03-014

Dear Mr. Clancy:

Enclosed with this letter is your permit to construct. Please study it carefully and refer to Appendix A for a list of common abbreviations and acronyms used in the permit. Also, note the special conditions on the accompanying pages. The document entitled, "Review of Application for Authority to Construct," is part of the permit and should be kept with this permit in your files. Operation in accordance with these conditions, your new source review permit is necessary for continued compliance. The reverse side of your permit certificate has important information concerning standard permit conditions and your rights and obligations under the laws and regulations of the State of Missouri.

This permit may include requirements with which you may not be familiar. If you would like the department to meet with you to discuss how to understand and satisfy the requirements contained in this permit, an appointment referred to as a Compliance Assistance Visit (CAV) can be set up with you. To request a CAV, please contact your local regional office or fill out an online request. The regional office contact information can be found at the following website: <http://dnr.mo.gov/regions/>. The online CAV request can be found at <http://dnr.mo.gov/cav/compliance.htm>.

If you were adversely affected by this permit decision, you may be entitled to pursue an appeal before the administrative hearing commission pursuant to Sections 621.250 and 643.075.6 RSMo. To appeal, you must file a petition with the administrative hearing commission within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed; if it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the administrative hearing commission, whose contact information is: Administrative Hearing Commission, United States Post Office Building, 131 West High Street, Third Floor, P.O. Box 1557, Jefferson City, Missouri 65102, phone: 573-751-2422, fax: 573-751-5018, website: www.oa.mo.gov/ahc.

Mr. Steve Clancy
Page Two

If you have any questions, please do not hesitate to contact Kathy Kolb, at the department's Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102 or at (573) 751-4817.
Thank you for your attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Susan Heckenkamp
New Source Review Unit Chief

SH:kkd

Enclosures

c: Kansas City Regional Office
PAMS File: 2016-03-014

Permit Number: