



PART 70 PERMIT TO OPERATE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth herein.

Operating Permit Number: OP2013-021
Expiration Date: JUN 10 2018
Installation ID: 159-0012
Project Number: 2010-04-011

Installation Name and Address

Waterloo Industries, Inc.
1500 Waterloo Drive
Sedalia, MO 65302
Pettis County

Parent Company's Name and Address

Fortune Brands
520 Lake Cook Road
Deerfield, IL 60015

Installation Description:

This facility manufactures metal storage products. Sheet metal is cut, formed, and spot-welded to form toolboxes, which are then cleaned and degreased. The toolboxes are painted using an electrodeposition and/or powder coat process. After being routed through a bake oven, the toolboxes are finished by attaching hardware such as nameplates, latches, handles, and locks. Packing materials for shipping the finished toolboxes are formed on-site using a process in which polystyrene beads are expanded and molded. The facility is major source of Volatile Organic Compounds (VOCs).

JUN 11 2013

Effective Date



Director or Designee
Department of Natural Resources

Table of Contents

I. INSTALLATION DESCRIPTION AND EQUIPMENT LISTING	3
INSTALLATION DESCRIPTION	3
EMISSION UNITS WITH LIMITATIONS	3
EMISSION UNITS WITHOUT LIMITATIONS	4
II. PLANT WIDE EMISSION LIMITATIONS.....	5
PERMIT CONDITION PW001	5
10 CSR 10-6.060 Construction Permits Required.....	5
Construction Permit #042009-016A, Issued July 8, 2009.....	5
III. EMISSION UNIT SPECIFIC EMISSION LIMITATIONS	6
EU0080 – MAINTENANCE PAINT SPRAY BOOTH	6
PERMIT CONDITION EU0080-01	6
10 CSR 10-6.400, Control of Emission of Particulate Matter From Industrial Processes	6
EU0600 – BOILER FOR ELECTRODEPOSITION COATING PRODUCT PARTS WASHER	7
PERMIT CONDITION EU0600-01	7
10 CSR 10-6.070, New Source Performance Regulations and 40 CFR Part 60 Subpart Dc New Source Performance Standards for Small Industrial-Commercial-Institutional Steam Generators.....	7
IV. CORE PERMIT REQUIREMENTS	8
V. GENERAL PERMIT REQUIREMENTS.....	16
VI. ATTACHMENTS	21
ATTACHMENT A	22
VOC Compliance Worksheet for Coatings and Solvents.....	22
ATTACHMENT B	23
Monthly Ethylene Glycol Monohexyl Ether Tracking Record	23
ATTACHMENT C	24
Monthly Combined HAPs Tracking Record	24
ATTACHMENT D	25
Monthly Individual HAPs Tracking Record	25
ATTACHMENT E	26
Hazardous Air Pollutants Calculation Sheet	26
ATTACHMENT F.....	27
Existing HAP Materials in Use at Waterloo Industries	27
ATTACHMENT G	28
Screen Modeling Action Levels for Individual HAPs	28
ATTACHMENT H	34
Ethylene Glycol Monohexyl Ether Compliance Worksheet	34
ATTACHMENT I.....	35
Inspection/Maintenance/Repair/Malfunction Log.....	35
ATTACHMENT J	36
Fugitive Emission Observations	36

I. Installation Description and Equipment Listing

INSTALLATION DESCRIPTION

This facility manufactures metal storage products. Sheet metal is cut, formed, and spot-welded to form toolboxes, which are then cleaned and degreased. The toolboxes are painted using an electrodeposition and/or powder coat process. After being routed through a bake oven, the toolboxes are finished by attaching hardware such as nameplates, latches, handles, and locks. Packing materials for shipping the finished toolboxes are formed on-site using a process in which polystyrene beads are expanded and molded. The facility is major source of Volatile Organic Compounds (VOCs).

Reported Air Pollutant Emissions, tons per year					
Pollutants	2011	2010	2009	2008	2007
Particulate Matter ≤ Ten Microns (PM ₁₀)	0.49	0.44	0.50	0.55	0.58
Particulate Matter ≤ 2.5 Microns (PM _{2.5})	0.00	0.00	0.00	0.00	0.00
Sulfur Oxides (SO _x)	0.03	0.02	0.03	0.03	0.03
Nitrogen Oxides (NO _x)	6.32	5.63	6.36	7.13	7.20
Volatile Organic Compounds(VOC)	31.19	27.21	32.51	51.32	78.15
Carbon Monoxide (CO)	5.30	4.73	5.35	5.99	6.05
Lead (Pb)	0.00	0.00	0.00	0.00	0.00
Hazardous Air Pollutants (HAPs)	2.55	3.12	0.13	1.03	1.03
Ammonia (NH ₃)	0.00	0.00	0.00	0.00	0.00

EMISSION UNITS WITH LIMITATIONS

The following list provides a description of the equipment at this installation that emits air pollutants and that are identified as having unit-specific emission limitations.

Emission Unit #	Description of Emission Unit	
EU0080	Maintenance Paint Spray Booth	EP-31
EU0600	Boiler for Electrodeposition Coating Product Parts Washer	EP-45

EMISSION UNITS WITHOUT LIMITATIONS

The following list provides a description of the equipment that does not have unit specific limitations at the time of permit issuance.

Description of Emission Source

Electrodeposition Coating Booths

Electrodeposition Coating Booth 1	EP-23
Electrodeposition Coating Booth 2	EP-24
Electrodeposition Coating Booth 3	EP-36
Electrodeposition Coating Booth 4	EP-57
Electrodeposition Coating Bake Oven 1	EP-37
Electrodeposition Coating Bake Oven 2	EP-39
Electrodeposition Coating Bake Oven 3	EP-41
Electrodeposition Coating Product Parts Washer	EP-34
Electrodeposition Paint Storage Tank	EP-60

Power Coating Booths

Powder Coat Paint Spray Product Parts 8 Stage Washer	EP-62
Powder Coat Spray Booth 1	EP-64
Powder Coat Spray Booth 2	EP-65
Powder Coat Spray Booth 3	EP-66

Other Ovens and Burners

Paint Hook Burn Off Oven	EP-58
Paint Hook Burn-Off Oven	EP-12
Electrodeposition Coating Dry-Off Oven	EP-35
Electrodeposition Coating Bake Oven 1 Burner	EP-38
Electrodeposition Coating Bake Oven 2 Burner	EP-40
Electrodeposition Coating Bake Oven 3 Burner	EP-42
Powder Coat Paint Spray Dry-Of Oven	EP-53
Powder Coat Bake Oven 4 Burner	EP-56
Powder Coat Boiler, 6.5 MMBtu/hr	EP-59
Powder Coating Dry-Off Oven	EP-61
Powder Coating Bake Oven	EP-63
Air Makeup Burners	EP-29
Other Burners	EP-30
Boiler for Expanded Polystyrene Line, 8.4 MMBtu/hr	EP-43

Expanded Polystyrene Process Equipment

Expanded Polystyrene Bead Expander	EP-15
Expanded Polystyrene Injection Molder	EP-16
Expanded Polystyrene Injection Molder	EP-17
Expanded Polystyrene Injection Molder	EP-18
Expanded Polystyrene Injection Molder	EP-33
Expanded Polystyrene Injection Molder	EP-44
Expanded Polystyrene Bead Storage Vent	EP-46
Parts Washer	EP-47

II. Plant Wide Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

PERMIT CONDITION PW001

10 CSR 10-6.060 Construction Permits Required
Construction Permit #042009-016A, Issued July 8, 2009

Emission Limitations

1. Waterloo Industries, Inc. shall emit less than 250.0 tons of Volatile Organic Compounds (VOCs) from the entire installation in any consecutive 12-month period. For the purposes of this permit, entire installation means all equipment at the installation as of the date the permit is issued. (Special Condition 2.A)
2. Waterloo Industries, Inc. shall emit less than 54.7 lbs of ethylene glycol monoethyl ether from the entire installation in any day. (Special Condition 2.B)
3. Waterloo Industries, Inc. shall emit less than 4.3 tons of ethylene glycol monoethyl ether from the entire installation in any 12-month period. (Special Condition 2.C)
4. Waterloo Industries, Inc. shall emit less than ten (10.0) tons individually or twenty-five (25.0) tons combined of Hazardous Air Pollutants (HAPs) from the entire installation in any consecutive 12-month period. (Special Condition 2.D)

Recordkeeping

1. Attachment A, Attachment B, Attachment C, Attachment D, Attachment E, and Attachment H or equivalent forms approved by the Air Pollution Control Program shall be used to demonstrate compliance with Emission Limitations 1, 2, 3, and 4. Waterloo Industries, Inc. shall maintain all records required by this permit for not less than five (5) years and shall make them available immediately to any Missouri Department of Natural Resources' personnel upon request. These records shall include Material Safety Data Sheets (MSDS) for all materials used at the installation. (Special Condition 2.E)
2. When considering using a HAP containing paint or painting supply item that is different from those listed in Attachment F, Waterloo Industries Incorporated must calculate the potential emissions for each individual Hazardous Air Pollutant (HAP) in the alternative HAP containing material (paint). Attachment E or equivalent forms approved by the Air Pollution Control Program shall be used to calculate the potential HAP emissions. If the calculated potential amount of emissions is equal to or greater than the Screen Modeling Action Levels (SMAL) for any chemical listed in Attachment G, then Waterloo Industries, Incorporated must seek approval from the Air Pollution Control Program before use of the alternative paint/solvent. (Special Condition 2.G)

Reporting

1. Waterloo Industries, Inc. shall report to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten (10) days after the end of the month during which the records from Recordkeeping requirement 1 indicate that the source exceeds the limitation of Emission Limitations 1, 2, 3, and 4. (Special Condition 2.F)

III. Emission Unit Specific Emission Limitations

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

EU0080 – Maintenance Paint Spray Booth			
Emission Unit	Description	Manufacturer/Model #	2011 EIQ Reference #
EU0080	Maintenance Paint Spray Booth with paint arrester filter	Binks/CA-528-T-LO	EP-31, CD-08

<p align="center">PERMIT CONDITION EU0080-01 10 CSR 10-6.400, Control of Emission of Particulate Matter From Industrial Processes</p>
--

Emission Limitation:

Particulate matter of one-half (0.5) pound per hour or more shall not be emitted from the paint spray booth.

Monitoring:

1. The booth shall not be operated without a mat/panel filter in place.
2. The filters shall be inspected for holes, imperfections, proper installation or other problems that could hinder the effectiveness of the filter.
3. The filters shall be inspected each shift before spraying begins in a booth and after installation of a new filter. Inspections are not required for shifts in which no paint is sprayed in a particular booth.
4. The manufacturer's recommendations shall be followed with regard to installation and frequency of replacement of the filters.

Recordkeeping:

1. The permittee shall maintain records, see Attachment I, of the inspections of mat/panel filters including when they occur.
2. These records shall be made available immediately for inspection to the Department of Natural Resources personnel upon request.
3. All records shall be maintained for five years.

Reporting:

Reports of any deviations from monitoring, recordkeeping and reporting requirements of this permit condition shall be submitted semi-annually, in the semi-annual monitoring report and annual compliance certification, as required by Section IV of this permit.

EU0600 – Boiler for Electrodeposition Coating Product Parts Washer			
Emission Unit	Description	Capacity	2011 EIQ Reference #
EU0600	Boiler for Electrodeposition Coating Product Parts Washer	19 MMBtu/hr	EP-45

PERMIT CONDITION EU0600-01

10 CSR 10-6.070, New Source Performance Regulations and 40 CFR Part 60 Subpart Dc New Source Performance Standards for Small Industrial-Commercial-Institutional Steam Generators

Emission Limitation:

1. On and after the date on which the initial performance test is completed or required to be completed under §60.8 of 40 CFR Part 60, whichever date comes first, no owner or operator of an affected facility that combusts oil shall cause to be discharged into the atmosphere from that affected facility any gases that contain SO₂ in excess of 215 ng/J (0.50 lb/million Btu) heat input. This is per §60.42c (d) of 40 CFR Part 60.
2. The SO₂ emission limits and fuel oil sulfur limits apply at all times, including periods of startup, shutdown, and malfunction. These limits are any gases that contain SO₂ in excess of 215 ng/J (0.50 lb/million Btu) heat input. This is per §60.42c (d) of 40 CFR Part 60.

Operational Limitation/Equipment Specifications:

The emission unit shall burn only gaseous fuels and/or fuel oils that contain no greater than 0.5 weight percent sulfur. This is per §60.47c (f)(3) of 40 CFR Part 60.

Monitoring/Recordkeeping:

The permittee shall maintain documentation supporting that the fuel used in this emission unit is pipeline grade natural gas or liquefied petroleum gas or a combination of these fuels. This is per §60.48c (e) of 40 CFR Part 60.

Reporting:

The permittee shall report any deviations/exceedances of this permit condition using the semi-annual monitoring report and annual compliance certification to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as required by 10 CSR 10-6.065(6)(C)1.C.(III).

IV. Core Permit Requirements

The installation shall comply with each of the following regulations or codes. Consult the appropriate sections in the Code of Federal Regulations (CFR), the Code of State Regulations (CSR), and local ordinances for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued. The following is only an excerpt from the regulation or code, and is provided for summary purposes only.

10 CSR 10-6.045 Open Burning Requirements

- 1) General Provisions. The open burning of tires, petroleum-based products, asbestos containing materials, and trade waste is prohibited, except as allowed below. Nothing in this rule may be construed as to allow open burning which causes or constitutes a public health hazard, nuisance, a hazard to vehicular or air traffic, nor which violates any other rule or statute.
- 2) Refer to the regulation for a complete list of allowances. The following is a listing of exceptions to the allowances:
 - a) Burning of household or domestic refuse. Burning of household or domestic refuse is limited to open burning on a residential premises having not more than four dwelling units, provided that the refuse originates on the same premises, with the following exceptions:
 - i) Kansas City metropolitan area. The open burning of household refuse must take place in an area zoned for agricultural purposes and outside that portion of the metropolitan area surrounded by the corporate limits of Kansas City and every contiguous municipality;
 - ii) Springfield-Greene County area. The open burning of household refuse must take place outside the corporate limits of Springfield and only within areas zoned A-1, Agricultural District;
 - iii) St. Joseph area. The open burning of household refuse must take place within an area zoned for agricultural purposes and outside that portion of the metropolitan area surrounded by the corporate limits of St. Joseph; and
 - iv) St. Louis metropolitan area. The open burning of household refuse is prohibited;
 - b) Yard waste, with the following exceptions:
 - i) Kansas City metropolitan area. The open burning of trees, tree leaves, brush or any other type of vegetation shall require an open burning permit;
 - ii) Springfield-Greene County area. The City of Springfield requires an open burning permit for the open burning of trees, brush or any other type of vegetation. The City of Springfield prohibits the open burning of tree leaves;
 - iii) St. Joseph area. Within the corporate limits of St. Joseph, the open burning of trees, tree leaves, brush or any other type of vegetation grown on a residential property is allowed during the following calendar periods and time-of-day restrictions:
 - (1) A three (3)-week period within the period commencing the first day of March through April 30 and continuing for twenty-one (21) consecutive calendar days;
 - (2) A three (3)-week period within the period commencing the first day of October through November 30 and continuing for twenty-one (21) consecutive calendar days;
 - (3) The burning shall take place only between the daytime hours of 10:00 a.m. and 3:30 p.m.; and
 - (4) In each instance, the twenty-one (21)-day burning period shall be determined by the director of Public Health and Welfare of the City of St. Joseph for the region in which the

- City of St. Joseph is located provided, however, the burning period first shall receive the approval of the department director; and
- iv) St. Louis metropolitan area. The open burning of trees, tree leaves, brush or any other type of vegetation is limited to the period beginning September 16 and ending April 14 of each calendar year and limited to a total base area not to exceed sixteen (16) square feet. Any open burning shall be conducted only between the hours of 10:00 a.m. and 4:00 p.m. and is limited to areas outside of incorporated municipalities;
 - 3) Certain types of materials may be open burned provided an open burning permit is obtained from the director. The permit will specify the conditions and provisions of all open burning. The permit may be revoked if the owner or operator fails to comply with the conditions or any provisions of the permit.
 - 4) Waterloo Industries, Inc. may be issued an annually renewable open burning permit for open burning provided that an air curtain destructor or incinerator is utilized and only tree trunks, tree limbs, vegetation or untreated wood waste are burned. Open burning shall occur at least two hundred (200) yards from the nearest occupied structure unless the owner or operator of the occupied structure provides a written waiver of this requirement. Any waiver shall accompany the open burning permit application. The permit may be revoked if Waterloo Industries, Inc. fails to comply with the provisions or any condition of the open burning permit.
 - a) In a nonattainment area, as defined in 10 CSR 10-6.020, paragraph (2)(N)5., the director shall not issue a permit under this section unless the owner or operator can demonstrate to the satisfaction of the director that the emissions from the open burning of the specified material would be less than the emissions from any other waste management or disposal method.
 - 5) Reporting and Recordkeeping. New Source Performance Standard (NSPS) 40 CFR Part 60 Subpart CCCC establishes certain requirements for air curtain destructors or incinerators that burn wood trade waste. These requirements are established in 40 CFR 60.2245-60.2260. The provisions of 40 CFR Part 60 Subpart CCCC promulgated as of September 22, 2005, shall apply and are hereby incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401. To comply with NSPS 40 CFR 60.2245-60.2260, sources must conduct an annual Method 9 test. A copy of the annual Method 9 test results shall be submitted to the director.
 - 6) Test Methods. The visible emissions from air pollution sources shall be evaluated as specified by 40 CFR Part 60, Appendix A–Test Methods, Method 9–Visual Determination of the Opacity of Emissions from Stationary Sources. The provisions of 40 CFR Part 60, Appendix A, Method 9 promulgated as of December 23, 1971, is incorporated by reference in this rule, as published by the U.S. Government Printing Office, 732 N Capitol Street NW, Washington, DC 20401.

10 CSR 10-6.050 Start-up, Shutdown and Malfunction Conditions

- 1) In the event of a malfunction, which results in excess emissions that exceed one hour, the permittee shall submit to the director within two business days, in writing, the following information:
 - a) Name and location of installation;
 - b) Name and telephone number of person responsible for the installation;
 - c) Name of the person who first discovered the malfunction and precise time and date that the malfunction was discovered.
 - d) Identity of the equipment causing the excess emissions;
 - e) Time and duration of the period of excess emissions;
 - f) Cause of the excess emissions;
 - g) Air pollutants involved;

- h) Best estimate of the magnitude of the excess emissions expressed in the units of the applicable requirement and the operating data and calculations used in estimating the magnitude;
 - i) Measures taken to mitigate the extent and duration of the excess emissions; and
 - j) Measures taken to remedy the situation that caused the excess emissions and the measures taken or planned to prevent the recurrence of these situations.
- 2) The permittee shall submit the paragraph 1 information list to the director in writing at least ten days prior to any maintenance, start-up or shutdown, which is expected to cause an excessive release of emissions that exceed one hour. If notice of the event cannot be given ten days prior to the planned occurrence, it shall be given as soon as practicable prior to the release. If an unplanned excess release of emissions exceeding one hour occurs during maintenance, start-up or shutdown, the director shall be notified verbally as soon as practical during normal working hours and no later than the close of business of the following working day. A written notice shall follow within ten working days.
 - 3) Upon receipt of a notice of excess emissions issued by an agency holding a certificate of authority under Section 643.140, RSMo, the permittee may provide information showing that the excess emissions were the consequence of a malfunction, start-up or shutdown. The information, at a minimum, should be the paragraph 1 list and shall be submitted not later than 15 days after receipt of the notice of excess emissions. Based upon information submitted by the permittee or any other pertinent information available, the director or the commission shall make a determination whether the excess emissions constitute a malfunction, start-up or shutdown and whether the nature, extent and duration of the excess emissions warrant enforcement action under Section 643.080 or 643.151, RSMo.
 - 4) Nothing in this rule shall be construed to limit the authority of the director or commission to take appropriate action, under Sections 643.080, 643.090 and 643.151, RSMo to enforce the provisions of the Air Conservation Law and the corresponding rule.
 - 5) Compliance with this rule does not automatically absolve the permittee of liability for the excess emissions reported.

10 CSR 10-6.060 Construction Permits Required

The permittee shall not commence construction, modification, or major modification of any installation subject to this rule, begin operation after that construction, modification, or major modification, or begin operation of any installation which has been shut down longer than five years without first obtaining a permit from the permitting authority.

10 CSR 10-6.065 Operating Permits

The permittee shall file a complete application for renewal of this operating permit at least six months before the date of permit expiration. In no event shall this time be greater than eighteen months. [10 CSR 10-6.065(6)(B)1.A(V)] The permittee shall retain the most current operating permit issued to this installation on-site. [10 CSR 10-6.065(6)(C)1.C(II)] The permittee shall immediately make such permit available to any Missouri Department of Natural Resources personnel upon request. [10 CSR 10-6.065(6)(C)3.B]

10 CSR 10-6.080 Emission Standards for Hazardous Air Pollutants and 40 CFR Part 61 Subpart M National Emission Standard for Asbestos

- 1) The permittee shall follow the procedures and requirements of 40 CFR Part 61, Subpart M for any activities occurring at this installation which would be subject to provisions for 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos.

- 2) The permittee shall conduct monitoring to demonstrate compliance with registration, certification, notification, and Abatement Procedures and Practices standards as specified in 40 CFR Part 61, Subpart M.

10 CSR 10-6.110 Submission of Emission Data, Emission Fees and Process Information

- 1) The permittee shall submit full emissions report either electronically via MoEIS, which requires Form 1.0 signed by an authorized company representative, or on Emission Inventory Questionnaire (EIQ) paper forms on the frequency specified in this rule and in accordance with the requirements outlined in this rule. Alternate methods of reporting the emissions, such as spreadsheet file, can be submitted for approval by the director.
- 2) The permittee may be required by the director to file additional reports.
- 3) Public Availability of Emission Data and Process Information. Any information obtained pursuant to the rule(s) of the Missouri Air Conservation Commission that would not be entitled to confidential treatment under 10 CSR 10-6.210 shall be made available to any member of the public upon request.
- 4) The permittee shall pay an annual emission fee per ton of regulated air pollutant emitted according to the schedule in the rule. This fee is an emission fee assessed under authority of RSMo. 643.079.
- 5) The fees shall be payable to the Department of Natural Resources and shall be accompanied by the emissions report.
- 6) The permittee shall complete required reports on state supplied EIQ forms or electronically via MoEIS. Alternate methods of reporting the emissions can be submitted for approval by the director. The reports shall be submitted to the director by April 1 after the end of each reporting year. If the full emissions report is filed electronically via MoEIS, this due date is extended to May 1.
- 7) The reporting period shall end on December 31 of each calendar year. Each report shall contain the required information for each emission unit for the twelve (12)-month period immediately preceding the end of the reporting period.
- 8) The permittee shall collect, record and maintain the information necessary to complete the required forms during each year of operation of the installation.

10 CSR 10-6.130 Controlling Emissions During Episodes of High Air Pollution Potential

This rule specifies the conditions that establish an air pollution alert (yellow/orange/red/purple), or emergency (maroon) and the associated procedures and emission reduction objectives for dealing with each. The permittee shall submit an appropriate emergency plan if required by the Director.

10 CSR 10-6.150 Circumvention

The permittee shall not cause or permit the installation or use of any device or any other means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes an emission or air contaminant which violates a rule of the Missouri Air Conservation Commission.

10 CSR 10-6.170

Restriction of Particulate Matter to the Ambient Air Beyond the Premises of Origin

Emission Limitation:

- 1) The permittee shall not cause or allow to occur any handling, transporting or storing of any material; construction, repair, cleaning or demolition of a building or its appurtenances; construction or use of a road, driveway or open area; or operation of a commercial or industrial installation without applying reasonable measures as may be required to prevent, or in a manner which allows or may allow, fugitive particulate matter emissions to go beyond the premises of origin in quantities that the particulate matter may be found on surfaces beyond the property line of origin. The nature or origin of the particulate matter shall be determined to a reasonable degree of certainty by a technique proven to be accurate and approved by the director.
- 2) The permittee shall not cause nor allow to occur any fugitive particulate matter emissions to remain visible in the ambient air beyond the property line of origin.
- 3) Should it be determined that noncompliance has occurred, the director may require reasonable control measures as may be necessary. These measures may include, but are not limited to, the following:
 - a) Revision of procedures involving construction, repair, cleaning and demolition of buildings and their appurtenances that produce particulate matter emissions;
 - b) Paving or frequent cleaning of roads, driveways and parking lots;
 - c) Application of dust-free surfaces;
 - d) Application of water; and
 - e) Planting and maintenance of vegetative ground cover.

Monitoring:

The permittee shall conduct inspections of its facilities sufficient to determine compliance with this regulation. If the permittee discovers a violation, the permittee shall undertake corrective action to eliminate the violation.

The permittee shall maintain the following monitoring schedule:

- 1) The permittee shall conduct weekly observations for a minimum of eight (8) consecutive weeks after permit issuance.
- 2) Should no violation of this regulation be observed during this period then-
 - a) The permittee may observe once every two (2) weeks for a period of eight (8) weeks.
 - b) If a violation is noted, monitoring reverts to weekly.
 - c) Should no violation of this regulation be observed during this period then-
 - i) The permittee may observe once per month.
 - ii) If a violation is noted, monitoring reverts to weekly.
- 3) If the permittee reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner to the initial monitoring frequency.

Recordkeeping:

The permittee shall document all readings on Attachment J, or its equivalent, noting the following:

- 1) Whether air emissions (except water vapor) remain visible in the ambient air beyond the property line of origin.
- 2) Whether the visible emissions were normal for the installation.
- 3) Whether equipment malfunctions contributed to an exceedance.
- 4) Any violations and any corrective actions undertaken to correct the violation.

10 CSR 10-6.180 Measurement of Emissions of Air Contaminants

- 1) The director may require any person responsible for the source of emission of air contaminants to make or have made tests to determine the quantity or nature, or both, of emission of air contaminants from the source. The director may specify testing methods to be used in accordance with good professional practice. The director may observe the testing. All tests shall be performed by qualified personnel.
- 2) The director may conduct tests of emissions of air contaminants from any source. Upon request of the director, the person responsible for the source to be tested shall provide necessary ports in stacks or ducts and other safe and proper sampling and testing facilities, exclusive of instruments and sensing devices as may be necessary for proper determination of the emission of air contaminants.
- 3) The director shall be given a copy of the test results in writing and signed by the person responsible for the tests.

10 CSR 10-6.165 Restriction of Emission of Odors

This requirement is not federally enforceable.

No person may cause, permit or allow the emission of odorous matter in concentrations and frequencies or for durations that odor can be perceived when one volume of odorous air is diluted with seven volumes of odor-free air for two separate trials not less than 15 minutes apart within the period of one hour. This odor evaluation shall be taken at a location outside of the installation's property boundary.

10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants

Emission Limitation:

No owner or other person shall cause or permit to be discharged into the atmosphere from any source any visible emissions in excess of the limits specified by this rule. This permit will contain the opacity limits identified (10, 20 or 40 percent) for the specific emission units.

Monitoring:

- 1) The permittee shall conduct opacity readings on each emission unit using the procedures contained in U.S. EPA Test Method 22. The permittee is only required to take readings when the emission unit is operating and when the weather conditions allow. If the permittee observes no visible or other significant emissions using these procedures, then no further observations are required. For emission units with visible emissions perceived or believed to exceed the applicable opacity standard, the source representative would then conduct a Method 9 observation.
- 2) The permittee must maintain the following monitoring schedule:
 - a) The permittee shall conduct weekly observations for a minimum of eight (8) consecutive weeks after permit issuance.
 - b) Should the permittee observe no violations of this regulation during this period then-
 - i) The permittee may observe once every two (2) weeks for a period of eight (8) weeks.
 - ii) If a violation is noted, monitoring reverts to weekly.
 - iii) Should no violation of this regulation be observed during this period then-
 - (1) The permittee may observe once per month.
 - (2) If a violation is noted, monitoring reverts to weekly.
- 3) If the source reverts to weekly monitoring at any time, monitoring frequency will progress in an identical manner from the initial monitoring frequency.

Recordkeeping:

The permittee shall maintain records of all observation results, noting:

- 1) Whether any air emissions (except for water vapor) were visible from the emission units;
- 2) All emission units from which visible emissions occurred;
- 3) Whether the visible emissions were normal for the process;
- 4) The permittee shall maintain records of any equipment malfunctions, which may contribute to visible emissions; and,
- 5) The permittee shall maintain records of all USEPA Method 9 opacity tests performed.

10 CSR 10-6.250 Asbestos Abatement Projects – Certification, Accreditation, and Business Exemption Requirements
--

The permittee shall conduct all asbestos abatement projects within the procedures established for certification and accreditation by 10 CSR 10-6.250. This rule requires individuals who work in asbestos abatement projects to be certified by the Missouri Department of Natural Resources Air Pollution Control Program. This rule requires training providers who offer training for asbestos abatement occupations to be accredited by the Missouri Department of Natural Resources Air Pollution Control Program. This rule requires persons who hold exemption status from certain requirements of this rule to allow the department to monitor training provided to employees. Each individual who works in asbestos abatement projects must first obtain certification for the appropriate occupation from the department. Each person who offers training for asbestos abatement occupations must first obtain accreditation from the department. Certain business entities that meet the requirements for state-approved exemption status must allow the department to monitor training classes provided to employees who perform asbestos abatement.

Title VI – 40 CFR Part 82 Protection of Stratospheric Ozone
--

- 1) The permittee shall comply with the standards for labeling of products using ozone-depleting substances pursuant to 40 CFR Part 82, Subpart E:
 - a) All containers in which a class I or class II substance is stored or transported, all products containing a class I substance, and all products directly manufactured with a class I substance must bear the required warning statement if it is being introduced into interstate commerce pursuant to §82.106.
 - b) The placement of the required warning statement must comply with the requirements pursuant to §82.108.
 - c) The form of the label bearing the required warning statement must comply with the requirements pursuant to §82.110.
 - d) No person may modify, remove, or interfere with the required warning statement except as described in §82.112.
- 2) The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners (MVACs) in Subpart B:
 - a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to §82.156.
 - b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to §82.158.
 - c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to §82.161.
 - d) Persons disposing of small appliances, MVACs, and MVAC-like appliances must comply with recordkeeping requirements pursuant to §82.166. ("MVAC-like" appliance as defined at §82.152).

- e) Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to §82.156.
- f) Owners/operators of appliances normally containing 50 or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to §82.166.
- 3) If the permittee manufactures, transforms, imports, or exports a class I or class II substance, the permittee is subject to all the requirements as specified in 40 CFR Part 82, Subpart A, Production and Consumption Controls.
- 4) If the permittee performs a service on motor (fleet) vehicles when this service involves ozone-depleting substance refrigerant (or regulated substitute substance) in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements as specified in 40 CFR Part 82, Subpart B, Servicing of Motor Vehicle Air conditioners. The term "motor vehicle" as used in Subpart B does not include a vehicle in which final assembly of the vehicle has not been completed. The term "MVAC" as used in Subpart B does not include the air-tight sealed refrigeration system used as refrigerated cargo, or system used on passenger buses using HCFC-22 refrigerant.
- 5) The permittee shall be allowed to switch from any ozone-depleting substance to any alternative that is listed in the Significant New Alternatives Program (SNAP) promulgated pursuant to 40 CFR Part 82, Subpart G, Significant New Alternatives Policy Program. *Federal Only - 40 CFR Part 82*

10 CSR 10-6.280 Compliance Monitoring Usage

- 1) The permittee is not prohibited from using the following in addition to any specified compliance methods for the purpose of submission of compliance certificates:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) Monitoring method(s) approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Any other monitoring methods approved by the director.
- 2) Any credible evidence may be used for the purpose of establishing whether a permittee has violated or is in violation of any such plan or other applicable requirement. Information from the use of the following methods is presumptively credible evidence of whether a violation has occurred by a permittee:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) A monitoring method approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Compliance test methods specified in the rule cited as the authority for the emission limitations.
- 3) The following testing, monitoring or information gathering methods are presumptively credible testing, monitoring, or information gathering methods:
 - a) Applicable monitoring or testing methods, cited in:
 - i) 10 CSR 10-6.030, "Sampling Methods for Air Pollution Sources";
 - ii) 10 CSR 10-6.040, "Reference Methods";
 - iii) 10 CSR 10-6.070, "New Source Performance Standards";
 - iv) 10 CSR 10-6.080, "Emission Standards for Hazardous Air Pollutants"; or
 - b) Other testing, monitoring, or information gathering methods, if approved by the director, that produce information comparable to that produced by any method listed above.

V. General Permit Requirements

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued,

10 CSR 10-6.065(6)(C)1.B Permit Duration

This permit is issued for a term of five years, commencing on the date of issuance. This permit will expire at the end of this period unless renewed.

10 CSR 10-6.065(6)(C)1.C General Recordkeeping and Reporting Requirements

- 1) Recordkeeping
 - a) All required monitoring data and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report or application.
 - b) Copies of all current operating and construction permits issued to this installation shall be kept on-site for as long as the permits are in effect. Copies of these permits shall be made immediately available to any Missouri Department of Natural Resources' personnel upon request.
- 2) Reporting
 - a) All reports shall be submitted to the Air Pollution Control Program's Enforcement Section, P. O. Box 176, Jefferson City, MO 65102.
 - b) The permittee shall submit a report of all required monitoring by:
 - i) October 1st for monitoring which covers the January through June time period, and
 - ii) April 1st for monitoring which covers the July through December time period.
 - iii) Exception. Monitoring requirements which require reporting more frequently than semi-annually shall report no later than 30 days after the end of the calendar quarter in which the measurements were taken.
 - c) Each report shall identify any deviations from emission limitations, monitoring, recordkeeping, reporting, or any other requirements of the permit, this includes deviations or Part 64 exceedances.
 - d) Submit supplemental reports as required or as needed. Supplemental reports are required no later than ten days after any exceedance of any applicable rule, regulation or other restriction. All reports of deviations shall identify the cause or probable cause of the deviations and any corrective actions or preventative measures taken.
 - i) Notice of any deviation resulting from an emergency (or upset) condition as defined in paragraph (6)(C)7.A of 10 CSR 10-6.065 (Emergency Provisions) shall be submitted to the permitting authority either verbally or in writing within two working days after the date on which the emission limitation is exceeded due to the emergency, if the permittee wishes to assert an affirmative defense. The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that indicate an emergency occurred and the permittee can identify the cause(s) of the emergency. The permitted installation must show that it was operated properly at the time and that during the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or requirements in the permit. The notice must contain a description of the emergency, the steps taken to mitigate emissions, and the corrective actions taken.

- ii) Any deviation that poses an imminent and substantial danger to public health, safety or the environment shall be reported as soon as practicable.
- iii) Any other deviations identified in the permit as requiring more frequent reporting than the permittee's semi-annual report shall be reported on the schedule specified in this permit, and no later than ten days after any exceedance of any applicable rule, regulation, or other restriction.
- e) Every report submitted shall be certified by the responsible official, except that, if a report of a deviation must be submitted within ten days after the deviation, the report may be submitted without a certification if the report is resubmitted with an appropriate certification within ten days after that, together with any corrected or supplemental information required concerning the deviation.
- f) The permittee may request confidential treatment of information submitted in any report of deviation.

10 CSR 10-6.065(6)(C)1.D Risk Management Plan Under Section 112(r)

The permittee shall comply with the requirements of 40 CFR Part 68, Accidental Release Prevention Requirements. If the permittee has more than a threshold quantity of a regulated substance in process, as determined by 40 CFR Section 68.115, the permittee shall submit a Risk Management Plan in accordance with 40 CFR Part 68 no later than the latest of the following dates:

- 1) June 21, 1999;
- 2) Three years after the date on which a regulated substance is first listed under 40 CFR Section 68.130; or
- 3) The date on which a regulated substance is first present above a threshold quantity in a process.

10 CSR 10-6.065(6)(C)1.F Severability Clause

In the event of a successful challenge to any part of this permit, all uncontested permit conditions shall continue to be in force. All terms and conditions of this permit remain in effect pending any administrative or judicial challenge to any portion of the permit. If any provision of this permit is invalidated, the permittee shall comply with all other provisions of the permit.

10 CSR 10-6.065(6)(C)1.G General Requirements

- 1) The permittee must comply with all of the terms and conditions of this permit. Any noncompliance with a permit condition constitutes a violation and is grounds for enforcement action, permit termination, permit revocation and re-issuance, permit modification or denial of a permit renewal application.
- 2) The permittee may not use as a defense in an enforcement action that it would have been necessary for the permittee to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit
- 3) The permit may be modified, revoked, reopened, reissued or terminated for cause. Except as provided for minor permit modifications, the filing of an application or request for a permit modification, revocation and reissuance, or termination, or the filing of a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- 4) This permit does not convey any property rights of any sort, nor grant any exclusive privilege.
- 5) The permittee shall furnish to the Air Pollution Control Program, upon receipt of a written request and within a reasonable time, any information that the Air Pollution Control Program reasonably may require to determine whether cause exists for modifying, reopening, reissuing or revoking the permit or to determine compliance with the permit. Upon request, the permittee also shall furnish to

the Air Pollution Control Program copies of records required to be kept by the permittee. The permittee may make a claim of confidentiality for any information or records submitted pursuant to 10 CSR 10-6.065(6)(C)1.

10 CSR 10-6.065(6)(C)1.H Incentive Programs Not Requiring Permit Revisions

No permit revision will be required for any installation changes made under any approved economic incentive, marketable permit, emissions trading, or other similar programs or processes provided for in this permit.

10 CSR 10-6.065(6)(C)3 Compliance Requirements

- 1) Any document (including reports) required to be submitted under this permit shall contain a certification signed by the responsible official.
- 2) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized officials of the Missouri Department of Natural Resources, or their authorized agents, to perform the following (subject to the installation's right to seek confidential treatment of information submitted to, or obtained by, the Air Pollution Control Program):
 - a) Enter upon the premises where a permitted installation is located or an emissions-related activity is conducted, or where records must be kept under the conditions of this permit;
 - b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
 - c) Inspect, at reasonable times and using reasonable safety practices, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
 - d) As authorized by the Missouri Air Conservation Law, Chapter 643, RSMo or the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the terms of this permit, and all applicable requirements as outlined in this permit.
- 3) All progress reports required under an applicable schedule of compliance shall be submitted semi-annually (or more frequently if specified in the applicable requirement). These progress reports shall contain the following:
 - a) Dates for achieving the activities, milestones or compliance required in the schedule of compliance, and dates when these activities, milestones or compliance were achieved, and
 - b) An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventative or corrective measures adopted.
- 4) The permittee shall submit an annual certification that it is in compliance with all of the federally enforceable terms and conditions contained in this permit, including emissions limitations, standards, or work practices. These certifications shall be submitted annually by April 1st, unless the applicable requirement specifies more frequent submission. These certifications shall be submitted to EPA Region VII, 11202 Renner Boulevard, Lenexa, KS 66219, as well as the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102. All deviations and Part 64 exceedances and excursions must be included in the compliance certifications. The compliance certification shall include the following:
 - a) The identification of each term or condition of the permit that is the basis of the certification;
 - b) The current compliance status, as shown by monitoring data and other information reasonably available to the installation;
 - c) Whether compliance was continuous or intermittent;
 - d) The method(s) used for determining the compliance status of the installation, both currently and over the reporting period; and

- e) Such other facts as the Air Pollution Control Program will require in order to determine the compliance status of this installation.

10 CSR 10-6.065(6)(C)6 Permit Shield

- 1) Compliance with the conditions of this permit shall be deemed compliance with all applicable requirements as of the date that this permit is issued, provided that:
 - a) The applicable requirements are included and specifically identified in this permit, or
 - b) The permitting authority, in acting on the permit revision or permit application, determines in writing that other requirements, as specifically identified in the permit, are not applicable to the installation, and this permit expressly includes that determination or a concise summary of it.
- 2) Be aware that there are exceptions to this permit protection. The permit shield does not affect the following:
 - a) The provisions of Section 303 of the Act or Section 643.090, RSMo concerning emergency orders,
 - b) Liability for any violation of an applicable requirement which occurred prior to, or was existing at, the time of permit issuance,
 - c) The applicable requirements of the acid rain program,
 - d) The authority of the Environmental Protection Agency and the Air Pollution Control Program of the Missouri Department of Natural Resources to obtain information, or
 - e) Any other permit or extra-permit provisions, terms or conditions expressly excluded from the permit shield provisions.

10 CSR 10-6.065(6)(C)7 Emergency Provisions

- 1) An emergency or upset as defined in 10 CSR 10-6.065(6)(C)7.A shall constitute an affirmative defense to an enforcement action brought for noncompliance with technology-based emissions limitations. To establish an emergency- or upset-based defense, the permittee must demonstrate, through properly signed, contemporaneous operating logs or other relevant evidence, the following:
 - a) That an emergency or upset occurred and that the permittee can identify the source of the emergency or upset,
 - b) That the installation was being operated properly,
 - c) That the permittee took all reasonable steps to minimize emissions that exceeded technology-based emissions limitations or requirements in this permit, and
 - d) That the permittee submitted notice of the emergency to the Air Pollution Control Program within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.
- 2) Be aware that an emergency or upset shall not include noncompliance caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

10 CSR 10-6.065(6)(C)8 Operational Flexibility

An installation that has been issued a Part 70 operating permit is not required to apply for or obtain a permit revision in order to make any of the changes to the permitted installation described below if the changes are not Title I modifications, the changes do not cause emissions to exceed emissions allowable under the permit, and the changes do not result in the emission of any air contaminant not previously emitted. The permittee shall notify the Air Pollution Control Program's Enforcement Section,

P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 11202 Renner Boulevard, Lenexa, KS 66219, at least seven days in advance of these changes, except as allowed for emergency or upset conditions. Emissions allowable under the permit means a federally enforceable permit term or condition determined at issuance to be required by an applicable requirement that establishes an emissions limit (including a work practice standard) or a federally enforceable emissions cap that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject.

- 1) Section 502(b)(10) changes. Changes that, under Section 502(b)(10) of the Act, contravene an express permit term may be made without a permit revision, except for changes that would violate applicable requirements of the Act or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting or compliance requirements of the permit.
 - a) Before making a change under this provision, The permittee shall provide advance written notice to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 11202 Renner Boulevard, Lenexa, KS 66219, describing the changes to be made, the date on which the change will occur, and any changes in emission and any permit terms and conditions that are affected. The permittee shall maintain a copy of the notice with the permit, and the Air Pollution Control Program shall place a copy with the permit in the public file. Written notice shall be provided to the EPA and the Air Pollution Control Program as above at least seven days before the change is to be made. If less than seven days' notice is provided because of a need to respond more quickly to these unanticipated conditions, the permittee shall provide notice to the EPA and the Air Pollution Control Program as soon as possible after learning of the need to make the change.
 - b) The permit shield shall not apply to these changes.

10 CSR 10-6.065(6)(C)9 Off-Permit Changes

- 1) Except as noted below, the permittee may make any change in its permitted operations, activities or emissions that is not addressed in, constrained by or prohibited by this permit without obtaining a permit revision. Insignificant activities listed in the application, but not otherwise addressed in or prohibited by this permit, shall not be considered to be constrained by this permit for purposes of the off-permit provisions of this section. Off-permit changes shall be subject to the following requirements and restrictions:
 - a) The change must meet all applicable requirements of the Act and may not violate any existing permit term or condition; the permittee may not change a permitted installation without a permit revision if this change is subject to any requirements under Title IV of the Act or is a Title I modification;
 - b) The permittee must provide written notice of the change to the Air Pollution Control Program's Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 11202 Renner Boulevard, Lenexa, KS 66219, no later than the next annual emissions report. This notice shall not be required for changes that are insignificant activities under 10 CSR 10-6.065(6)(B)3. This written notice shall describe each change, including the date, any change in emissions, pollutants emitted and any applicable requirement that would apply as a result of the change.
 - c) The permittee shall keep a record describing all changes made at the installation that result in emissions of a regulated air pollutant subject to an applicable requirement and the emissions resulting from these changes; and
 - d) The permit shield shall not apply to these changes.

10 CSR 10-6.020(2)(R)12 Responsible Official

The application utilized in the preparation of this permit was signed by Russell Foote, General Operations Manager. If this person terminates employment, or is reassigned different duties such that a different person becomes the responsible person to represent and bind the installation in environmental permitting affairs, the owner or operator of this air contaminant source shall notify the Director of the Air Pollution Control Program of the change. Said notification shall be in writing and shall be submitted within 30 days of the change. The notification shall include the name and title of the new person assigned by the source owner or operator to represent and bind the installation in environmental permitting affairs. All representations, agreement to terms and conditions and covenants made by the former responsible person that were used in the establishment of limiting permit conditions on this permit will continue to be binding on the installation until such time that a revision to this permit is obtained that would change said representations, agreements and covenants.

10 CSR 10-6.065(6)(E)6 Reopening-Permit for Cause

This permit may be reopened for cause if:

- 1) The Missouri Department of Natural Resources (MDNR) receives notice from the Environmental Protection Agency (EPA) that a petition for disapproval of a permit pursuant to 40 CFR § 70.8(d) has been granted, provided that the reopening may be stayed pending judicial review of that determination,
- 2) The Missouri Department of Natural Resources or EPA determines that the permit contains a material mistake or that inaccurate statements were made which resulted in establishing the emissions limitation standards or other terms of the permit,
- 3) Additional applicable requirements under the Act become applicable to the installation; however, reopening on this ground is not required if—:
 - a) The permit has a remaining term of less than three years;
 - b) The effective date of the requirement is later than the date on which the permit is due to expire;or
 - c) The additional applicable requirements are implemented in a general permit that is applicable to the installation and the installation receives authorization for coverage under that general permit,
- 4) The installation is an affected source under the acid rain program and additional requirements (including excess emissions requirements), become applicable to that source, provided that, upon approval by EPA, excess emissions offset plans shall be deemed to be incorporated into the permit; or
- 5) The Missouri Department of Natural Resources or EPA determines that the permit must be reopened and revised to assure compliance with applicable requirements.

10 CSR 10-6.065(6)(E)1.C Statement of Basis

This permit is accompanied by a statement setting forth the legal and factual basis for the permit conditions (including references to applicable statutory or regulatory provisions). This Statement of Basis, while referenced by the permit, is not an actual part of the permit.

VI. Attachments

Attachments follow.

Attachment F
 Existing HAP Materials in Use at Waterloo Industries

Waterloo Industries, Incorporated
 Pettis County, S33, T46, R21
 Project Number: 2008-12-019
 Installation ID Number: 159-0012
 Permit Number: 042009-016

HAP Containing Material (Paint, Paint supplies, etc.)	Vendor Code	HAP Containing Material (Paint, Paint supplies, etc.)	Vendor Code
DPC-36, Vanblend	UNI	M-25271 Rally Black Powder Paint	VAL
M-14318 Platinum - Trimite	TRI	Acrylic Enamel Reducer 8034S	DPT
M-15713 Fir Green	VAL	Dover White Enamel	DPT
M-15853 TGIC Rally Black Powder	VAL	Vectrocoat 300 Red	VAL
M-16368 Midnight Blue Powder	VAL	Flat Black Enamel	SWC
M-25270 Red TGIC Powder	VAL	Mint Green Enamel	SWC
Aeromatic 150 Solvent	UNI	Off White Enamel	SWC
Chemsolv DB	CII	OSHA Yellow Enamel	SWC
M-13502 Iron Blue	ACC	Press Blue Enamel	SWC
M-15756 High Gloss Midnight Blue	ACC	Slate Gray Centeri 6334a	DPT
M-6021 Silver Grey Metallic	VAL	Varitemp Enamel Reducer 3864S-5	DPT
ChemSolv EB	CII	Vectrocoat 330 Midnight Blue	VAL
Diisopropanolamine LFG 85	UNI	Vectrocoat 330 Red	VAL
DMEA	UNI	M-13900 Red Powder Coat	VAL
Vectrocoat 300 Black	VAL	M-14316 Cobalt Blue Power Paint	TRI
Ethyl Hexyl Alcohol	UNI	M-14317 Charcoal Powder	VAL
Formaldehyde	UNI	M-15238 High Gloss Rally Black Powder	VAL
Propyl Propasol P	CII	M-15338 Iron Blue Powder	VAL
Vectrocoat 330 Black	VAL	M-25093 PT Blue Powder	VAL
Vectrocoat 330 Clear	VAL	Hexyl Cellosolve Solvent	DOW

Attachment G
Screen Modeling Action Levels for Individual HAPs

Chemical	CAS#	Screen Modeling Action Levels (tons/year)	Synonyms
Acetaldehyde	75-07-0	9	Acetic Aldehyde, Aldehyde, Ethanal, Ethyl Aldehyde
Acetamide	60-35-5	1	Acetic Acid Amide, Ethanamide
Acetonitrile	75-05-8	4	Methyl Cyanide, Ethanenitrile, Cyanomethane
Acetophenone	98-86-2	1	Acetylbenzene, Methyl Phenyl Ketone, Hypnone
Acetylaminofluorine, [2-]	53-96-3	0.005	N-2-Fluorenyl Acetamide, N-Fluorenyl Acetamide, 2-Acetamideofluorene
Acrolein	107-02-8	0.04	Acrylaldehyde, Acrylic Aldehyde, Allyl Aldehyde, Propenal
Acrylamide	79-06-1	0.02	Propenamide, Acrylic Amide, Acrylamide Monomer, Ethylenecarboxamide
Acrylic Acid	79-10-7	0.6	Propenoic Acid, Ethylene Carboxylic Acid, Vinylformic Acid
Acrylonitrile	107-13-1	0.3	Vinyl Cyanide, Cyanoethylene, Propenenitrile
Allyl Chloride	107-05-1	1	1-Chloro-2-Propene, 3-Chloropropylene, Chloroallylene, Alpha-Propylene
Aminobiphenyl, [4-]	92-67-1	1	Biphenylene, P-Phenylaniline, Xenylamine, 4-Aminodiphenyl, 4-Biphenylamine
Aniline	62-53-3	1	Aminobenzene, Phenylamine, Aniline Oil, Aminophen, Arylamine
Anisidine, [Ortho-]	90-04-0	1	O-Methoxyaniline
Antimony Compounds (except those specifically listed)		5	Antimony (Pentachloride, Tribromide, Trichloride, Trifluoride)
Antimony Pentafluoride	7783-70-2	0.1	
Antimony Potassium Tartrate	28300-74-5	1	
Antimony Trioxide	1309-64-4	1	
Antimony Trisulfide	1345-04-6	0.1	
Arsenic and Inorganic Arsenic Compounds		0.005	Arsenic (Diethyl, Disulfide, Pentoxide, Trichloride, Trioxide, Trisulfide), Arsinine, Arsenous Oxide
Benz(a)Anthracene	56-55-3	0.01	
Benz(c)acridine	225-51-4	0.01	
Benzene	71-43-2	2	Benzol, Phenyl Hydride, Coal Naphtha, Phene, Benzole, Cyclohexatriene
Benzidine	92-87-5	0.0003	4,4'-Biphenyldiamine, P-Diaminodiphenyl, 4,4'-Diaminobiphenyl, Benzidine Base
Benzo(a)pyrene	50-32-8	0.01	
Benzo(b)fluoranthene	205-992	0.01	
Benzo(trichloride)	98-07-7	0.006	Benzoic Trichloride, Phenylchloroform, Trichloromethylbenzene
Benzyl Chloride	100-44-7	0.1	Alpha-Chlorotoluene, Toly Chloride
Beryllium Compounds (except Beryllium Salts)		0.008	Beryllium (Acetate, Carbonate, Chloride, Fluoride, Hydroxide, Nitrate, Oxide)
Beryllium Salts		0.00002	

Chemical	CAS#	Screen Modeling Action Levels (tons/year)	Synonyms
Bis(Chloroethyl)Ether	111-44-4	0.06	Dichloroethyl ether, Dichloroether, Dichloroethyl Oxide, BCEE
Bis(Chloromethyl)Ether	542-88-1	0.0003	BCME, Sym-Dichloromethyl ether, Dichloromethyl Ether, Oxybis-(Chloromethane)
Butadiene, [1,3-]	106-99-0	0.07	Biethylene, Bivinyll, Butadiene Monomer, Divinyl Erythrene, Vinylethylene
Butylene Oxide, [1,2-]	106-88-7	1	1,2-Epoxybutane, 1-Butene Oxide, 1,2-Butene Oxide, Butylene Oxide, Ethylethylene
Cadmium Compounds		0.01	Cadmium (Dust, Fume, Acetate, Chlorate, Chloride, Fluoride, Oxide, Sulfate, Sulfide)
Carbon Disulfide	75-15-0	1	Carbon Bisulfide, Dithiocarbonic Anhydride
Carbon Tetrachloride	56-23-5	1	Tetrachloromethane, Perchloromethane
Carbonyl Sulfide	463-58-1	5	Carbon Oxide Sulfide, Carbonoxysulfide
Catechol	120-80-9	5	Pyrocatechol, O-Dihydroxybenzene
Chloramben	133-90-4	1	3-Amino-2,5-Dichlorobenzoic Acid, Amben, Amiben*, Vegiben* (*Trademark)
Chlordane	57-74-9	0.01	ENT9932, Octachlor
Chlorine	7782-50-5	0.1	Bertholite
Chloroacetic Acid	79-11-8	0.1	Monochloroacetic Acid, Chloroethanoic Acid
Chloroacetophenone, [2-]	532-27-4	0.06	Phenacyl Chloride, Chloromethyl Phenyl Ketone, Tear Gas, Mace
Chlorobenzilate	510-15-6	0.4	Ethyl-4,4'-Dichlorobenzilate, Ethyl-4,4'-Dichlorophenyl Glycollate
Chloroform	67-66-3	0.9	Trichloromethane
Chloromethyl Methyl Ether	107-30-2	0.1	CMME, Methyl Chloromethyl Ether, Chloromethoxymethane, Monochloromethyl Ether
Chloroprene	126-99-8	1	2-Chloro-1,3-Butadiene, Chlorobutadiene, Neoprene Rubber Compound
Chromic Chloride	10025-73-7	0.1	
Chromium Compounds (except Hexavalent)		5	Chromium, Chromium(II) Compounds, Chromium (III) Compounds
Chromium Compounds, Hexavalent		0.002	Chromium (VI)
Chrysene	218-01-9	0.01	
Cobalt Carbonyl	12010-68-1	0.1	
Cobalt Metal (and compounds, except those specifically listed)		0.1	Cobalt (Bromide, Chloride, Diacetate, Formate, Nitrate, Oxide, Sulfamate)
Coke Oven Emissions	8007-45-2	0.03	Coal Tar, Coal Tar Pitch, Coal Tar Distillate
Cresol, [Meta-]	108-39-4	1	3-Cresol, M-Cresylic Acid, 1-Hydroxy-3-Methylbenzene, M-Hydroxytoluene
Cresol, [Ortho-]	95-48-7	1	2-Cresol, O-Cresylic Acid, 1-Hydroxy-2-Methylbenzene, 2-Methylphenol
Cresol, [Para-]	106-44-5	1	4-Cresol, P-Cresylic Acid, 1-Hydroxy-4-Methylbenzene, 4-Hydroxytoluene
Cresols/ Cresylic Acid (isomers and mixture)	1319-77-3	1	
Cyanide Compounds (except those specifically listed)	20-09-7	5	Cyanide (Barium, Chlorine, Free, Hydrogen, Potassium, Silver, Sodium, Zinc)
DDE (p,p'-Dichlorodiphenyl Dichloroethylene)	72-55-9	0.01	
Di(2-Ethylhexyl)Phthalate, (DEHP)	117-81-7	5	Bis(2-ethylhexyl)Phthalate, Di(2-Ethylhexyl)Phthalate, DOP, Di-Sec-Octyl Phthalate

Chemical	CAS#	Screen Modeling Action Levels (tons/year)	Synonyms
Diaminotoluene, [2,4-]	95-80-7	0.02	2,4-Toluene Diamine, 3-Amino-Para-Toluidine, 5-Amino-Ortho-Toluidine
Diazomethane	334-88-3	1	Azimethylene, Diazirine
Dibenz(a,h)anthracene	53-70-3		
Dibenzofuran	132-64-9	5	Diphenylene Oxide
Dibenzopyrene, [1,2:7,8]	189-55-9		
Dibromo-3-Chloropropane, [1,2-]	96-12-8	0.01	DBCP
Dibromomethane, [1,2-]	106-93-4	0.1	Ethylene Dibromide, Ethylene Bromide, Sym-Dibromoethane
Dichlorobenzene, [1,4-]	106-46-7	3	1,4-Dichloro-P-DCB, 1-4-DCB, PDB, PDCB
Dichlorobenzidene, [3,3-]	91-94-1	0.2	4,4'-Diamino-3,3'-Dichlorobiphenyl, 3,3'-Dichlorobiphenyl-4,4'-Diamine, DCB
Dichloroethane, [1,1-]	75-34-3	1	Ethylidene Dichloride, 1,1-Ethylidene Dichloride, Asymmetrical Dichlorethane
Dichloroethane, [1,2-]	107-06-2	0.8	Ethylene Dichloride, Glycol Dichloride, Ethylene Chloride
Dichloroethylene, [1,1-]	75-35-4	0.4	Vinylidene Chloride, DCE, VDC
Dichloropropane, [1,2-]	78-87-5	1	Propylene Dichloride
Dichloropropene [1,3-]	542-75-6	1	1,3-Dichloropropylene, Alpha-Chlorallyl Chloride
Dichlorvos	62-73-7	0.2	DDVP, 2,2-Dichlorovinyl dimethylphosphate
Diethanolamine	11-42-2	5	Bis(2-Hydroxyethyl)Amine, 2,2'-Dihydroxydiethylamine, Di(2-Hydroxyethyl)Amine
Diethyl Sulfate	64-67-5	1	Diethyl Ester Sulfuric Acid, Ethyl Sulfate
Dimethoxybenzidine, [3,3-]	119-90-4	0.1	Fast Blue B Base, Dianisidine, O-Dianisidine
Dimethylbenz(a)anthracene, [7,12]	57-97-6	0.01	
Dimethyl Benzidine, [3,3-]	119-93-7	0.008	O-Tolidine, Bianisidine, 4,4'-Diamino-3,3'-Dimethylbiphenyl, Diaminoditoyl
Dimethyl Carbamoyl Chloride	79-44-7	0.02	DMCC, Chloroformic Acid Dimethyl Amide, Dimethyl Carbamyl Chloride
Dimethyl Formamide	68-12-2	1	DMF, Formyldimethylamine
Dimethyl Hydrazine, [1,1-]	57-14-7	0.008	Unsymmetrical Dimethylhydrazine, UDMH, Dimazine
Dimethyl Sulfate	77-78-1	0.1	Sulfuric Acid Dimethyl Ester, Methyl Sulfate
Dimethylaminoazobenzene, [4-]	60-11-7	1	N,N-Dimethyl-P-Phenylazo-Aniline, Benzeneazo Dimethylaniline
Dimethylaniline, [N,N-]	121-69-7	1	N,N-Diethyl Aniline, N,N-Dimethylphenylamine, DMA
Dinitro-O-Cresol, [4,6-] and salts	534-52-1	0.1	DNOC, 3,5-Dinitro-O-Cresol, 2-Methyl-4,6-Dinitrophenol
Dinitrophenol, [2,4-]	51-28-5	1	DNP
Dinitrotoluene, [2,4-]	121-14-2	0.02	Dinitrotoluol, DNT, 1-Methyl-2,4-Dinitrobenzene
Dioxane, [1,4-]	123-91-1	6	1,4-Diethyleneoxide, Diethylene Ether, P-Dioxane
Diphenylhydrazine, [1,2-]	122-66-7	0.09	Hydrazobenzene, N,N'-Diphenylhydrazine, N,N'-Bianiline, 1,1'-Hydrodibenzene
Diphenylmethane Diisocyanate, [4,4-]	101-68-8	0.1	Methylene Bis(Phenylisocyanate), Methylene Diphenyl Diisocyanate, MDI
Epichlorohydrin	106-89-8	2	1-Chloro-2,3-Epoxypropane, EPI, Chloropropylene Oxide, Chloromethyloxirane
Ethyl Acrylate	140-88-5	1	Ethyl Propenoate, Acrylic Acid Ethyl Ester

Chemical	CAS#	Screen Modeling Action Levels (tons/year)	Synonyms
Ethylene Imine (Aziridine)	151-56-4	0.003	Azacyclopropane, Dimethyleneimine, Ethylenimine, Vinylamine, Azirane
Ethylene Oxide	75-21-8	0.1	1,2-Epoxyethane, Oxirane, Dimethylene Oxide, Anprolene
Ethylene Thiourea	96-45-7	0.6	2-Imidazolidinethione, ETU
Fluomine	62207-76-5	0.1	
Formaldehyde	50-00-0	2	Oxymethylene, Formic Aldehyde, Methanal, Methylene Oxide, Oxomethane
Glycol Ethers (except those specifically listed)		5	
Heptachlor	76-44-8	0.02	1,4,5,6,7,8,8A-Heptachloro-3A,4,7,7A-Tetrahydro-4,7-Methanoindiene
Hexachlorobenzene	118-74-1	0.01	Perchlorobenzene, HCB, Pentachlorophenyl Benzene, Phenyl Perchloryl
Hexachlorobutadiene	87-68-3	0.9	Perchlorobutadiene, 1,3-Hexachlorobutadiene, HCB
Hexachlorocyclopentadiene	77-47-4	0.1	HCCPD, HEX
Hexachloroethane	67-72-1	5	Perchloroethane, Carbon Hexachloride, HCE, 1,1,1,2,2,2-Hexachloroethane
Hexamethylene Diisocyanate, 1,6-	822-06-0	0.02	1,6-Diisocyanatohexane, 1,6-Hexanediol Diisocyanate
Hexamethylphosphoramide	680-31-9	0.01	Hexamethylphosphoric Triamide, HEMPA, Hexametapol, Hexamethylphosphoramide
Hydrazine	302-01-2	0.004	Methylhydrazine, Diamide, Diamine, Hydrazine Base
Hydrogen Fluoride	7664-39-3	0.1	Hydrofluoric Acid Gas, Fluorhydric Acid Gas, Anhydrous Hydrofluoric Acid
Hydrogen Selenide	7783-07-5	0.1	
Hydroquinone	123-31-9	1	Quinol, Hydroquinol, P-Diphenol, 1,4-Benzenediol, Hydrochinone, Arctivin
Indeno(1,2,3-cd)Pyrene	193-39-5	0.01	
Lead and Compounds (except those specifically listed)	20-11-1	0.01	Lead (Acetate, Arsenate, Chloride, Fluoride, Iodide, Nitrate, Sulfate, Sulfide)
Lindane [Gamma-Hexachlorocyclohexane]	58-89-9	0.01	Benzene Hexachloride – Gamma Isomer
Maleic Anhydride	108-31-6	1	2,5-Furanediene, Cis-Butenedioic Anhydride, Toxilic Anhydride
Manganese and Compounds (except those specifically listed)	20-12-2	0.8	Manganese (Acetate, Chloride, Dioxide, (II)-Oxide, (III)-Oxide, (II)-Sulfate)
Mercury Compounds (except those specifically listed)	20-13-3	0.01	Mercury Compounds (Methyl-, Ethyl-, Phenyl-)
Mercury Compounds (Inorganic)	20-13-3	0.01	Mercury (Chloride, Cyanide, (I,II)-[Bromide, Iodide, Nitrate, Sulfate], Oxide)
Methyl Hydrazine	60-34-4	0.06	Monomethylhydrazine, Hydrozomethane, 1-Methylhydrazine
Methyl Iodide	74-88-4	1	Idomethane
Methyl Isocyanate	624-83-9	0.1	Isocyanatomethane, Isocyanic Acid, Methyl Ester
Methylcyclopentadienyl Manganese	12108-13-3	0.1	
Methylene Bis(2-Chloroaniline), [4,4-]	101-14-4	0.2	Curene, MOCA, 4,4'-Diamino-3,3'-Dichlorodiphenylmethane
Methylenedianiline, [4,4-]	101-77-9	1	4,4'-Diaminodipheylmethane, DDM, MDA, Bis(4-Aminophenyl)Methane, DAPM
Nickel Carbonyl	13463-39-3	0.1	

Chemical	CAS#	Screen Modeling Action Levels (tons/year)	Synonyms
Nickel Compounds (except those specifically listed)		1	Nickel (Acetate, Ammonium Sulfate, Chloride, Hydroxide, Nitrate, Oxide, Sulfate)
Nickel Refinery Dust	12035-72-2	0.08	
Nickel Sub sulfide		0.04	
Nitrobenzene	98-95-3	1	Nitrobenzoil, Oil of Mirbane, Oil of Bitter Almonds
Nitrobiphenyl, [4-]	92-93-3	1	4-Nitrodiphenyl, P-Nitrobiphenyl, P-Nitrophenyl, PNB
Nitrophenol, [4-]	100-02-7	5	4-Hydroxynitrobenzene, Para-Nitrophenol
Nitropropane, [2-]	79-46-9	1	Dimethylnitromethane, Sec-Nitropropane, Isonitropropane, Nitroisopropane
Nitroso-N-Methylurea, [N-]	684-93-5	0.0002	N-Methyl-N-Nitrosourea, N-Nitroso-N-Methylcarbamide
Nitrosodimethylamine, [N-]	62-75-9	0.001	Dimethylnitrosamine, DMN, DMNA
Nitrosomorpholine, [N-]	59-89-2	1	4-Nitrosomorpholine
Parathion	56-38-2	0.1	DNTP, Monothiophosphate, Diethyl-P-Nitrophenyl
PCB (Polychlorinated Biphenyls)	1336-36-3	0.009	Aroclors
Pentachloronitrobenzene	82-68-8	0.3	Quintobenzene, PCNB, Quiniozene
Pentachlorophenol	87-86-5	0.7	PCP, Penchlorol, Pentachlorophenate, 2,3,4,5,6-Pentachlorophenol
Phenol	108-95-2	0.1	Carbolic Acid, Phenic Acid, Phenylic Acid, Phenyl Hydrate, Hydroxybenzene
Phenyl Mercuric Acetate	62-38-4	0.01	
Phosgene	75-44-5	0.1	Carbonyl Chloride, Carbon Oxychloride, Carbonic Acid Dichloride
Phosphine	7803-51-2	5	Hydrogen Phosphide, Phosphoretted Hydrogen, Phosphorus Trihydride
Phosphorous (Yellow or White)	7723-14-0	0.1	
Phthalic Anhydride	85-44-9	5	Phthalic Acid Anhydride, Benzene-O-Dicarboxylic Acid Anhydride, Phthalandione
Polycyclic Organic Matter (except those specifically listed)	TP15	0.01	POM, PAH, Polyaromatic Hydrocarbons,
Potassium Cyanide	151508	0.1	
Propane Sultone, [1,3-]	1120-71-4	0.03	1,2-Oxathiolane-2,2-Dioxide, 3-Hydroxy-1-Propanesulphonic Acid Sultone
Propiolactone, [Beta-]	57-57-8	0.1	2-Oxeatanone, Propiolactone, BPL, 3-Hydroxy-B-Lactone-Propanoic Acid
Propionaldehyde	123-38-6	5	Propanal, Propyl Aldehyde, Propionic Aldehyde
Propylene Oxide	75-56-9	5	1,2-Epoxypropane, Methylethylene Oxide, Methyl Oxirane, Propene Oxide
Propyleneimine, [1,2-]	75-55-8	0.003	2-Methyl Aziridine, 2-Methylazacyclopropane, Methylethyleneimine
Quinoline	91-22-5	0.006	1-Azanaphthalene, 1-Benzazine, Benzo(B)Pyridine, Chinoleine, Leucoline
Quinone	016-51-4	5	Benzoquinone, Chinone, P-Benzoquinone, 1,4-Benzooquinone
Selenium and Compounds (except those specifically listed)	7782-49-2	0.1	Selenium (Metal, Dioxide, Disulfide, Hexafluoride, Monosulfide)
Sodium Cyanide	143339	0.1	
Sodium Selenate	13410010	0.1	
Sodium Selenite	101020188	0.1	
Styrene	100-42-5	1	Cinnamene, Cinnamol, Phenethylene, Phenylethylene, Vinylbenzene

Chemical	CAS#	Screen Modeling Action Levels (tons/year)	Synonyms
Styrene Oxide	96-09-3	1	Epoxyethylbenzene, Phenylethylene Oxide, Phenyl Oxirane, Epoxystyrene
Tetrachlorodibenzo-P-Dioxin	1746-01-6	6.00E-07	
Tetrachloroethane, [1,1,2,2-]	79-34-5	0.3	Sym-Tetachloroethane, Acetylene Tetrachloride, Ethane Tetrachloride
Tetraethyl Lead	78-00-2	0.01	
Tetramethyl Lead	75-74-1	0.01	
Titanium Tetrachloride	7550-45-0	0.1	Titanium Chloride
Toluene Diisocyanate, [2,4-]	584-84-9	0.1	TDI, Tolyene Diisocyante, Diisocyanatoluene
Toluidine, [Ortho-]	95-53-4	4	Ortho-Aminotoluene, Ortho-Methylaniline, 1-Methyl-1,2-Aminobenzene
Toxaphene	8001-35-2	0.01	Chlorinated Camphene, Camphechlor, Polychlorcamphene
Trichloroethane, [1,1,2-]	79-00-5	1	Vinyl Trichloride, Beta-Trichloroethane
Trichlorophenol, [2,4,5-]	95-95-4	1	2,4,5-TCP
Trichlorophenol, [2,4,6-]	88-06-2	6	2,4,6-TCP
Trifluralin	1582-09-8	9	2,6-Dinitro-N-N-Dipropyl-4-(Trifluoromethyl)Benzeneamine
Trimethylpentane, [2,2,4-]	540-84-1	5	Isobutyltrimethylethane, Isoctane
Urethane [Ethyl Carbamate]	51-79-6	0.8	Ethyl Urethane, O-Ethylurethane, Leucothane, NSC 746, Urethan
Vinyl Acetate	108-05-4	1	Acetic Acid Vinyl Ester, Vinyl Acetate Monomer, Ethenyl Ethanoate
Vinyl Bromide	593-60-2	0.6	Bromoethylene, Bromoethene
Vinyl Chloride	75-01-4	0.2	Chloroethylene, Chloroethene, Monochloroethylene

STATEMENT OF BASIS

Permit Reference Documents

These documents were relied upon in the preparation of the operating permit. Because they are not incorporated by reference, they are not an official part of the operating permit.

- 1) Part 70 Operating Permit Application, received April 5, 2010;
- 2) Emissions Inventory Questionnaire, received March 29, 2012; and
- 3) U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*; Volume I, Stationary Point and Area Sources, Fifth Edition.

Applicable Requirements Included in the Operating Permit but Not in the Application or Previous Operating Permits

In the operating permit application, the installation indicated they were not subject to the following regulation(s). However, in the review of the application, the agency has determined that the installation is subject to the following regulation(s) for the reasons stated.

None.

Other Air Regulations Determined Not to Apply to the Operating Permit

The Air Pollution Control Program (APCP) has determined the following requirements to not be applicable to this installation at this time for the reasons stated.

10 CSR 10-6.220 Restriction of Emission of Visible Air Contaminants

The combustion of natural gas and propane is not expected to contribute any opacity. The EP-31 Maintenance Paint Booth particulate emissions will be limited using the unit specific conditions for satisfying 10 CSR 10-6.400.

10 CSR 10-6.260 Restriction of Emission of Sulfur Compounds

Section 10 CSR 10-6.260(1)(A)2. has an exception for combustion equipment that uses exclusively pipeline grade natural gas or liquefied petroleum gas.

10 CSR 10-6.405 Restriction of Particulate Matter Emissions From Fuel Burning Equipment Used For Indirect Heating

(1) Applicability...

(C) An emission unit that is subject to CSR 10-6.070 and in compliance with applicable provisions; or an emission unit fueled by landfill gas, propane, natural gas, fuel oils #2 through #6 (with less than one and two tenths percent (1.2%) sulfur), and/or other gases (with hydrogen sulfide levels less than or equal to four (4) parts per million volume as measured using ASTM D4084, or equivalent and mercury concentrations less than forty (40) micrograms per cubic meter as measured using ASTM D5954, or ASTM D6350, or equivalent) would be deemed in compliance with 10 CSR 10-6.405.

All of the combustion sources at the facility are fueled by natural gas and deemed to be in compliance with 10 CSR 10-6.405.

Construction Permit Revisions

The following revisions were made to construction permits for this installation:

This permit assumes that Construction Permit #042009-016A (plant wide HAP limits) supersedes all previous construction permits.

New Source Performance Standards (NSPS) Applicability

40 CFR Part 60, Subpart Dc, *Small Industrial-Commercial-Institutional Steam Generating Units*
60.40c Applicability and delegation of authority.

(a) Except as provided in paragraphs (d), (e), (f), and (g) of this section, the affected facility to which this subpart applies is each steam generating unit for which construction, modification, or reconstruction is commenced after June 9, 1989 and that has a maximum design heat input capacity of 29 megawatts (MW) (100 million British thermal units per hour (MMBtu/hr)) or less, but greater than or equal to 2.9 MW (10 MMBtu/hr).

The 19 MMBtu Electrodeposition Coating Washer Heater is subject to Subpart Dc. The other boilers have capacities less than 10 MMBtu/hr.

40 CFR Part 60 Subparts Kb, Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced after July 23, 1984

Subpart Kb applies to tanks with a design capacity greater than 19,800 gallons used to store volatile organic liquids with a vapor pressure of 15 kPa or more.

The 30,000 gallon electrodeposition coating storage tank stores paint with a vapor pressure below 15 kPa according to the operating permit application. 40 CFR Part 60 Subpart Kb does not apply to the 30,000 gallon electrodeposition because it stores a material with a vapor pressure below 15 KPa.

Maximum Achievable Control Technology (MACT) Applicability

40 CFR Part 63, Subpart MMMM- National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products

The installation took a plant wide de minimis HAP limit in Construction Permit 0699-014A (superseded by 042009-016A), issued May 24, 2006, prior to the compliance date of January 2, 2007.

40 CFR Part 63 Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters

§ 63.7485 Am I subject to this subpart?

You are subject to this subpart if you own or operate an industrial, commercial, or institutional boiler or process heater as defined in §63.7575 that is located at, or is part of, a major source of HAP as defined in §63.2 or §63.761 (40 CFR Part 63, subpart HH, National Emission Standards for Hazardous Air Pollutants from Oil and Natural Gas Production Facilities), except as specified in §63.7491.

Construction Permit #042009-016A limited the installation to emit less than ten (10.0) tons individually or twenty-five (25.0) tons combined of Hazardous Air Pollutants (HAPs) from the entire installation in any consecutive 12-month period. This limit results in the installation being an area source for HAPs before the effective date of January 31, 2013 and as such is not subject to Subpart DDDDD.

40 CFR Part 63 Subpart HHHHHH—National Emission Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources

§ 63.11170 Am I subject to this subpart?

(a) You are subject to this subpart if you operate an area source of HAP as defined in paragraph (b) of this section, including sources that are part of a tribal, local, state, or federal facility and you perform one or more of the activities in paragraphs (a)(1) through (3) of this section:

(1) Perform paint stripping using MeCl for the removal of dried paint (including, but not limited to, paint, enamel, varnish, shellac, and lacquer) from wood, metal, plastic, and other substrates.

(2) Perform spray application of coatings, as defined in §63.11180, to motor vehicles and mobile equipment including operations that are located in stationary structures at fixed locations, and mobile repair and refinishing operations that travel to the customer's location, except spray coating applications that meet the definition of facility maintenance in §63.11180. However, if you are the owner or operator of a motor vehicle or mobile equipment surface coating operation, you may petition the Administrator for an exemption from this subpart if you can demonstrate, to the satisfaction of the Administrator, that you spray apply no coatings that contain the target HAP, as defined in §63.11180. Petitions must include a description of the coatings that you spray apply and your certification that you do not spray apply any coatings containing the target HAP. If circumstances change such that you intend to spray apply coatings containing the target HAP, you must submit the initial notification required by 63.11175 and comply with the requirements of this subpart.

(3) Perform spray application of coatings that contain the target HAP, as defined in §63.11180, to a plastic and/or metal substrate on a part or product, except spray coating applications that meet the definition of facility maintenance or space vehicle in §63.11180.

None of the coatings contain the target HAPs: compounds of chromium, lead, manganese, nickel or cadmium. 40 CFR Part 63 Subpart HHHHHH does not apply to this source.

Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources

§ 63.11193 Am I subject to this subpart?

You are subject to this subpart if you own or operate an industrial, commercial, or institutional boiler as defined in §63.11237 that is located at, or is part of, an area source of hazardous air pollutants (HAP), as defined in §63.2, except as specified in §63.11195.

§ 63.11195 Are any boilers not subject to this subpart?

The types of boilers listed in paragraphs (a) through (g) of this section are not subject to this subpart and to any requirements in this subpart.

(e) A gas-fired boiler as defined in this subpart.

(f) A hot water heater as defined in this subpart.

§ 63.11237 What definitions apply to this subpart?

Gas-fired boiler includes any boiler that burns gaseous fuels not combined with any solid fuels, burns liquid fuel only during periods of gas curtailment, gas supply emergencies, or periodic testing on liquid fuel. Periodic testing of liquid fuel shall not exceed a combined total of 48 hours during any calendar year.

The boilers combust natural gas or propane so Subpart JJJJJJ is not applicable.

Subpart XXXXXX—National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories

Source: 73 FR 43000, July 23, 2008, unless otherwise noted.

Applicability and Compliance Dates

§ 63.11514 Am I subject to this subpart?

(g) This subpart does not apply to operations performed on site at installations owned or operated by the Armed Forces of the United States (including the Coast Guard and the National Guard of any such state), the National Aeronautics and Space Administration, or the National Nuclear Security Administration.

The NAICS 332439 category of “Tool boxes, light gauge metal, manufacturing” is not one of the nine metal fabrication and finishing source categories covered by Subpart XXXXXX.

National Emission Standards for Hazardous Air Pollutants (NESHAP) Applicability

None

Compliance Assurance Monitoring (CAM) Applicability

40 CFR Part 64, *Compliance Assurance Monitoring (CAM)*

The CAM rule applies to each pollutant specific emission unit that:

- Is subject to an emission limitation or standard, and
- Uses a control device to achieve compliance, and
- Has pre-control emissions that exceed or are equivalent to the major source threshold.

40 CFR Part 64 is not applicable because the only emission point with a control, Maintenance Paint Booth EP-31, is exempt from a particulate limit in 10 CSR 10-6.400 as long as the paint filters are in use.

Updated Potential to Emit for the Installation

Pollutant	Potential to Emit (tons/yr) ¹
CO	25
CO ₂ e	36389
HAP - combined	< 25
Ethylene Glycol Monoethyl Ether	4.3
NO _x	30
PM ₁₀ filterable	6.9
PM _{2.5} filterable	0.6
SO _x	0.2
VOC	1658

¹Each emission unit was evaluated at 8,760 hours of uncontrolled annual operation unless otherwise noted. Construction Permit #042009-016A limits plant wide HAPs to de minimis levels and the ethylene glycol monoethyl ether to 4.3 tons in any consecutive 12-month period.

Other Regulatory Determinations

None.

Other Regulations Not Cited in the Operating Permit or the Above Statement of Basis

Any regulation which is not specifically listed in either the Operating Permit or in the above Statement of Basis does not appear, based on this review, to be an applicable requirement for this installation for one or more of the following reasons:

- 1) The specific pollutant regulated by that rule is not emitted by the installation;
- 2) The installation is not in the source category regulated by that rule;
- 3) The installation is not in the county or specific area that is regulated under the authority of that rule;
- 4) The installation does not contain the type of emission unit which is regulated by that rule;
- 5) The rule is only for administrative purposes.

Should a later determination conclude that the installation is subject to one or more of the regulations cited in this Statement of Basis or other regulations which were not cited, the installation shall determine and demonstrate, to the Air Pollution Control Program's satisfaction, the installation's compliance with that regulation(s). If the installation is not in compliance with a regulation which was not previously cited, the installation shall submit to the Air Pollution Control Program a schedule for achieving compliance for that regulation(s).

Prepared by:

Tandi Edelman
Operating Permits

Mr. Russell Foote
Waterloo Industries, Inc.
1500 Waterloo Drive
Sedalia, MO 65302

Re: Waterloo Industries, Inc., 159-0012
Permit Number: **OP2013-021**

Dear Mr. Foote:

Enclosed with this letter is your Part 70 operating permit. Please review this document carefully. Operation of your installation in accordance with the rules and regulations cited in this document is necessary for continued compliance. It is very important that you read and understand the requirements contained in your permit.

You may appeal this permit to the Administrative Hearing Commission (AHC), P.O. Box 1557, Jefferson City, MO 65102, as provided in RSMo 643.078.16 and 621.250.3. If you choose to appeal, you must file a petition with the AHC within thirty days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed. If it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC.

If you have any questions or need additional information regarding this permit, please contact Tandi Edelman at the Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102, or by telephone at (573) 751-4817. Thank you for your time and attention to this matter.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Michael J. Stansfield, P.E.
Operating Permit Unit Chief

MJS:tek

Enclosures

c: Kansas City Regional Office
PAMS File: 2010-04-011