

TABLE OF CONTENTS
OCTOBER 17, 2013 RISK-BASED CORRECTIVE ACTION PROCESS FOR
PETROLEUM STORAGE TANKS GUIDANCE DOCUMENT

ACKNOWLEDGEMENTS	i
FOREWARD	ii
ACRONYMS	iii
1.0 INTRODUCTION AND BACKGROUND	1-1
1.1 Introduction	1-1
1.2 Applicability and Purpose	1-1
2.0 OVERVIEW OF MRBCA PROCESS	2-1
2.1 Introduction	2-1
2.2 Risk-Based Corrective Action Process	2-1
2.2.1 Release Discovery	2-2
2.2.2 Comparison with Default Target Levels	2-2
2.2.3 Development and Validation of Site Conceptual Model	2-3
2.2.4 Tier 1 Risk Assessment	2-3
2.2.5 Tier 2 Risk Assessment	2-4
2.2.6 Tier 3 Risk Assessment	2-4
2.2.7 Development and Implementation of Corrective Action Plan	2-5
2.2.8 No Further Action Under MRBCA Program	2-5
2.3 Risk-Based Target Levels within the MRBCA Process	2-6
2.4 Documentation of the MRBCA Process	2-6
<u>Section 2 Tables</u>	
Table 2-1 Comparison of Risk Assessment Options	
Table 2-2 Comprehensive List of Reports to be Submitted to MDNR	
3.0 RELEASE DISCOVERY AND IMMINENT THREAT	3-1
3.1 Introduction	3-1
3.2 Investigation of Imminent Threat	3-1

Section 3 Table

Table 3-1 Default Target Levels

4.0 UST CLOSURE GUIDANCE	4-1
4.1 Introduction	4-1
4.2 Submission of UST Closure Notice	4-1
4.3 Closure of Tanks by Excavation or Closure In-Place	4-2
4.4 Soil Sampling During UST Closures	4-2
4.4.1 Collection of Soil Samples	4-2
4.4.2 Number and Location of Soil Samples	4-3
4.4.2.1 Soil Sampling for UST Removals with no Physical Encumbrances	4-3
4.4.2.2 Soil Sampling Requirements if Groundwater is Encountered During UST Removal	4-4
4.4.2.3 Soil Sampling Requirements for USTs Resting on Concrete	4-4
4.4.2.4 Sampling Requirements When Bedrock is Found in the Excavation	4-4
4.4.2.5 Soil Sampling Requirements for In-Place UST Closure	4-6
4.4.2.6 Additional Soil Sampling Requirements for All UST Closures	4-6
4.4.3 Groundwater Sampling Requirements for UST Closures	4-8
4.4.3.1 Sampling Groundwater Encountered During UST Excavation and Removal	4-9
4.4.3.2 Groundwater Sampling if Encountered During In-Place Closure	4-9
4.4.3.3 Groundwater Sampling if Not Encountered During UST Excavation and Removal	4-9

4.4.4 Sampling Sites After Excavation of Contamination	4-10
4.4.4.1 Excavation Walls	4-10
4.4.4.2 Excavation Floor	4-11
4.4.4.3 Sampling Near Potential Pathways	4-11
4.4.4.4 Groundwater Sampling	4-11
4.4.4.5 Location of Wells	4-11
4.5 Waste Disposal and Treatment	4-11
4.5.1 On-Site Storage of Excavated Soil	4-13
4.5.2 Recovered Product	4-13
4.5.3 Disposal of Petroleum Contaminated Pit Water	4-13
4.5.3.1 Disposal at a Municipal Wastewater Treatment Facility	4-13
4.5.3.2 Discharge Under a General Permit	4-14
4.5.3.3 Disposal at a Waste Disposal Facility	4-14
4.5.4 Disposal of UST Wastes	4-14
4.5.5 UST Disposal/Recycling	4-15
4.5.6 Recording of USTs Closed In-Place	4-16
4.5.7 Disposal of Petroleum-Contaminated Soil	4-16
4.5.8 Treatment of Petroleum-Contaminated Soil	4-16
4.5.9 Reusing Excavated Soil as Fill	4-16
4.5.10 Applicability of the Toxicity Characteristic Rule	4-17
4.6 Submission of the Closure Report	4-17

Section 4 Exhibits

Exhibit 4-1 Tank Excavation Sampling for UST Removals with No Physical Encumbrances	4-3
Exhibit 4-2 Required Soil Sampling for Tank Excavation Filled with Groundwater	4-4
Exhibit 4-3 Required Soil Sampling for Tanks Resting on Concrete Pad	4-5
Exhibit 4-4 Required Soil Sampling for Tanks Resting on Bedrock	4-5

Exhibit 4-5 Required Tank Excavation Soil Sampling for In-Place Closures	4-7
Exhibit 4-6 Additional Sampling Required for All Closures	4-8
Exhibit 4-7 Requirements for Proper Management of Hazardous Waste Based on the Quantity Generated or Accumulated	4-12
Exhibit 4-8 Toxicity Characteristic Information Sheet	4-15

Section 4 Figures

Figure 4-1(a) Tank Floor Sampling Where No Physical Encumbrances Exist for Tanks 1,000 Gallons or Less	4-19
Figure 4-1(b) Tank Floor Sampling Where No Physical Encumbrances Exist for Tanks Greater than 1,000 Gallons	4-19
Figure 4-1(c) Hydraulic Downgradient Wall Sampling, 20' of Wall or Less	4-20
Figure 4-1(d) Hydraulic Downgradient Wall Sampling, Greater than 20' of Wall	4-20
Figure 4-2(a) Tank Excavation Soil Sampling for Single Tanks 8,000 Gallons or Less when Groundwater is Encountered	4-21
Figure 4-2(b) Tank Excavation Soil Sampling for Single Tanks Greater than 8,000 Gallons when Groundwater is Encountered	4-21
Figure 4-2(c) Tank Excavation Soil Sampling for Multiple Tanks 8,000 Gallons or Less when Groundwater is Encountered	4-22
Figure 4-2(d) Tank Excavation Soil Sampling for Multiple Tanks Greater Than 8,000 Gallons when Groundwater is Encountered	4-22
Figure 4-3(a) Tank Excavation Sampling for a Single Tank 8,000 Gallons or Less Resting on a Concrete Pad	4-23
Figure 4-3(b) Tank Excavation Sampling for a Single Tank Greater than 8,000 Gallons Resting on a Concrete Pad	4-23
Figure 4-3(c) Tank Excavation Sampling for Multiple Tanks 8,000 Gallons or Less Resting on a Concrete Pad	4-24
Figure 4-3(d) Tank Excavation Sampling for Multiple Tanks Greater than 8,000 Gallons Resting on a Concrete Pad	4-24
Figure 4-4(a) Soil Sampling for a Single Tank 8,000 Gallons or Less Resting on	

Bedrock	4-25
Figure 4-4(b) Soil Sampling for a Single Tank Greater than 8,000 Gallons Resting on Bedrock	4-25
Figure 4-4(c) Soil Sampling for Multiple Tanks 8,000 Gallons or Less Resting on Bedrock	4-26
Figure 4-4(d) Soil Sampling for Multiple Tanks Greater than 8,000 Gallons Resting on Bedrock	4-26
Figure 4-5(a) Soil Sampling for In-Place Closure of a Single Tank 8,000 Gallons or Less	4-27
Figure 4-5(b) Soil Sampling for In-Place Closure of a Single Tank Greater than 8,000 Gallons	4-27
Figure 4-5(c) Soil Sampling for In-Place Closure of Multiple Tanks 8,000 Gallons or Less	4-28
Figure 4-5(d) Soil Sampling for In-Place Closure of Multiple Tanks Greater than 8,000 Gallons	4-28
Figure 4-6(a) Sidewall Soil Sampling After Excavation of Contamination	4-29
Figure 4-6(b) Floor Sampling After Excavation of Contamination	4-29
Figure 4-1 Flowchart to Determine Need for Groundwater Investigation During Tank Closure Activities	

Section 4 Table

Table 4-1: Soil Concentration Levels to Determine the Need for Groundwater Evaluation During Tank Closure

5.0 SITE CHARACTERIZATION AND OTHER DATA REQUIREMENTS FOR

MRBCA PROCESS	5-1
5.1 Introduction	5-1
5.2 Chronology of Site Events	5-2
5.3 Nature, Magnitude, and Location of Release	5-2
5.3.1 Location and Date of Release	5-3
5.3.2 Quantity of Release	5-3
5.3.3 Product Released and Chemicals of Concern	5-3

5.3.4 Interim Corrective Action	5-4
5.4 Site Information	5-5
5.4.1 Required Maps	5-5
5.4.2 Ground Surface Conditions	5-5
5.4.3 Location of Utilities on and Adjacent to the Site	5-6
5.4.4 On-Site Groundwater Use	5-6
5.4.5 Regional Hydrogeology and Aquifer Characteristics	5-7
5.5 On-Site and Off-Site Land Use and Receptor Information	5-7
5.5.1 Water Well Survey	5-8
5.5.2 Ecological Receptor Survey	5-8
5.6 Vadose Zone Soil Characteristics	5-8
5.6.1 Thickness of Vadose Zone and Depth to Groundwater	5-9
5.6.2 Dry Bulk Density	5-10
5.6.3 Porosity	5-10
5.6.4 Volumetric Water Content/Moisture Content	5-10
5.6.5 Fractional Organic Carbon Content in Soil	5-11
5.7 Saturated Zone Characteristics	5-12
5.7.1 Hydraulic Conductivity	5-13
5.7.2 Hydraulic Gradient	5-13
5.7.3 Thickness of Capillary Fringe	5-13
5.7.4 Saturated Zone Soil Characteristics	5-13
5.7.5 Occurrence and Rate of Biodegradation	5-14
5.8 Distribution of Chemicals of Concern in Soil	5-15
5.8.1 Delineation Criteria, Area of Release, and Point of Release	5-15
5.8.2 Determining Area of Release	5-17
5.8.3 Sampling for Polynuclear Aromatic Hydrocarbons in Soil	5-18
5.8.4 Ethylene Dibromide and Ethylene Dichloride in Soil	5-19
5.8.5 Soil Sampling and Analytical Methods	5-19
5.9 Distribution of Chemicals of Concern in Groundwater	5-20
5.9.1 Delineation of Groundwater Contamination	5-20

5.9.2 Groundwater Sampling and Analytical Methods	5-20
5.9.2.1 Sampling Groundwater for PAHs	5-22
5.9.2.2 Ethylene Dibromide and Ethylene Dichloride in Groundwater	5-23
5.9.3 Determination of Plume Stability	5-23
5.10 Surface Water and Sediment Sampling	5-23
5.11 Soil Vapor Sampling	5-24
5.12 Laboratory Quality Assurance/Quality Control	5-24

Section 5 Attachments, Figures, and Tables

Determination of Total Organic Carbon in Sediment (Lloyd Kahn Method) (5 pgs.)

Laboratory Analysis Fact Sheet: TPH-GRO by Method 8260B (3 pgs.)

Laboratory Analysis Fact Sheet: TPH-DRO and TPH-ORO by Method 8270C (3 pgs.)

MRBCA Laboratory Requirements

Figure 5-1: Chemicals of Concern Selection and Analysis (2 pgs.)

Figure 5-2: Example Land Use Map

Figures 5-3(a) and (b): Example Boring Logs (2 pgs.)

Table 5-1: Chemicals of Concern for Different Product Releases (3 pgs.)

Table 5-2: Weight Percents for Chemicals of Concern in Different Products

Table 5-3: Required Reporting Limits (2 pgs.)

Attachment A: Ecological Risk Assessment, Tier 1 Screening Checklist for Potential Receptors and Habitat, Checklist #1

Attachment B: Ecological Risk Assessment, Tier 1 Screening Checklist for Potential Receptors and Habitat, Checklist #2

Ecological Risk Assessment, Figure #1: Environmentally Sensitive Areas

Ecological Risk Assessment, Figure #2: Karst Features

6.0 GENERAL CONSIDERATIONS FOR RISK ASSESSMENT	6-1
6.1 Development of an Exposure Model	6-1
6.1.1 Land Use	6-2
6.1.1.1 Determine Current Land Use	6-2
6.1.1.2 Determine Reasonably Anticipated Future Land	

Use	6-3
6.1.1.3 On-Site and Off-Site Receptors	6-3
6.1.2 Receptors	6-4
6.1.2.1 Human Receptors	6-4
6.1.2.2 Ecological Receptors	6-4
6.1.2.3 Utilities	6-5
6.1.3 Human Exposure Pathways and Routes of Exposure	6-5
6.1.3.1 Pathways for Inhalation	6-5
6.1.3.2 Pathways for Surficial Soils (0-3' bgs)	6-7
6.1.3.3 Pathways for Subsurface Soils (>3' bgs to Water Table)	6-7
6.1.3.4 Pathways for Groundwater	6-7
6.1.3.5 Pathways for Surface Water and Sediments	6-7
6.1.3.6 Other Pathways	6-8
6.1.4 Exposure Domain	6-8
6.2 Calculation of Risk-Based Target Levels	6-9
6.2.1 Target Risk Levels	6-9
6.2.2 Quantitative Toxicity Factors	6-9
6.2.3 Exposure Factors	6-10
6.2.4 Fate and Transport Parameters	6-10
6.2.5 Physical and Chemical Properties	6-10
6.2.6 Mathematical Models	6-10
6.3 Evaluation of Groundwater Use	6-11
6.3.1 Current Conditions	6-12
6.3.2 Future Conditions	6-13
6.3.3 Evaluation of Complete Pathway	6-15
6.4 Surface Water and Stream Protection	6-16
6.4.1 Protection of Streams	6-16
6.4.2 Protection of Lakes	6-18
6.5 Estimation of Representative Concentrations	6-18

6.6 Ecological Risk Evaluation	6-19
6.7 Consideration of Nuisance Conditions	6-20
6.8 Evaluation of Light Non-Aqueous Phase Liquid (LNAPL)	6-20
6.8.1 Protection Against Explosive Risk	6-21
6.8.2 Free Product Plume Shall be Fully Delineated	6-21
6.8.3 Free Product Tiered Risk Assessment	6-21
6.8.4 Free Product Plume Stability	6-22
6.8.5 Practicability of Free Product Removal	6-22
6.9 Activity and Use Limitations	6-22

Section 6 Figures

Figure 6-1: Site Conceptual Model for Domestic Consumption of Groundwater Exposure Pathway Analysis

Figure 6-2: Determination of Groundwater Target Concentration and Point of Exposure

Figure 6-3: Schematic of Leachate Migration from the Soil to a Stream

Figure 6-4: Procedure for Protection of Stream Body

Section 6 Tables

Table 6-1: Allowable COC Concentrations in Surface Water

Table 6-2: Calculation of Representative Concentrations

Tables 6-3: Vapor Concentration Protective of Explosive Hazards

7.0 TIER 1 RISK ASSESSMENT	7-1
7.1 Step 1: Compilation of Data and Identification of Data Gaps	7-1
7.2 Step 2: Development of Exposure Model	7-2
7.3 Step 3: Collection of Data to Fill Gaps	7-2
7.4 Step 4: Calculation of Exposure Pathway-Specific Representative Concentrations	7-2
7.5 Step 5: Comparison of Tier 1 Risk-Based Target Levels with Site-Specific Representative Concentrations	7-3
7.6 Step 6: Recommendations for the Next Course of Action	7-4
7.7 Step 7: Documentation of Tier 1 Risk Assessment	7-5

Section 7 Tables

Table 7-1: Tier 1 Risk-Based Target Levels for Residential Land Use

Table 7-2: Tier 1 Risk-Based Target Levels for Non-Residential Land Use

Table 7-3: Tier 1 Risk-Based Target Levels for Construction Workers

Table 7-4(a) Soil Concentration Protective of Groundwater Domestic Use for Different Distances to Point of Exposure, Depth to Groundwater <20' (DAF=1)

Table 7-4(b) Soil Concentration Protective of Groundwater Domestic Use for Different Distances to Point of Exposure, Depth to Groundwater 20-50' (DAF=2)

Table 7-4(c) Soil Concentration Protective of Groundwater Domestic Use for Different Distances to Point of Exposure, Depth to Groundwater >50' (DAF=4)

Table 7-5(a) Soil Concentration Protective of Indoor Inhalation for Groundwater for Different Distances to On-Site/Off-Site Building for Resident, Depth to Groundwater <20' (DAF=1)

Table 7-5(b) Soil Concentration Protective of Indoor Inhalation for Groundwater for Different Distances to On-Site/Off-Site Building for Resident, Depth to Groundwater 20-50' (DAF=2)

Table 7-5(c) Soil Concentration Protective of Indoor Inhalation for Groundwater for Different Distances to On-Site/Off-Site Building for Resident, Depth to Groundwater >50' (DAF=4)

Table 7-6(a) Soil Concentration Protective of Indoor Inhalation for Groundwater for Different Distances to On-Site/Off-Site Building for Non-Resident, Depth to Groundwater <20' (DAF=1)

Table 7-6(b) Soil Concentration Protective of Indoor Inhalation for Groundwater for Different Distances to On-Site/Off-Site Building for Non-Resident, Depth to Groundwater 20-50' (DAF=2)

Table 7-6(c) Soil Concentration Protective of Indoor Inhalation for Groundwater for Different Distances to On-Site/Off-Site Building for Non-Resident, Depth to Groundwater >50' (DAF=4)

8.0 TIER 2 RISK ASSESSMENT	8-1
8.1 Step 1: Compilation of Site-Specific Fate and Transport Parameters	8-1
8.1.1 Soil Parameters	8-1
8.1.2 Groundwater Parameters	8-4
8.2 Step 2: Development of Tier 2 Site-Specific Target Levels	8-6

8.3 Step 3: Comparison of Tier 2 Site-Specific Target Levels with Site-Specific Representative Concentrations	8-6
8.4 Step 4: Recommendations for the Next Course of Action	8-6
8.5 Step 5: Documentation of Tier 2 Risk Assessment	8-7
9.0 TIER 3 RISK ASSESSMENT	9-1
9.1 Step 1: Development of a Tier 3 Work Plan	9-1
9.2 Step 2: Collection of Additional Data, if Necessary	9-2
9.3 Step 3: Development of Tier 3 Target Levels	9-2
9.3.1 Forward Mode	9-2
9.3.2 Backward Mode	9-3
9.4 Step 4: Comparison of Tier 3 Target Levels with Representative Concentrations	9-3
9.5 Step 5: Recommendations for the Next Course of Action	9-3
9.6 Step 6: Documentation of Tier 3 Risk Assessment	9-4
10.0 CORRECTIVE ACTION PLAN	10-1
10.1 Need for Corrective Action Plan	10-1
10.2 Content of Corrective Action Plan	10-2
10.3 Completion of Corrective Action Activities	10-3
10.4 No Further Action Procedure	10-4
11.0 ACTIVITY AND USE LIMITATION POLICY	11-1
11.1 Application of Policy	11-1
11.2 Activity and Use Limitation Policy for Petroleum Storage Tank Sites	11-1
11.2.1 Introduction	11-1
11.2.2 Definitions	11-1
11.2.3 Application of Policy at Operating Tank Facilities	11-2
11.2.4 Application of Policy at Sites That Are No Longer Operating Tank Facilities	11-2

12.0 REPORTING	12-1
12.1 Tank Closure	12-1
12.1.1 Closure Notice	12-1
12.1.2 Closure Report	12-1
12.2 Site Discovery	12-1
12.2.1 Release/Suspected Release Report	12-1
12.2.2 Initial Hazard Abatement Measures Report	12-2
12.2.3 Site Check Report	12-2
12.2.4 System Test Report	12-3
12.3 Site Characterization	12-4
12.3.1 Work Plans for Site Characterization and Monitoring	12-4
12.3.2 Periodic Monitoring Reports	12-5
12.3.3 Site Characterization Report	12-6
12.3.4 Soil Vapor Monitoring Report	12-7
12.4 Tier Risk Assessment	12-8
12.4.1 Tier 1 Risk Assessment Report	12-8
12.4.2 Tier 2 Risk Assessment Report	12-9
12.4.3 Tier 3 Work Plan	12-10
12.4.4 Tier 3 Risk Assessment Report	12-10
12.5 Corrective Action Plan	12-11
12.5.1 Corrective Action Plan	12-11
12.5.2 Interim Corrective Action Work Plan	12-12
12.5.3 Free Product Removal Work Plan	12-12
12.5.4 Activity and Use Limitation Work Plan	12-13
12.5.5 Corrective Action Plan Performance Monitoring Plan	12-14
12.6 Corrective Action Plan Completion and Performance Monitoring Report	12-14
12.6.1 Interim Corrective Action Report	12-15
12.6.2 Free Product Removal Report	12-15
12.6.3 Activity and Use Limitation Report	12-16

12.6.4 Corrective Action Report

12-17

13.0 REFERENCES

13-1

APPENDICES

Appendix A – Appeals (Reserved)

Appendix B – Development of Risk-Based Target Levels

Appendix C – Evaluation of the Vapor Intrusion Pathway

Appendix D – A Method for Determining if a Water Bearing Unit Should be Considered an
Aquifer

Appendix E – Estimation of Representative Soil and Groundwater Concentrations

Appendix F – Consideration of Total Petroleum Hydrocarbons Within the MRBCA Process