



LCS-6B Liquid Level Above Quarry Floor




Well ID	Date	Depth (ft)	Leachate Level (ft)	Notes
101-20-001	10/15/2018	10	10.5	
101-20-002	10/15/2018	15	15.2	
101-20-003	10/15/2018	20	20.1	
101-20-004	10/15/2018	25	25.3	
101-20-005	10/15/2018	30	30.4	
101-20-006	10/15/2018	35	35.5	
101-20-007	10/15/2018	40	40.6	
101-20-008	10/15/2018	45	45.7	
101-20-009	10/15/2018	50	50.8	
101-20-010	10/15/2018	55	55.9	
101-20-011	10/15/2018	60	61.0	
101-20-012	10/15/2018	65	66.1	
101-20-013	10/15/2018	70	71.2	
101-20-014	10/15/2018	75	76.3	
101-20-015	10/15/2018	80	81.4	
101-20-016	10/15/2018	85	86.5	
101-20-017	10/15/2018	90	91.6	
101-20-018	10/15/2018	95	96.7	
101-20-019	10/15/2018	100	101.8	
101-20-020	10/15/2018	105	106.9	
101-20-021	10/15/2018	110	112.0	
101-20-022	10/15/2018	115	117.1	
101-20-023	10/15/2018	120	122.2	
101-20-024	10/15/2018	125	127.3	
101-20-025	10/15/2018	130	132.4	
101-20-026	10/15/2018	135	137.5	
101-20-027	10/15/2018	140	142.6	
101-20-028	10/15/2018	145	147.7	
101-20-029	10/15/2018	150	152.8	
101-20-030	10/15/2018	155	157.9	
101-20-031	10/15/2018	160	163.0	
101-20-032	10/15/2018	165	168.1	
101-20-033	10/15/2018	170	173.2	
101-20-034	10/15/2018	175	178.3	
101-20-035	10/15/2018	180	183.4	
101-20-036	10/15/2018	185	188.5	
101-20-037	10/15/2018	190	193.6	
101-20-038	10/15/2018	195	198.7	
101-20-039	10/15/2018	200	203.8	
101-20-040	10/15/2018	205	208.9	
101-20-041	10/15/2018	210	214.0	
101-20-042	10/15/2018	215	219.1	
101-20-043	10/15/2018	220	224.2	
101-20-044	10/15/2018	225	229.3	
101-20-045	10/15/2018	230	234.4	
101-20-046	10/15/2018	235	239.5	
101-20-047	10/15/2018	240	244.6	
101-20-048	10/15/2018	245	249.7	
101-20-049	10/15/2018	250	254.8	
101-20-050	10/15/2018	255	259.9	
101-20-051	10/15/2018	260	265.0	
101-20-052	10/15/2018	265	270.1	
101-20-053	10/15/2018	270	275.2	
101-20-054	10/15/2018	275	280.3	
101-20-055	10/15/2018	280	285.4	
101-20-056	10/15/2018	285	290.5	
101-20-057	10/15/2018	290	295.6	
101-20-058	10/15/2018	295	300.7	
101-20-059	10/15/2018	300	305.8	
101-20-060	10/15/2018	305	310.9	
101-20-061	10/15/2018	310	316.0	
101-20-062	10/15/2018	315	321.1	
101-20-063	10/15/2018	320	326.2	
101-20-064	10/15/2018	325	331.3	
101-20-065	10/15/2018	330	336.4	
101-20-066	10/15/2018	335	341.5	
101-20-067	10/15/2018	340	346.6	
101-20-068	10/15/2018	345	351.7	
101-20-069	10/15/2018	350	356.8	
101-20-070	10/15/2018	355	361.9	
101-20-071	10/15/2018	360	367.0	
101-20-072	10/15/2018	365	372.1	
101-20-073	10/15/2018	370	377.2	
101-20-074	10/15/2018	375	382.3	
101-20-075	10/15/2018	380	387.4	
101-20-076	10/15/2018	385	392.5	
101-20-077	10/15/2018	390	397.6	
101-20-078	10/15/2018	395	402.7	
101-20-079	10/15/2018	400	407.8	
101-20-080	10/15/2018	405	412.9	
101-20-081	10/15/2018	410	418.0	
101-20-082	10/15/2018	415	423.1	
101-20-083	10/15/2018	420	428.2	
101-20-084	10/15/2018	425	433.3	
101-20-085	10/15/2018	430	438.4	
101-20-086	10/15/2018	435	443.5	
101-20-087	10/15/2018	440	448.6	
101-20-088	10/15/2018	445	453.7	
101-20-089	10/15/2018	450	458.8	
101-20-090	10/15/2018	455	463.9	
101-20-091	10/15/2018	460	469.0	
101-20-092	10/15/2018	465	474.1	
101-20-093	10/15/2018	470	479.2	
101-20-094	10/15/2018	475	484.3	
101-20-095	10/15/2018	480	489.4	
101-20-096	10/15/2018	485	494.5	
101-20-097	10/15/2018	490	499.6	
101-20-098	10/15/2018	495	504.7	
101-20-099	10/15/2018	500	509.8	
101-20-100	10/15/2018	505	514.9	
101-20-101	10/15/2018	510	520.0	
101-20-102	10/15/2018	515	525.1	
101-20-103	10/15/2018	520	530.2	
101-20-104	10/15/2018	525	535.3	
101-20-105	10/15/2018	530	540.4	
101-20-106	10/15/2018	535	545.5	
101-20-107	10/15/2018	540	550.6	
101-20-108	10/15/2018	545	555.7	
101-20-109	10/15/2018	550	560.8	
101-20-110	10/15/2018	555	565.9	
101-20-111	10/15/2018	560	571.0	
101-20-112	10/15/2018	565	576.1	
101-20-113	10/15/2018	570	581.2	
101-20-114	10/15/2018	575	586.3	
101-20-115	10/15/2018	580	591.4	
101-20-116	10/15/2018	585	596.5	
101-20-117	10/15/2018	590	601.6	
101-20-118	10/15/2018	595	606.7	
101-20-119	10/15/2018	600	611.8	
101-20-120	10/15/2018	605	616.9	
101-20-121	10/15/2018	610	622.0	
101-20-122	10/15/2018	615	627.1	
101-20-123	10/15/2018	620	632.2	
101-20-124	10/15/2018	625	637.3	
101-20-125	10/15/2018	630	642.4	
101-20-126	10/15/2018	635	647.5	
101-20-127	10/15/2018	640	652.6	
101-20-128	10/15/2018	645	657.7	
101-20-129	10/15/2018	650	662.8	
101-20-130	10/15/2018	655	667.9	
101-20-131	10/15/2018	660	673.0	
101-20-132	10/15/2018	665	678.1	
101-20-133	10/15/2018	670	683.2	
101-20-134	10/15/2018	675	688.3	
101-20-135	10/15/2018	680	693.4	
101-20-136	10/15/2018	685	698.5	
101-20-137	10/15/2018	690	703.6	
101-20-138	10/15/2018	695	708.7	
101-20-139	10/15/2018	700	713.8	
101-20-140	10/15/2018	705	718.9	
101-20-141	10/15/2018	710	724.0	
101-20-142	10/15/2018	715	729.1	
101-20-143	10/15/2018	720	734.2	
101-20-144	10/15/2018	725	739.3	
101-20-145	10/15/2018	730	744.4	
101-20-146	10/15/2018	735	749.5	
101-20-147	10/15/2018	740	754.6	
101-20-148	10/15/2018	745	759.7	
101-20-149	10/15/2018	750	764.8	
101-20-150	10/15/2018	755	769.9	
101-20-151	10/15/2018	760	775.0	
101-20-152	10/15/2018	765	780.1	
101-20-153	10/15/2018	770	785.2	
101-20-154	10/15/2018	775	790.3	
101-20-155	10/15/2018	780	795.4	
101-20-156	10/15/2018	785	800.5	
101-20-157	10/15/2018	790	805.6	
101-20-158	10/15/2018	795	810.7	
101-20-159	10/15/2018	800	815.8	
101-20-160	10/15/2018	805	820.9	
101-20-161	10/15/2018	810	826.0	
101-20-162	10/15/2018	815	831.1	
101-20-163	10/15/2018	820	836.2	
101-20-164	10/15/2018	825	841.3	
101-20-165	10/15/2018	830	846.4	
101-20-166	10/15/2018	835	851.5	
101-20-167	10/15/2018	840	856.6	
101-20-168	10/15/2018	845	861.7	
101-20-169	10/15/2018	850	866.8	
101-20-170	10/15/2018	855	871.9	
101-20-171	10/15/2018	860	877.0	
101-20-172	10/15/2018	865	882.1	
101-20-173	10/15/2018	870	887.2	
101-20-174	10/15/2018	875	892.3	
101-20-175	10/15/2018	880	897.4	
101-20-176	10/15/2018	885	902.5	
101-20-177	10/15/2018	890	907.6	
101-20-178	10/15/2018	895	912.7	
101-20-179	10/15/2018	900	917.8	
101-20-180	10/15/2018	905	922.9	
101-20-181	10/15/2018	910	928.0	
101-20-182	10/15/2018	915	933.1	
101-20-183	10/15/2018	920	938.2	
101-20-184	10/15/2018	925	943.3	
101-20-185	10/15/2018	930	948.4	
101-20-186	10/15/2018	935	953.5	
101-20-187	10/15/2018	940	958.6	
101-20-188	10/15/2018	945	963.7	
101-20-189	10/15/2018	950	968.8	
101-20-190	10/15/2018	955	973.9	
101-20-191	10/15/2018	960	979.0	
101-20-192	10/15/2018	965	984.1	
101-20-193	10/15/2018	970	989.2	
101-20-194	10/15/2018	975	994.3	
101-20-195	10/15/2018	980	999.4	
101-20-196	10/15/2018	985	1004.5	
101-20-197	10/15/2018	990	1009.6	
101-20-198	10/15/2018	995	1014.7	
101-20-199	10/15/2018	1000	1019.8	
101-20-200	10/15/2018	1005	1024.9	

LCS Number	Date Reading Collected	Measured Liquid Level Below Ground Surface (ft)	Transducer Depth from Top of Casing (Ft.)	Well Total Depth from Top of Casing (Ft.) (Ft. MSL)	Elevation of Leachate (Ft. MSL)	Pump on during measurement? (Y/N)	Liquid level meter used	Comments
LCS-3D	5/4/18	22.4	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	5/10/18	28.2	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	5/18/18	27.0	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	5/23/18	28.3	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	5/31/18	28.2	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	6/6/18	28.1	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	6/15/18	28.0	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	6/22/18	28.0	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	6/28/18	29.9	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	7/6/18	36.9	N/A	140		Y	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	7/13/18	29.0	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	7/18/18	29.3	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	7/25/18	29.4	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	8/1/18	29.1	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	8/9/18	38.5	N/A	140		Y	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	8/15/18	43.5	N/A	140		Y	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	8/23/18	40.1	N/A	140		Y	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	8/30/18	35.7	N/A	140		Y	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	9/5/18	37.5	N/A	140		Y	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	9/13/18	37.2	N/A	140		Y	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	9/19/18	41.9	N/A	140		Y	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	9/26/18	50.3	N/A	140		Y	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	10/3/18	42.9	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	10/10/18	40.2	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	10/17/18	43.5	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	10/24/18	41.5	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	11/1/18	39.7	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	11/7/18	31.0	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	11/14/18	31.4	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	11/21/18	20.2	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	11/30/18	34.5	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	12/6/18	24.3	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	12/12/18	33.9	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	12/21/18	15.7	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	12/28/18	35.6	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	1/2/19	24.8	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	1/9/19	30.2	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	1/16/19	32.4	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	1/25/19	35.5	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	2/1/19	32.5	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	2/7/19	33.4	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	2/14/19	29.6	N/A	140		N	Heron Dipper T	Pump non-operational; liquid level measured manually
LCS-3D	2/20/19	33.8	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	2/28/19	35.4	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	3/7/19	31.9	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	3/15/19	33.4	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	3/22/19	36.8	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	3/29/19	36.0	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	4/5/19	36.1	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	4/12/19	36.5	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	4/19/19	35.9	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	4/26/19	36.7	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually
LCS-3D	5/3/19	35.2	N/A	140		Y	Heron Dipper T	Pump operational; liquid level measured manually

LCS-3D Liquid Level Below Ground Surface




LCS-4B Liquid Level Below Ground Surface



LCS Number	Date Reading Collected	Measured Liquid Level Above Transducer (Ft.)	Transducer Height above Floor of Quarry (Ft.)	Base of Sump Elevation (Ft. MSL)	Height of Liquid (ft)	Elevation of Leachate (Ft. MSL)	Pump on during measurement? (Y/N)	Liquid level meter used	Comments
LCS- 5B	5/4/18		21.9	235.3			N	Dedicated Transducer	Pump non-operational on 4/25/18. Pump repair is scheduled for the week of 5/7/18 pending suitable weather conditions.
LCS- 5B	5/10/18	13.4	21.9	235.3	35.3	270.60	N	Dedicated Transducer	Pump, motor, and transducer were replaced on 5/7/18. Pump became fully operational on 5/7/18.
LCS- 5B	5/18/18	12.2	21.9	235.3	34.1	269.40	Y	Dedicated Transducer	
LCS- 5B	5/23/18	12.6	21.9	235.3	34.5	269.80	Y	Dedicated Transducer	
LCS- 5B	5/31/18	11.3	21.9	235.3	33.2	268.50	Y	Dedicated Transducer	
LCS- 5B	6/6/18	11.9	21.9	235.3	33.8	269.10	Y	Dedicated Transducer	
LCS- 5B	6/15/18	12.8	21.9	235.3	34.7	270.00	Y	Dedicated Transducer	
LCS- 5B	6/22/18	13.3	21.9	235.3	35.2	270.50	Y	Dedicated Transducer	
LCS- 5B	6/29/18	12.6	21.9	235.3	34.5	269.80	Y	Dedicated Transducer	
LCS- 5B	7/6/18	11.4	21.9	235.3	33.3	268.60	Y	Dedicated Transducer	
LCS- 5B	7/13/18	12.9	21.9	235.3	34.8	270.10	Y	Dedicated Transducer	
LCS- 5B	7/18/18	11.7	21.9	235.3	33.6	268.90	Y	Dedicated Transducer	
LCS- 5B	7/25/18	12.0	21.9	235.3	33.9	269.20	Y	Dedicated Transducer	
LCS- 5B	8/1/18	13.4	21.9	235.3	35.3	270.60	Y	Dedicated Transducer	
LCS- 5B	8/9/18	12.4	21.9	235.3	34.3	269.60	Y	Dedicated Transducer	
LCS- 5B	8/15/18	13.0	21.9	235.3	34.9	270.20	Y	Dedicated Transducer	
LCS- 5B	8/23/18	12.7	21.9	235.3	34.6	269.90	Y	Dedicated Transducer	
LCS- 5B	8/30/18	13.2	21.9	235.3	35.1	270.40	Y	Dedicated Transducer	
LCS- 5B	9/5/18	11.9	21.9	235.3	33.8	269.10	Y	Dedicated Transducer	
LCS- 5B	9/12/18	12.5	21.9	235.3	34.4	269.70	Y	Dedicated Transducer	Pump was observed to be non-operational on 9/12/18 after recording the liquid level above the transducer. Pump replacement is tentatively scheduled for the week of 9/24/18.
LCS- 5B	9/19/18		21.9	235.3			N	Dedicated Transducer	Pump was observed to be non-operational on 9/12/18. Pump replacement is scheduled on 9/25/18.
LCS- 5B	9/26/18	13.2	21.9	235.3	35.1	270.40	Y	Dedicated Transducer	Pump was replaced on 9/26/18
LCS- 5B	10/3/18	12.5	21.9	235.3	34.4	269.70	Y	Dedicated Transducer	Pump was replaced on 9/26/18
LCS- 5B	10/10/18	12.3	21.9	235.3	34.2	269.50	Y	Dedicated Transducer	Pump was replaced on 9/26/18
LCS- 5B	10/17/18	12.3	21.9	235.3	34.2	269.50	Y	Dedicated Transducer	
LCS- 5B	10/24/18	12.3	21.9	235.3	34.2	269.50	Y	Dedicated Transducer	
LCS- 5B	10/31/18	12.9	21.9	235.3	34.8	270.10	Y	Dedicated Transducer	
LCS- 5B	11/7/18	12.4	21.9	235.3	34.3	269.60	Y	Dedicated Transducer	
LCS- 5B	11/14/18	13.1	21.9	235.3	35.0	270.30	Y	Dedicated Transducer	
LCS- 5B	11/21/18	12.7	21.9	235.3	34.6	269.90	Y	Dedicated Transducer	
LCS- 5B	11/28/18	13.0	21.9	235.3	34.9	270.20	Y	Dedicated Transducer	
LCS- 5B	12/6/18	14.1	21.9	235.3	36.0	271.30	Y	Dedicated Transducer	
LCS- 5B	12/13/18	12.7	21.9	235.3	34.6	269.90	Y	Dedicated Transducer	
LCS- 5B	12/21/18	13.7	21.9	235.3	35.6	270.90	Y	Dedicated Transducer	
LCS- 5B	12/27/18	12.1	21.9	235.3	34.0	269.30	Y	Dedicated Transducer	
LCS- 5B	1/2/19	13.6	21.9	235.3	35.5	270.80	Y	Dedicated Transducer	
LCS- 5B	1/9/19	13.0	21.9	235.3	34.9	270.20	Y	Dedicated Transducer	
LCS- 5B	1/16/19	12.2	21.9	235.3	34.1	269.40	Y	Dedicated Transducer	
LCS- 5B	1/25/19	13.5	21.9	235.3	35.4	270.70	Y	Dedicated Transducer	
LCS- 5B	2/1/19	12.2	21.9	235.3	34.1	269.40	Y	Dedicated Transducer	
LCS- 5B	2/7/19	13.4	21.9	235.3	35.3	270.60	Y	Dedicated Transducer	
LCS- 5B	2/14/19	12.5	21.9	235.3	34.4	269.70	Y	Dedicated Transducer	
LCS- 5B	2/20/19	12.9	21.9	235.3	34.8	270.10	Y	Dedicated Transducer	
LCS- 5B	2/27/19	12.2	21.9	235.3	34.1	269.40	Y	Dedicated Transducer	
LCS- 5B	3/6/19	11.8	21.9	235.3	33.7	269.00	Y	Dedicated Transducer	
LCS- 5B	3/15/19	13.2	21.9	235.3	35.1	270.40	Y	Dedicated Transducer	
LCS- 5B	3/22/19	12.6	21.9	235.3	34.5	269.80	Y	Dedicated Transducer	
LCS- 5B	3/29/19	13.6	21.9	235.3	35.5	270.80	Y	Dedicated Transducer	
LCS- 5B	4/4/19	12.1	21.9	235.3	34.0	269.30	Y	Dedicated Transducer	
LCS- 5B	4/12/19	13.0	21.9	235.3	34.9	270.20	Y	Dedicated Transducer	
LCS- 5B	4/19/19	12.2	21.9	235.3	34.1	269.40	Y	Dedicated Transducer	
LCS- 5B	4/26/19	12.5	21.9	235.3	34.4	269.70	Y	Dedicated Transducer	
LCS- 5B	5/3/19	13.3	21.9	235.3	35.2	270.50	Y	Dedicated Transducer	Pump was observed to be non-operational on 5/1/19. Pump was replaced on 5/3/19

LCS-5B Liquid Level Above Quarry Floor



LCS Number	Date Reading Collected	Measured Liquid Level Above Transducer (Ft.)	Transducer Height above Floor of Quarry (Ft.)	Base of Sump Elevation (Ft. MSL)	Height of Liquid (ft)	Elevation of Leachate (Ft. MSL)	Pump on during measurement? (Y/N)	Liquid level meter used	Comments
LCS- 6B	5/4/18	8.0	9.4	429.52	17.4	446.92	Y	Dedicated Transducer	
LCS- 6B	5/10/18	8.5	9.4	429.52	17.9	447.42	Y	Dedicated Transducer	
LCS- 6B	5/18/18	9.6	9.4	429.52	19.0	448.52	Y	Dedicated Transducer	
LCS- 6B	5/23/18	8.1	9.4	429.52	17.5	447.02	Y	Dedicated Transducer	
LCS- 6B	5/31/18	9.0	9.4	429.52	18.4	447.92	Y	Dedicated Transducer	
LCS- 6B	6/6/18	10.0	9.4	429.52	19.4	448.92	Y	Dedicated Transducer	
LCS- 6B	6/12/18	8.3	9.4	429.52	17.7	447.22	Y	Dedicated Transducer	
LCS- 6B	6/22/18	9.5	9.4	429.52	18.9	448.42	Y	Dedicated Transducer	
LCS- 6B	6/29/18	10.8	9.4	429.52	20.2	449.72	Y	Dedicated Transducer	
LCS- 6B	7/6/18	9.3	9.4	429.52	18.7	448.22	Y	Dedicated Transducer	
LCS- 6B	7/13/18	8.2	9.4	429.52	17.6	447.12	Y	Dedicated Transducer	
LCS- 6B	7/18/18	9.8	9.4	429.52	19.2	448.72	Y	Dedicated Transducer	
LCS- 6B	7/25/18	9.4	9.4	429.52	18.8	448.32	Y	Dedicated Transducer	
LCS- 6B	8/1/18	8.8	9.4	429.52	18.2	447.72	Y	Dedicated Transducer	
LCS- 6B	8/9/18	9.2	9.4	429.52	18.6	448.12	Y	Dedicated Transducer	
LCS- 6B	8/15/18	9.7	9.4	429.52	19.1	448.62	Y	Dedicated Transducer	
LCS- 6B	8/23/18	9.6	9.4	429.52	19.0	448.52	Y	Dedicated Transducer	
LCS- 6B	8/30/18	9.0	9.4	429.52	18.4	447.92	Y	Dedicated Transducer	
LCS- 6B	9/5/18	11.0	9.4	429.52	20.4	449.92	Y	Dedicated Transducer	The motor failed in the pump
LCS- 6B	9/12/18	13.8	9.4	429.52	23.2	452.72	N	Dedicated Transducer	Pump motor was observed to be non-operational on 9/5/18 after recording the liquid level above the transducer. Leachate level in still in compliance with the pump non-operational. Pump motor replacement is tentatively scheduled for the week of 9/24/18.
LCS- 6B	9/19/18	14.3	9.4	429.52	23.7	453.22	N	Dedicated Transducer	Pump motor was observed to be non-operational on 9/5/18 after recording the liquid level above the transducer. Leachate level in still in compliance with the pump non-operational. Pump motor replacement is tentatively scheduled for the week of 10/1/18.
LCS- 6B	9/26/18	14.5	9.4	429.52	23.9	453.42	N	Dedicated Transducer	Pump motor was observed to be non-operational on 9/5/18 after recording the liquid level above the transducer. Leachate level in still in compliance with the pump non-operational. Pump motor replacement is tentatively scheduled for the week of 10/1/18.
LCS- 6B	10/4/18	8.2	9.4	429.52	17.6	447.12	Y	Dedicated Transducer	Pump was replaced on 10/4/18. Pump fully operational.
LCS- 6B	10/10/18	7.7	9.4	429.52	17.1	446.62	Y	Dedicated Transducer	Pump was replaced on 10/4/18. Pump fully operational.
LCS- 6B	10/17/18	8.8	9.4	429.52	18.2	447.72	Y	Dedicated Transducer	Pump was replaced on 10/4/18. Pump fully operational.
LCS- 6B	10/24/18	8.2	9.4	429.52	17.6	447.12	Y	Dedicated Transducer	
LCS- 6B	11/1/18	7.9	9.4	429.52	17.3	446.82	Y	Dedicated Transducer	
LCS- 6B	11/7/18	8.4	9.4	429.52	17.8	447.32	Y	Dedicated Transducer	
LCS- 6B	11/14/18	9.0	9.4	429.52	18.4	447.92	Y	Dedicated Transducer	
LCS- 6B	11/21/18	7.3	9.4	429.52	16.7	446.22	Y	Dedicated Transducer	
LCS- 6B	11/30/18	7.0	9.4	429.52	16.4	445.92	Y	Dedicated Transducer	
LCS- 6B	12/6/18	7.8	9.4	429.52	17.2	446.72	Y	Dedicated Transducer	
LCS- 6B	12/12/18	8.0	9.4	429.52	17.4	446.92	Y	Dedicated Transducer	
LCS- 6B	12/21/18	6.8	9.4	429.52	16.2	445.72	Y	Dedicated Transducer	
LCS- 6B	12/28/18	9.0	9.4	429.52	18.4	447.92	Y	Dedicated Transducer	
LCS- 6B	1/2/19	8.2	9.4	429.52	17.6	447.12	Y	Dedicated Transducer	
LCS- 6B	1/9/19	7.6	9.4	429.52	17.0	446.52	Y	Dedicated Transducer	
LCS- 6B	1/16/19	8.0	9.4	429.52	17.4	446.92	Y	Dedicated Transducer	
LCS- 6B	1/25/19	8.4	9.4	429.52	17.8	447.32	Y	Dedicated Transducer	
LCS- 6B	2/1/19	8.5	9.4	429.52	17.9	447.42	Y	Dedicated Transducer	
LCS- 6B	2/7/19	7.9	9.4	429.52	17.3	446.82	Y	Dedicated Transducer	
LCS- 6B	2/14/19	8.3	9.4	429.52	17.7	447.22	Y	Dedicated Transducer	
LCS- 6B	2/20/19	8.9	9.4	429.52	18.3	447.82	Y	Dedicated Transducer	
LCS- 6B	2/28/19	9.0	9.4	429.52	18.4	447.92	Y	Dedicated Transducer	
LCS- 6B	3/7/19	9.6	9.4	429.52	19.0	448.52	Y	Dedicated Transducer	
LCS- 6B	3/15/19	9.2	9.4	429.52	18.6	448.12	Y	Dedicated Transducer	
LCS- 6B	3/22/19	9.5	9.4	429.52	18.9	448.42	Y	Dedicated Transducer	
LCS- 6B	3/29/19	9.8	9.4	429.52	19.2	448.72	Y	Dedicated Transducer	
LCS- 6B	4/5/19	9.0	9.4	429.52	18.4	447.92	Y	Dedicated Transducer	
LCS- 6B	4/12/19	9.6	9.4	429.52	19.0	448.52	Y	Dedicated Transducer	
LCS- 6B	4/19/19	9.9	9.4	429.52	19.3	448.82	Y	Dedicated Transducer	
LCS- 6B	4/26/19	9.5	9.4	429.52	18.9	448.42	Y	Dedicated Transducer	
LCS- 6B	5/3/19	9.1	9.4	429.52	18.5	448.02	Y	Dedicated Transducer	