

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments                              |
|------------|------------------------|--|---|----------------------------------|---------------------------------|-----------------------------------|-------------------------|---------------------------------------|
| LCS- 1D    | 7/3/14                 | 41.0   | 97.0  | 252.22                           | 390.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 7/10/14                | 41.0   | 97.0  | 252.22                           | 390.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 7/18/14                | 41.0   | 97.0  | 252.22                           | 390.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 7/25/14                | 43.0   | 97.0  | 252.22                           | 392.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 8/1/14                 | 43.0   | 97.0  | 252.22                           | 392.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 8/8/14                 | 43.0   | 97.0  | 252.22                           | 392.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 8/15/14                | 45.0   | 97.0  | 252.22                           | 394.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 8/22/14                | 45.0   | 97.0  | 252.22                           | 394.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 8/29/14                |  |   |                                  |                                 | N                                 | Dedicated Transducer    | Not running, leak in bulkhead of well |
| LCS- 1D    | 9/5/14                 |  |   |                                  |                                 | N                                 | Dedicated Transducer    | Not running, leak in bulkhead of well |
| LCS- 1D    | 9/12/14                | 45.0   | 97.0  | 252.22                           | 394.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 9/19/14                | 45.0   | 97.0  | 252.22                           | 394.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 9/26/14                | 45.0   | 97.0  | 252.22                           | 394.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 10/4/14                | 45.0   | 97.0  | 252.22                           | 394.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 10/10/14               | 45.0   | 97.0  | 252.22                           | 394.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 10/17/14               | 45.0   | 97.0  | 252.22                           | 394.22                          | Y                                 | Dedicated Transducer    |                                       |
| LCS- 1D    | 10/24/14               | N/A  | 97.0  | 252.22                           |                                 |                                   | Dedicated Transducer    |                                       |
| LCS- 1D    | 10/31/14               | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 11/7/14                | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 11/14/14               | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 11/25/14               | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 12/2/14                | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 12/9/14                | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 12/15/14               | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 12/23/14               | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 12/31/14               | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 1/7/15                 | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 1/14/15                | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 1/21/15                | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 1/28/15                | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 2/4/15                 | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 2/11/15                | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 2/18/15                | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 2/25/15                | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer is out                      |
| LCS- 1D    | 3/4/15                 | N/A  | 97.0  | 252.22                           |                                 | Y                                 | Dedicated Transducer    | Tranducer Replaced, Cal in Progress   |
| LCS- 1D    | 3/11/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@90ft    |
| LCS- 1D    | 3/17/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4'   |
| LCS- 1D    | 3/24/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4'   |
| LCS- 1D    | 3/31/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4'   |
| LCS- 1D    | 4/7/15                 | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4'   |
| LCS- 1D    | 4/14/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4'   |
| LCS- 1D    | 4/21/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4'   |
| LCS- 1D    | 4/28/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4'   |
| LCS- 1D    | 5/5/15                 | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4'   |
| LCS- 1D    | 5/12/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4'   |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments                            |
|------------|------------------------|--|---|----------------------------------|---------------------------------|-----------------------------------|-------------------------|-------------------------------------|
| LCS- 1D    | 5/19/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4' |
| LCS- 1D    | 5/26/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4' |
| LCS- 1D    | 6/2/15                 | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4' |
| LCS- 1D    | 6/9/15                 | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4' |
| LCS- 1D    | 6/16/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4' |
| LCS- 1D    | 6/23/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4' |
| LCS- 1D    | 6/30/15                | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4' |
| LCS- 1D    | 7/7/15                 | >97.0  | 97.0  | 252.22                           | <342.22                         | Y                                 | Dedicated Transducer    | Liquid Level Below Transducer@92.4' |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments                        |
|------------|------------------------|--|---|----------------------------------|---------------------------------|-----------------------------------|-------------------------|---------------------------------|
| LCS- 2D    | 7/3/14                 | 13.9   | 14.4  | 235.92                           | 264.22                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 7/10/14                | 13.9   | 14.4  | 235.92                           | 264.22                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 7/18/14                | 13.9   | 14.4  | 235.92                           | 264.22                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 7/25/14                | 13.9   | 14.4  | 235.92                           | 264.22                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 8/1/14                 | 13.9   | 14.4  | 235.92                           | 264.22                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 8/8/14                 | 14.1   | 14.4  | 235.92                           | 264.42                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 8/15/14                | 13.8   | 14.4  | 235.92                           | 264.12                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 8/22/14                | 13.8   | 14.4  | 235.92                           | 264.12                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 8/29/14                | 13.9   | 14.4  | 235.92                           | 264.22                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 9/5/14                 | 13.6   | 14.4  | 235.92                           | 263.92                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 9/12/14                | 13.6   | 14.4  | 235.92                           | 263.92                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 9/19/14                | 13.9   | 14.4  | 235.92                           | 264.22                          | Y                                 | Dedicated Transducer    |                                 |
| LCS- 2D    | 9/26/14                |  |   |                                  |                                 | Y                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 10/4/14                |  |   |                                  |                                 | Y                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 10/10/14               | N/A  | 14.4  | 235.92                           |                                 | Y                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 10/10/14               | N/A  | 14.4  | 235.92                           |                                 | Y                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 10/24/14               | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 10/31/14               | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 11/7/14                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 11/14/14               | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 11/25/14               | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 12/2/14                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 12/9/14                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 12/15/14               | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 12/23/14               | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 12/31/14               | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 1/7/15                 | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 1/14/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 1/21/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 1/28/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 2/4/15                 | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 2/11/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 2/18/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 2/25/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 3/4/15                 | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 3/11/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 3/17/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 3/24/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 3/31/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 4/7/15                 | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 4/14/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 4/21/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 4/28/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 5/5/15                 | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 5/12/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments                        |
|------------|------------------------|--|---|----------------------------------|---------------------------------|-----------------------------------|-------------------------|---------------------------------|
| LCS- 2D    | 5/19/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 5/26/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 6/2/15                 | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 6/9/15                 | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 6/16/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 6/23/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 6/30/15                | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |
| LCS- 2D    | 7/7/15                 | N/A  | 14.4  | 235.92                           |                                 | N                                 | Dedicated Transducer    | Pump Off - "Over Current" Error |

| LCS Number | Date Reading Collected | Measured Liquid Level in Well (Ft. TOC) | Transducer Total Depth (Ft.) | Transducer Reading | Well Total Depth from Top of Casing (Ft.) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments                               |
|------------|------------------------|---|------------------------------|--------------------|---|-----------------------------------|-------------------------|--|
| LCS- 3D    | 7/3/14                 |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 7/10/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 7/18/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 7/25/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 8/1/14                 |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 8/8/14                 |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 8/15/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 8/22/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 8/29/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 9/5/14                 |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 9/12/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 9/19/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 9/26/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 10/4/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 10/10/14               |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 10/17/14               |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 10/31/14               |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 11/7/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 11/14/14               |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 11/25/14               |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 12/2/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 12/9/14                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 12/15/14               |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 12/23/14               |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 12/31/14               |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 1/7/15                 |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 1/14/15                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 1/21/15                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 1/28/15                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 2/4/15                 |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 2/11/15                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 2/18/15                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 2/25/15                |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Melted, seeking replacement |
| LCS- 3D    | 3/4/15                 |   |                              |                    | 140                                       | Y                                 | Dedicated Transducer    | Transducer Replaced, Cal in Progress   |
| LCS- 3D    | 3/11/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 3/17/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 3/24/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 3/31/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 4/7/15                 | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 4/14/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 4/21/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 4/28/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 5/5/15                 | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 5/12/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 5/19/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 5/26/15                | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |
| LCS- 3D    | 6/2/15                 | 135.00                                  | 63.00                        | 5.00               | 140                                       | Y                                 | Dedicated Transducer    |  |

| <b>LCS Number</b> | <b>Date Reading Collected</b> | <b>Measured Liquid Level in Well (Ft. TOC)</b> | <b>Transducer Total Depth (Ft.)</b> | <b>Transducer Reading</b> | <b>Well Total Depth from Top of Casing (Ft.)</b> | <b>Pump on during measurement? (Y/N)</b> | <b>Liquid level meter used</b> | <b>Comments</b> |
|-------------------|-------------------------------|--|-------------------------------------|---------------------------|--|--|--------------------------------|-----------------|
| LCS- 3D           | 6/9/15                        | 135.00   | 63.00                               | 5.00                      | 140  | Y  | Dedicated Transducer           |                 |
| LCS- 3D           | 6/16/15                       | 135.00   | 63.00                               | 5.00                      | 140  | Y  | Dedicated Transducer           |                 |
| LCS- 3D           | 6/23/15                       | 135.00   | 63.00                               | 5.00                      | 140  | Y  | Dedicated Transducer           |                 |
| LCS- 3D           | 6/30/15                       | 135.00   | 63.00                               | 5.00                      | 140  | Y  | Dedicated Transducer           |                 |
| LCS- 3D           | 7/7/15                        | 135.00   | 63.00                               | 5.00                      | 140  | Y  | Dedicated Transducer           |                 |

| LCS Number | Date Reading Collected | Transducer Reading | Transducer Total Depth (Ft) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (feet) | Well Total Depth from Top of Casing (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments                                    |
|------------|------------------------|--------------------|-----------------------------|----------------------------------|-------------------------|---|-----------------------------------|-------------------------|---|
| LCS- 4B    | 7/3/14                 |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 7/10/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 7/18/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 7/25/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 8/1/14                 |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 8/8/14                 |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 8/15/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 8/22/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 8/29/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 9/5/14                 |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 9/12/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 9/19/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 9/26/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 10/4/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 10/10/14               |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 10/17/14               |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 10/24/14               |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 10/31/14               |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 11/7/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 11/14/14               |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 11/25/14               |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 12/2/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 12/9/14                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 12/15/14               |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 12/23/14               |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 12/31/14               |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 1/7/15                 |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 1/14/15                |                    |                             |                                  |                         | N/A   | N/A                               |                         | Non-Operational                             |
| LCS- 4B    | 1/21/15                |                    |                             |                                  |                         | N/A   | Y                                 |                         | No Transducer                               |
| LCS- 4B    | 1/28/15                |                    |                             |                                  |                         | N/A   | Y                                 |                         | No Transducer                               |
| LCS- 4B    | 2/4/15                 |                    |                             |                                  |                         | N/A   | Y                                 |                         | No Transducer                               |
| LCS- 4B    | 2/11/15                |                    |                             |                                  |                         | N/A   | Y                                 |                         | No Transducer                               |
| LCS- 4B    | 2/18/15                |                    |                             |                                  |                         | N/A   | Y                                 |                         | No Transducer                               |
| LCS- 4B    | 2/25/15                |                    |                             |                                  |                         | N/A   | Y                                 |                         | No Transducer                               |
| LCS- 4B    | 3/4/15                 |                    |                             |                                  |                         | N/A   | Y                                 |                         | Transducer Installed, Cal in Progress       |
| LCS- 4B    | 3/11/15                | 63.0               | 74.0                        | 163                              | 181.0                   | 244.00  | Y                                 | Dedicated Transducer    |   |
| LCS- 4B    | 3/17/15                | 63.0               | 74.0                        | 163                              | 181.0                   | 244.00  | Y                                 | Dedicated Transducer    |   |
| LCS- 4B    | 3/24/15                | 63.0               | 74.0                        | 163                              | 181.0                   | 244.00  | Y                                 | Dedicated Transducer    |   |
| LCS- 4B    | 3/31/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 4/7/15                 | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 4/14/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 4/21/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 4/28/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 5/5/15                 | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 5/12/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 5/19/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 5/26/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |

| LCS Number | Date Reading Collected | Transducer Reading | Transducer Total Depth (Ft) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (feet) | Well Total Depth from Top of Casing (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments                                    |
|------------|------------------------|--------------------|-----------------------------|----------------------------------|-------------------------|---|-----------------------------------|-------------------------|---|
| LCS- 4B    | 6/2/15                 | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 6/9/15                 | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 6/16/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 6/23/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | N/A                     | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 6/30/15                | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | N/A                     | Liquid below pump depth from surface of 81' |
| LCS- 4B    | 7/7/15                 | 74.0               | 74.0                        | 163                              | 170.0                   | 244.00  | Y                                 | Dedicated Transducer    | Liquid below pump depth from surface of 81' |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft. ) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|-----------------------------------|-------------------------|----------|
| LCS- 5A    | 7/3/14                 | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 7/10/14                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 7/18/14                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 7/25/14                | 10.2   | 15.0  | 235.4                            | 25.2                    | 260.60                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 8/1/14                 | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 8/8/14                 | 11.9   | 15.0  | 235.4                            | 26.9                    | 262.30                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 8/15/14                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 8/22/14                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 8/29/14                | 29.0   | 15.0  | 235.4                            | 44.0                    | 279.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 9/5/14                 | 28.7   | 15.0  | 235.4                            | 43.7                    | 279.10                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 9/12/14                | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 9/19/14                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 9/26/14                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 10/4/14                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 10/10/14               | 10.2   | 15.0  | 235.4                            | 25.2                    | 260.60                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 10/17/14               | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 10/24/14               | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 10/31/14               | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 11/7/14                | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 11/14/14               | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 11/25/14               | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 12/2/14                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 12/9/14                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 12/15/14               | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 12/23/14               | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 12/31/14               | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 1/7/15                 | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 1/14/15                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 1/21/15                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 1/28/15                | 10.2   | 15.0  | 235.4                            | 25.2                    | 260.60                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 2/4/15                 | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 2/11/15                | 10.2   | 15.0  | 235.4                            | 25.2                    | 260.60                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 2/18/15                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 2/25/15                | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 3/4/15                 | 10.2   | 15.0  | 235.4                            | 25.2                    | 260.60                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 3/11/15                | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 3/17/15                | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 3/24/15                | 10.2   | 15.0  | 235.4                            | 25.2                    | 260.60                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 3/31/15                | 10.0   | 15.0  | 235.4                            | 25.0                    | 260.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 4/7/15                 | 10.1   | 15.0  | 235.4                            | 25.1                    | 260.50                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 4/14/15                | 33.4   | 15.0  | 235.4                            | 48.4                    | 283.80                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 4/21/15                | 33.3   | 15.0  | 235.4                            | 48.3                    | 283.70                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 4/28/15                | 33.7   | 15.0  | 235.4                            | 48.7                    | 284.10                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 5/5/15                 | 33.4   | 15.0  | 235.4                            | 48.4                    | 283.80                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 5/12/15                | 33.8   | 15.0  | 235.4                            | 48.8                    | 284.20                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 5/19/15                | 34.0   | 15.0  | 235.4                            | 49.0                    | 284.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 5/26/15                | 33.8   | 15.0  | 235.4                            | 48.8                    | 284.20                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 6/2/15                 | 34.2   | 15.0  | 235.4                            | 49.2                    | 284.60                          | Y                                 | Dedicated Transducer    |          |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft. ) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|-----------------------------------|-------------------------|----------|
| LCS- 5A    | 6/9/15                 | 33.3   | 15.0  | 235.4                            | 48.3                    | 283.70                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 6/16/15                | 34.3   | 15.0  | 235.4                            | 49.3                    | 284.70                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 6/23/15                | 34.0   | 15.0  | 235.4                            | 49.0                    | 284.40                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 6/30/15                | 29.3   | 15.0  | 235.4                            | 44.3                    | 279.70                          | Y                                 | Dedicated Transducer    |          |
| LCS- 5A    | 7/7/15                 | 23.9   | 15.0  | 235.4                            | 38.9                    | 274.30                          | Y                                 | Dedicated Transducer    |          |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft. ) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|-----------------------------------|-------------------------|----------|
| LCS- 6B    | 7/3/14                 | 3.8  | 9.4   | 428.52                           | 13.2                    | 441.72                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 7/10/14                | 3.5  | 9.4   | 428.52                           | 12.9                    | 441.42                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 7/18/14                | 3.9  | 9.4   | 428.52                           | 13.3                    | 441.82                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 7/25/14                | 4.2  | 9.4   | 428.52                           | 13.6                    | 442.12                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 8/1/14                 | 3.5  | 9.4   | 428.52                           | 12.9                    | 441.42                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 8/8/14                 | 3.9  | 9.4   | 428.52                           | 13.3                    | 441.82                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 8/15/14                | 3.5  | 9.4   | 428.52                           | 12.9                    | 441.42                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 8/22/14                | 3.7  | 9.4   | 428.52                           | 13.1                    | 441.62                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 8/29/14                | 3.5  | 9.4   | 428.52                           | 12.9                    | 441.42                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 9/5/14                 | 3.4  | 9.4   | 428.52                           | 12.8                    | 441.32                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 9/12/14                | 4.2  | 9.4   | 428.52                           | 13.6                    | 442.12                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 9/19/14                | 4.1  | 9.4   | 428.52                           | 13.5                    | 442.02                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 9/26/14                | 4.0  | 9.4   | 428.52                           | 13.4                    | 441.92                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 10/4/14                | 4.6  | 9.4   | 428.52                           | 14.0                    | 442.52                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 10/10/14               | 4.7  | 9.4   | 428.52                           | 14.1                    | 442.62                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 10/17/14               | 4.7  | 9.4   | 428.52                           | 14.1                    | 442.62                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 10/24/14               | 4.4  | 9.4   | 428.52                           | 13.8                    | 442.32                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 10/31/14               | 5.3  | 9.4   | 428.52                           | 14.7                    | 443.22                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 11/7/14                | 4.8  | 9.4   | 428.52                           | 14.2                    | 442.72                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 11/14/14               | 5.0  | 9.4   | 428.52                           | 14.4                    | 442.92                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 11/25/14               | 5.1  | 9.4   | 428.52                           | 14.5                    | 443.02                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 12/2/14                | 5.7  | 9.4   | 428.52                           | 15.1                    | 443.62                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 12/9/14                | 5.8  | 9.4   | 428.52                           | 15.2                    | 443.72                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 12/15/14               | 5.6  | 9.4   | 428.52                           | 15.0                    | 443.52                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 12/23/14               | 5.4  | 9.4   | 428.52                           | 14.8                    | 443.32                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 12/31/14               | 6.3  | 9.4   | 428.52                           | 15.7                    | 444.22                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 1/7/15                 | 6.5  | 9.4   | 429.52                           | 15.9                    | 445.42                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 1/14/15                | 6.0  | 9.4   | 429.52                           | 15.4                    | 444.92                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 1/21/15                | 6.5  | 9.4   | 429.52                           | 15.9                    | 445.42                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 1/28/15                | 6.4  | 9.4   | 429.52                           | 15.8                    | 445.32                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 2/4/15                 | 6.3  | 9.4   | 429.52                           | 15.7                    | 445.22                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 2/11/15                | 6.4  | 9.4   | 429.52                           | 15.8                    | 445.32                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 2/18/15                | 6.4  | 9.4   | 429.52                           | 15.8                    | 445.32                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 2/25/15                | 6.6  | 9.4   | 429.52                           | 16.0                    | 445.52                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 3/4/15                 | 6.3  | 9.4   | 429.52                           | 15.7                    | 445.22                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 3/11/15                | 6.4  | 9.4   | 429.52                           | 15.8                    | 445.32                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 3/17/15                | 6.5  | 9.4   | 429.52                           | 15.9                    | 445.42                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 3/24/15                | 7.0  | 9.4   | 429.52                           | 16.4                    | 445.92                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 3/31/15                | 7.2  | 9.4   | 429.52                           | 16.6                    | 446.12                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 4/7/15                 | 7.5  | 9.4   | 429.52                           | 16.9                    | 446.42                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 4/14/15                | 9.3  | 9.4   | 429.52                           | 18.7                    | 448.22                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 4/21/15                | 9.3  | 9.4   | 429.52                           | 18.7                    | 448.22                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 4/28/15                | 9.4  | 9.4   | 429.52                           | 18.8                    | 448.32                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 5/5/15                 | 9.4  | 9.4   | 429.52                           | 18.8                    | 448.32                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 5/12/15                | 9.6  | 9.4   | 429.52                           | 19.0                    | 448.52                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 5/19/15                | 10.0   | 9.4   | 429.52                           | 19.4                    | 448.92                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 5/26/15                | 10.2   | 9.4   | 429.52                           | 19.6                    | 449.12                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 6/2/15                 | 7.8  | 9.4   | 429.52                           | 17.2                    | 446.72                          | Y                                 | Dedicated Transducer    |          |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft. ) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|-----------------------------------|-------------------------|----------|
| LCS- 6B    | 6/9/15                 | 7.9  | 9.4   | 429.52                           | 17.3                    | 446.82                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 6/16/15                | 7.9  | 9.4   | 429.52                           | 17.3                    | 446.82                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 6/23/15                | 9.0  | 9.4   | 429.52                           | 18.4                    | 447.92                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 6/30/15                | 10.0   | 9.4   | 429.52                           | 19.4                    | 448.92                          | Y                                 | Dedicated Transducer    |          |
| LCS- 6B    | 7/7/15                 | 10.3   | 9.4   | 429.52                           | 19.7                    | 449.22                          | Y                                 | Dedicated Transducer    |          |