

STATE OF MISSOURI
DEPARTMENT OF NATURAL RESOURCES
MISSOURI CLEAN WATER COMMISSION



GENERAL PERMIT for SEWER EXTENSION CONSTRUCTION

The Missouri Department of Natural Resources hereby issues a permit to:

Construction Permit ID: MOGC00040
Title of Project: Recreation Complex in Innsbrook Estates
Owner: Innsbrook Estates Property Owners Assoc
Address: #1 Innsbrook Estates Drive
Wright City, MO 63390

The project will also include general site work appropriate to the scope and purpose of the project and will include all the necessary appurtenances to make a complete and usable collection system. The construction of this project will be in the vicinity of the county below and discharge to Receiving Permit ID below:

County: Warren Receiving Permit ID: MO0098906

for the construction of (described construction project):

Construction of approximately 2,153 lf of 2.5-inch, 4-inch, and 6-inch PVC SDR-21 force mains with an additional 241 lf of 2.5-inch PVC SDR-21 which will connect to a future lift station that will have a separate construction permit. The collection system will have 5 cleanouts, an air release valve, and be encased in concrete when crossing under culverts to serve 47 PE and a design average flow of 4,705 gpd.

Project is in the vicinity of the intersection of Meadow Valley Drive and Tyrolean Trail Run at the Village of Innsbrook, four miles south of Wright City, MO in Warren County and discharges to an existing system to be treated at the Innsbrook Estates WWTF, MO-0098906.

Construction of such proposed facilities shall be in accordance with the provisions of the Missouri Clean Water Law, Chapter 644, RSMo, and regulation promulgated thereunder, or this permit may be revoked by the Department of Natural Resources (Department). As the Department does not examine structural features of design or the efficiency of mechanical equipment, the issuance of this permit does not include approval of these features.

This permit applies only to the construction of water pollution control components; it does not apply to other environmentally regulated areas.

October 02, 2015
Issue Date


Sara Parker Pauley, Director
Department of Natural Resources

October 01, 2017
Expiration Date


John Madras
Director, Water Protection Program

APPLICABILITY

1. This permit authorizes the construction of gravity sewer extensions, force mains, and lift stations. Storage basins, considered part of the collection system, are also included. Earthen basins are not included under this General Sewer Extension Construction permit.
2. A Sewer Extension Construction Permit may be required by the department due to compliance and enforcement actions.
3. This permit does not apply to:
 - A. Earthen storage basins;
 - B. Projects located within an Approved Sewer Program. These include the City of Blue Springs, City of Columbia, City of Kansas City, City of Jefferson City, City of Joplin, City of Lebanon, City of Springfield, City of St. Peters, Duckett Creek Sewer District, and Metropolitan St. Louis Sewer District;
 - C. Projects funded by the Department of Natural Resources;
 - D. Projects that substantially deviate from the Design Guides in 10 CSR 20-8; and
 - E. Exempt projects unless requested by the applicant or required by enforcement.

PREREQUISITES:

1. The General Sewer Extension Construction Permit application, appropriate fee, and a schedule for construction with the date on which construction will begin and anticipated completion date.
2. The engineering report, as required, plans and specifications each signed and sealed by a professional engineer registered in the State of Missouri. A Summary of Design is an acceptable substitute for the engineering report required by this permit prerequisite.
3. The Design Certification form signed and sealed by a professional engineer registered in the State of Missouri certifying the design of the system was done in accordance with 10 CSR 20-6 and 10 CSR 20-8.
4. A statement from the continuing authority was received accepting the wastewater for treatment.
5. A statement from the continuing authority was received accepting the responsibility for operation, maintenance, and modernization of these facilities

PERMIT CONDITIONS:

1. Contact the department's appropriate regional office 48 hours prior to starting construction. Contact information can be found at <http://dnr.mo.gov/regions/regions.htm>.
2. This permit authorizes the activities and scope of work detailed in the plans and specifications submitted with the request.
3. The construction must be in accordance with the design certification stating the plans and specifications comply with 10 CSR 20-6 and 10 CSR 20-8.

PERMIT CONDITIONS: (continued)

4. State and Federal Law does not permit bypassing of raw wastewater, therefore steps must be taken to ensure that raw wastewater does not discharge during construction. If a sanitary sewer overflow or bypass occurs, report the appropriate information to the department's regional office per 10 CSR 20-7.015(9)(E)2.
5. Protection of drinking water supplies shall be in accordance with 10 CSR 20-8.120(10).
"There shall be no physical connections between a public or private potable water supply system and a sewer, or appurtenance thereto which would permit the passage of any wastewater or polluted water into the potable supply. No water pipe shall pass through or come in contact with any part of a sewer manhole."
 - A. Sewers in relation to water works structures shall meet the requirements of 10 CSR 23-3.010 with respect to minimum distances from public water supply wells or other water supply sources and structures.
 - B. Sewer mains shall be laid at least ten feet (10') horizontally from any existing or proposed water main. The distances shall be measured edge-to-edge. In cases where it is not practical to maintain a ten foot (10') separation, the department may allow a deviation on a case-by-case basis, if supported by data from the design engineer. Such a deviation may allow installation of the sewer closer to a water main, provided that the water main is in a separate trench or on an undisturbed earth shelf located on either side of the sewer and at an elevation so the bottom of the water main is at least 18 inches above the top of the sewer. If it is impossible to obtain proper horizontal and vertical separation as described above for sewers, the sewer must be constructed of slip-on or mechanical joint pipe or continuously encased and be pressure tested to 150 pounds per square inch to assure water tightness.
 - C. Manholes shall be located with the top access at or above grade level.
 - D. Manholes should be located at least ten feet (10') horizontally from any existing or proposed water main.
 - E. Sewers crossing water mains shall be laid to provide a minimum vertical distance of 18 inches between the outside of the water main and the outside of the sewer. This shall be the case where the water main is either above or below the sewer. The crossing shall be arranged so that the sewer joints will be equidistant and as far as possible from the water main joints. Where a water main crosses under a sewer, adequate structural support shall be provided for the sewer to maintain line and grade. When it is impossible to obtain proper vertical separation as stipulated above, one of the following methods must be specified:
 - 1) The sewer shall be designed and constructed equal to the water pipe and shall be pressure tested to assure water tightness prior to backfilling; or
 - 2) Either the water main or sewer line may be continuously encased or enclosed in a watertight carrier pipe which extends ten feet (10') on both sides of the crossing, measured perpendicular to the water main. The carrier pipe shall be of materials approved by the department for use in water main construction.

PERMIT CONDITIONS: (continued)

6. In addition to the requirements for a construction permit, 10 CSR 20-6.200 requires land disturbance activities of one acre or more to obtain a Missouri State Operating Permit to discharge stormwater. The permit requires Best Management Practices sufficient to control runoff and sedimentation to protect waters of the state. Land disturbance permits will only be obtained by means of the department's ePermitting system available online at www.dnr.mo.gov/env/wpp/epermit/help.htm.

See www.dnr.mo.gov/env/wpp/stormwater/sw-land-disturb-permits.htm for more information.

7. A United States (U.S.) Army Corps of Engineers (COE) permit (404) and a Water Quality Certification (401) issued by the department or permit waiver may be required for the activities described in this permit. This permit is not valid until these requirements are satisfied. If construction activity will disturb any land below the ordinary high water mark of Jurisdictional Waters of the U.S. then a 404/401 will be required. Since the COE makes determinations on what is jurisdictional, you must contact the COE to determine permitting requirements. You may call the department's Water Protection Program at (573) 751-1300 for more information.


See www.dnr.mo.gov/env/wpp/401/ for more information.

8. If this project eliminates a wastewater treatment facility, then a full closure plan shall be submitted to the department's appropriate regional office for review and approval of any permitted wastewater treatment system being replaced. In accordance with 10 CSR 20-6.010(12), the closure plan must meet the requirements outlined in Standard Conditions Part III, Section I, of the Missouri State Operating Permit. Closure shall not commence until the submitted closure plan is approved by the department. Form J – Request for Termination of a State Operating Permit, shall be submitted to the department's appropriate Regional Office for termination of any existing Missouri State Operating Permit, once closure is completed in accordance with the approved closure plan.
9. Submit a Statement of Work Completed Form to the department following completion of construction. Submit an electronic copy of the as built plans if the project was not constructed in accordance with previously submitted plans and specifications.

AP 21791

20083

MO6C00040



MISSOURI DEPARTMENT OF NATURAL RESOURCES **RECEIVED**
 WATER PROTECTION PROGRAM
APPLICATION FOR CONSTRUCTION PERMIT AUG-18-2015
SEWER EXTENSION

FOR DEPARTMENT USE ONLY	
APP NO.	CP NO.
FEE RECEIVED -0-	CHECK NO.
DATE RECEIVED 8-18-15 JS	

Water Protection Program

NOTE ► PLEASE READ THE ACCOMPANYING INSTRUCTIONS BEFORE COMPLETING THIS FORM

1.0 APPLICATION INFORMATION (Note – If any of the questions in this section are answered NO, this application may be considered incomplete and returned.)

- 1.1 Is this a Federal/State funded project? YES N/A Funding Agency: _____ Project #: _____
- 1.2 Has the Department of Natural Resources approved the proposed project's engineering report*?
 YES Date of Approval: _____ NO N/A
- 1.3 Is a copy of the appropriate plans* and specifications* included with this application? YES NO
- 1.4 Is a summary of design* included with this application? YES NO
- 1.5 Is the appropriate fee included with this application? (See instructions for appropriate fee.) YES NO

* Must be affixed with a Missouri registered professional engineer's seal, signature and date.

2.0 PROJECT INFORMATION

2.1 NAME OF PROJECT

Sanitary Sewer Improvement Plans for Recreation Complex in Innsbrook Estates

ADDRESS	CITY	STATE	ZIP CODE	COUNTY
Tyrolean Trail Run	Wright City	MO	63390	Warren

2.2 Legal Description: SE ¼, SE ¼, SE ¼, Sec. 7, T 46 N, R 1 W

- 2.3 Project Components (check all that apply):
 Gravity sewers Pumping stations Force mains Alternative sewer system Other (Describe below.)

2.4 PROJECT DESCRIPTION

2,155 lineal feet of 2 1/2", 4", and 6" co-buried SDR 21 Class 200 force main will be installed. The 4" and 6" pipe will be for future use. An additional 241 lineal feet of 2 1/2" pipe will be installed. The installation includes all cleanouts, air release valves, etc. for pressure sewer.

2.5 DESIGN INFORMATION

- A. Population or number of lots to be served by this extension: 47.05
- B. Estimated flow to be contributed by this extension: Design Average Flow: 4705 gpd Design Peak Hourly Flow: 1600 gph
- C. Industrial Wastes: Type: N/A Flow: N/A gpd
- D. Receiving Sewer: Size: 2.5 inches Capacity: 30 gpm

3.0 PROJECT OWNER

NAME	TELEPHONE NUMBER WITH AREA CODE	E-MAIL ADDRESS
Innsbrook Estates Property Owners Association	(636) 928-3366	William.Haydon@innsbrook-resort.com

ADDRESS	CITY	STATE	ZIP CODE
#1 Innsbrook Estates Drive	Wright City	MO	63390

4.0 CONTINUING AUTHORITY: Permanent organization that will serve as the continuing authority for the operation, maintenance and modernization of the wastewater collection system.

NAME	TELEPHONE NUMBER WITH AREA CODE	E-MAIL ADDRESS
Innsbrook Estates Property Owners Association	(636) 928-3366	William.Haydon@innsbrook-resort.com

ADDRESS	CITY	STATE	ZIP CODE
#1 Innsbrook Estates Drive	Wright City	MO	63390

4.1 A letter from the continuing authority, if different than the owner, is included with this application. YES NO N/A

5.0 ENGINEER

ENGINEER NAME / COMPANY NAME	TELEPHONE NUMBER WITH AREA CODE	E-MAIL ADDRESS
Chris Boone - Cochran	(636) 584-0540	chris@cochraneng.com

ADDRESS	CITY	STATE	ZIP CODE
530A E. Independence Dr.	Union	MO	63084

6.0 RECEIVING WASTEWATER TREATMENT FACILITY


NAME Innsbrook Estates	TELEPHONE NUMBER WITH AREA CODE (636) 928-3366	E-MAIL ADDRESS William.Haydon@innsbrook-resort.com
---------------------------	---	---

MISSOURI STATE OPERATING PERMIT # MO-0098906	REMAINING CAPACITY (GPD) 30,000
---	------------------------------------

6.1 Has the receiving treatment facility agreed to accept the additional wastewater flow? YES NO

6.2 A letter from the receiving wastewater treatment facility, if different than the continuing authority, is included with this application.
 YES NO N/A

7.0 PROJECT OWNER: I hereby certify that I am familiar with the information contained in this application and to the best of my knowledge and belief such information is true, complete, and accurate, and if granted this permit, I agree to abide by the Missouri Clean Water Law and all rules, regulations, orders, and decisions, subject to any legitimate appeal available to applicant under Missouri Clean Water Law.

PROJECT OWNER SIGNATURE 

PRINTED NAME William Haydon	DATE 7/23/15
--------------------------------	-----------------

TITLE OR CORPORATE POSITION Utilities Manager	TELEPHONE NUMBER WITH AREA CODE (636) 928-3366	E-MAIL ADDRESS William.Haydon@innsbrook-resort.com
--	---	---

Mail completed copy to: MISSOURI DEPARTMENT OF NATURAL RESOURCES
WATER PROTECTION PROGRAM
P.O. BOX 176
JEFFERSON CITY, MO 65102-0176



RECEIVED

AUG 18 2015

Water Protection Program

SUMMARY OF DESIGN: SANITARY SEWER IMPROVEMENT PLANS FOR RECREATION COMPLEX

Innsbrook Estates Treatment Facility is an extended aeration plant with a permitted design flow of 68,000 gallons per day. Eight years of historical flows from a data logger show the average summer flow is 41,593 gallons per day. The new recreation complex will add an additional flow of 4,705 gallons per day. Below is a chart calculating the additional flow from the recreation complex. The adjusted flow is calculated by assuming 25% of recreation complex users are guests.

<u>Design Criteria</u>	<u>Number of Units</u>	<u>Gallons Per Day Per Unit</u>	<u>Flow (GPD)</u>	<u>Adjusted Flow (GPD)</u>
Amphitheater	1,000	5	5,000	1,250
Gym	16	20	320	320
Meeting Room	250	5	1,250	1,250
Laundry Room	5	100	500	500
Concession/Kitchen	4	50	200	200
Lifeguards	4	15	60	60
Pool/Pool Deck	300	15	4,500	1,125
			Total	4,705

The sewer line extension will provide service to the new recreation complex. The new sewer line will connect to the existing system near the intersection of Meadow Valley Drive and Tyrolean Trail Run. 2,153 lineal feet of 2 ½", 4", and 6" co-buried SDR 21 Class 200 PVC will be installed. The 4" and 6" pipe will be for future use. An additional 241 lineal feet of 2 ½" SDR 21 Class 200 PVC will be installed to service a future lift station. The future lift station will service the flows from the new recreation complex. The future lift station will be designed and a construction permit will be applied for at a future date.