



SMALL QUANTITY GENERATOR INSPECTION CHECKLIST

S

FOR FACILITIES THAT GENERATE < 1,000 KILOGRAMS OR ≤ 1 KILOGRAM OF ACUTELY HAZARDOUS WASTE (APPROXIMATELY 2,200 POUNDS OR 2.2 POUNDS OF ACUTELY HAZARDOUS WASTE)

NAME		DATE (mm/dd/yyyy)	EPA ID NUMBER	
ADDRESS		RESOURCE RECOVERY NUMBER	MO ID NUMBER	TELEPHONE NUMBER WITH AREA CODE
CITY		COUNTY	ZIP CODE	YEARS AT SITE NUMBER OF EMPLOYEES

DATE OF LAST INSPECTION	REGIONAL OFFICE <input type="checkbox"/> KCRO <input type="checkbox"/> NERO <input type="checkbox"/> SERO <input type="checkbox"/> SLRO <input type="checkbox"/> SWRO	REGIONAL OFFICE TRACKING NUMBER
-------------------------	--	---------------------------------

PRIMARY CONTACT NAME	PRIMARY CONTACT TITLE
----------------------	-----------------------

SECONDARY CONTACT NAME	SECONDARY CONTACT TITLE
------------------------	-------------------------

CHECKLIST ATTACHMENTS

Used Oil <input type="checkbox"/> Yes <input type="checkbox"/> No	Resource Recovery <input type="checkbox"/> Yes <input type="checkbox"/> No	Tank <input type="checkbox"/> Yes <input type="checkbox"/> No	Universal Waste <input type="checkbox"/> Yes <input type="checkbox"/> No	Solvent Wipes <input type="checkbox"/> Yes <input type="checkbox"/> No
--	---	--	---	---

DESCRIPTION OF THE FACILITY'S OPERATION AND PLANT

A. GENERAL						
	C	V	NA		COMMENTS	
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility has registered as a hazardous waste generator and paid fees – Section 260.380.1(1) RSMo and 10 CSR 25.5.262(2)(A).	1	
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Generator determines if waste is hazardous pursuant to methods referenced in 40 CFR 262.11 – 10 CSR 25-5.262(1) incorporating 40 CFR 262.11.	1	
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility uses a licensed hazardous waste transporter – Section 260.380.1(5) RSMo.	1	
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility uses an authorized hazardous waste treatment, storage or disposal facility or resource recovery facility – Section 260.380.1(7) RSMo.	1	
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility has not constructed, substantially altered or operated a hazardous waste facility without first obtaining a hazardous waste facility permit from the department as specified in Section 260.395 – Section 260.390.1(1) RSMo.	1	
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A person required to register also completes and files an updated generator registration form if the information filed with the department changes – 10 CSR 25-5.262(2)(A)3.B.	2	
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Materials are not accumulated speculatively – 10 CSR 25-4.261 incorporating 40 CFR 261.1(c)(8).	2	
8.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility can demonstrate legitimate recycling – 10 CSR 25-4.261 incorporating 40 CFR 261.2(f).	2	

PART 1: WALK-THROUGH INSPECTION

B. PRE-TRANSPORT, CONTAINERIZATION AND STORAGE						
	C	V	NA		COMMENTS	
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The quantity of hazardous waste accumulated on site never exceeds 6,000 kilograms – 10 CSR 25-5.261(1) incorporating 40 CFR 262.34(d)(1).	1	
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Storage does not exceed 180 days (or 270 days if transported > 200 miles) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d) or 40 CFR 262.34(e).	1	
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If a container holding hazardous waste is not in good condition, or if it begins to leak, the owner or operator transfers the hazardous waste from this container to a container that is in good condition, or manages the waste in some other way that complies with the requirements of this part – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.171.	1	
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The owner or operator uses a container made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste to be stored, so that the ability of the container to contain the waste is not impaired – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.172 .	1	
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A container holding hazardous waste is always closed during storage, except when it is necessary to add or remove waste – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.173(a).	1	
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Container is not opened, handled or stored in a manner which may rupture it or cause it to leak – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.173(b).	1	
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A storage container holding a hazardous waste that is incompatible with any waste or other materials stored nearby in other containers, piles, open tanks or surface impoundments is separated from the other materials or protected from them by means of a dike, berm, wall or other device – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.177(c).	1	

B. PRE-TRANSPORT, CONTAINERIZATION AND STORAGE (CONTINUED)			
C V NA			COMMENTS
8.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Facility inspects areas where containers are stored at least weekly, looking for leaking containers and for deterioration of containers caused by corrosion or other factors [Comment: See § 265.171 for remedial action required if deterioration or leaks are detected] –10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d) referencing 40 CFR 265.174.	2
9.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Adequate aisle space is maintained to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment and decontamination equipment to any area of facility operation in an emergency, <i>unless</i> aisle space is not needed for any of these purposes – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.35.	2
10.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Placards are available for transporter or a written contract is in place for transporter to supply placards – 10 CSR 25-5.262(1) incorporating 40 CFR 262.33.	2
11.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	The date upon which each period of accumulation begins is clearly marked and visible for inspection on each container – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 262.34(a)(2).	2
12.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Containers are clearly labeled or marked “Hazardous Waste” – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 262.34(a)(3).	2
All containers used to accumulate waste must follow 13A or 13B below. One gallon exception: <i>If a generator determines that labeling a container with a capacity of less than 1 gallon is not feasible, the generator shall affix the appropriate label(s) to the locker, rack or other device used to hold or accumulate any such container.</i>			
13A.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	All containers used to accumulate hazardous waste must be labeled in accordance with applicable US DOT labeling requirements in 49 CFR part 172 subpart E during the entire time the waste is stored onsite – 10 CSR 25-5.262(2)(C)1.A.	2
13B.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Clearly label each container with words that correctly identify the hazards of the contents of the container during the entire on-site storage period. Such words shall include one or more of the following as defined in 40 CFR part 261 subparts C and D: Ignitable, Toxic, Corrosive or Reactive. The label shall be white with black lettering or black with white lettering that is a minimum of one inch in height. 10 CSR 25-5.262(2)(C)1.B.	2
C.a. SATELLITE ACCUMULATION FEDERAL SATELLITE ACCUMULATION REQUIREMENTS (TO BE USED WHEN NO “MISSOURI OPTION” NOTIFICATION FOR SATELLITE ACCUMULATION IS ON FILE)			
C V NA			COMMENTS
1.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	A satellite container holding hazardous waste is always closed during storage, except when it is necessary to add or remove waste – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.173(a).	1
2.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	If a satellite container holding hazardous waste is not in good condition, or if it begins to leak, the owner or operator transfers the hazardous waste from this container to a container that is in good condition or manages the waste in some other way that complies with the requirements of this part – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.171.	1
3.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Satellite container is made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste stored – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.172.	1

C.a. SATELLITE ACCUMULATION FEDERAL SATELLITE ACCUMULATION REQUIREMENTS (TO BE USED WHEN NO "MISSOURI OPTION" NOTIFICATION FOR SATELLITE ACCUMULATION IS ON FILE) (CONTINUED)			
C V NA			COMMENTS
4.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Satellite Accumulation Area storage does not exceed 55 gallons (or 1 quart of acutely hazardous wastes) total for all wastes being accumulated- 10 CSR 25-5.262(C)3 incorporating 40 CFR 262.34(c)(1).	1
5.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Hazardous waste in excess 55 gallons (or 1 quart of acutely hazardous wastes) stored in a satellite area must, with respect to that amount of excess, go to storage or be shipped within three days and container holding the excess accumulation is marked with the date the excess amount began accumulating – 10 CSR 25-5.262(2)(C)3 incorporating 40 CFR 262.34(c)(2).	1
6.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Satellite container is marked either with the words "Hazardous Waste" or with other words identifying the contents 10 CSR 25-5.262(2)(C)3 incorporating 40 CFR 262.34(c)(1)(ii).	2
7.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Satellite containers are stored at or near any point of waste generation where wastes initially accumulate which are under the control of the operator of the process generating the waste – 10 CSR 25-5.262(2)(C)3 incorporating 40 CFR 262.34(c)(1).	2
C.b. MISSOURI SATELLITE ACCUMULATION (TO BE USED WHEN "MISSOURI OPTION" NOTIFICATION FOR SATELLITE ACCUMULATION IS ON FILE)			
C V NA			COMMENTS
1.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Facility has notified the department that it chooses to comply with the additional Missouri satellite accumulation requirements using a Notification of Regulated Waste Activity form and renotified upon changing the decision – 10 CSR 25-5.262(2)(C)3.A.	1
2.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	The generator may not use more than one (1) container per wastestream - 10 CSR 25-5.262(C)3.B.	1
3.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Each container must be marked with its beginning date of satellite storage – 10 CSR 25-5.262(2)(C)3.C.	1
4.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Hazardous waste is stored in satellite areas less than one year – 10 CSR 25-5.262(2)(C)3.D(I).	1
5.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	A container of hazardous waste that has reached time or volume limits is removed from the satellite accumulation area within three calendar days - 10 CSR 25-5.262(2)(C)3.D.	1
6.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	A container of hazardous waste that has reached time or volume limits and is removed from the satellite accumulation area is taken to the generator storage area, shipped offsite for proper hazardous waste management, or managed in accordance with an approved hazardous waste permit or certification at the site – 10 CSR 25-5.262(2)(C)3.E.	1
7.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Satellite container is marked either with the words "Hazardous Waste" or with other words identifying the contents - 10 CSR 25-5.262(2)(C)3 incorporating 40 CFR 262.34(c)(1)(ii).	2
8.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Satellite Accumulation Area storage does not exceed 55 gallons (or 1 quart of acutely hazardous wastes) for each wastestream being accumulated- 10 CSR 25-5.262(C)3.	1
9.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Satellite containers are stored at or near any point of waste generation where wastes initially accumulate which are under the control of the operator of the process generating the waste –10 CSR 25-5.262(2)(C)3 incorporating 40 CFR 262.34(c)(1).	2
10.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	A satellite container holding hazardous waste is always closed during storage, except when it is necessary to add or remove waste – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.173(a).	1

C.b. MISSOURI SATELLITE ACCUMULATION (TO BE USED WHEN "MISSOURI OPTION" NOTIFICATION FOR SATELLITE ACCUMULATION IS ON FILE) (CONTINUED)

C V NA			COMMENTS
11.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	If a satellite container holding hazardous waste is not in good condition, or if it begins to leak, the owner or operator transfers the hazardous waste from this container to a container that is in good condition, or manages the waste in some other way that complies with the requirements of this part – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.171.	1
12.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Satellite container is made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste stored – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.172.	1

D. PREPAREDNESS, PREVENTION AND EMERGENCY PROCEDURES

C V NA			COMMENTS
1.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Facility is maintained and operated to minimize the possibility of a fire, explosion or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil or surface water which could threaten human health or the environment – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.31.	1

All facilities must be equipped with the items in 2-5 below unless none of the hazards posed by waste handled at the facility could require a particular kind of equipment specified below:

2.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Facility has an internal communications or alarm system capable of providing immediate emergency instruction (voice or signal) to facility personnel – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.32(a).	2
3.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Facility has a device, such as a telephone or a hand-held two way radio, capable of summoning emergency assistance from local police departments, fire departments or state or local emergency response teams immediately available at the scene of operations – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.32(b).	2
4.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Facility has portable fire extinguishers, fire control equipment (including special extinguishing equipment, such as that using foam, inert gas or dry chemicals), spill control equipment and decontamination equipment – 10 CSR 25- 5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.32(c).	2
5.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Facility has water at adequate volume and pressure to supply water hose streams, or foam producing equipment, automatic sprinklers or water spray systems – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.32(d).	2
6.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Communication and emergency equipment is tested and maintained – 10 CSR 5-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.33.	2
7.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	The emergency coordinator's name and phone number is posted next to the phone – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(ii)(A).	2
8.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	The locations of fire extinguishers and spill control material, and if present, fire alarm, are posted next to the phone – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(ii)(B).	2

D. PREPAREDNESS, PREVENTION AND EMERGENCY PROCEDURES (CONTINUED)					
	C	V	NA	COMMENTS	
9.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The telephone number of fire department is posted next to the phone unless the facility has a direct alarm – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(ii)(C).	2
10.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All employees are thoroughly familiar with waste handling and emergency procedures relevant to their responsibilities during normal operations and emergencies – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(iii).	2
11.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Whenever hazardous waste is being poured, mixed, spread or otherwise handled, all personnel involved in the operation have immediate access to an internal alarm or emergency communication device, either directly or through visual or voice contact with another employee, unless such a device is not required under 265.32 – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.34(a).	2
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If there is ever just one employee is on the premises while the facility is operating, he has immediate access to a device, such as a telephone (immediately available at the scene of operation) or a hand-held two-way radio, capable of summoning external emergency assistance, <i>unless</i> such a device is not required under 265.32 – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.34(b).	2
13.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Based on types of waste handled and potential need for services, owner or operator has attempted to make arrangements with police, fire department and emergency response teams to familiarize them with the layout of facility, properties of waste handled, associated hazards, places where facility personnel would normally be working, entrances to roads inside the facility and possible evacuation routes – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.37(a)(1).	2
14.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Where more than one police and fire department might respond to an emergency, owner or operator has attempted to make arrangements designating primary emergency authority to a specific police and a specific fire department and agreements are in place with any others to provide support to the primary emergency authority – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.37(a)(2).	2
15.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The owner or operator has attempted to make agreements with state emergency response teams, emergency response contractors and equipment suppliers – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.37(a)(3).	2
16.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The owner or operator has attempted to make arrangements to familiarize local hospitals with the properties of hazardous waste handled at the facility and types of injuries and illnesses that could result from fires, explosions or releases at the facility – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.37(a)(4).	2
17.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Where state or local authorities decline to enter into such agreements, the owner or operator has documented the refusal in the operating record – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.37(a)(4)(b).	2
18.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	At all times, at least one emergency coordinator(s) is on premise or on call (i.e., available to respond to an emergency by reaching the facility within a short period of time) with the responsibility for coordinating all emergency response measures specified in paragraph (d)(5)(iv) of this section. The employee is the emergency coordinator – 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(i).	2

PART 2: RECORDS INSPECTION

E. MANIFESTS				COMMENTS	
	C	V	NA		
1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility uses the manifest system or the wastes are reclaimed under a contractual agreement – Section 260.380.1(6) RSMo and 10 CSR 25-5.262(2)(B) or 10 CSR 25-5.262(1) incorporating 40 CFR 262.20.	1
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator maintains a copy of the reclamation agreement in his files for a period of at least three years after termination or expiration of the agreement – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(e)(2).	2
3.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Manifests are maintained for three years from the date the waste was accepted by the initial transporter – 10 CSR 25-5.262(1) incorporating 40 CFR 262.40(a).	2
4.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator who transports or offers for transport a hazardous waste for off-site treatment, storage or disposal, or a treatment, storage and disposal facility who offers for transport a rejected hazardous waste load, must prepare a manifest (OMB Control Number 2050-0039) on EPA Form 8700-22A, according to the instructions included in the appendix to 40 CFR Part 262 – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
5.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator's EPA ID number is entered on the manifest (Item #1) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
6.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The total number of pages used to complete the manifest, plus the number of continuation sheets if any, is entered on the manifest (Item #2) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
7.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The emergency response phone number is entered on the manifest (Item #3) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
8.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A unique manifest tracking number (preprinted by a forms printer) is entered on the manifest (Item #4) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
9.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The generator's name, mailing address and phone number (site address only if different from mailing address) are entered on the manifest (Item #5) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
10.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All transporter's names and EPA ID numbers are entered on the manifest (Items #6 & #7) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
11.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The designated facility name, address, phone number and EPA ID numbers are entered on the manifest (Item #8) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The Department of Transportation shipping description (proper shipping name, hazard class or division, waste identification numbers and packing group, plus reportable quantities if required) are entered on the manifest (Item #9) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
13.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The types of containers with appropriate abbreviations are entered on the manifest (Item #10) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
14.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The total quantity of waste, without decimals or fractions, based on actual measurements or reasonably accurate estimates of actual quantities shipped, is entered on the manifest (Item #11). Container capacities are not acceptable as estimates – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
15.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Either the total weight in kilograms or pounds or the specific gravity in gallons, liters or cubic yards is entered on the manifest (Item #12) – 10 CSR 25-5.262(2)(B)1.	2
16.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The waste codes most representative of the waste (federal and state codes) to describe each waste stream in Item #9 are entered on the manifest. The generator may enter up to six codes on the manifest (Item #13) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2

E. MANIFESTS (CONTINUED)			
C V NA			COMMENTS
17.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special handling instructions for federally required information for which there is no specific space on the manifest, such as alternative facility designations, manifest tracking number of the original manifest for rejected wastes and residues that are re-shipped under a second manifest and the specification of PCB waste-descriptions and PCB out-of-service dates are entered on the manifest (Item #14) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
18.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	The manifest is signed and dated (Item #15) – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a)(1).	2
19.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	The generator designates another facility or instructs the transporter to return the waste if the transporter is unable to deliver the waste to the designated facility or to the alternate facility designated on the manifest. – 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(d).	2
20.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	The generator determines if waste must be treated before land disposal and if waste meets treatment standards – 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a)(1).	2
21.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	A “Land-Ban” notification/certification is sent with manifests or with the first shipment if the waste or contaminated soil does not meet the treatment standards, or if the generator chooses not to make the determination. – 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a)(2).	2
22.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	The notification/certification includes the correct EPA hazardous waste number, corresponding treatment standards, manifest number and waste analysis data – 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a)(2).	2

CHECK ALL POTENTIAL MULTI-MEDIA VIOLATIONS AND IMPACTS (SPECIFY AND COMMENT BELOW)

Air Pollution Control	Public Drinking Water	Solid Waste Management	Hazardous Waste	Water Pollution Control	
<input type="checkbox"/> Fugitive Dust <input type="checkbox"/> Particulate <input type="checkbox"/> Burning <input type="checkbox"/> Asbestos <input type="checkbox"/> Odors <input type="checkbox"/> Toxics <input type="checkbox"/> Other	<input type="checkbox"/> Taste & Odors <input type="checkbox"/> Bacteria <input type="checkbox"/> Pressure <input type="checkbox"/> Color <input type="checkbox"/> Flow <input type="checkbox"/> Toxics <input type="checkbox"/> Other	<input type="checkbox"/> Open Dumps <input type="checkbox"/> Littering <input type="checkbox"/> Waste Tire Dump <input type="checkbox"/> SLF <input type="checkbox"/> Other	<input type="checkbox"/> Transportation <input type="checkbox"/> PCBs <input type="checkbox"/> USTs/LUSTs <input type="checkbox"/> Other	<input type="checkbox"/> Animal Waste <input type="checkbox"/> Bypassing <input type="checkbox"/> Treatment Plant Operation <input type="checkbox"/> Sawdust <input type="checkbox"/> Sludge	<input type="checkbox"/> Single Family <input type="checkbox"/> Ground Water <input type="checkbox"/> Storm Water <input type="checkbox"/> Toxics/UST <input type="checkbox"/> Other

COMMENTS: DISCUSSION OF FACILITY'S WASTE MINIMIZATION PLAN AND OTHER MATTERS

INSPECTOR'S SIGNATURE

DATE (mm/dd/yyyy)