

## AUDRAIN

County Base Map

(Records are Sorted by Township, Range, and Section)

**LOG ID:**  
028122

WELL TYPE  
Irrigation Well

<u>DRILL DATE:</u>	1977/05/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	800FT
		50N	7W	2		
<u>DRILL DEPTH:</u>	1,430FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				616,012.83	4,333,392.44
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	2 MI N OF MARTINSBURG ON HWY M, 0.25 MI W; MAY BE		
<u>S.W.L. (AFTER CASING):</u>	246			IRRIGATION WELL		

**LOG ID:**  
007411

WELL TYPE  
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1941/12/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	812FT
		50N	7W	24		
<u>DRILL DEPTH:</u>	425FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				616,765.75	4,329,078.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>	TEST-HOLE FOR BAUXITE - ON WABASH RR STATION @		
<u>S.W.L. (AFTER CASING):</u>				MARTINSBURG		

**LOG ID:**  
023695

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1965/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	808FT
		50N	7W	24		
<u>DRILL DEPTH:</u>	1,150FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				617,055.74	4,328,725.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	223	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	220	FT				

**LOG ID:**  
022212

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1963/06/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	781FT
		50N	7W	31		
<u>DRILL DEPTH:</u>	280FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				609,586.63	4,324,357.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	12 MI E OF AUXVASSE, 100' N OF COUNTY LINE		
<u>S.W.L. (AFTER CASING):</u>	85					





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
028146

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 50N RANGE 8W SECTION 4 ELEVATION: 822FT  
DRILL DEPTH: 1,420FT UTM X 603,102.73 UTM Y 4,332,808.46  
DEPTH TO BED: 100FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: SCANNED, NO SAMPLES LOGGED  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
003999

WELL TYPE  
Private Well

DRILL DATE: 1936/10/01 TOWNSHIP 50N RANGE 9W SECTION 14 ELEVATION: 839FT  
DRILL DEPTH: 240FT UTM X 595,721.58 UTM Y 4,330,622.52  
DEPTH TO BED: 75FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: 4 MI S OF MEXICO ON HWY 54  
S.W.L. (AFTER CASING): 150

**LOG ID:**  
011042

WELL TYPE  
Private Well

DRILL DATE: 1949/10/01 TOWNSHIP 50N RANGE 9W SECTION 14 ELEVATION: 843FT  
DRILL DEPTH: 418FT UTM X 595,671.57 UTM Y 4,330,232.51  
DEPTH TO BED: 92FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: OLD WELL DEEPENED - SEE LOG #16749  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
016749

WELL TYPE  
Private Well

DRILL DATE: 1949/10/01 TOWNSHIP 50N RANGE 9W SECTION 14 ELEVATION: 848FT  
DRILL DEPTH: 595FT UTM X 595,660.57 UTM Y 4,330,225.51  
DEPTH TO BED: 100FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: OLD WELL (#11042) DEEPENED 418-595' (1957)  
S.W.L. (AFTER CASING): 150



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
021999

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 50N RANGE 9W SECTION 14 ELEVATION: 824FT

DRILL DEPTH: 535FT

DEPTH TO BED: 95FT UTM X 596,321.57 UTM Y 4,329,809.50  
ZONE 15

S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: NO CORRELATIONS MADE - VERY POOR SAMPLES

S.W.L. (AFTER CASING): 200

**LOG ID:**  
022006

WELL TYPE  
Private Well

DRILL DATE: 1963/08/08 TOWNSHIP 50N RANGE 9W SECTION 14 ELEVATION: 799FT

DRILL DEPTH: 545FT

DEPTH TO BED: 95FT UTM X 595,521.55 UTM Y 4,329,400.50  
ZONE 15

S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: formerly in name of McIntyre - 4.5 MI S OF MEXICO ON HWY 54

S.W.L. (AFTER CASING): 150

**LOG ID:**  
026061

WELL TYPE  
Private Well

DRILL DATE: 1968/01/31 TOWNSHIP 50N RANGE 9W SECTION 14 ELEVATION: 832FT

DRILL DEPTH: 545FT

DEPTH TO BED: 72FT UTM X 595,552.58 UTM Y 4,330,694.53  
ZONE 15

S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: 4 MI S OF MEXICO ON HWY 54

S.W.L. (AFTER CASING): 170

**LOG ID:**  
028686

WELL TYPE  
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1989/05/10 TOWNSHIP 50N RANGE 9W SECTION 14 ELEVATION: 800FT

DRILL DEPTH: 410FT

DEPTH TO BED: 110FT UTM X 595,421.55 UTM Y 4,329,298.50  
ZONE 15

S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: CORE DESCRIPTION

S.W.L. (AFTER CASING): \_\_\_\_\_



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**004957**

WELL TYPE  
Private Well

DRILL DATE: 1938/07/01 TOWNSHIP 50N RANGE 9W SECTION 16 ELEVATION: 837FT  
DRILL DEPTH: 173FT UTM X 592,655.54 UTM Y 4,330,593.56  
DEPTH TO BED: 60FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 6 MI SW OF MEXICO  
S.W.L. (AFTER CASING): 20

**LOG ID:**  
**025838**

WELL TYPE  
Private Well

DRILL DATE: 1966/11/29 TOWNSHIP 50N RANGE 9W SECTION 16 ELEVATION: 839FT  
DRILL DEPTH: 193FT UTM X 592,186.50 UTM Y 4,329,386.55  
DEPTH TO BED: 105FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 7 MI SW OF MEXICO  
S.W.L. (AFTER CASING):

**LOG ID:**  
**028140**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP 50N RANGE 9W SECTION 17 ELEVATION: 860FT  
DRILL DEPTH: 1,210FT UTM X 591,208.49 UTM Y 4,329,251.56  
DEPTH TO BED: 375FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: VERY LITTLE INFORMATION - TOPS ONLY, NO SAMPLES RUN  
S.W.L. (AFTER CASING):

**LOG ID:**  
**014385**

WELL TYPE  
Private Well

DRILL DATE: 1955/11/01 TOWNSHIP 50N RANGE 9W SECTION 2 ELEVATION: 806FT  
DRILL DEPTH: 445FT UTM X 596,393.64 UTM Y 4,332,788.55  
DEPTH TO BED: 50FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 60





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**020727**

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 50N RANGE 9W SECTION 24 ELEVATION: 830FT  
DRILL DEPTH: 360FT  
DEPTH TO BED: 70FT UTM X 597,909.55 UTM Y 4,327,767.43  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: \_\_\_\_\_  
S.W.L. (AFTER CASING): 30 ZONE 15

**LOG ID:**  
**004118**

WELL TYPE  
Private Well

DRILL DATE: 1936/11/20 TOWNSHIP 50N RANGE 9W SECTION 3 ELEVATION: 828FT  
DRILL DEPTH: 490FT  
DEPTH TO BED: 55FT UTM X 593,746.60 UTM Y 4,332,412.58  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: 2 MI SW OF MEXICO  
S.W.L. (AFTER CASING): 90 ZONE 15

**LOG ID:**  
**018575**

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 50N RANGE 9W SECTION 31 ELEVATION: 875FT  
DRILL DEPTH: 650FT  
DEPTH TO BED: 160FT UTM X 589,853.36 UTM Y 4,324,888.50  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: 6 MI S OF MEXICO ON HWY 54, 2 MI W ON HWY HH  
S.W.L. (AFTER CASING): 150 ZONE 15

**LOG ID:**  
**015297**

WELL TYPE  
Private Well

DRILL DATE: 1956/06/12 TOWNSHIP 50N RANGE 9W SECTION 32 ELEVATION: 858FT  
DRILL DEPTH: 290FT  
DEPTH TO BED: 95FT UTM X 591,860.39 UTM Y 4,325,017.47  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: \_\_\_\_\_  
S.W.L. (AFTER CASING): 120 ZONE 15





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
027784

WELL TYPE  
Irrigation Well

DRILL DATE: 1974/04/11      TOWNSHIP 50N      RANGE 9W      SECTION 5      ELEVATION: 852FT

DRILL DEPTH: 1,490FT

DEPTH TO BED: 95FT      UTM X 590,519.57      UTM Y 4,333,182.64  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: RT 2, MEXICO

S.W.L. (AFTER CASING): 272

**LOG ID:**  
008323

WELL TYPE  
Private Well

DRILL DATE: 1943/08/01      TOWNSHIP 50N      RANGE 10W      SECTION 10      ELEVATION: 889FT

DRILL DEPTH: 175FT

DEPTH TO BED: 125FT      UTM X 585,230.48      UTM Y 4,330,966.66  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: 10 MI SW OF MEXICO

S.W.L. (AFTER CASING): 50

**LOG ID:**  
028174

WELL TYPE  
Private Well

DRILL DATE: 1978/01/24      TOWNSHIP 50N      RANGE 10W      SECTION 13      ELEVATION: 880FT

DRILL DEPTH: 1,507FT

DEPTH TO BED:      UTM X 587,464.46      UTM Y 4,330,276.63  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: NOT LOGGED, HEADER INFORMATION ONLY

S.W.L. (AFTER CASING): 318

**LOG ID:**  
008269

WELL TYPE  
Private Well

DRILL DATE: 1943/06/01      TOWNSHIP 50N      RANGE 10W      SECTION 16      ELEVATION: 898FT

DRILL DEPTH: 267FT

DEPTH TO BED: 100FT      UTM X 582,965.50      UTM Y 4,330,407.64  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: 9 MI W OF MEXICO NEAR PAYNE SCHOOL

S.W.L. (AFTER CASING): 60





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**028519**

WELL TYPE  
Private Well

DRILL DATE: 1981/02/23

TOWNSHIP RANGE SECTION

ELEVATION: 912FT

DRILL DEPTH: 1,500FT

50N 11W 25

UTM X UTM Y

DEPTH TO BED:

577,833.49 4,326,718.57  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: USE WITH CAUTION - NO PRODUCTION OR CONSTRUCTION  
DATA

S.W.L. (AFTER CASING):

**LOG ID:**  
**021270**

WELL TYPE  
Private Well

DRILL DATE: 1962/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 762FT

DRILL DEPTH: 451FT

51N 5W 4

UTM X UTM Y

DEPTH TO BED: 81FT

631,632.08 4,343,560.74  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: RFD, VANDALIA; YIELDS - 15 GPM @ 287', 30 GPM @ 300', 60 GPM  
@ 451'

S.W.L. (AFTER CASING):

**LOG ID:**  
**021559**

WELL TYPE  
Private Well

DRILL DATE: 1963/01/18

TOWNSHIP RANGE SECTION

ELEVATION: 786FT

DRILL DEPTH: 505FT

51N 6W 11

UTM X UTM Y

DEPTH TO BED: 60FT

625,259.00 4,340,808.64  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: YIELD - 12 GPM @ 236', 20 GPM @ 527'

S.W.L. (AFTER CASING):

**LOG ID:**  
**008057**

WELL TYPE  
Private Well

DRILL DATE: 1941/12/01

TOWNSHIP RANGE SECTION

ELEVATION: 763FT

DRILL DEPTH: 560FT

51N 6W 12

UTM X UTM Y

DEPTH TO BED: 100FT

627,303.02 4,341,617.67  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 160



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**028134**

WELL TYPE  
Irrigation Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 791FT  
DRILL DEPTH: 51N 6W 31  
DEPTH TO BED: UTM X UTM Y  
618,795.86 4,334,447.48  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES LOGGED, HEADER ONLY  
S.W.L. (AFTER CASING):

**LOG ID:**  
**008027**

WELL TYPE  
Private Well

DRILL DATE: 1941/10/01 TOWNSHIP RANGE SECTION ELEVATION: 737FT  
DRILL DEPTH: 275FT 51N 6W 8  
DEPTH TO BED: 10FT UTM X UTM Y  
619,916.99 4,341,056.63  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**022257**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 795FT  
DRILL DEPTH: 275FT 51N 7W 10  
DEPTH TO BED: 115FT UTM X UTM Y  
615,145.00 4,341,947.63  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 2 MI SW OF JCT HWYS K, KK, & 19  
S.W.L. (AFTER CASING):

**LOG ID:**  
**028143**

WELL TYPE  
Irrigation Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 785FT  
DRILL DEPTH: 1,400FT 51N 7W 10  
DEPTH TO BED: 440FT UTM X UTM Y  
613,944.99 4,341,743.62  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES LOGGED, A FEW TOPS IDENTIFIED  
S.W.L. (AFTER CASING):





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
006219

WELL TYPE  
Private Well

DRILL DATE: 1939/10/01      TOWNSHIP 51N      RANGE 7W      SECTION 8      ELEVATION: 795FT

DRILL DEPTH: 440FT

DEPTH TO BED: 50FT      UTM X 610,679.00      UTM Y 4,342,159.61  
ZONE 15

S.W.L. (BEFORE CASING):      REMARKS: DRY HOLE

S.W.L. (AFTER CASING):

**LOG ID:**  
008975

WELL TYPE  
Private Well

DRILL DATE: 1946/01/18      TOWNSHIP 51N      RANGE 8W      SECTION 19      ELEVATION: 796FT

DRILL DEPTH: 850FT

DEPTH TO BED:      UTM X 599,238.78      UTM Y 4,337,466.61  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: 1 MI E, 0.25 MI N OF MEXICO; DRILLER'S (0-560') AND SAMPLE LOG

S.W.L. (AFTER CASING): 175

**LOG ID:**  
006812

WELL TYPE  
Private Well

DRILL DATE: 1941/04/01      TOWNSHIP 51N      RANGE 8W      SECTION 20      ELEVATION: 805FT

DRILL DEPTH: 600FT

DEPTH TO BED: 40FT      UTM X 600,462.82      UTM Y 4,338,329.61  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS:

S.W.L. (AFTER CASING): 205

**LOG ID:**  
011171

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1949/10/01      TOWNSHIP 51N      RANGE 8W      SECTION 28      ELEVATION: 808FT

DRILL DEPTH: 560FT

DEPTH TO BED: 50FT      UTM X 603,315.80      UTM Y 4,335,681.52  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: DD "PRACTICALLY DRY" - YIELD 2.5 GPM @ 256'

S.W.L. (AFTER CASING): 170









# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**000236**

WELL TYPE  
Private Well

DRILL DATE: 1912// TOWNSHIP 51N RANGE 9W SECTION 14 ELEVATION: 792FT  
DRILL DEPTH: 245FT UTM X 595,456.79 UTM Y 4,340,008.70  
DEPTH TO BED: 30FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N OF MEXICO  
S.W.L. (AFTER CASING): 50

**LOG ID:**  
**000237**

WELL TYPE  
Private Well

DRILL DATE: 1914/05/07 TOWNSHIP 51N RANGE 9W SECTION 15 ELEVATION: 759FT  
DRILL DEPTH: 480FT UTM X 594,329.75 UTM Y 4,338,889.70  
DEPTH TO BED: 90FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: "WIND MILL TEST", 1 MI NW OF MEXICO  
S.W.L. (AFTER CASING): 55

**LOG ID:**  
**012573**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1954/03/13 TOWNSHIP 51N RANGE 9W SECTION 20 ELEVATION: 825FT  
DRILL DEPTH: 560FT UTM X 591,782.69 UTM Y 4,337,616.71  
DEPTH TO BED: 100FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 2 MI W OF MEXICO  
S.W.L. (AFTER CASING):

**LOG ID:**  
**001798**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP 51N RANGE 9W SECTION 21 ELEVATION: 794FT  
DRILL DEPTH: 200FT UTM X 592,895.71 UTM Y 4,337,913.70  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: "WESTERN MEXICO" - DRILLERS LOG ONLY  
S.W.L. (AFTER CASING):













# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
020724

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 51N RANGE 9W SECTION 8 ELEVATION: 796FT  
DRILL DEPTH: 555FT UTM X UTM Y  
DEPTH TO BED: 95FT 591,201.78 4,341,685.79  
ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS:  
S.W.L. (AFTER CASING): 170

**LOG ID:**  
006933

WELL TYPE  
Private Well

DRILL DATE: 1941/03/15 TOWNSHIP 51N RANGE 9W SECTION 9 ELEVATION: 805FT  
DRILL DEPTH: 349FT UTM X UTM Y  
DEPTH TO BED: 30FT 593,532.79 4,340,746.74  
ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: AT MEXICO  
S.W.L. (AFTER CASING): 150

**LOG ID:**  
022015

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 51N RANGE 10W SECTION 12 ELEVATION: 822FT  
DRILL DEPTH: 630FT UTM X UTM Y  
DEPTH TO BED: 145FT 588,633.76 4,341,887.82  
ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: formerly in name of San Tock - 4 MI N, 0.25 MI E OF THOMPSON  
S.W.L. (AFTER CASING): 150

**LOG ID:**  
022014

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 51N RANGE 10W SECTION 13 ELEVATION: 810FT  
DRILL DEPTH: 305FT UTM X UTM Y  
DEPTH TO BED: 130FT 588,010.69 4,339,236.78  
ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: formerly in name of Sam Tock?  
S.W.L. (AFTER CASING): 80







# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**016687**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1957/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	766FT
<u>DRILL DEPTH:</u>	715FT	52N	6W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				628,013.14	4,351,118.90
<u>S.W.L. (BEFORE CASING):</u>	60				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		FT			<u>REMARKS:</u>	

**LOG ID:**  
**017804**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1958/10/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	770FT
<u>DRILL DEPTH:</u>	280FT	52N	6W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				627,140.13	4,350,191.88
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u> 2.5 MI SW OF VANDALIA ON HWY 54	

**LOG ID:**  
**010746**

WELL TYPE  
Industrial High Capacity Well

<u>DRILL DATE:</u>	1949/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	772FT
<u>DRILL DEPTH:</u>	625FT	52N	6W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				624,918.12	4,349,390.84
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	125				<u>REMARKS:</u>	

**LOG ID:**  
**004397**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1937/07/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	771FT
<u>DRILL DEPTH:</u>	625FT	52N	6W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				622,471.10	4,348,231.80
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u>	







# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**005781**

WELL TYPE  
Private Well

DRILL DATE: 1939/10/01      TOWNSHIP 52N      RANGE 7W      SECTION 5      ELEVATION: 751FT

DRILL DEPTH: 298FT

DEPTH TO BED: 25FT      UTM X 611,926.13      UTM Y 4,352,718.86  
ZONE 15

S.W.L. (BEFORE CASING):      REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
**006154**

WELL TYPE  
Private Well

DRILL DATE: 1940/00/00      TOWNSHIP 52N      RANGE 7W      SECTION 8      ELEVATION: 761FT

DRILL DEPTH: 678FT

DEPTH TO BED: 135FT      UTM X 610,506.11      UTM Y 4,350,511.80  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: 6 MI N OF RUSH HILL

S.W.L. (AFTER CASING): 107

**LOG ID:**  
**002945**

WELL TYPE  
Private Well

DRILL DATE: 1934/09/01      TOWNSHIP 52N      RANGE 8W      SECTION 20      ELEVATION: 831FT

DRILL DEPTH: 205FT

DEPTH TO BED: 75FT      UTM X 601,558.00      UTM Y 4,346,930.77  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: OLD WELL DEEPENED 56-205'

S.W.L. (AFTER CASING): 145

**LOG ID:**  
**028133**

WELL TYPE  
Irrigation Well

DRILL DATE:      TOWNSHIP 52N      RANGE 8W      SECTION 33      ELEVATION: 781FT

DRILL DEPTH: 1,315FT

DEPTH TO BED:      UTM X 603,552.98      UTM Y 4,344,157.69  
ZONE 15

S.W.L. (BEFORE CASING):      REMARKS: SCANNED - NO SAMPLES RUN, TOPS ONLY - TD IN QUESTION

S.W.L. (AFTER CASING):





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**028138**

WELL TYPE  
Irrigation Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 52N RANGE 11W SECTION 21 ELEVATION: 855FT  
DRILL DEPTH: 1,380FT UTM X 574,000.94 UTM Y 4,347,979.89  
DEPTH TO BED: 100FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: NO PRODUCTION OR CONSTRUCTION DATA  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
**028257**

WELL TYPE  
Irrigation Well

DRILL DATE: 1979/07/06 TOWNSHIP 52N RANGE 11W SECTION 33 ELEVATION: 864FT  
DRILL DEPTH: 1,290FT UTM X 573,041.93 UTM Y 4,344,255.85  
DEPTH TO BED: 50FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: NO PRODUCTION & CONSTRUCTION DATA  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
**017321**

WELL TYPE  
Private Well

DRILL DATE: 1958/00/00 TOWNSHIP 52N RANGE 11W SECTION 7 ELEVATION: 835FT  
DRILL DEPTH: 225FT UTM X 570,849.98 UTM Y 4,351,293.90  
DEPTH TO BED: 115FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: 2 MI W, 5 MI N OF CENTRALIA; YIELD - 3 GPM @ 140', 17 GPM @  
S.W.L. (AFTER CASING): 215'

**LOG ID:**  
**028142**

WELL TYPE  
Irrigation Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 52N RANGE 12W SECTION 26 ELEVATION: 860FT  
DRILL DEPTH: 1,270FT UTM X 566,896.00 UTM Y 4,345,756.85  
DEPTH TO BED: \_\_\_\_\_ ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: NO SAMPLES LOGGED, SOME TOPS LABELED, BEGINNING WITH  
S.W.L. (AFTER CASING): ST PETER



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**

**013572**

WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1955/04/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	854FT
<u>DRILL DEPTH:</u>	605FT	52N	12W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				569,077.97	4,344,297.84
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 5 MI W OF CENTRALIA ON HWY 22			
<u>S.W.L. (AFTER CASING):</u>	240				ZONE 15	

**LOG ID:**

**020723**

WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	794FT
<u>DRILL DEPTH:</u>	570FT	53N	11W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				577,599.95	4,354,473.95
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	150				ZONE 15	

## AUDRAIN