



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022110

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1964/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	904FT
<u>DRILL DEPTH:</u>	980FT	46N	12W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				564,716.16	4,292,241.31
<u>S.W.L. (BEFORE CASING):</u>	320	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	329	FT	ZONE 15			

LOG ID:
026373

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1969/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	904FT
<u>DRILL DEPTH:</u>	815FT	46N	12W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				564,716.16	4,292,241.31
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u> at site of old tower			
<u>S.W.L. (AFTER CASING):</u>			ZONE 15			

LOG ID:
023764

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1965/10/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	890FT
<u>DRILL DEPTH:</u>	465FT	46N	12W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				565,068.17	4,293,343.37
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 0.5 MI FROM ASHLAND ON HWY 63			
<u>S.W.L. (AFTER CASING):</u>	330		ZONE 15			

LOG ID:
002931

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1934/08/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	908FT
<u>DRILL DEPTH:</u>	505FT	46N	12W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				563,974.17	4,291,936.28
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> IN ASHLAND			
<u>S.W.L. (AFTER CASING):</u>	305		ZONE 15			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
014215

WELL TYPE
Community Public Well

DRILL DATE: 1955/12/20 TOWNSHIP 46N RANGE 12W SECTION 15 ELEVATION: 912FT

DRILL DEPTH: 930FT

DEPTH TO BED: 100FT UTM X 563,864.17 UTM Y 4,292,017.29
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: at Broadway - 1000' W OF #1

S.W.L. (AFTER CASING): 319

LOG ID:
016214

WELL TYPE
Private Well

DRILL DATE: 1957/03/22 TOWNSHIP 46N RANGE 12W SECTION 16 ELEVATION: 890FT

DRILL DEPTH: 480FT

DEPTH TO BED: 80FT UTM X 562,515.17 UTM Y 4,291,050.22
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: MANY MISSING SAMPLES

S.W.L. (AFTER CASING): 310

LOG ID:
023509

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 46N RANGE 12W SECTION 16 ELEVATION: 903FT

DRILL DEPTH: 545FT

DEPTH TO BED: 85FT UTM X 561,982.20 UTM Y 4,291,981.24
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: ASHLAND

S.W.L. (AFTER CASING):

LOG ID:
024385

WELL TYPE
Community Public Well

DRILL DATE: 1966/00/00 TOWNSHIP 46N RANGE 12W SECTION 16 ELEVATION: 867FT

DRILL DEPTH: 355FT

DEPTH TO BED: 60FT UTM X 562,182.18 UTM Y 4,291,173.21
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: Formerly Boone Co PWSD #5 - Well #2? - Ashland;

S.W.L. (AFTER CASING): plugged/abandoned, moved 10', drilled #1A



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024610

WELL TYPE
Community Public Well

DRILL DATE: 1966/10/01 TOWNSHIP 46N RANGE 12W SECTION 16 ELEVATION: 867FT

DRILL DEPTH: 1,100FT

DEPTH TO BED: 75FT UTM X 562,916.17 UTM Y 4,291,218.23
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly Boone County PWSD #5 - 4 MI S OF ASHLAND

S.W.L. (AFTER CASING): 290

LOG ID:
024576

WELL TYPE
Community Public Well

DRILL DATE: 1966/10/01 TOWNSHIP 46N RANGE 12W SECTION 22 ELEVATION: 872FT

DRILL DEPTH: 1,100FT

DEPTH TO BED: 100FT UTM X 563,947.13 UTM Y 4,289,084.16
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: Well 1A - formerly Boone County PWSD #5 - North of Ashland

S.W.L. (AFTER CASING): 308

LOG ID:
011264

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1947/00/00 TOWNSHIP 46N RANGE 12W SECTION 34 ELEVATION: 885FT

DRILL DEPTH: 308FT

DEPTH TO BED: 75FT UTM X 564,092.14 UTM Y 4,287,062.10
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: OLHAM FILLING STATION, 13 MI N OF JEFFERSON CITY ON HWY 13

S.W.L. (AFTER CASING):

LOG ID:
012044

WELL TYPE
Private Well

DRILL DATE: 1951/10/12 TOWNSHIP 46N RANGE 12W SECTION 34 ELEVATION: 879FT

DRILL DEPTH: 331FT

DEPTH TO BED: 60FT UTM X 564,292.15 UTM Y 4,286,252.07
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 12 MI N OF JEFFERSON CITY ON HWY 63, 6 MI SE OF ASHLAND

S.W.L. (AFTER CASING): 286



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023523

WELL TYPE
Private Well

DRILL DATE: 1964/08/04 TOWNSHIP 47N RANGE 12W SECTION 1 ELEVATION:

DRILL DEPTH: 441FT UTM X 566,887.29 UTM Y 4,303,535.83

DEPTH TO BED: 20FT ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 4-4.5 MI SE OF COLUMBIA - ELEVATION MAY BE 840'

S.W.L. (AFTER CASING):

LOG ID:
018758

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 47N RANGE 12W SECTION 15 ELEVATION: 833FT

DRILL DEPTH: 545FT UTM X 564,991.28 UTM Y 4,300,515.67

DEPTH TO BED: 25FT ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 9 MI S OF COLUMBIA ON HWY 63, W OF SLAB

S.W.L. (AFTER CASING): 225

LOG ID:
017927

WELL TYPE
Private Well

DRILL DATE: 1959/02/12 TOWNSHIP 47N RANGE 12W SECTION 19 ELEVATION: 787FT

DRILL DEPTH: 315FT UTM X 559,828.35 UTM Y 4,299,807.54

DEPTH TO BED: 40FT ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 9 MI S OF COLUMBIA, 4 MI W OF HWY 63

S.W.L. (AFTER CASING): 150

LOG ID:
003784

WELL TYPE
Private Well

DRILL DATE: 1936/07/01 TOWNSHIP 47N RANGE 12W SECTION 26 ELEVATION: 826FT

DRILL DEPTH: 377FT UTM X 565,168.23 UTM Y 4,297,117.53

DEPTH TO BED: 40FT ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2.5 MI N OF ASHLAND ON OLD US HWY 63

S.W.L. (AFTER CASING): 150

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017461

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	750FT
<u>DRILL DEPTH:</u>	300FT	47N	13W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				557,282.48	4,304,955.72
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150	<u>REMARKS:</u>	formerly in name of M.C. Turner (?)			

LOG ID:
018622

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/08/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	758FT
<u>DRILL DEPTH:</u>	300FT	47N	13W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				558,182.46	4,304,646.72
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	125	<u>REMARKS:</u>	4 MI S OF COLUMBIA ON HWY K			

LOG ID:
021218

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	745FT
<u>DRILL DEPTH:</u>	303FT	47N	13W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				557,282.48	4,304,955.72
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150	<u>REMARKS:</u>				

LOG ID:
022425

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	741FT
<u>DRILL DEPTH:</u>	535FT	47N	13W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				556,882.48	4,304,543.69
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018457

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 615FT
 _____ 47N 13W 11
DRILL DEPTH: 310FT UTM X UTM Y
DEPTH TO BED: 45FT 555,254.49 4,303,114.60
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 205

LOG ID:
020062

WELL TYPE
Private Well

DRILL DATE: 1961/04/18 TOWNSHIP RANGE SECTION ELEVATION: 631FT
 _____ 47N 13W 11
DRILL DEPTH: 215FT UTM X UTM Y
DEPTH TO BED: 25FT 555,854.48 4,303,114.61
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 5 MI S OF COLUMBIA ON HWY K
S.W.L. (AFTER CASING): 60

LOG ID:
024517

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1966/11/07 TOWNSHIP RANGE SECTION ELEVATION: 565FT
 _____ 47N 13W 14
DRILL DEPTH: 32FT UTM X UTM Y
DEPTH TO BED: _____ 555,630.45 4,301,506.53
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: RIVER PROFILE TEST - MAY BE MISLOCATED
S.W.L. (AFTER CASING): _____

LOG ID:
016718

WELL TYPE
Private Well

DRILL DATE: 1957/08/24 TOWNSHIP RANGE SECTION ELEVATION: 748FT
 _____ 47N 13W 16
DRILL DEPTH: 335FT UTM X UTM Y
DEPTH TO BED: 55FT 552,805.49 4,301,136.46
 _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 145

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003630

WELL TYPE
Outcrop Description

DRILL DATE: _____ TOWNSHIP 47N RANGE 13W SECTION 28 ELEVATION: 650FT
DRILL DEPTH: 66FT UTM X 552,756.43 UTM Y 4,297,734.31
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: P. 89, MGS VOL. 21
S.W.L. (AFTER CASING): _____

LOG ID:
006522

WELL TYPE
Private Well

DRILL DATE: 1940/10/01 TOWNSHIP 47N RANGE 13W SECTION 4 ELEVATION: 686FT
DRILL DEPTH: 235FT UTM X 552,548.55 UTM Y 4,304,007.58
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: WELL COULD NOT BE LOCATED
S.W.L. (AFTER CASING): 50

LOG ID:
016708

WELL TYPE
Private Well

DRILL DATE: 1957/09/06 TOWNSHIP 47N RANGE 13W SECTION 4 ELEVATION: 699FT
DRILL DEPTH: 173FT UTM X 553,248.56 UTM Y 4,305,445.66
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: _____
S.W.L. (AFTER CASING): 40

LOG ID:
017819

WELL TYPE
Private Well

DRILL DATE: 1958/10/14 TOWNSHIP 47N RANGE 13W SECTION 5 ELEVATION: 707FT
DRILL DEPTH: 300FT UTM X 550,650.58 UTM Y 4,303,643.53
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 8 MI SW OF COLUMBIA ON HWY KK
S.W.L. (AFTER CASING): 120

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018453

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 47N RANGE 13W SECTION 5 ELEVATION: 616FT
DRILL DEPTH: 336FT UTM X 550,450.58 UTM Y 4,303,643.53
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 1.5 MI SE OF McBAINE - POOR SAMPLES
S.W.L. (AFTER CASING): 55

LOG ID:
028220

WELL TYPE
Community Public Well

DRILL DATE: 1980/01/15 TOWNSHIP 47N RANGE 13W SECTION 5 ELEVATION: 721FT
DRILL DEPTH: 1,450FT UTM X 551,926.59 UTM Y 4,305,472.64
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: WELL #5; LONG SECTION
S.W.L. (AFTER CASING): _____

LOG ID:
008154

WELL TYPE
Private Well

DRILL DATE: 1942/12/01 TOWNSHIP 47N RANGE 13W SECTION 8 ELEVATION: 664FT
DRILL DEPTH: 180FT UTM X 550,827.56 UTM Y 4,302,874.50
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 2 MI SE OF McBAINE - "CAN BE PUMPED DRY"
S.W.L. (AFTER CASING): 40

LOG ID:
018757

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 47N RANGE 13W SECTION 8 ELEVATION: 698FT
DRILL DEPTH: 355FT UTM X 551,027.55 UTM Y 4,302,570.49
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: ABT 5 MI S OF COLUMBIA ON HWY K
S.W.L. (AFTER CASING): _____

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023027

WELL TYPE
Community Public Well

DRILL DATE: _____ TOWNSHIP 48N RANGE 12W SECTION 12 ELEVATION: 874FT
DRILL DEPTH: 1,345FT UTM X 567,422.40 UTM Y 4,312,230.18
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): 240 REMARKS: Miller & Fristo - (old log #23027) - later deepened on 7/1967 (log
S.W.L. (AFTER CASING): _____ FT #25051)

LOG ID:
025051

WELL TYPE
Community Public Well

DRILL DATE: 1967/07/01 TOWNSHIP 48N RANGE 12W SECTION 12 ELEVATION: 875FT
DRILL DEPTH: 1,345FT UTM X 567,422.40 UTM Y 4,312,230.18
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: OLD WELL (#23027) TO 920' (1964)
S.W.L. (AFTER CASING): 370

LOG ID:
011397

WELL TYPE
Private Well

DRILL DATE: 1950/05/10 TOWNSHIP 48N RANGE 12W SECTION 16 ELEVATION: 737FT
DRILL DEPTH: 462FT UTM X 562,130.47 UTM Y 4,310,225.03
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 1 MI E, 0.25 MI S OF FULTON ON GRAVEL RD
S.W.L. (AFTER CASING): 210

LOG ID:
013949

WELL TYPE
Private Well

DRILL DATE: 1955/00/00 TOWNSHIP 48N RANGE 12W SECTION 17 ELEVATION: 794FT
DRILL DEPTH: 470FT UTM X 561,906.48 UTM Y 4,310,465.04
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS:
S.W.L. (AFTER CASING): _____

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
014101

WELL TYPE
Private Well

DRILL DATE: 1955// TOWNSHIP 48N RANGE 12W SECTION 17 ELEVATION: 774FT
DRILL DEPTH: UTM X 561,706.48 UTM Y 4,310,465.04
DEPTH TO BED: 255FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ONE 5-FT SAMPLE LOGGED 255-260'; 1 MI E OF COLUMBIA
S.W.L. (AFTER CASING):

LOG ID:
018356

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 48N RANGE 12W SECTION 17 ELEVATION: 667FT
DRILL DEPTH: 100FT UTM X 560,905.51 UTM Y 4,310,865.04
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.5 MI E OF COLUMBIA ON FULTON RD
S.W.L. (AFTER CASING):

LOG ID:
018976

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 48N RANGE 12W SECTION 17 ELEVATION: 689FT
DRILL DEPTH: 390FT UTM X 560,905.50 UTM Y 4,310,465.02
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI E OF COLUMBIA ON HWY WW, 600' S OF RD
S.W.L. (AFTER CASING):

LOG ID:
005087

WELL TYPE
Community Public Well

DRILL DATE: 1938/10/01 TOWNSHIP 48N RANGE 12W SECTION 18 ELEVATION: 734FT
DRILL DEPTH: 1,203FT UTM X 558,931.54 UTM Y 4,310,456.99
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: UM DAIRY WELL, NEAR CORNER OF ROLLINS & S WILLIAMS ST,
S.W.L. (AFTER CASING): 313 COLUMBIA



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022389

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/08/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	804FT
<u>DRILL DEPTH:</u>	605FT	48N	12W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				559,483.48	4,307,252.86
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	300	<u>REMARKS:</u> SOUTHLAND ACRES - S OF COLUMBIA				

LOG ID:
013458

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	773FT
<u>DRILL DEPTH:</u>	255FT	48N	12W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				559,083.47	4,306,526.82
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> 2.5 MI S OF COLUMBIA				

LOG ID:
016563

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/08/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	693FT
<u>DRILL DEPTH:</u>	280FT	48N	12W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				559,659.45	4,305,883.80
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	165	<u>REMARKS:</u> 3 MI S, 0.5 MI W OF COLUMBIA ON HWY 63				

LOG ID:
020556

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/06/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	782FT
<u>DRILL DEPTH:</u>	652FT	48N	12W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				560,043.43	4,304,983.77
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	265	<u>REMARKS:</u> 4 MI SE OF COLUMBIA				

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010158

WELL TYPE
Community Public Well

DRILL DATE: 1948/05/01 TOWNSHIP 48N RANGE 12W SECTION 5 ELEVATION: 806FT

DRILL DEPTH: 1,200FT

DEPTH TO BED: UTM X 560,552.57 UTM Y 4,314,313.18
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: Columbia refers to this as Well #5

S.W.L. (AFTER CASING): 376

LOG ID:
001641

WELL TYPE
Community Public Well

DRILL DATE: 1911// TOWNSHIP 48N RANGE 12W SECTION 6 ELEVATION: 785FT

DRILL DEPTH: 818FT

DEPTH TO BED: 45FT UTM X 559,671.57 UTM Y 4,313,079.11
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: DRILLER'S LOG ONLY; MOORE'S LAKE

S.W.L. (AFTER CASING): 204

LOG ID:
001657

WELL TYPE
Community Public Well

DRILL DATE: 1911/10/11 TOWNSHIP 48N RANGE 12W SECTION 6 ELEVATION: 780FT

DRILL DEPTH: 879FT

DEPTH TO BED: 60FT UTM X 559,671.57 UTM Y 4,313,079.11
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: old Well #2 - MOORE'S LAKE PROPERTY - Water & Light Department

S.W.L. (AFTER CASING): 283

LOG ID:
002219

WELL TYPE
Community Public Well

DRILL DATE: 1928// TOWNSHIP 48N RANGE 12W SECTION 6 ELEVATION: 777FT

DRILL DEPTH: 1,200FT

DEPTH TO BED: 50FT UTM X 559,671.57 UTM Y 4,313,079.11
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: City refers to this as Well #3

S.W.L. (AFTER CASING): 337

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021018

WELL TYPE
Noncommunity Public Well

DRILL DATE: _____ TOWNSHIP 48N RANGE 12W SECTION 8 ELEVATION: 724FT
DRILL DEPTH: 400FT
DEPTH TO BED: 30FT UTM X 560,934.52 UTM Y 4,311,651.07
 ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: VERY POOR SAMPLES - DO NOT USE
S.W.L. (AFTER CASING): _____

LOG ID:
006747

WELL TYPE
Private Well

DRILL DATE: 1940/00/00 TOWNSHIP 48N RANGE 12W SECTION 9 ELEVATION: 787FT
DRILL DEPTH: 430FT
DEPTH TO BED: 30FT UTM X 562,949.50 UTM Y 4,312,915.16
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: _____
S.W.L. (AFTER CASING): 225

LOG ID:
015706

WELL TYPE
Private Well

DRILL DATE: 1957/00/00 TOWNSHIP 48N RANGE 12W SECTION 9 ELEVATION: 794FT
DRILL DEPTH: 500FT
DEPTH TO BED: 75FT UTM X 562,548.50 UTM Y 4,312,705.15
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: _____
S.W.L. (AFTER CASING): 300

LOG ID:
021809

WELL TYPE
Community Public Well

DRILL DATE: 1963/07/24 TOWNSHIP 48N RANGE 12W SECTION 9 ELEVATION: 810FT
DRILL DEPTH: 835FT
DEPTH TO BED: 80FT UTM X 562,548.50 UTM Y 4,312,915.15
 ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: Jack Ostrin - CAVING THROUGHOUT BURLINGTON SAMPLES
S.W.L. (AFTER CASING): _____



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005172

WELL TYPE
Community Public Well

DRILL DATE: 1938/12/01 TOWNSHIP 48N RANGE 13W SECTION 13 ELEVATION: 700FT

DRILL DEPTH: 1,200FT

DEPTH TO BED: 10FT UTM X 557,760.57 UTM Y 4,310,955.99
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: West Well

S.W.L. (AFTER CASING):

LOG ID:
018259

WELL TYPE
Community Public Well

DRILL DATE: 1959/06/01 TOWNSHIP 48N RANGE 13W SECTION 13 ELEVATION: 757FT

DRILL DEPTH: 1,560FT

DEPTH TO BED: 15FT UTM X 558,443.54 UTM Y 4,309,753.95
ZONE 15

S.W.L. (BEFORE CASING): 295 FT REMARKS: South well - OLD WELL DEEPENED 1265-1560' IN 1992

S.W.L. (AFTER CASING): 310 FT

LOG ID:
015953

WELL TYPE
Private Well

DRILL DATE: 1957/03/01 TOWNSHIP 48N RANGE 13W SECTION 15 ELEVATION: 708FT

DRILL DEPTH: 1,120FT

DEPTH TO BED: 505FT UTM X 554,146.64 UTM Y 4,310,739.92
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0-505' DRILLED BY A.D. DONNER

S.W.L. (AFTER CASING): 143

LOG ID:
021800

WELL TYPE
Community Public Well

DRILL DATE: 1963/08/01 TOWNSHIP 48N RANGE 13W SECTION 15 ELEVATION: 752FT

DRILL DEPTH: 1,437FT

DEPTH TO BED: 35FT UTM X 553,746.66 UTM Y 4,311,139.93
ZONE 15

S.W.L. (BEFORE CASING): 70 REMARKS: SWL AFTER SEALING "DRY"

S.W.L. (AFTER CASING): FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018444

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 48N RANGE 13W SECTION 19 ELEVATION: 674FT
DRILL DEPTH: 480FT
DEPTH TO BED: 30FT UTM X 549,148.73 UTM Y 4,309,729.78
S.W.L. (BEFORE CASING): _____ FT REMARKS: 2 MI NE OF HUNTSDALE
S.W.L. (AFTER CASING): 140 ZONE 15

LOG ID:
004241

WELL TYPE
Private Well

DRILL DATE: 1937/04/01 TOWNSHIP 48N RANGE 13W SECTION 2 ELEVATION: 744FT
DRILL DEPTH: 120FT
DEPTH TO BED: 25FT UTM X 555,897.66 UTM Y 4,313,638.07
S.W.L. (BEFORE CASING): _____ FT REMARKS: TOTAL DRAW DOWN
S.W.L. (AFTER CASING): 50 ZONE 15

LOG ID:
013145

WELL TYPE
Private Well

DRILL DATE: 1954/10/06 TOWNSHIP 48N RANGE 13W SECTION 2 ELEVATION: 723FT
DRILL DEPTH: 360FT
DEPTH TO BED: 15FT UTM X 555,897.66 UTM Y 4,313,835.08
S.W.L. (BEFORE CASING): _____ FT REMARKS: 0.5 MI NW OF COLUMBIA
S.W.L. (AFTER CASING): 200 ZONE 15

LOG ID:
016359

WELL TYPE
Private Well

DRILL DATE: 1957/05/11 TOWNSHIP 48N RANGE 13W SECTION 2 ELEVATION: 719FT
DRILL DEPTH: 335FT
DEPTH TO BED: _____ UTM X 555,997.67 UTM Y 4,314,328.11
S.W.L. (BEFORE CASING): _____ FT REMARKS: 2 MI S OF COLUMBIA
S.W.L. (AFTER CASING): _____ ZONE 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015561

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1956/09/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	688FT
<u>DRILL DEPTH:</u>	288FT	48N	13W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				554,885.56	4,306,681.75
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	100				ZONE 15	

LOG ID:
017265

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	751FT
<u>DRILL DEPTH:</u>	445FT	48N	13W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				557,499.49	4,305,545.75
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	200				ZONE 15	

LOG ID:
017268

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/05/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	734FT
<u>DRILL DEPTH:</u>	107FT	48N	13W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				557,299.49	4,305,749.75
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 2.5 MI S OF COLUMBIA ON HWY K			
<u>S.W.L. (AFTER CASING):</u>	30				ZONE 15	

LOG ID:
017816

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	739FT
<u>DRILL DEPTH:</u>	438FT	48N	13W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				557,399.48	4,305,237.73
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023235

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 48N RANGE 14W SECTION 17 ELEVATION: 810FT
DRILL DEPTH: 560FT UTM X 541,551.91 UTM Y 4,311,108.67
DEPTH TO BED: 115FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: _____
S.W.L. (AFTER CASING): _____

LOG ID:
013946

WELL TYPE
Private Well

DRILL DATE: 1955/00/00 TOWNSHIP 48N RANGE 14W SECTION 2 ELEVATION: 776FT
DRILL DEPTH: 525FT UTM X 546,415.90 UTM Y 4,315,370.00
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: _____
S.W.L. (AFTER CASING): _____

LOG ID:
015046

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1956/11/01 TOWNSHIP 48N RANGE 14W SECTION 2 ELEVATION: 768FT
DRILL DEPTH: 572FT UTM X 546,415.91 UTM Y 4,315,574.01
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: RFD 3, COLUMBIA
S.W.L. (AFTER CASING): 205

LOG ID:
018450

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 48N RANGE 14W SECTION 21 ELEVATION: 779FT
DRILL DEPTH: 529FT UTM X 543,552.84 UTM Y 4,309,530.68
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: _____
S.W.L. (AFTER CASING): _____



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018349

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 767FT
DRILL DEPTH: 475FT 48N 14W 7
DEPTH TO BED: 40FT UTM X UTM Y
540,409.97 4,313,235.72
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Pete Christus - 12 mi W of Columbia on I-70 near Rocheport
S.W.L. (AFTER CASING):

LOG ID:
023477

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 731FT
DRILL DEPTH: 525FT 48N 14W 7
DEPTH TO BED: 30FT UTM X UTM Y
540,209.98 4,313,514.73
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEAR ROCHEPORT
S.W.L. (AFTER CASING):

LOG ID:
023482

WELL TYPE
Private Well

DRILL DATE: 1964/04/04 TOWNSHIP RANGE SECTION ELEVATION: 783FT
DRILL DEPTH: 600FT 48N 14W 7
DEPTH TO BED: 80FT UTM X UTM Y
539,010.00 4,313,607.68
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1.25 MI SE OF ROCHEPORT
S.W.L. (AFTER CASING):

LOG ID:
017817

WELL TYPE
Private Well

DRILL DATE: 1958/06/01 TOWNSHIP RANGE SECTION ELEVATION: 755FT
DRILL DEPTH: 498FT 48N 14W 8
DEPTH TO BED: 170FT UTM X UTM Y
540,979.98 4,313,819.77
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: YIELD "ABUNDANT"
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025081

WELL TYPE
Noncommunity Public Well

DRILL DATE: _____ TOWNSHIP 48N RANGE 14W SECTION 8 ELEVATION: 778FT
DRILL DEPTH: 502FT UTM X 540,579.96 UTM Y 4,313,007.72
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: S OF PETE'S CAFE ON I-70; NO SAMPLES LOGGED BELOW 235'
S.W.L. (AFTER CASING): _____

LOG ID:
017873

WELL TYPE
Private Well

DRILL DATE: 1958/10/01 TOWNSHIP 48N RANGE 14W SECTION 9 ELEVATION: 769FT
DRILL DEPTH: 599FT UTM X 543,580.91 UTM Y 4,312,786.83
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: E OF ROCHEPORT
S.W.L. (AFTER CASING): _____

LOG ID:
004528

WELL TYPE
Private Well

DRILL DATE: 1937/09/01 TOWNSHIP 48N RANGE 15W SECTION 1 ELEVATION: 590FT
DRILL DEPTH: 230FT UTM X 538,265.05 UTM Y 4,315,132.72
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: OLD WELL TO 40'; 0.5 MI N OF ROCHEPORT ON OLD HWY 40
S.W.L. (AFTER CASING): 15

LOG ID:
006345

WELL TYPE
Private Well

DRILL DATE: 1940/00/00 TOWNSHIP 49N RANGE 11W SECTION 20 ELEVATION: 896FT
DRILL DEPTH: 480FT UTM X 571,333.41 UTM Y 4,317,951.40
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: previously owned by Frank Russel
S.W.L. (AFTER CASING): 260



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023541

WELL TYPE
Noncommunity Public Well

DRILL DATE: _____ TOWNSHIP 49N RANGE 11W SECTION 20 ELEVATION: 891FT
DRILL DEPTH: 410FT
DEPTH TO BED: 135FT UTM X 570,933.43 UTM Y 4,318,367.41
 ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: formerly in name of Potts School - no production or construction data;
S.W.L. (AFTER CASING): _____ highly caved

LOG ID:
021013

WELL TYPE
Private Well

DRILL DATE: 1962/02/18 TOWNSHIP 49N RANGE 11W SECTION 27 ELEVATION: 872FT
DRILL DEPTH: 420FT
DEPTH TO BED: 70FT UTM X 574,200.36 UTM Y 4,317,818.40
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 150

LOG ID:
005916

WELL TYPE
Private Well

DRILL DATE: 1939/11/02 TOWNSHIP 49N RANGE 11W SECTION 29 ELEVATION: 892FT
DRILL DEPTH: 390FT
DEPTH TO BED: 80FT UTM X 571,029.39 UTM Y 4,316,438.36
 ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS:
S.W.L. (AFTER CASING): _____

LOG ID:
017978

WELL TYPE
Private Well

DRILL DATE: 1959/01/06 TOWNSHIP 49N RANGE 11W SECTION 30 ELEVATION: 889FT
DRILL DEPTH: 440FT
DEPTH TO BED: _____ UTM X 569,788.42 UTM Y 4,316,688.37
 ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 5 MI E, 2 MI N OF COLUMBIA
S.W.L. (AFTER CASING): 150

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023828

WELL TYPE
Community Public Well

DRILL DATE: 1965/11/01 TOWNSHIP 49N RANGE 11W SECTION 30 ELEVATION: 894FT

DRILL DEPTH: 1,375FT

DEPTH TO BED: 60FT UTM X 569,025.44 UTM Y 4,317,320.38
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Boone Co PWSD #2 Well #1

S.W.L. (AFTER CASING): 282

LOG ID:
026609

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 49N RANGE 11W SECTION 6 ELEVATION: 883FT

DRILL DEPTH: 441FT

DEPTH TO BED: 105FT UTM X 569,443.57 UTM Y 4,324,231.50
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: N OF COLUMBIA

S.W.L. (AFTER CASING):

LOG ID:
028010

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP 49N RANGE 11W SECTION 8 ELEVATION: 920FT

DRILL DEPTH: 1,515FT

DEPTH TO BED: 90FT UTM X 572,028.48 UTM Y 4,321,949.47
ZONE 15

S.W.L. (BEFORE CASING): 300 REMARKS:

S.W.L. (AFTER CASING): FT

LOG ID:
001879

WELL TYPE
Private Well

DRILL DATE: 1915/00/00 TOWNSHIP 49N RANGE 12W SECTION 10 ELEVATION: 896FT

DRILL DEPTH: 156FT

DEPTH TO BED: 110FT UTM X 563,899.63 UTM Y 4,322,005.44
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019560

WELL TYPE
Private Well

DRILL DATE: 1960/09/14 TOWNSHIP 49N RANGE 12W SECTION 10 ELEVATION: 902FT

DRILL DEPTH: 375FT

DEPTH TO BED: 175FT UTM X 563,899.63 UTM Y 4,322,213.44
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 7.5 MI N OF COLUMBIA ON HWY B, @ BROWNS STATION

S.W.L. (AFTER CASING):

LOG ID:
019001

WELL TYPE
Private Well

DRILL DATE: 1960/05/12 TOWNSHIP 49N RANGE 12W SECTION 11 ELEVATION: 839FT

DRILL DEPTH: 300FT

DEPTH TO BED: 50FT UTM X 565,521.58 UTM Y 4,321,163.44
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: previously under name of Allen Kircher - 7 mi NE of Columbia on Hwy

S.W.L. (AFTER CASING): 75 HH

LOG ID:
020113

WELL TYPE
Private Well

DRILL DATE: 1961/06/07 TOWNSHIP 49N RANGE 12W SECTION 15 ELEVATION: 831FT

DRILL DEPTH: 302FT

DEPTH TO BED: 30FT UTM X 564,659.58 UTM Y 4,320,362.42
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 5 MI NE OF COLUMBIA

S.W.L. (AFTER CASING): 100

LOG ID:
023025

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP 49N RANGE 12W SECTION 16 ELEVATION: 850FT

DRILL DEPTH: 1,130FT

DEPTH TO BED: UTM X 563,219.60 UTM Y 4,319,751.39
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: SEE LOG #23368 - OLD WELL DEEPENED

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021175

WELL TYPE
Private Well

DRILL DATE: 1962/04/17

TOWNSHIP RANGE SECTION

ELEVATION: 738FT

DRILL DEPTH: 629FT

49N 12W 30

DEPTH TO BED: 30FT

UTM X UTM Y
558,798.64 4,316,438.24
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
006346

WELL TYPE
Private Well

DRILL DATE: 1940/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 670FT

DRILL DEPTH: 239FT

49N 12W 31

DEPTH TO BED: 70FT

UTM X UTM Y
560,190.60 4,315,990.25
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
016093

WELL TYPE
Private Well

DRILL DATE: 1957/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 777FT

DRILL DEPTH: 748FT

49N 12W 31

DEPTH TO BED: 75FT

UTM X UTM Y
559,198.63 4,316,204.24
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 3 MI N, 0.5 MI E OF COLUMBIA

S.W.L. (AFTER CASING):

LOG ID:
000105

WELL TYPE
Community Public Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 785FT

DRILL DEPTH: 800FT

49N 12W 32

DEPTH TO BED: 40FT

UTM X UTM Y
561,031.57 4,314,995.22
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: DRILLER'S LOG ONLY; 2 MI NE OF COLUMBIA, "ONE OF FIRST 3 WELLS DRILLED"

S.W.L. (AFTER CASING): 283

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005723

WELL TYPE
Private Well

DRILL DATE: 1939/00/00 TOWNSHIP 49N RANGE 13W SECTION 13 ELEVATION: 693FT

DRILL DEPTH: 103FT

DEPTH TO BED: 40FT UTM X 557,142.76 UTM Y 4,321,024.32
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 60

LOG ID:
005729

WELL TYPE
Private Well

DRILL DATE: 1939/00/00 TOWNSHIP 49N RANGE 13W SECTION 13 ELEVATION: 684FT

DRILL DEPTH: 198FT

DEPTH TO BED: 40FT UTM X 557,342.75 UTM Y 4,321,024.32
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 60

LOG ID:
022532

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 49N RANGE 13W SECTION 16 ELEVATION: 680FT

DRILL DEPTH: 590FT

DEPTH TO BED: 15FT UTM X 553,078.85 UTM Y 4,321,182.26
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 200

LOG ID:
021306

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 49N RANGE 13W SECTION 18 ELEVATION: 748FT

DRILL DEPTH: 230FT

DEPTH TO BED: 50FT UTM X 549,183.94 UTM Y 4,321,775.21
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018354

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	736FT
<u>DRILL DEPTH:</u>	285FT	49N	14W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				540,293.07	4,317,960.91
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> NE OF ROCHEPORT			
<u>S.W.L. (AFTER CASING):</u>	42				ZONE 15	

LOG ID:
004239

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1937/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	803FT
<u>DRILL DEPTH:</u>	180FT	49N	14W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				546,277.91	4,315,766.01
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	50				ZONE 15	

LOG ID:
006694

WELL TYPE
Irrigation Well

<u>DRILL DATE:</u>	1941/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	793FT
<u>DRILL DEPTH:</u>	730FT	49N	14W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				545,877.93	4,316,174.03
<u>S.W.L. (BEFORE CASING):</u>	60	FT	<u>REMARKS:</u> Midway Orchard Well #1			
<u>S.W.L. (AFTER CASING):</u>	250	FT			ZONE 15	

LOG ID:
011366

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1950/05/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	723FT
<u>DRILL DEPTH:</u>	237FT	49N	15W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				538,685.08	4,316,546.81
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	60				ZONE 15	

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018982

WELL TYPE
Oil Well

DRILL DATE: 1960/00/00 TOWNSHIP 50N RANGE 12W SECTION 19 ELEVATION: 827FT

DRILL DEPTH: 495FT

DEPTH TO BED: 25FT UTM X 560,362.80 UTM Y 4,327,855.49
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: R. McKENZIE #3-S - STRUCTURE TEST

S.W.L. (AFTER CASING):

LOG ID:
004759

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 50N RANGE 12W SECTION 20 ELEVATION: 863FT

DRILL DEPTH: 519FT

DEPTH TO BED: 225FT UTM X 561,328.80 UTM Y 4,328,717.52
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES 0-225'

S.W.L. (AFTER CASING):

LOG ID:
014455

WELL TYPE
Private Well

DRILL DATE: 1955/11/01 TOWNSHIP 50N RANGE 12W SECTION 20 ELEVATION: 873FT

DRILL DEPTH: 385FT

DEPTH TO BED: 10FT UTM X 561,328.81 UTM Y 4,329,349.53
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 240

LOG ID:
018139

WELL TYPE
Oil Well

DRILL DATE: 1958/08/15 TOWNSHIP 50N RANGE 12W SECTION 20 ELEVATION: 882FT

DRILL DEPTH: 2,025FT

DEPTH TO BED: 35FT UTM X 561,528.80 UTM Y 4,329,139.53
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: McAlpine Well #1

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023171

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 50N RANGE 12W SECTION 27 ELEVATION: 904FT
DRILL DEPTH: 350FT
DEPTH TO BED: _____ UTM X 564,887.70 UTM Y 4,327,123.54
 S.W.L. (BEFORE CASING): _____ ZONE 15
 S.W.L. (AFTER CASING): _____ REMARKS: 10-FT SAMPLES; 69 WALNUT HILLS, COLUMBIA

LOG ID:
017936

WELL TYPE
Oil Well

DRILL DATE: _____ TOWNSHIP 50N RANGE 12W SECTION 29 ELEVATION: 848FT
DRILL DEPTH: 240FT
DEPTH TO BED: 15FT UTM X 561,292.78 UTM Y 4,327,726.50
 S.W.L. (BEFORE CASING): _____ ZONE 15
 S.W.L. (AFTER CASING): _____ REMARKS: McKengie #1-S

LOG ID:
018919

WELL TYPE
Oil Well

DRILL DATE: _____ TOWNSHIP 50N RANGE 12W SECTION 29 ELEVATION: 850FT
DRILL DEPTH: 360FT
DEPTH TO BED: 50FT UTM X 561,292.78 UTM Y 4,327,726.50
 S.W.L. (BEFORE CASING): _____ ZONE 15
 S.W.L. (AFTER CASING): _____ REMARKS: R. McKENZIE #5-S - STRUCTURE TEST

LOG ID:
018983

WELL TYPE
Oil Well

DRILL DATE: _____ TOWNSHIP 50N RANGE 12W SECTION 29 ELEVATION: 845FT
DRILL DEPTH: 540FT
DEPTH TO BED: 30FT UTM X 561,192.78 UTM Y 4,327,623.50
 S.W.L. (BEFORE CASING): _____ ZONE 15
 S.W.L. (AFTER CASING): _____ REMARKS: R. McKenzie #4-S - Oil Test

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004757

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 50N RANGE 12W SECTION 3 ELEVATION: 883FT
DRILL DEPTH: 513FT UTM X 564,557.83 UTM Y 4,333,855.65
DEPTH TO BED: 230FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: OLD WELL O-230' DEEPENED TO 513'
S.W.L. (AFTER CASING): _____

LOG ID:
017937

WELL TYPE
Oil Well

DRILL DATE: 1959/00/00 TOWNSHIP 50N RANGE 12W SECTION 30 ELEVATION: 790FT
DRILL DEPTH: 525FT UTM X 560,162.79 UTM Y 4,326,945.47
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: McKengie #2-S
S.W.L. (AFTER CASING): _____

LOG ID:
017935

WELL TYPE
Oil Well

DRILL DATE: 1959/00/00 TOWNSHIP 50N RANGE 12W SECTION 35 ELEVATION: 872FT
DRILL DEPTH: 420FT UTM X 566,971.62 UTM Y 4,324,552.50
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: Powell #1-S
S.W.L. (AFTER CASING): _____

LOG ID:
022005

WELL TYPE
Private Well

DRILL DATE: 1963/08/05 TOWNSHIP 50N RANGE 12W SECTION 36 ELEVATION: 868FT
DRILL DEPTH: 160FT UTM X 568,189.60 UTM Y 4,324,918.51
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: _____
S.W.L. (AFTER CASING): _____



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017875

WELL TYPE
Oil Well

DRILL DATE: 1959/00/00 TOWNSHIP 50N RANGE 12W SECTION 9 ELEVATION: 866FT

DRILL DEPTH: 435FT

DEPTH TO BED: 80FT UTM X 563,671.80 UTM Y 4,331,294.60
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: DRANE WELL

S.W.L. (AFTER CASING):

LOG ID:
017874

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP 50N RANGE 13W SECTION 1 ELEVATION: 841FT

DRILL DEPTH: 400FT

DEPTH TO BED: 50FT UTM X 557,903.96 UTM Y 4,334,224.57
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: McGLASSEN WELL

S.W.L. (AFTER CASING):

LOG ID:
005731

WELL TYPE
Private Well

DRILL DATE: 1939/00/00 TOWNSHIP 50N RANGE 13W SECTION 12 ELEVATION: 821FT

DRILL DEPTH: 352FT

DEPTH TO BED: 20FT UTM X 557,556.93 UTM Y 4,332,000.52
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OWNER LIVES IN ST. LOUIS

S.W.L. (AFTER CASING): 180

LOG ID:
017901

WELL TYPE
Private Well

DRILL DATE: 1958/00/00 TOWNSHIP 50N RANGE 13W SECTION 12 ELEVATION: 727FT

DRILL DEPTH: 310FT

DEPTH TO BED: 50FT UTM X 557,356.93 UTM Y 4,331,574.51
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 12 MI N OF COLUMBIA, SW COR JCT OF HWYS 63 & 124

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018348

WELL TYPE
Private Well

DRILL DATE: 1959/04/20 TOWNSHIP 50N RANGE 13W SECTION 12 ELEVATION: 809FT

DRILL DEPTH: 500FT

DEPTH TO BED: UTM X 557,756.93 UTM Y 4,332,214.53
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: JCT HWYS 63 & 12

S.W.L. (AFTER CASING): 175

LOG ID:
005439

WELL TYPE
Private Well

DRILL DATE: 1939/07/01 TOWNSHIP 50N RANGE 13W SECTION 13 ELEVATION: 805FT

DRILL DEPTH: 373FT

DEPTH TO BED: 60FT UTM X 558,121.89 UTM Y 4,330,122.50
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 10 MI N OF COLUMBIA ON HWY 673

S.W.L. (AFTER CASING): 200

LOG ID:
014461

WELL TYPE
Private Well

DRILL DATE: 1955/12/07 TOWNSHIP 50N RANGE 13W SECTION 14 ELEVATION: 774FT

DRILL DEPTH: 625FT

DEPTH TO BED: 220FT UTM X 555,880.93 UTM Y 4,329,784.46
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
023233

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 50N RANGE 13W SECTION 22 ELEVATION: 704FT

DRILL DEPTH: 395FT

DEPTH TO BED: 110FT UTM X 555,448.92 UTM Y 4,328,673.43
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: STURGEON

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007060	<u>WELL TYPE</u> Private Well					
<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	863FT
<u>DRILL DEPTH:</u>		51N	12W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	200FT				565,169.97	4,342,265.80
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u> NO TD GIVEN, ONE SAMPLE SAVED 400-405'				

LOG ID: 028292	<u>WELL TYPE</u> Irrigation Well					
<u>DRILL DATE:</u>	1979/08/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	855FT
<u>DRILL DEPTH:</u>	1,390FT	51N	12W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				565,269.97	4,341,953.79
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	273	<u>REMARKS:</u>				

LOG ID: 013674	<u>WELL TYPE</u> Community Public Well					
<u>DRILL DATE:</u>	1955/07/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	841FT
<u>DRILL DEPTH:</u>	1,051FT	51N	12W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				562,280.04	4,343,183.78
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	198	<u>REMARKS:</u> 2.5 BLKS E OF METHODIST CHURCH				

LOG ID: 006331	<u>WELL TYPE</u> Private Well					
<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	858FT
<u>DRILL DEPTH:</u>	262FT	51N	13W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				557,946.07	4,340,429.68
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	182	<u>REMARKS:</u> Boone Acres Well #1 - W side US Hwy 63				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:

006529

WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/08/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	850FT
<u>DRILL DEPTH:</u>	285FT	51N	13W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT				556,881.07	4,339,627.65
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	110				<u>REMARKS:</u> previously under name of Dr. Frank E. Dexhiemer Well #2	

BOONE