

## CEDAR

County Base Map

(Records are Sorted by Township, Range, and Section)

**LOG ID:**  
**016590**

WELL TYPE  
Private Well

DRILL DATE: 1955/08/02      TOWNSHIP 33N    RANGE 25W    SECTION 11      ELEVATION: 1,013FT

DRILL DEPTH: 230FT      UTM X 442,645.30    UTM Y 4,162,420.29

DEPTH TO BED: 25FT      ZONE 15

S.W.L. (BEFORE CASING):      REMARKS: YIELD - 5 GPM @ 200', 5-8 GPM @ 230'; 0.6 MI E, 0.1 MI N OF

S.W.L. (AFTER CASING):      MASTERS

**LOG ID:**  
**016409**

WELL TYPE  
Private Well

DRILL DATE: 1954/03/06      TOWNSHIP 33N    RANGE 25W    SECTION 14      ELEVATION: 932FT

DRILL DEPTH: 220FT      UTM X 442,580.30    UTM Y 4,161,827.29

DEPTH TO BED: 15FT      ZONE 15

S.W.L. (BEFORE CASING):      FT      REMARKS: YIELD - 6-7 GPM @ 115', 16-18 GPM @ 140'

S.W.L. (AFTER CASING): 65

**LOG ID:**  
**026801**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1971/01/21      TOWNSHIP 33N    RANGE 25W    SECTION 16      ELEVATION: 943FT

DRILL DEPTH: 305FT      UTM X 440,095.27    UTM Y 4,161,518.31

DEPTH TO BED: 2FT      ZONE 15

S.W.L. (BEFORE CASING):      FT      REMARKS: "SEE STOCKTON EAST SECTION OF THOMPSON (1283-52)

S.W.L. (AFTER CASING): 70

**LOG ID:**  
**026994**

WELL TYPE  
Noncommunity Public Well

DRILL DATE:      TOWNSHIP 33N    RANGE 25W    SECTION 21      ELEVATION: 943FT

DRILL DEPTH: 245FT      UTM X 439,866.26    UTM Y 4,159,008.31

DEPTH TO BED: 125FT      ZONE 15

S.W.L. (BEFORE CASING): 75      REMARKS:

S.W.L. (AFTER CASING):      FT





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**026930**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP RANGE SECTION ELEVATION: 962FT  
DRILL DEPTH: 650FT 33N 26W 11  
DEPTH TO BED: 45FT UTM X UTM Y  
 433,684.21 4,163,881.37  
S.W.L. (BEFORE CASING): 85 REMARKS: NO PRODUCTION DATA  
S.W.L. (AFTER CASING): \_\_\_\_\_ FT  
 ZONE 15

**LOG ID:**  
**026998**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1971/12/29 TOWNSHIP RANGE SECTION ELEVATION: 943FT  
DRILL DEPTH: 240FT 33N 26W 12  
DEPTH TO BED: 35FT UTM X UTM Y  
 434,630.22 4,162,309.36  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: NO CASING OR PRODUCTION DATA  
S.W.L. (AFTER CASING): \_\_\_\_\_ FT  
 ZONE 15

**LOG ID:**  
**027337**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1973/04/02 TOWNSHIP RANGE SECTION ELEVATION: 1,000FT  
DRILL DEPTH: 405FT 33N 26W 13  
DEPTH TO BED: 30FT UTM X UTM Y  
 434,730.22 4,162,019.36  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: ELEVATION "TOO HIGH"; 1.25 MI N OF CANE HILL, OFF HWY 215  
S.W.L. (AFTER CASING): 180  
 ZONE 15

**LOG ID:**  
**026831**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1971/05/20 TOWNSHIP RANGE SECTION ELEVATION: 959FT  
DRILL DEPTH: 265FT 33N 26W 16  
DEPTH TO BED: 25FT UTM X UTM Y  
 430,409.17 4,161,144.41  
S.W.L. (BEFORE CASING): 40 REMARKS: NO PRODUCTION DATA  
S.W.L. (AFTER CASING): \_\_\_\_\_ FT  
 ZONE 15



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**

**026995**

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1971/02/26 TOWNSHIP 33N RANGE 26W SECTION 16 ELEVATION: 967FT  
DRILL DEPTH: 265FT UTM X 430,661.18 UTM Y 4,162,338.41  
DEPTH TO BED: 30FT ZONE 15  
S.W.L. (BEFORE CASING): 75 REMARKS:  
S.W.L. (AFTER CASING): FT

**LOG ID:**

**027214**

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1972/08/07 TOWNSHIP 33N RANGE 26W SECTION 17 ELEVATION: 990FT  
DRILL DEPTH: 500FT UTM X 429,024.16 UTM Y 4,162,179.43  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): 200 REMARKS:  
S.W.L. (AFTER CASING): FT

**LOG ID:**

**004040**

WELL TYPE

Private Well

DRILL DATE: 1936/04/30 TOWNSHIP 33N RANGE 26W SECTION 23 ELEVATION: 984FT  
DRILL DEPTH: 265FT UTM X 434,233.20 UTM Y 4,159,127.36  
DEPTH TO BED: 10FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 225

**LOG ID:**

**026305**

WELL TYPE

Private Well

DRILL DATE: 1967/06/23 TOWNSHIP 33N RANGE 27W SECTION 11 ELEVATION: 982FT  
DRILL DEPTH: 176FT UTM X 424,458.11 UTM Y 4,162,720.50  
DEPTH TO BED: 10FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 59

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
028327

WELL TYPE  
Community Public Well

DRILL DATE: 1979/10/15      TOWNSHIP 33N      RANGE 28W      SECTION 15      ELEVATION: 1,053FT

DRILL DEPTH: 1,215FT

DEPTH TO BED:      UTM X 411,646.97      UTM Y 4,162,933.69  
ZONE 15

S.W.L. (BEFORE CASING):      REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
004107

WELL TYPE  
Private Well

DRILL DATE: 1937/01/07      TOWNSHIP 33N      RANGE 28W      SECTION 22      ELEVATION: 961FT

DRILL DEPTH: 270FT

DEPTH TO BED: 25FT      UTM X 413,051.99      UTM Y 4,159,779.67  
ZONE 15

S.W.L. (BEFORE CASING):      FT      REMARKS:

S.W.L. (AFTER CASING): 75

**LOG ID:**  
011434

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1950/08/22      TOWNSHIP 33N      RANGE 28W      SECTION 9      ELEVATION: 1,047FT

DRILL DEPTH: 356FT

DEPTH TO BED: 25FT      UTM X 410,366.97      UTM Y 4,163,481.70  
ZONE 15

S.W.L. (BEFORE CASING):      FT      REMARKS: S EDGE OF JERICO SPRINGS

S.W.L. (AFTER CASING): 100

**LOG ID:**  
023738

WELL TYPE  
Community Public Well

DRILL DATE: 1965/09/01      TOWNSHIP 33N      RANGE 28W      SECTION 9      ELEVATION: 1,016FT

DRILL DEPTH: 925FT

DEPTH TO BED: 10FT      UTM X 411,299.97      UTM Y 4,164,220.69  
ZONE 15

S.W.L. (BEFORE CASING): 290      REMARKS:

S.W.L. (AFTER CASING):      FT





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
026977

WELL TYPE  
Noncommunity Public Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 34N RANGE 26W SECTION 16 ELEVATION: 931FT  
DRILL DEPTH: 365FT  
DEPTH TO BED: 25FT UTM X 430,201.20 UTM Y 4,170,999.42  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: NO PRODUCTION OR CONSTRUCTION DATA  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
026800

WELL TYPE  
Noncommunity Public Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 34N RANGE 26W SECTION 20 ELEVATION: 951FT  
DRILL DEPTH: 265FT  
DEPTH TO BED: 15FT UTM X 429,703.19 UTM Y 4,169,550.43  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: \_\_\_\_\_  
S.W.L. (AFTER CASING): 47

**LOG ID:**  
026832

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1971/05/11 TOWNSHIP 34N RANGE 26W SECTION 21 ELEVATION: 926FT  
DRILL DEPTH: 285FT  
DEPTH TO BED: 85FT UTM X 430,561.20 UTM Y 4,169,570.42  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: US CORPS OF ENGINEERS  
S.W.L. (AFTER CASING): 80

**LOG ID:**  
026993

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1971/11/23 TOWNSHIP 34N RANGE 26W SECTION 21 ELEVATION: 912FT  
DRILL DEPTH: 340FT  
DEPTH TO BED: 60FT UTM X 430,569.20 UTM Y 4,169,443.42  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: POOR SAMPLES - DO NOT USE  
S.W.L. (AFTER CASING): \_\_\_\_\_











# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**028696**

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP RANGE SECTION ELEVATION: 961FT  
DRILL DEPTH: 325FT 34N 27W 13  
DEPTH TO BED: 20FT UTM X UTM Y  
 425,744.15 4,171,531.48  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: 2 MI W OF STOCKTON, 1 MI S OF HWY 32  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
**004045**

WELL TYPE  
Private Well

DRILL DATE: 1936/00/00 TOWNSHIP RANGE SECTION ELEVATION: 896FT  
DRILL DEPTH: 218FT 34N 27W 8  
DEPTH TO BED: 10FT UTM X UTM Y  
 419,626.08 4,173,831.56  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS:  
S.W.L. (AFTER CASING): 85

**LOG ID:**  
**012626**

WELL TYPE  
Private Well

DRILL DATE: 1953/07/25 TOWNSHIP RANGE SECTION ELEVATION: 968FT  
DRILL DEPTH: 450FT 34N 28W 32  
DEPTH TO BED: 80FT UTM X UTM Y  
 410,085.98 4,166,921.69  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: 0.5 MI W & 1.5 MI N OF JERICO SPRINGS  
S.W.L. (AFTER CASING): 50

**LOG ID:**  
**026341**

WELL TYPE  
Private Well

DRILL DATE: 1967/07/26 TOWNSHIP RANGE SECTION ELEVATION: 940FT  
DRILL DEPTH: 420FT 34N 29W 1  
DEPTH TO BED: 20FT UTM X UTM Y  
 405,839.01 4,177,683.69  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: W OF OLYMPIA STORE ABT 1 MI ON CEDAR-VERNON CO LINE  
S.W.L. (AFTER CASING): 212



















# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**009647**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1947/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	909FT
<u>DRILL DEPTH:</u>	560FT	36N	28W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	525FT				407,512.01	4,189,345.58
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> NO SAMPLES 0-525'			
<u>S.W.L. (AFTER CASING):</u>	140				ZONE 15	

**LOG ID:**  
**012135**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1950/10/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	937FT
<u>DRILL DEPTH:</u>	330FT	36N	28W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					412,595.00	4,188,629.54
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 2.5 MI WE OF EL DORADO SPRINGS			
<u>S.W.L. (AFTER CASING):</u>	173				ZONE 15	

**CEDAR**