

## HENRY

County Base Map

(Records are Sorted by Township, Range, and Section)

**LOG ID:**  
028371

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1980/05/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	710FT
<u>DRILL DEPTH:</u>	528FT	40N	24W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				447,718.05	4,234,065.11
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120	<u>REMARKS:</u>	formerly in name of US Army Corps of Engineers - #2 BUCHSAW; YIELDS - 60 GPM @ 460-480', 40 GPM @ 485-505', 25 GPM @			

**LOG ID:**  
028419

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1980/09/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	745FT
<u>DRILL DEPTH:</u>	508FT	40N	24W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				447,327.05	4,234,840.10
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80	<u>REMARKS:</u>	formerly in name of US Army Corps of Engineers - #1 BUCHSAW			

**LOG ID:**  
004066

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1936/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	889FT
<u>DRILL DEPTH:</u>	306FT	40N	24W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				450,380.05	4,231,589.11
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	12 MI E OF BROWNINGTON, 11 MI W OF WARSAW			

**LOG ID:**  
003062

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1931/10/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	850FT
<u>DRILL DEPTH:</u>	1,530FT	40N	24W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	1,330FT				447,698.07	4,230,527.13
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	SNYDER FARM; WATER HAS POOR TASTE			







# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
025517

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 40N RANGE 25W SECTION 7 ELEVATION: 730FT  
DRILL DEPTH: 265FT UTM X 435,221.15 UTM Y 4,235,422.14  
DEPTH TO BED: 10FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: \_\_\_\_\_  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
001677

WELL TYPE  
Industrial High Capacity Well

DRILL DATE: 1913/05/30 TOWNSHIP 40N RANGE 26W SECTION 14 ELEVATION: 734FT  
DRILL DEPTH: 826FT UTM X 432,933.15 UTM Y 4,235,152.15  
DEPTH TO BED: 25FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: @ DEEPWATER  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
003415

WELL TYPE  
Community Public Well

DRILL DATE: 1935/07/22 TOWNSHIP 40N RANGE 26W SECTION 14 ELEVATION: 749FT  
DRILL DEPTH: 604FT UTM X 433,233.15 UTM Y 4,235,152.15  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: \_\_\_\_\_  
S.W.L. (AFTER CASING): 26

**LOG ID:**  
018496

WELL TYPE  
Private Well

DRILL DATE: 1959/07/29 TOWNSHIP 40N RANGE 26W SECTION 15 ELEVATION: 777FT  
DRILL DEPTH: 160FT UTM X 431,733.14 UTM Y 4,234,515.15  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: POOR SAMPLES; 0.25 MI SW OF DEEP WATER, MO.  
S.W.L. (AFTER CASING): 80

















# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
002754

WELL TYPE  
Oil Well

DRILL DATE: 1933/09/15      TOWNSHIP 41N      RANGE 24W      SECTION 6      ELEVATION: 780FT

DRILL DEPTH: 220FT

DEPTH TO BED: 35FT      UTM X 445,772.01      UTM Y 4,246,714.06  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: #1 J.H. HALFORD - OIL TEST - DRY & ABANDONED

S.W.L. (AFTER CASING): 12

**LOG ID:**  
022618

WELL TYPE  
Private Well

DRILL DATE: 1963/12/01      TOWNSHIP 41N      RANGE 25W      SECTION 10      ELEVATION: 814FT

DRILL DEPTH: 650FT

DEPTH TO BED:      UTM X 441,674.05      UTM Y 4,246,314.07  
ZONE 15

S.W.L. (BEFORE CASING):      REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
026974

WELL TYPE  
Private Well

DRILL DATE: 1971/08/16      TOWNSHIP 41N      RANGE 25W      SECTION 13      ELEVATION: 831FT

DRILL DEPTH: 424FT

DEPTH TO BED: 20FT      UTM X 444,044.03      UTM Y 4,244,573.08  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: 0.5 MI E OF MISSILE BASE E OF CLINTON ON HWY 7, 1 MI S, 0.25 MI E

S.W.L. (AFTER CASING): 125

**LOG ID:**  
022602

WELL TYPE  
Private Well

DRILL DATE: 1964/01/16      TOWNSHIP 41N      RANGE 25W      SECTION 15      ELEVATION: 815FT

DRILL DEPTH: 390FT

DEPTH TO BED: 35FT      UTM X 440,607.06      UTM Y 4,244,696.08  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: YIELD - 15 GPM @ 160'

S.W.L. (AFTER CASING): 102







# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
003233

WELL TYPE  
Industrial High Capacity Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 41N RANGE 26W SECTION 10 ELEVATION: 782FT  
DRILL DEPTH: 546FT  
DEPTH TO BED: 100FT UTM X 432,162.11 UTM Y 4,245,941.08  
 S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: @ CLINTON  
 S.W.L. (AFTER CASING): 62 ZONE 15

**LOG ID:**  
013390

WELL TYPE  
Industrial High Capacity Well

DRILL DATE: 1955/05/01 TOWNSHIP 41N RANGE 26W SECTION 11 ELEVATION: 755FT  
DRILL DEPTH: 830FT  
DEPTH TO BED: 15FT UTM X 433,586.10 UTM Y 4,246,668.08  
 S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: @ CLINTON  
 S.W.L. (AFTER CASING): 40 ZONE 15

**LOG ID:**  
017594

WELL TYPE  
Private Well

DRILL DATE: 1958/09/18 TOWNSHIP 41N RANGE 26W SECTION 14 ELEVATION: 740FT  
DRILL DEPTH: 300FT  
DEPTH TO BED: 20FT UTM X 432,317.11 UTM Y 4,244,252.09  
 S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS:  
 S.W.L. (AFTER CASING): 60 ZONE 15

**LOG ID:**  
018439

WELL TYPE  
Private Well

DRILL DATE: 1959/07/09 TOWNSHIP 41N RANGE 26W SECTION 14 ELEVATION: 754FT  
DRILL DEPTH: 365FT  
DEPTH TO BED: \_\_\_\_\_ UTM X 432,317.11 UTM Y 4,244,252.09  
 S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: 1 MI S OF CLINTON ON HWY 13; YIELD - 20 GPM @ 260'  
 S.W.L. (AFTER CASING): 34 ZONE 15





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**002469**

WELL TYPE  
Community Public Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP RANGE SECTION ELEVATION: 804FT  
 \_\_\_\_\_ 41N 26W 2  
DRILL DEPTH: 61FT UTM X UTM Y  
DEPTH TO BED: 40FT 432,639.10 4,248,296.07  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: @ CLINTON  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
**005622**

WELL TYPE  
Industrial High Capacity Well

DRILL DATE: 1939/06/02 TOWNSHIP RANGE SECTION ELEVATION: 800FT  
 \_\_\_\_\_ 41N 26W 2  
DRILL DEPTH: 587FT UTM X UTM Y  
DEPTH TO BED: 15FT 432,939.10 4,248,296.07  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: @ CLINTON  
S.W.L. (AFTER CASING): 85

**LOG ID:**  
**005750**

WELL TYPE  
Oil Well

DRILL DATE: 1939/11/06 TOWNSHIP RANGE SECTION ELEVATION: 703FT  
 \_\_\_\_\_ 41N 26W 22  
DRILL DEPTH: 350FT UTM X UTM Y  
DEPTH TO BED: 55FT 431,230.11 4,243,328.10  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: #1 HARMON GAINES; FLOWED @ 301'  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
**001860**

WELL TYPE  
Industrial High Capacity Well

DRILL DATE: 1916/01/03 TOWNSHIP RANGE SECTION ELEVATION: 808FT  
 \_\_\_\_\_ 41N 26W 3  
DRILL DEPTH: 930FT UTM X UTM Y  
DEPTH TO BED: 245FT 432,216.10 4,247,543.07  
 ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: ICE PLANT @ CLINTON - Driller's Log Attached  
S.W.L. (AFTER CASING): 80













# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
023759

WELL TYPE  
Private Well

DRILL DATE: 1965/04/30      TOWNSHIP 42N      RANGE 24W      SECTION 8      ELEVATION: 874FT

DRILL DEPTH: 252FT

DEPTH TO BED: 25FT      UTM X 448,217.95      UTM Y 4,255,203.03  
ZONE 15

S.W.L. (BEFORE CASING):      REMARKS: 3.5 MI SE OF CALHOUN ON HWY V

S.W.L. (AFTER CASING):

**LOG ID:**  
022617

WELL TYPE  
Private Well

DRILL DATE: 1963/04/06      TOWNSHIP 42N      RANGE 25W      SECTION 28      ELEVATION: 817FT

DRILL DEPTH: 275FT

DEPTH TO BED: 15FT      UTM X 439,068.05      UTM Y 4,250,641.05  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: RT 2, CLINTON; YIELD - 12 GPM @ 175'

S.W.L. (AFTER CASING): 108

**LOG ID:**  
022608

WELL TYPE  
Private Well

DRILL DATE: 1963/06/24      TOWNSHIP 42N      RANGE 25W      SECTION 9      ELEVATION: 798FT

DRILL DEPTH: 465FT

DEPTH TO BED: 15FT      UTM X 440,470.02      UTM Y 4,254,662.03  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: 0.25 MI E OF HWY 52; YIELD - 8 GPM @ 290'

S.W.L. (AFTER CASING): 100

**LOG ID:**  
023683

WELL TYPE  
Private Well

DRILL DATE: 1965/06/01      TOWNSHIP 42N      RANGE 26W      SECTION 15      ELEVATION: 876FT

DRILL DEPTH: 475FT

DEPTH TO BED:      UTM X 432,253.08      UTM Y 4,254,205.02  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: formerly in name of Fitzgerald

S.W.L. (AFTER CASING): 175



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**005881**

WELL TYPE  
Private Well

DRILL DATE: 1939// TOWNSHIP 42N RANGE 26W SECTION 24 ELEVATION: 818FT  
DRILL DEPTH: 539FT UTM X 434,817.08 UTM Y 4,251,630.05  
DEPTH TO BED: 195FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: "WHITE SULPHUR WATER" - Driller's Log Attached  
S.W.L. (AFTER CASING): 90

**LOG ID:**  
**002476**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP 42N RANGE 26W SECTION 29 ELEVATION: 785FT  
DRILL DEPTH: 740FT UTM X 429,021.09 UTM Y 4,251,626.03  
DEPTH TO BED: 95FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 3 LOGS  
S.W.L. (AFTER CASING):

**LOG ID:**  
**017270**

WELL TYPE  
Private Well

DRILL DATE: 1958/05/01 TOWNSHIP 42N RANGE 26W SECTION 33 ELEVATION: 782FT  
DRILL DEPTH: 493FT UTM X 429,471.09 UTM Y 4,249,433.05  
DEPTH TO BED: 80FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 15 GPM @ 100'  
S.W.L. (AFTER CASING): 70

**LOG ID:**  
**023512**

WELL TYPE  
Private Well

DRILL DATE: 1965/03/20 TOWNSHIP 42N RANGE 26W SECTION 33 ELEVATION: 758FT  
DRILL DEPTH: 574FT UTM X 430,629.10 UTM Y 4,248,591.06  
DEPTH TO BED: 125FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: "CAN'T LOCATE"  
S.W.L. (AFTER CASING):













# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**013550**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1955/05/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	863FT
<u>DRILL DEPTH:</u>	600FT	43N	24W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				454,965.84	4,265,293.01
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 70' NE OF WELL #2			
<u>S.W.L. (AFTER CASING):</u>	5				ZONE 15	

**LOG ID:**  
**007719**

WELL TYPE  
Industrial High Capacity Well

<u>DRILL DATE:</u>	1942/04/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	849FT
<u>DRILL DEPTH:</u>	1,020FT	43N	24W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				450,959.89	4,262,657.00
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 2 MI W OF WINDSOR			
<u>S.W.L. (AFTER CASING):</u>	110				ZONE 15	

**LOG ID:**  
**027785**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1974/11/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	861FT
<u>DRILL DEPTH:</u>	1,350FT	43N	24W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				453,140.86	4,266,080.00
<u>S.W.L. (BEFORE CASING):</u>	150	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	151	FT			ZONE 15	

**LOG ID:**  
**014250**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1955/11/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	849FT
<u>DRILL DEPTH:</u>	590FT	43N	24W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				449,687.90	4,261,326.01
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 2 MI W OF WINDSOR ON HWY 52			
<u>S.W.L. (AFTER CASING):</u>	120				ZONE 15	















# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
020898

WELL TYPE  
Private Well

DRILL DATE: \_\_\_\_\_ TOWNSHIP 43N RANGE 27W SECTION 21 ELEVATION: 812FT  
DRILL DEPTH: 358FT UTM X 420,958.09 UTM Y 4,261,658.87  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: NO PRODUCTION OR CONSTRUCTION DATA  
S.W.L. (AFTER CASING): \_\_\_\_\_

**LOG ID:**  
027111

WELL TYPE  
Private Well

DRILL DATE: 1970/02/13 TOWNSHIP 43N RANGE 27W SECTION 4 ELEVATION: 818FT  
DRILL DEPTH: 358FT UTM X 421,366.08 UTM Y 4,266,476.86  
DEPTH TO BED: 9FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: 2.5 MI E OF BLAIRSTOWN ON HWYS N & O; YIELD - 10 GOM @ 109'  
S.W.L. (AFTER CASING): 103

**LOG ID:**  
012412

WELL TYPE  
Private Well

DRILL DATE: 1953/07/29 TOWNSHIP 43N RANGE 27W SECTION 5 ELEVATION: 822FT  
DRILL DEPTH: 385FT UTM X 419,562.09 UTM Y 4,266,935.84  
DEPTH TO BED: 105FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ FT REMARKS: GARDEN CITY; YIELD - 20 GOM @ 140'  
S.W.L. (AFTER CASING): 110

**LOG ID:**  
012413

WELL TYPE  
Private Well

DRILL DATE: 1953/06/29 TOWNSHIP 43N RANGE 27W SECTION 8 ELEVATION: 831FT  
DRILL DEPTH: 445FT UTM X 419,897.09 UTM Y 4,264,938.85  
DEPTH TO BED: 25FT ZONE 15  
S.W.L. (BEFORE CASING): \_\_\_\_\_ REMARKS: 2 MI W, 0.25 MI N OF NORRIS  
S.W.L. (AFTER CASING): \_\_\_\_\_

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
017138

WELL TYPE  
Private Well

DRILL DATE: 1957/08/15      TOWNSHIP 43N      RANGE 28W      SECTION 1      ELEVATION: 790FT

DRILL DEPTH: 445FT

DEPTH TO BED: 40FT      UTM X 416,163.11      UTM Y 4,267,274.82  
ZONE 15

S.W.L. (BEFORE CASING):      REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

**LOG ID:**  
027634

WELL TYPE  
Private Well

DRILL DATE: 1971/01/28      TOWNSHIP 43N      RANGE 28W      SECTION 24      ELEVATION: 810FT

DRILL DEPTH: 302FT

DEPTH TO BED: 10FT      UTM X 415,754.11      UTM Y 4,261,016.84  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: 0.5 MI E OF HWY 7, W OF URICH

S.W.L. (AFTER CASING): 124

**LOG ID:**  
025497

WELL TYPE  
Private Well

DRILL DATE:      TOWNSHIP 43N      RANGE 28W      SECTION 31      ELEVATION: 869FT

DRILL DEPTH: 290FT

DEPTH TO BED: 10FT      UTM X 406,977.16      UTM Y 4,258,717.82  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS:

S.W.L. (AFTER CASING): 110

**LOG ID:**  
026329

WELL TYPE  
Private Well

DRILL DATE: 1968/02/01      TOWNSHIP 43N      RANGE 28W      SECTION 34      ELEVATION: 800FT

DRILL DEPTH: 475FT

DEPTH TO BED: 10FT      UTM X 412,598.11      UTM Y 4,258,330.85  
ZONE 15

S.W.L. (BEFORE CASING): FT      REMARKS: 0.25 MI N OF URICH ON HWY 13 ON E SD

S.W.L. (AFTER CASING): 170







# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**018396**

WELL TYPE  
Community Public Well

DRILL DATE: 1959/08/00

TOWNSHIP    RANGE    SECTION

ELEVATION: 806FT

DRILL DEPTH: 440FT

44N            28W            36

UTM X            UTM Y  
416,376.11    4,268,442.81  
ZONE 15

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

REMARKS: "TEST HOLE"; N EDGE OF TOWN

S.W.L. (AFTER CASING):

---

---

**HENRY**