

PULASKI

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
028961

WELL TYPE
Noncommunity Public Well

DRILL DATE: 2003/04/ TOWNSHIP 34N RANGE 10W SECTION 16 ELEVATION: 870FT
DRILL DEPTH: 425FT UTM X 584,532.74 UTM Y 4,167,094.36
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Jerry Laughlin, owner
S.W.L. (AFTER CASING):

LOG ID:
028508

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 34N RANGE 10W SECTION 17 ELEVATION: 865FT
DRILL DEPTH: 1,312FT UTM X 582,609.73 UTM Y 4,167,622.37
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 63wll3 - #PV-2
S.W.L. (AFTER CASING):

LOG ID:
019620

WELL TYPE
Private Well

DRILL DATE: 1961// TOWNSHIP 34N RANGE 10W SECTION 30 ELEVATION: 964FT
DRILL DEPTH: 245FT UTM X 581,116.75 UTM Y 4,165,372.36
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
025425

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 34N RANGE 10W SECTION 4 ELEVATION: 1,090FT
DRILL DEPTH: 375FT UTM X 585,117.70 UTM Y 4,172,211.40
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002772

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1933/10/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	215FT	34N	11W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	3FT				575,296.77	4,164,084.37
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	125	<u>REMARKS:</u>	US Govt Reforestation			

LOG ID:
020453

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1961/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,171FT
<u>DRILL DEPTH:</u>	130FT	34N	11W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				575,396.76	4,164,993.38
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of McNelly			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

LOG ID:
028735

WELL TYPE
Industrial High Capacity Well

<u>DRILL DATE:</u>	1995/01/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,145FT
<u>DRILL DEPTH:</u>	692FT	34N	11W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				574,205.69	4,171,959.45
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	CONCRETE PLANT - US Army Corps of Engineers			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

LOG ID:
028831

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1999/08/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,145FT
<u>DRILL DEPTH:</u>	570FT	34N	11W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					573,505.69	4,172,189.45
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	US Army Corps of Engineers			
<u>S.W.L. (AFTER CASING):</u>	224				ZONE 15	

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007884

WELL TYPE
Community Public Well

DRILL DATE: 1942/08/07 TOWNSHIP 35N RANGE 10W SECTION 30 ELEVATION: 867FT

DRILL DEPTH: 825FT

DEPTH TO BED: 40FT UTM X 581,894.67 UTM Y 4,176,576.45
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: US Army Corps of Engineers

S.W.L. (AFTER CASING): 40

LOG ID:
024719

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1967/01/ TOWNSHIP 35N RANGE 10W SECTION 31 ELEVATION: 810FT

DRILL DEPTH: 700FT

DEPTH TO BED: 35FT UTM X 581,229.67 UTM Y 4,175,343.45
ZONE 15

S.W.L. (BEFORE CASING): 9 REMARKS: US Army Corps of Engineers

S.W.L. (AFTER CASING): FT

LOG ID:
025242

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1967// TOWNSHIP 35N RANGE 10W SECTION 31 ELEVATION: 810FT

DRILL DEPTH: 710FT

DEPTH TO BED: 30FT UTM X 581,229.67 UTM Y 4,175,343.45
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: US Army Corps of Engineers - general equipment test activity - SAME
AS #24719; "REAM SAMPLES"

S.W.L. (AFTER CASING):

LOG ID:
028867

WELL TYPE
Monitoring Well

DRILL DATE: TOWNSHIP 35N RANGE 11W SECTION 12 ELEVATION: 1,075FT

DRILL DEPTH: 260FT

DEPTH TO BED: 45FT UTM X 579,554.62 UTM Y 4,180,338.51
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: All samples are Gasconade Dolomite.

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020281

WELL TYPE
Unknown Well

DRILL DATE: _____ TOWNSHIP 35N RANGE 11W SECTION 14 ELEVATION: 1,106FT
DRILL DEPTH: 200FT
DEPTH TO BED: 50FT UTM X 577,968.62 UTM Y 4,180,135.51
 ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: FOUNDATION TEST HOLE - hospital site - US Army Corps of
S.W.L. (AFTER CASING): _____ Engineers

LOG ID:
007783

WELL TYPE
Unknown Well

DRILL DATE: 1942/06/01 TOWNSHIP 35N RANGE 11W SECTION 2 ELEVATION: 908FT
DRILL DEPTH: 248FT UTM X 578,493.58 UTM Y 4,183,264.56
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: US Army Corps of Engineers - Post Utility Officer Well - test hole for
S.W.L. (AFTER CASING): _____ cavernous grout; along RR north of disposal well

LOG ID:
007792

WELL TYPE
Unknown Well

DRILL DATE: 1942/06/08 TOWNSHIP 35N RANGE 11W SECTION 2 ELEVATION: 907FT
DRILL DEPTH: 203FT UTM X 578,493.58 UTM Y 4,183,264.56
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: TEST HOLE - US Army Corps of Engineers
S.W.L. (AFTER CASING): 65

LOG ID:
007803

WELL TYPE
Unknown Well

DRILL DATE: 1942/06/12 TOWNSHIP 35N RANGE 11W SECTION 2 ELEVATION: 909FT
DRILL DEPTH: 102FT UTM X 578,493.58 UTM Y 4,183,264.56
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: TEST HOLE; 50' S OF HOLE #1 - US Army Corps of Engineers
S.W.L. (AFTER CASING): 65



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007804

WELL TYPE
Unknown Well

DRILL DATE: 1942/06/16 TOWNSHIP 35N RANGE 11W SECTION 2 ELEVATION: 910FT
DRILL DEPTH: 101FT UTM X 578,393.58 UTM Y 4,183,370.56
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: TEST HOLE - US Army Corps of Engineers
S.W.L. (AFTER CASING): 65

LOG ID:
007820

WELL TYPE
Unknown Well

DRILL DATE: 1942/06/20 TOWNSHIP 35N RANGE 11W SECTION 2 ELEVATION: 910FT
DRILL DEPTH: 100FT UTM X 578,493.58 UTM Y 4,183,264.56
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: TEST HOLE - US Army Corps of Engineers
S.W.L. (AFTER CASING): 65

LOG ID:
015312

WELL TYPE
Private Well

DRILL DATE: 1956/04/20 TOWNSHIP 35N RANGE 11W SECTION 2 ELEVATION: 961FT
DRILL DEPTH: 200FT UTM X 578,293.59 UTM Y 4,182,094.54
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 135

LOG ID:
004515

WELL TYPE
Private Well

DRILL DATE: 1937/10/15 TOWNSHIP 35N RANGE 11W SECTION 22 ELEVATION: 1,164FT
DRILL DEPTH: 356FT UTM X 577,390.65 UTM Y 4,177,206.48
DEPTH TO BED: 170FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL DEEPENED 170-356'
S.W.L. (AFTER CASING): 326



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026099

WELL TYPE
Community Public Well

DRILL DATE: 1969/01/17 TOWNSHIP 35N RANGE 11W SECTION 9 ELEVATION: 1,055FT

DRILL DEPTH: 975FT

DEPTH TO BED: 125FT UTM X 575,973.59 UTM Y 4,181,726.54
ZONE 15

S.W.L. (BEFORE CASING): 140 FT REMARKS: LINER SET 500-550' - US Army Corps of Engineers

S.W.L. (AFTER CASING): 249 FT

LOG ID:
010915

WELL TYPE
Private Well

DRILL DATE: 1949// TOWNSHIP 35N RANGE 12W SECTION 11 ELEVATION: 897FT

DRILL DEPTH: 50FT

DEPTH TO BED: 15FT UTM X 569,463.57 UTM Y 4,181,793.57
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W OF WAYNESVILLE & 4 MI ON HWY H

S.W.L. (AFTER CASING): 38

LOG ID:
015067

WELL TYPE
Private Well

DRILL DATE: 1956/06/ TOWNSHIP 35N RANGE 12W SECTION 11 ELEVATION: 1,070FT

DRILL DEPTH: 295FT

DEPTH TO BED: 30FT UTM X 568,463.57 UTM Y 4,181,793.57
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 245

LOG ID:
020685

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP 35N RANGE 12W SECTION 11 ELEVATION: 916FT

DRILL DEPTH: 200FT

DEPTH TO BED: 40FT UTM X 569,363.58 UTM Y 4,181,487.56
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: WAYNESVILLE

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016046

WELL TYPE
Private Well

DRILL DATE: 1957// TOWNSHIP 35N RANGE 12W SECTION 14 ELEVATION: 1,021FT
DRILL DEPTH: 320FT UTM X 568,245.59 UTM Y 4,180,382.55
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
014226

WELL TYPE
Private Well

DRILL DATE: 1955// TOWNSHIP 35N RANGE 12W SECTION 16 ELEVATION: 1,075FT
DRILL DEPTH: 65FT UTM X 565,231.59 UTM Y 4,180,007.56
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
025782

WELL TYPE
Community Public Well

DRILL DATE: 1968/08/ TOWNSHIP 35N RANGE 12W SECTION 18 ELEVATION: 1,050FT
DRILL DEPTH: 885FT UTM X 562,580.59 UTM Y 4,180,445.55
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
013623

WELL TYPE
Private Well

DRILL DATE: 1955// TOWNSHIP 35N RANGE 12W SECTION 2 ELEVATION: 927FT
DRILL DEPTH: 170FT UTM X 568,985.55 UTM Y 4,183,208.58
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI S OF NEW HWY 66
S.W.L. (AFTER CASING): 120



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018486

WELL TYPE
Private Well

DRILL DATE: 1959/08/19 TOWNSHIP 35N RANGE 12W SECTION 2 ELEVATION: 1,071FT

DRILL DEPTH: 330FT

DEPTH TO BED: 30FT UTM X 569,485.57 UTM Y 4,182,184.57
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI OFF HWY 66 ON HWY H

S.W.L. (AFTER CASING): 260

LOG ID:
020466

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 35N RANGE 12W SECTION 21 ELEVATION: 1,045FT

DRILL DEPTH: 245FT

DEPTH TO BED: 35FT UTM X 565,013.62 UTM Y 4,177,978.53
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: formerly in name of E.A. McGuire - EVERY OTHER SAMPLE OR
MORE SKIPPED

S.W.L. (AFTER CASING):

LOG ID:
007129

WELL TYPE
Private Well

DRILL DATE: 1941// TOWNSHIP 35N RANGE 12W SECTION 23 ELEVATION: 879FT

DRILL DEPTH: 160FT

DEPTH TO BED: 45FT UTM X 568,809.62 UTM Y 4,178,360.53
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 7 MI UP GASCONADE RIVER FROM WAYNESVILLE

S.W.L. (AFTER CASING): 85

LOG ID:
018423

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1959/08/ TOWNSHIP 35N RANGE 12W SECTION 23 ELEVATION: 850FT

DRILL DEPTH: 220FT

DEPTH TO BED: 25FT UTM X 569,409.62 UTM Y 4,178,566.53
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 75

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021582

WELL TYPE
Private Well

DRILL DATE: 1963// TOWNSHIP 35N RANGE 12W SECTION 3 ELEVATION: 1,047FT
DRILL DEPTH: 565FT UTM X 566,981.54 UTM Y 4,183,520.59
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): 280 REMARKS:
S.W.L. (AFTER CASING): FT

LOG ID:
012187

WELL TYPE
Private Well

DRILL DATE: 1952/07/01 TOWNSHIP 35N RANGE 12W SECTION 31 ELEVATION: 1,225FT
DRILL DEPTH: 235FT UTM X 562,502.67 UTM Y 4,174,403.50
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 5 MI S OF HWY 66 ON HWY E
S.W.L. (AFTER CASING): 185

LOG ID:
015316

WELL TYPE
Private Well

DRILL DATE: 1955/10/26 TOWNSHIP 35N RANGE 12W SECTION 32 ELEVATION: 1,150FT
DRILL DEPTH: 205FT UTM X 564,539.66 UTM Y 4,174,588.51
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 150

LOG ID:
011973

WELL TYPE
Private Well

DRILL DATE: 1951/08/21 TOWNSHIP 35N RANGE 12W SECTION 4 ELEVATION: 1,139FT
DRILL DEPTH: 300FT UTM X 566,274.54 UTM Y 4,183,449.59
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI W OF WAYNESVILLE
S.W.L. (AFTER CASING): 260



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012916

WELL TYPE
Private Well

DRILL DATE: 1954/08/03 TOWNSHIP 35N RANGE 12W SECTION 5 ELEVATION: 1,139FT
DRILL DEPTH: 410FT UTM X 564,249.56 UTM Y 4,182,646.58
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 360

LOG ID:
015319

WELL TYPE
Private Well

DRILL DATE: 1955/12/ TOWNSHIP 35N RANGE 12W SECTION 5 ELEVATION: 995FT
DRILL DEPTH: 145FT UTM X 563,449.56 UTM Y 4,182,436.58
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 110

LOG ID:
017117

WELL TYPE
Private Well

DRILL DATE: 1957/09/ TOWNSHIP 35N RANGE 12W SECTION 5 ELEVATION: 1,036FT
DRILL DEPTH: 300FT UTM X 563,449.55 UTM Y 4,183,070.58
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 270

LOG ID:
023279

WELL TYPE
Private Well

DRILL DATE: 1964/11/ TOWNSHIP 35N RANGE 12W SECTION 5 ELEVATION: 1,121FT
DRILL DEPTH: 460FT UTM X 564,449.56 UTM Y 4,182,436.58
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 355

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023578

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 35N RANGE 12W SECTION 5 ELEVATION: 1,066FT

DRILL DEPTH: 375FT UTM X 563,849.56 UTM Y 4,182,436.58

DEPTH TO BED: 30FT ZONE 15

S.W.L. (BEFORE CASING): _____ REMARKS: 0.75 MI W OF BUCKHORN ON HWY 66

S.W.L. (AFTER CASING): _____

LOG ID:
015315

WELL TYPE
Private Well

DRILL DATE: 1956/01/13 TOWNSHIP 35N RANGE 12W SECTION 6 ELEVATION: 934FT

DRILL DEPTH: 215FT UTM X 562,225.56 UTM Y 4,183,101.58

DEPTH TO BED: 25FT ZONE 15

S.W.L. (BEFORE CASING): _____ FT REMARKS: _____

S.W.L. (AFTER CASING): 120

LOG ID:
021216

WELL TYPE
Private Well

DRILL DATE: 1962/07/02 TOWNSHIP 35N RANGE 12W SECTION 6 ELEVATION: 982FT

DRILL DEPTH: 308FT UTM X 563,025.56 UTM Y 4,182,467.58

DEPTH TO BED: 40FT ZONE 15

S.W.L. (BEFORE CASING): _____ FT REMARKS: _____

S.W.L. (AFTER CASING): 200

LOG ID:
013419

WELL TYPE
Private Well

DRILL DATE: 1955/02/15 TOWNSHIP 35N RANGE 12W SECTION 7 ELEVATION: 1,038FT

DRILL DEPTH: 280FT UTM X 562,802.57 UTM Y 4,182,057.57

DEPTH TO BED: 25FT ZONE 15

S.W.L. (BEFORE CASING): _____ FT REMARKS: _____

S.W.L. (AFTER CASING): 255



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:

011078

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956// TOWNSHIP 35N RANGE 12W SECTION 8 ELEVATION: 1,119FT
DRILL DEPTH: 102FT UTM X 563,835.58 UTM Y 4,181,433.57
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL DEEPENED (SEE #14633) - formerly in name of Pleasant
S.W.L. (AFTER CASING): Grove School

LOG ID:

011275

WELL TYPE

Private Well

DRILL DATE: 1947/09/18 TOWNSHIP 35N RANGE 12W SECTION 8 ELEVATION: 1,116FT
DRILL DEPTH: 133FT UTM X 563,235.59 UTM Y 4,180,615.56
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 66 1 MI W OF BUCKHORN
S.W.L. (AFTER CASING): 75

LOG ID:

011997

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1952/06/27 TOWNSHIP 35N RANGE 12W SECTION 8 ELEVATION: 1,113FT
DRILL DEPTH: 505FT UTM X 564,135.57 UTM Y 4,181,945.57
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: AT BUCKHORN
S.W.L. (AFTER CASING): 365

LOG ID:

013055

WELL TYPE

Private Well

DRILL DATE: 1954// TOWNSHIP 35N RANGE 12W SECTION 8 ELEVATION: 1,107FT
DRILL DEPTH: 394FT UTM X 564,435.57 UTM Y 4,182,047.58
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: AT BUCKNORN
S.W.L. (AFTER CASING): 350



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013559

WELL TYPE
Private Well

DRILL DATE: 1955// TOWNSHIP 35N RANGE 12W SECTION 8 ELEVATION: 1,102FT
DRILL DEPTH: 475FT UTM X 564,435.57 UTM Y 4,182,047.58
DEPTH TO BED: 425FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NO SAMPLES 0-425'; 0.25 MI N OF HWY 66 AT BUCKHORN - DD
S.W.L. (AFTER CASING): 340 MARKET

LOG ID:
014224

WELL TYPE
Private Well

DRILL DATE: 1955/11/01 TOWNSHIP 35N RANGE 12W SECTION 8 ELEVATION: 1,106FT
DRILL DEPTH: 100FT UTM X 564,135.57 UTM Y 4,181,945.57
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 3.5 GPM
S.W.L. (AFTER CASING): 65

LOG ID:
014633

WELL TYPE
Private Well

DRILL DATE: 1956// TOWNSHIP 35N RANGE 12W SECTION 8 ELEVATION: 1,119FT
DRILL DEPTH: 425FT UTM X 563,835.58 UTM Y 4,181,433.57
DEPTH TO BED: 290FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL (#11078) DEEPENED (#14633) 102-425'; formerly in name
S.W.L. (AFTER CASING): 335 of Pleasant Grove School - OLD SCHOOL WELL (1947)

LOG ID:
017638

WELL TYPE
Private Well

DRILL DATE: 1958// TOWNSHIP 35N RANGE 12W SECTION 8 ELEVATION: 1,100FT
DRILL DEPTH: 380FT UTM X 564,535.57 UTM Y 4,182,047.58
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 13 GPM @ 340'
S.W.L. (AFTER CASING): 320



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021710

WELL TYPE
Private Well

DRILL DATE: 1963// TOWNSHIP 35N RANGE 13W SECTION 11 ELEVATION: 1,111FT
DRILL DEPTH: 375FT UTM X 558,973.59 UTM Y 4,181,486.55
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ON N SIDE HWY 66, 0.75 MI W OF HWY 35; NO DATA
S.W.L. (AFTER CASING):

LOG ID:
013449

WELL TYPE
Private Well

DRILL DATE: 1955/04/14 TOWNSHIP 35N RANGE 13W SECTION 12 ELEVATION: 1,065FT
DRILL DEPTH: 445FT UTM X 561,002.58 UTM Y 4,181,490.56
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E OF HWY 35 ON "NEW" HWY 66
S.W.L. (AFTER CASING): 290

LOG ID:
013560

WELL TYPE
Private Well

DRILL DATE: 1955/05/07 TOWNSHIP 35N RANGE 13W SECTION 12 ELEVATION: 1,125FT
DRILL DEPTH: 45FT UTM X 560,002.58 UTM Y 4,181,490.56
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: JCT NEW HWY 66 & 35, SW CORNER; CASING PERFORATED
S.W.L. (AFTER CASING): 20

LOG ID:
014062

WELL TYPE
Private Well

DRILL DATE: 1955/08/10 TOWNSHIP 35N RANGE 13W SECTION 12 ELEVATION: 1,082FT
DRILL DEPTH: 330FT UTM X 560,102.58 UTM Y 4,181,987.56
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 290



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012437

WELL TYPE
Community Public Well

DRILL DATE: 1953/04/06 TOWNSHIP 35N RANGE 13W SECTION 13 ELEVATION: 1,142FT

DRILL DEPTH: 525FT

DEPTH TO BED: 10FT UTM X 560,557.61 UTM Y 4,179,690.54
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: BACKUP WELL FOR WATER DIST #1; HOLE 4' EAST OF #1

S.W.L. (AFTER CASING): 370

LOG ID:
013189

WELL TYPE
Private Well

DRILL DATE: 1954/11/ TOWNSHIP 35N RANGE 13W SECTION 13 ELEVATION: 1,088FT

DRILL DEPTH: 365FT

DEPTH TO BED: UTM X 561,357.61 UTM Y 4,179,286.54
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI W OF BUCKHORN, N OF HWY 66

S.W.L. (AFTER CASING): 300

LOG ID:
014631

WELL TYPE
Private Well

DRILL DATE: 1956/01/20 TOWNSHIP 35N RANGE 13W SECTION 13 ELEVATION: 1,154FT

DRILL DEPTH: 145FT

DEPTH TO BED: 30FT UTM X 560,557.61 UTM Y 4,179,488.54
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 35 W OF LAQUAY

S.W.L. (AFTER CASING): 100

LOG ID:
015860

WELL TYPE
Private Well

DRILL DATE: 1957/02/ TOWNSHIP 35N RANGE 13W SECTION 13 ELEVATION: 1,154FT

DRILL DEPTH: 424FT

DEPTH TO BED: 40FT UTM X 560,557.61 UTM Y 4,179,488.54
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 349



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009301

WELL TYPE
Private Well

DRILL DATE: 1946/12/07

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 200FT

35N 13W 33

UTM X UTM Y
555,857.68 4,175,475.50
ZONE 15

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING): FT

REMARKS: 1.5 MI SW OF SPRING VALLEY

S.W.L. (AFTER CASING): 165

LOG ID:
014066

WELL TYPE
Private Well

DRILL DATE: 1955/08/

TOWNSHIP RANGE SECTION

ELEVATION: 1,042FT

DRILL DEPTH: 55FT

35N 13W 33

UTM X UTM Y
555,057.68 4,175,277.50
ZONE 15

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING): FT

REMARKS: 7 MI W & 2 MI S OF WAYNESVILLE

S.W.L. (AFTER CASING): 25

LOG ID:
013416

WELL TYPE
Private Well

DRILL DATE: 1954/09/22

TOWNSHIP RANGE SECTION

ELEVATION: 867FT

DRILL DEPTH: 135FT

35N 13W 4

UTM X UTM Y
556,369.58 4,182,542.56
ZONE 15

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI SW OF HWY 35 ON LEFT OF GASCONADE RIVER

S.W.L. (AFTER CASING): 60

LOG ID:
011077

WELL TYPE
Private Well

DRILL DATE: 1947/09/09

TOWNSHIP RANGE SECTION

ELEVATION: 1,084FT

DRILL DEPTH: 101FT

35N 13W 8

UTM X UTM Y
554,142.59 4,182,164.55
ZONE 15

DEPTH TO BED: 65FT

S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL DEEPENED 58-101'; ON HWY 66 0.5 MI W OF BUCKHORN

S.W.L. (AFTER CASING): 58



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013503

WELL TYPE
Private Well

DRILL DATE: 1955/03/07 TOWNSHIP 35N RANGE 13W SECTION 8 ELEVATION: 1,065FT

DRILL DEPTH: 140FT

DEPTH TO BED: 10FT UTM X 554,142.60 UTM Y 4,181,550.54
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N OF DAD TOWN

S.W.L. (AFTER CASING): 100

LOG ID:
028996

WELL TYPE
Noncommunity Public Well

DRILL DATE: 2002/05/01 TOWNSHIP 35N RANGE 13W SECTION 8 ELEVATION: 1,070FT

DRILL DEPTH: 550FT

DEPTH TO BED: UTM X 557,566.57 UTM Y 4,182,927.56
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: No pump test data submitted.

S.W.L. (AFTER CASING): 265

LOG ID:
012360

WELL TYPE
Private Well

DRILL DATE: 1953/02/02 TOWNSHIP 35N RANGE 13W SECTION 9 ELEVATION: 957FT

DRILL DEPTH: 190FT

DEPTH TO BED: 30FT UTM X 556,144.59 UTM Y 4,181,517.55
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 8 MI W OF BUCKHORN, 2 MI N OF HWY 66, NEAR BEREIN CHURCH

S.W.L. (AFTER CASING): 70

LOG ID:
015324

WELL TYPE
Private Well

DRILL DATE: 1955/11/19 TOWNSHIP 36N RANGE 10W SECTION 17 ELEVATION: 739FT

DRILL DEPTH: 60FT

DEPTH TO BED: 10FT UTM X 583,460.52 UTM Y 4,188,526.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 10



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015255

WELL TYPE
Private Well

DRILL DATE: 1952/06/ TOWNSHIP 36N RANGE 10W SECTION 18 ELEVATION: 878FT
DRILL DEPTH: 298FT UTM X 581,664.51 UTM Y 4,189,150.64
DEPTH TO BED: 175FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 183

LOG ID:
016653

WELL TYPE
Private Well

DRILL DATE: 1957/07/ TOWNSHIP 36N RANGE 10W SECTION 18 ELEVATION: 860FT
DRILL DEPTH: 235FT UTM X 581,664.51 UTM Y 4,189,352.64
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON DEVILS ELBOW HILL ON OLD HWY 66
S.W.L. (AFTER CASING): 160

LOG ID:
017167

WELL TYPE
Private Well

DRILL DATE: 1958/04/ TOWNSHIP 36N RANGE 10W SECTION 18 ELEVATION: 790FT
DRILL DEPTH: 161FT UTM X 582,464.51 UTM Y 4,188,950.63
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
017642

WELL TYPE
Private Well

DRILL DATE: 1958// TOWNSHIP 36N RANGE 10W SECTION 18 ELEVATION: 875FT
DRILL DEPTH: 250FT UTM X 581,664.51 UTM Y 4,188,950.63
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON OLD HWY 66; YIELD - 20 GPM @ 200'
S.W.L. (AFTER CASING): 180



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018326

WELL TYPE
Private Well

DRILL DATE: 1959/06/ TOWNSHIP 36N RANGE 10W SECTION 18 ELEVATION: 854FT
DRILL DEPTH: 225FT UTM X 581,864.51 UTM Y 4,189,150.64
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 164

LOG ID:
019275

WELL TYPE
Outcrop Description

DRILL DATE: 1960/10/ TOWNSHIP 36N RANGE 10W SECTION 18 ELEVATION: 900FT
DRILL DEPTH: 75FT UTM X 582,064.51 UTM Y 4,188,950.63
DEPTH TO BED: 61FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: RESIDUAL STUDY, ELEVATION IS TOP OF OUTCROP, BASE @ 825'
S.W.L. (AFTER CASING):

LOG ID:
025594

WELL TYPE
Private Well

DRILL DATE: 1967/05/16 TOWNSHIP 36N RANGE 10W SECTION 18 ELEVATION: 856FT
DRILL DEPTH: UTM X 581,964.51 UTM Y 4,189,050.64
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES RUN, NO STRATIGRAPHIC DATA
S.W.L. (AFTER CASING):

LOG ID:
012724

WELL TYPE
Outcrop Description

DRILL DATE: 1954/06/ TOWNSHIP 36N RANGE 10W SECTION 31 ELEVATION: 847FT
DRILL DEPTH: 205FT UTM X 581,553.57 UTM Y 4,184,650.57
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: COLLECTED BY R. HELLER
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004414

WELL TYPE
Private Well

DRILL DATE: 1937/09/ TOWNSHIP 36N RANGE 10W SECTION 5 ELEVATION: 945FT
DRILL DEPTH: 340FT UTM X 584,035.47 UTM Y 4,192,764.69
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 240

LOG ID:
014811

WELL TYPE
Private Well

DRILL DATE: 1956/08/ TOWNSHIP 36N RANGE 10W SECTION 5 ELEVATION: 720FT
DRILL DEPTH: 118FT UTM X 583,635.47 UTM Y 4,192,562.69
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 25

LOG ID:
013034

WELL TYPE
Private Well

DRILL DATE: 1954/09/ TOWNSHIP 36N RANGE 10W SECTION 6 ELEVATION: 959FT
DRILL DEPTH: 330FT UTM X 581,364.47 UTM Y 4,191,597.68
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 175

LOG ID:
018317

WELL TYPE
Private Well

DRILL DATE: 1959/06/ TOWNSHIP 36N RANGE 10W SECTION 6 ELEVATION: 775FT
DRILL DEPTH: 140FT UTM X 582,564.46 UTM Y 4,192,884.70
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026914

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 694FT
DRILL DEPTH: 120FT 36N 10W 6
DEPTH TO BED: 45FT UTM X UTM Y
582,664.48 4,191,597.67
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: DO NOT USE LOG; THRLEE DIFF SAMPLES BAGGED IN FIVE FT
S.W.L. (AFTER CASING): _____ RUNS

LOG ID:
013785

WELL TYPE
Private Well

DRILL DATE: 1955/06/ _____ TOWNSHIP RANGE SECTION ELEVATION: 701FT
DRILL DEPTH: 105FT 36N 10W 7
DEPTH TO BED: 10FT UTM X UTM Y
582,670.49 4,190,768.66
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 20

LOG ID:
015320

WELL TYPE
Private Well

DRILL DATE: 1956/05/ _____ TOWNSHIP RANGE SECTION ELEVATION: 700FT
DRILL DEPTH: 150FT 36N 10W 7
DEPTH TO BED: 5FT UTM X UTM Y
582,070.48 4,191,266.67
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 20

LOG ID:
004412

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1937/08/ _____ TOWNSHIP RANGE SECTION ELEVATION: 758FT
DRILL DEPTH: 90FT 36N 10W 8
DEPTH TO BED: 5FT UTM X UTM Y
582,856.49 4,190,749.66
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: NEAR DEVILS ELBOW
S.W.L. (AFTER CASING): 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006734

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1941/03/13 TOWNSHIP 36N RANGE 10W SECTION 8 ELEVATION: 715FT

DRILL DEPTH: 105FT

DEPTH TO BED: 10FT UTM X 582,856.49 UTM Y 4,190,547.66
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: D.J. CLINE

S.W.L. (AFTER CASING): 30

LOG ID:
007675

WELL TYPE
Private Well

DRILL DATE: 1941/12/ TOWNSHIP 36N RANGE 10W SECTION 8 ELEVATION: 745FT

DRILL DEPTH: 100FT

DEPTH TO BED: 15FT UTM X 583,656.50 UTM Y 4,190,347.65
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: ACROSS HIGHWAY FROM HOOKER SCHOOL

S.W.L. (AFTER CASING):

LOG ID:
013565

WELL TYPE
Private Well

DRILL DATE: 1955/01/ TOWNSHIP 36N RANGE 10W SECTION 8 ELEVATION: 798FT

DRILL DEPTH: 200FT

DEPTH TO BED: UTM X 584,056.50 UTM Y 4,190,447.66
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 1.5 MI S OF PHELPS CO LINE ON HWY 66

S.W.L. (AFTER CASING):

LOG ID:
013606

WELL TYPE
Private Well

DRILL DATE: 1954/11/ TOWNSHIP 36N RANGE 10W SECTION 8 ELEVATION: 730FT

DRILL DEPTH: 225FT

DEPTH TO BED: 10FT UTM X 583,256.50 UTM Y 4,190,347.65
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI S OF PHELPS CO LINE ON HWY 66

S.W.L. (AFTER CASING): 20



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013786

WELL TYPE
Private Well

DRILL DATE: 1955// TOWNSHIP 36N RANGE 10W SECTION 8 ELEVATION: 755FT
DRILL DEPTH: 130FT UTM X 583,855.50 UTM Y 4,190,147.65
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 15

LOG ID:
010914

WELL TYPE
Private Well

DRILL DATE: 1949/07/29 TOWNSHIP 36N RANGE 10W SECTION 9 ELEVATION: 856FT
DRILL DEPTH: 68FT UTM X 584,855.50 UTM Y 4,190,507.66
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 OF HWY 66
S.W.L. (AFTER CASING): 38

LOG ID:
013563

WELL TYPE
Private Well

DRILL DATE: 1954/10/ TOWNSHIP 36N RANGE 10W SECTION 9 ELEVATION: 822FT
DRILL DEPTH: 100FT UTM X 585,055.50 UTM Y 4,190,711.66
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI S OF PHELPS CO LINE ON HWY 66
S.W.L. (AFTER CASING): 30

LOG ID:
013748

WELL TYPE
Private Well

DRILL DATE: 1955/06/ TOWNSHIP 36N RANGE 10W SECTION 9 ELEVATION: 961FT
DRILL DEPTH: 205FT UTM X 585,455.49 UTM Y 4,190,913.66
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 125



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012759

WELL TYPE
Private Well

DRILL DATE: 1952/09/ TOWNSHIP 36N RANGE 11W SECTION 11 ELEVATION: 1,047FT
DRILL DEPTH: 400FT UTM X 579,473.49 UTM Y 4,190,044.65
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: SEE LOG #12218 and #15311 - old well deepened twice
S.W.L. (AFTER CASING): 250

LOG ID:
015311

WELL TYPE
Private Well

DRILL DATE: 1952/09/ TOWNSHIP 36N RANGE 11W SECTION 11 ELEVATION: 1,047FT
DRILL DEPTH: 400FT UTM X 579,473.49 UTM Y 4,190,044.65
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: SEE LOG #12218 (#12759 and #15311) OLD WELL DEEPENED
S.W.L. (AFTER CASING): 250 (TWICE)

LOG ID:
017257

WELL TYPE
Private Well

DRILL DATE: 1958// TOWNSHIP 36N RANGE 11W SECTION 11 ELEVATION: 1,027FT
DRILL DEPTH: 415FT UTM X 579,473.49 UTM Y 4,190,044.65
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 285

LOG ID:
027382

WELL TYPE
Private Well

DRILL DATE: 1970/02/25 TOWNSHIP 36N RANGE 11W SECTION 11 ELEVATION: 1,035FT
DRILL DEPTH: 485FT UTM X 579,473.49 UTM Y 4,190,044.65
DEPTH TO BED: 130FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 320



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017942

WELL TYPE
Multi-Family Well

DRILL DATE: 1959/03/20 TOWNSHIP 36N RANGE 11W SECTION 12 ELEVATION: 1,027FT

DRILL DEPTH: 340FT

DEPTH TO BED: 70FT UTM X 580,687.48 UTM Y 4,191,003.67
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: SUBDIVISION

S.W.L. (AFTER CASING):

LOG ID:
004473

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1937/09/ TOWNSHIP 36N RANGE 11W SECTION 13 ELEVATION: 886FT

DRILL DEPTH: 330FT

DEPTH TO BED: 35FT UTM X 580,974.51 UTM Y 4,188,880.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ON 2ND "FLAT" W OF DEVILS ELBOW, N SIDE HWY 66

S.W.L. (AFTER CASING): 190

LOG ID:
009896

WELL TYPE
Private Well

DRILL DATE: 1947/01/16 TOWNSHIP 36N RANGE 11W SECTION 13 ELEVATION: 999FT

DRILL DEPTH: 262FT

DEPTH TO BED: 85FT UTM X 580,074.51 UTM Y 4,188,779.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: JCT HWYS 66 & 28

S.W.L. (AFTER CASING): 232

LOG ID:
012757

WELL TYPE
Private Well

DRILL DATE: 1954/04/09 TOWNSHIP 36N RANGE 11W SECTION 13 ELEVATION: 924FT

DRILL DEPTH: 182FT

DEPTH TO BED: 164FT UTM X 580,474.51 UTM Y 4,188,779.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL DEEPENED 164-182'; N OF JSC HWYS 28 & 66.

S.W.L. (AFTER CASING): 153



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018531

WELL TYPE
Private Well

DRILL DATE: 1959// TOWNSHIP 36N RANGE 11W SECTION 13 ELEVATION: 911FT
DRILL DEPTH: 225FT UTM X 580,474.51 UTM Y 4,188,579.63
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: GRANDVIEW, 0.25 MI E OF JCH HWY 28
S.W.L. (AFTER CASING): 155

LOG ID:
018997

WELL TYPE
Private Well

DRILL DATE: 1960/05/ TOWNSHIP 36N RANGE 11W SECTION 13 ELEVATION: 1,050FT
DRILL DEPTH: 450FT UTM X 579,874.51 UTM Y 4,188,981.64
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 28 0.75 MI N OF HWY 66 AT MORGAN HEIGHTS
S.W.L. (AFTER CASING): 330

LOG ID:
017115

WELL TYPE
Private Well

DRILL DATE: 1957/10/ TOWNSHIP 36N RANGE 11W SECTION 14 ELEVATION: 1,045FT
DRILL DEPTH: 380FT UTM X 579,463.50 UTM Y 4,189,467.64
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 280

LOG ID:
021027

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1962/06/ TOWNSHIP 36N RANGE 11W SECTION 14 ELEVATION: 1,022FT
DRILL DEPTH: 395FT UTM X 579,463.49 UTM Y 4,189,673.65
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Ike Easter - 1 MI N OF MORGAN HEIGHTS ON
S.W.L. (AFTER CASING): 285 HWY 28

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020127

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 800FT
DRILL DEPTH: 135FT 36N 11W 15
DEPTH TO BED: 10FT UTM X UTM Y
576,828.48 4,189,928.65
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "LOG DOES NOT FIT AREA"
S.W.L. (AFTER CASING):

LOG ID:
018937

WELL TYPE
Community Public Well

DRILL DATE: 1959/09/ _____ TOWNSHIP RANGE SECTION ELEVATION: 1,043FT
DRILL DEPTH: 825FT 36N 11W 16
DEPTH TO BED: 90FT UTM X UTM Y
574,813.49 4,188,780.64
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL (#18937) DEEPENED 460-825' (#21384)
S.W.L. (AFTER CASING):

LOG ID:
021384

WELL TYPE
Community Public Well

DRILL DATE: 1959/09/ _____ TOWNSHIP RANGE SECTION ELEVATION: 1,043FT
DRILL DEPTH: 825FT 36N 11W 16
DEPTH TO BED: _____ UTM X UTM Y
574,819.50 4,188,547.64
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL (#18937) DEEPENED (#21384) SEE #18937
S.W.L. (AFTER CASING):

LOG ID:
016341

WELL TYPE
Private Well

DRILL DATE: 1956/10/09 _____ TOWNSHIP RANGE SECTION ELEVATION: 777FT
DRILL DEPTH: 100FT 36N 11W 17
DEPTH TO BED: 30FT UTM X UTM Y
573,389.48 4,189,779.66
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027047

WELL TYPE
Multi-Family Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 1,041FT
DRILL DEPTH: 410FT 36N 11W 18
DEPTH TO BED: 100FT UTM X UTM Y
572,475.49 4,188,719.64
S.W.L. (BEFORE CASING): _____ FT REMARKS: HOLIDAY INTERPRISES
S.W.L. (AFTER CASING): 281
ZONE 15

LOG ID:
006692

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1941/02/07 TOWNSHIP RANGE SECTION ELEVATION: 1,045FT
DRILL DEPTH: 370FT 36N 11W 19
DEPTH TO BED: 5FT UTM X UTM Y
572,360.51 4,187,008.62
S.W.L. (BEFORE CASING): _____ FT REMARKS: ABT 1 MI E OF WAYNESVILLE @ "EASTVILLE"
S.W.L. (AFTER CASING): 230
ZONE 15

LOG ID:
006701

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1941/02/15 TOWNSHIP RANGE SECTION ELEVATION: 1,044FT
DRILL DEPTH: 345FT 36N 11W 19
DEPTH TO BED: 30FT UTM X UTM Y
572,460.51 4,186,895.62
S.W.L. (BEFORE CASING): _____ FT REMARKS: 1.25 MI E OF WAYNESVILLE ON HILL
S.W.L. (AFTER CASING): 219
ZONE 15

LOG ID:
006731

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1941// TOWNSHIP RANGE SECTION ELEVATION: 1,065FT
DRILL DEPTH: 140FT 36N 11W 19
DEPTH TO BED: 45FT UTM X UTM Y
572,660.51 4,186,895.62
S.W.L. (BEFORE CASING): _____ REMARKS: ON HWY 66 E OF WAYNESVILLE
S.W.L. (AFTER CASING): _____
ZONE 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007829

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1942/06/25 TOWNSHIP 36N RANGE 11W SECTION 19 ELEVATION: 1,056FT

DRILL DEPTH: 450FT

DEPTH TO BED: 5FT UTM X 572,260.50 UTM Y 4,187,573.63
ZONE 15

S.W.L. (BEFORE CASING): 235 FT REMARKS: formerly in name of Negro School - 0.25 MI N OF PHILS LUNCH

S.W.L. (AFTER CASING): 255 FT

LOG ID:
011949

WELL TYPE
Multi-Family Well

DRILL DATE: 1951// TOWNSHIP 36N RANGE 11W SECTION 19 ELEVATION: 1,077FT

DRILL DEPTH: 270FT

DEPTH TO BED: 60FT UTM X 572,860.51 UTM Y 4,186,895.62
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: F.J. MERRIT, WAYNESVILLE

S.W.L. (AFTER CASING):

LOG ID:
013016

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1954// TOWNSHIP 36N RANGE 11W SECTION 19 ELEVATION: 1,059FT

DRILL DEPTH: 412FT

DEPTH TO BED: 15FT UTM X 572,860.51 UTM Y 4,186,895.62
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: @ ST ROBERT

S.W.L. (AFTER CASING): 265

LOG ID:
013716

WELL TYPE
Private Well

DRILL DATE: 1955/05/ TOWNSHIP 36N RANGE 11W SECTION 19 ELEVATION: 1,055FT

DRILL DEPTH: 405FT

DEPTH TO BED: 40FT UTM X 572,660.51 UTM Y 4,186,895.62
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 19 GPM @ 255'

S.W.L. (AFTER CASING): 240



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017641

WELL TYPE
Private Well

DRILL DATE: 1958// TOWNSHIP 36N RANGE 11W SECTION 21 ELEVATION: 1,050FT
DRILL DEPTH: 334FT UTM X 576,202.51 UTM Y 4,188,157.63
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON GOSPEL RIDGE
S.W.L. (AFTER CASING): 244

LOG ID:
017899

WELL TYPE
Private Well

DRILL DATE: 1959/01/ TOWNSHIP 36N RANGE 11W SECTION 21 ELEVATION: 1,117FT
DRILL DEPTH: 432FT UTM X 575,402.52 UTM Y 4,186,951.62
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 200 YDS N OF HWY 66 AT FT WOOD GATE
S.W.L. (AFTER CASING): 165

LOG ID:
018217

WELL TYPE
Private Well

DRILL DATE: 1959// TOWNSHIP 36N RANGE 11W SECTION 21 ELEVATION: 1,080FT
DRILL DEPTH: 400FT UTM X 575,202.51 UTM Y 4,187,454.62
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 250

LOG ID:
019276

WELL TYPE
Private Well

DRILL DATE: 1960/10/ TOWNSHIP 36N RANGE 11W SECTION 21 ELEVATION: 1,132FT
DRILL DEPTH: 450FT UTM X 575,402.52 UTM Y 4,186,951.62
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007183

WELL TYPE
Private Well

DRILL DATE: 1941// TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 1,030FT
DRILL DEPTH: 360FT UTM X 578,548.52 UTM Y 4,187,347.61
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Mrs. Charles Roach - 0.25 MI N OF SARA WEST
S.W.L. (AFTER CASING): WELL

LOG ID:
009897

WELL TYPE
Private Well

DRILL DATE: 1946/12/23 TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 1,022FT
DRILL DEPTH: 317FT UTM X 578,948.52 UTM Y 4,187,347.61
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 66 0.5 MI W OF JCT W/ HWY 28
S.W.L. (AFTER CASING): 290

LOG ID:
011449

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1950/10/ TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 990FT
DRILL DEPTH: 405FT UTM X 578,548.53 UTM Y 4,187,041.61
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL (#11449) DEEPENED 200-305 (#11947), 305-405 (#12089)
S.W.L. (AFTER CASING):

LOG ID:
011947

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1951// TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 991FT
DRILL DEPTH: 405FT UTM X 578,548.53 UTM Y 4,187,041.61
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL (#11449) DEEPENED 200-305 (#11947), 305-405 (#12089)
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012089

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1951// TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 991FT
DRILL DEPTH: 405FT UTM X 578,548.53 UTM Y 4,187,041.61
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL (#11449) DEEPENED 200-305 (#11947), 305-405 (#12089)
S.W.L. (AFTER CASING):

LOG ID:
012170

WELL TYPE
Private Well

DRILL DATE: 1952// TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 995FT
DRILL DEPTH: 280FT UTM X 578,048.51 UTM Y 4,188,265.63
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: JCT OF HWYS 66 & 28
S.W.L. (AFTER CASING): 250

LOG ID:
013488

WELL TYPE
Private Well

DRILL DATE: 1955/04/ TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 1,029FT
DRILL DEPTH: 354FT UTM X 579,248.52 UTM Y 4,187,653.62
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: JCT HWYS 28 & 66, MORGAN HEIGHTS
S.W.L. (AFTER CASING): 304

LOG ID:
014812

WELL TYPE
Private Well

DRILL DATE: 1955/03/ TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 1,051FT
DRILL DEPTH: 355FT UTM X 579,348.52 UTM Y 4,187,755.62
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI W OF MORGAN HEIGHTS ON OLD HWY 66
S.W.L. (AFTER CASING): 315



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015314

WELL TYPE
Private Well

DRILL DATE: 1956/04/03 TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 1,019FT

DRILL DEPTH: 350FT

DEPTH TO BED: 60FT UTM X 578,548.53 UTM Y 4,187,245.61
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W OF JCT HWYS 28 & 66, ON W LANE OF HWY 66

S.W.L. (AFTER CASING): 270

LOG ID:
021215

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 1,006FT

DRILL DEPTH: 383FT

DEPTH TO BED: 45FT UTM X 579,448.52 UTM Y 4,188,061.62
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 7 MI E OF WAYNESVILLE AT JCT HWYS 66 & 28; OLD GATEWAY
MOTEL

S.W.L. (AFTER CASING): 180

LOG ID:
021697

WELL TYPE
Private Well

DRILL DATE: 1963/05/ TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 1,022FT

DRILL DEPTH: 415FT

DEPTH TO BED: 50FT UTM X 579,448.52 UTM Y 4,187,857.62
ZONE 15

S.W.L. (BEFORE CASING): 300 FT REMARKS:

S.W.L. (AFTER CASING): 300 FT

LOG ID:
026177

WELL TYPE
Community Public Well

DRILL DATE: 1969/05/ TOWNSHIP 36N RANGE 11W SECTION 23 ELEVATION: 975FT

DRILL DEPTH: 600FT

DEPTH TO BED: 45FT UTM X 579,448.51 UTM Y 4,188,265.63
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION DATA; ST. ROBERT

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007395

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1941/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	145FT	36N	11W	25		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			579,851.54	4,186,395.60
<u>S.W.L. (AFTER CASING):</u>	80				ZONE 15	

REMARKS:

LOG ID:
018632

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/07/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	757FT
<u>DRILL DEPTH:</u>	76FT	36N	11W	25		
<u>DEPTH TO BED:</u>	40FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			580,851.55	4,185,787.59
<u>S.W.L. (AFTER CASING):</u>	38				ZONE 15	

REMARKS:

LOG ID:
021225

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	771FT
<u>DRILL DEPTH:</u>	100FT	36N	11W	25		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					580,251.54	4,186,395.60
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS:

LOG ID:
015449

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1956/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	921FT
<u>DRILL DEPTH:</u>	221FT	36N	11W	26		
<u>DEPTH TO BED:</u>	50FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			578,836.55	4,185,226.58
<u>S.W.L. (AFTER CASING):</u>	170				ZONE 15	

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007828

WELL TYPE
Private Well

DRILL DATE: 1941// TOWNSHIP 36N RANGE 11W SECTION 28 ELEVATION: 1,090FT
DRILL DEPTH: 367FT UTM X 575,392.53 UTM Y 4,185,943.60
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.25 MI S OF JCT OF HWYS 17 & 66, ON RIGHT SIDE OF ROAD
S.W.L. (AFTER CASING):

LOG ID:
007850

WELL TYPE
Private Well

DRILL DATE: 1941// TOWNSHIP 36N RANGE 11W SECTION 28 ELEVATION: 1,071FT
DRILL DEPTH: 332FT UTM X 575,592.53 UTM Y 4,185,943.60
DEPTH TO BED: 95FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NOW UNDER HWY 66 ROADWAY
S.W.L. (AFTER CASING):

LOG ID:
008296

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1943/06/ TOWNSHIP 36N RANGE 11W SECTION 28 ELEVATION: 1,133FT
DRILL DEPTH: 452FT UTM X 575,392.53 UTM Y 4,186,553.61
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: JUST W OF JCT OF HWYS 17 & 66, ON N SIDE OF 66, ACROS
S.W.L. (AFTER CASING): 350 FROM HIWAY PETRO

LOG ID:
012425

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1953/08/ TOWNSHIP 36N RANGE 11W SECTION 28 ELEVATION: 1,106FT
DRILL DEPTH: 410FT UTM X 575,392.54 UTM Y 4,185,741.60
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 17 0.5 MI S OF HWY 66 ON RT SIDE
S.W.L. (AFTER CASING): 300



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013018

WELL TYPE
Private Well

DRILL DATE: 1954/08/ TOWNSHIP 36N RANGE 11W SECTION 28 ELEVATION: 1,055FT
DRILL DEPTH: 403FT UTM X 575,392.54 UTM Y 4,185,741.60
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 248

LOG ID:
013310

WELL TYPE
Private Well

DRILL DATE: 1955/01/ TOWNSHIP 36N RANGE 11W SECTION 28 ELEVATION: 1,069FT
DRILL DEPTH: 400FT UTM X 576,192.54 UTM Y 4,185,741.60
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NEAR FT LEONARD WOOD, JUST E OF HWY 17, 0.5 MI S OF HWY
S.W.L. (AFTER CASING): 315 66

LOG ID:
015292

WELL TYPE
Private Well

DRILL DATE: 1956/08/ TOWNSHIP 36N RANGE 11W SECTION 28 ELEVATION: 1,069FT
DRILL DEPTH: 425FT UTM X 575,692.54 UTM Y 4,185,842.60
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
016044

WELL TYPE
Private Well

DRILL DATE: 1956/08/ TOWNSHIP 36N RANGE 11W SECTION 28 ELEVATION: 1,090FT
DRILL DEPTH: 415FT UTM X 575,992.54 UTM Y 4,185,741.60
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 285



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023867

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1965// TOWNSHIP 36N RANGE 12W SECTION 17 ELEVATION: 972FT
DRILL DEPTH: 290FT UTM X 564,290.45 UTM Y 4,190,155.66
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 210

LOG ID:
011014

WELL TYPE
Private Well

DRILL DATE: 1947/07/17 TOWNSHIP 36N RANGE 12W SECTION 20 ELEVATION: 1,038FT
DRILL DEPTH: 310FT UTM X 563,867.49 UTM Y 4,187,298.63
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3.5 MI NW OF WAYNESVILLE
S.W.L. (AFTER CASING): 270

LOG ID:
027112

WELL TYPE
Private Well

DRILL DATE: 1969/11/14 TOWNSHIP 36N RANGE 12W SECTION 20 ELEVATION: 1,061FT
DRILL DEPTH: 341FT UTM X 564,467.49 UTM Y 4,187,092.63
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2.25 MI N OF WAYNESVILLE ON HWY T
S.W.L. (AFTER CASING): 282

LOG ID:
018634

WELL TYPE
Private Well

DRILL DATE: 1959/09/17 TOWNSHIP 36N RANGE 12W SECTION 21 ELEVATION: 832FT
DRILL DEPTH: 145FT UTM X 566,099.49 UTM Y 4,187,479.64
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006650

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1941/02/06 TOWNSHIP 36N RANGE 12W SECTION 23 ELEVATION: 779FT

DRILL DEPTH: 57FT

DEPTH TO BED: 25FT UTM X 569,537.50 UTM Y 4,187,041.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: BEHIND BELL HOTEL AT WAYNESVILLE

S.W.L. (AFTER CASING): 12

LOG ID:
006651

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1941/02/06 TOWNSHIP 36N RANGE 12W SECTION 23 ELEVATION: 796FT

DRILL DEPTH: 50FT

DEPTH TO BED: 30FT UTM X 569,537.50 UTM Y 4,187,041.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 22

LOG ID:
006690

WELL TYPE
Private Well

DRILL DATE: 1941/02/15 TOWNSHIP 36N RANGE 12W SECTION 24 ELEVATION: 800FT

DRILL DEPTH: 174FT

DEPTH TO BED: 30FT UTM X 570,351.50 UTM Y 4,187,200.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: IN WAYNESVILLE 1 BLK W OF CHURCH

S.W.L. (AFTER CASING): 35

LOG ID:
006691

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1941// TOWNSHIP 36N RANGE 12W SECTION 24 ELEVATION: 782FT

DRILL DEPTH: 172FT

DEPTH TO BED: 10FT UTM X 569,951.51 UTM Y 4,186,996.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 22



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006706

WELL TYPE
Private Well

DRILL DATE: 1941/02/27 TOWNSHIP 36N RANGE 12W SECTION 26 ELEVATION: 845FT
DRILL DEPTH: 101FT UTM X 569,323.51 UTM Y 4,186,861.63
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 60

LOG ID:
006827

WELL TYPE
Private Well

DRILL DATE: 1941/04/26 TOWNSHIP 36N RANGE 12W SECTION 26 ELEVATION: 835FT
DRILL DEPTH: 104FT UTM X 569,123.51 UTM Y 4,186,249.62
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.1 MI W OF COURLTHOUSE @ WAYNESVILLE ON HWY 66
S.W.L. (AFTER CASING): 60

LOG ID:
019535

WELL TYPE
Community Public Well

DRILL DATE: 1960/12/ TOWNSHIP 36N RANGE 12W SECTION 26 ELEVATION: 834FT
DRILL DEPTH: 775FT UTM X 568,399.52 UTM Y 4,185,395.61
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 60

LOG ID:
011016

WELL TYPE
Private Well

DRILL DATE: 1947/08/19 TOWNSHIP 36N RANGE 12W SECTION 27 ELEVATION: 1,020FT
DRILL DEPTH: 255FT UTM X 567,514.50 UTM Y 4,186,862.63
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 195

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015451

WELL TYPE
Private Well

DRILL DATE: 1956/07/ TOWNSHIP 36N RANGE 12W SECTION 27 ELEVATION: 894FT
DRILL DEPTH: 184FT UTM X 567,914.52 UTM Y 4,185,432.61
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 115

LOG ID:
012087

WELL TYPE
Private Well

DRILL DATE: 1952/09/05 TOWNSHIP 36N RANGE 12W SECTION 28 ELEVATION: 1,023FT
DRILL DEPTH: 200FT UTM X 565,285.50 UTM Y 4,186,486.63
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI N OF HWY 66 ON HWY T NW OF WAYNESVILLE
S.W.L. (AFTER CASING): 145

LOG ID:
013787

WELL TYPE
Private Well

DRILL DATE: 1955/05/25 TOWNSHIP 36N RANGE 12W SECTION 29 ELEVATION: 1,025FT
DRILL DEPTH: 300FT UTM X 563,763.51 UTM Y 4,186,097.62
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI NW OF WAYNESVILLE CHURCH, 1 MI W OF HWY T
S.W.L. (AFTER CASING): 245

LOG ID:
018215

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 36N RANGE 12W SECTION 29 ELEVATION: 1,029FT
DRILL DEPTH: 360FT UTM X 563,263.50 UTM Y 4,186,719.62
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012329

WELL TYPE
Private Well

DRILL DATE: 1952/12/06 TOWNSHIP 36N RANGE 12W SECTION 3 ELEVATION: 768FT
DRILL DEPTH: 150FT UTM X 567,793.43 UTM Y 4,192,093.69
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1ST HOUSE N OF GASCONADE ROVER ON OLD HWY 17
S.W.L. (AFTER CASING): 40

LOG ID:
009924

WELL TYPE
Private Well

DRILL DATE: 1947/02/13 TOWNSHIP 36N RANGE 12W SECTION 30 ELEVATION: 855FT
DRILL DEPTH: 91FT UTM X 562,032.50 UTM Y 4,186,720.62
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 7 MI W OF WANESVILLE, 3 MI N OF BUCKHORN
S.W.L. (AFTER CASING): 50

LOG ID:
006780

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1941/03/ TOWNSHIP 36N RANGE 12W SECTION 34 ELEVATION: 910FT
DRILL DEPTH: 188FT UTM X 567,297.53 UTM Y 4,184,848.61
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1.5 MI W OF WAYNESVILLE ON HWY 66; NO CONSTRUCTION OR
S.W.L. (AFTER CASING): PRODUCTION DATA

LOG ID:
013807

WELL TYPE
Private Well

DRILL DATE: 1955/06/ TOWNSHIP 36N RANGE 12W SECTION 34 ELEVATION: 935FT
DRILL DEPTH: 205FT UTM X 567,097.53 UTM Y 4,184,438.60
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 MI W OF WAYNESVILLE ON OLD HWY 66
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021217

WELL TYPE
Private Well

DRILL DATE: 1962/07/ TOWNSHIP 36N RANGE 12W SECTION 34 ELEVATION: 933FT
DRILL DEPTH: 200FT UTM X 566,897.53 UTM Y 4,184,232.60
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 100

LOG ID:
027469

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP 36N RANGE 12W SECTION 34 ELEVATION: 880FT
DRILL DEPTH: 950FT UTM X 567,213.52 UTM Y 4,185,208.61
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): 40 FT REMARKS:
S.W.L. (AFTER CASING): 102 FT

LOG ID:
015982

WELL TYPE
Private Well

DRILL DATE: 1955// TOWNSHIP 36N RANGE 12W SECTION 4 ELEVATION: 967FT
DRILL DEPTH: 305FT UTM X 566,156.43 UTM Y 4,191,881.69
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
023514

WELL TYPE
Private Well

DRILL DATE: 1965/06/15 TOWNSHIP 36N RANGE 12W SECTION 4 ELEVATION: 996FT
DRILL DEPTH: 325FT UTM X 565,956.41 UTM Y 4,192,951.70
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 5 MI FROM WAYNESVILLE ON HWY 17, N OF HAMILTON TRAILER
S.W.L. (AFTER CASING): 80 CT.

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009925

WELL TYPE
Private Well

DRILL DATE: 1947/01/11 TOWNSHIP 36N RANGE 12W SECTION 8 ELEVATION: 998FT

DRILL DEPTH: 240FT

DEPTH TO BED: 30FT UTM X 563,715.45 UTM Y 4,190,531.66
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL (#9925) DEEPENED (see log #11999) 138-240'

S.W.L. (AFTER CASING): 175

LOG ID:
011961

WELL TYPE
Private Well

DRILL DATE: 1952/08/ TOWNSHIP 36N RANGE 12W SECTION 8 ELEVATION: 981FT

DRILL DEPTH: 255FT

DEPTH TO BED: 35FT UTM X 563,915.45 UTM Y 4,190,325.66
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 125

LOG ID:
011999

WELL TYPE
Private Well

DRILL DATE: 1952/08/31 TOWNSHIP 36N RANGE 12W SECTION 8 ELEVATION: 998FT

DRILL DEPTH: 240FT

DEPTH TO BED: 30FT UTM X 563,715.45 UTM Y 4,190,531.66
ZONE 15

S.W.L. (BEFORE CASING): 110 FT REMARKS: SEE LOG #9925 - OLD WELL DEEPENED

S.W.L. (AFTER CASING): 175 FT

LOG ID:
016295

WELL TYPE
Private Well

DRILL DATE: 1957/05/ TOWNSHIP 36N RANGE 12W SECTION 8 ELEVATION: 993FT

DRILL DEPTH: 267FT

DEPTH TO BED: 30FT UTM X 563,915.45 UTM Y 4,190,325.66
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 220

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010394

WELL TYPE
Private Well

DRILL DATE: 1948/08/09 TOWNSHIP 36N RANGE 13W SECTION 12 ELEVATION: 898FT

DRILL DEPTH: 70FT

DEPTH TO BED: 25FT UTM X 560,101.45 UTM Y 4,190,378.64
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 6 MI SE OF RICHLAND, 2.5 MI N OF TURKEY RIDGE SCHOOL

S.W.L. (AFTER CASING): 50

LOG ID:
012088

WELL TYPE
Private Well

DRILL DATE: 1952/11/04 TOWNSHIP 36N RANGE 13W SECTION 12 ELEVATION: 966FT

DRILL DEPTH: 175FT

DEPTH TO BED: 40FT UTM X 560,501.43 UTM Y 4,191,816.66
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 135

LOG ID:
016569

WELL TYPE
Private Well

DRILL DATE: 1957/05/07 TOWNSHIP 36N RANGE 13W SECTION 13 ELEVATION: 1,010FT

DRILL DEPTH: 320FT

DEPTH TO BED: 35FT UTM X 560,068.47 UTM Y 4,188,780.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 4.5 MI SE OF RICHLAND

S.W.L. (AFTER CASING): 240

LOG ID:
021518

WELL TYPE
Private Well

DRILL DATE: 1962/07/28 TOWNSHIP 36N RANGE 13W SECTION 13 ELEVATION: 1,042FT

DRILL DEPTH: 370FT

DEPTH TO BED: 45FT UTM X 560,968.47 UTM Y 4,188,982.63
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 285



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010588

WELL TYPE
Private Well

DRILL DATE: 1948/08/26 TOWNSHIP 36N RANGE 13W SECTION 16 ELEVATION: 1,084FT
DRILL DEPTH: 260FT UTM X 555,279.47 UTM Y 4,189,234.61
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI SE OF RICHLAND ON HWY A
S.W.L. (AFTER CASING): 189

LOG ID:
015035

WELL TYPE
Private Well

DRILL DATE: 1956/05/24 TOWNSHIP 36N RANGE 13W SECTION 16 ELEVATION: 996FT
DRILL DEPTH: 225FT UTM X 555,479.47 UTM Y 4,189,026.61
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 120

LOG ID:
018939

WELL TYPE
Private Well

DRILL DATE: 1957/06/07 TOWNSHIP 36N RANGE 13W SECTION 16 ELEVATION: 1,011FT
DRILL DEPTH: 240FT UTM X 556,679.45 UTM Y 4,190,268.63
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI E OF HWYS 133-35
S.W.L. (AFTER CASING): 180

LOG ID:
020227

WELL TYPE
Private Well

DRILL DATE: 1961/06/28 TOWNSHIP 36N RANGE 13W SECTION 17 ELEVATION: 1,114FT
DRILL DEPTH: 190FT UTM X 554,054.45 UTM Y 4,190,288.61
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027278

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 36N RANGE 13W SECTION 17 ELEVATION: 1,040FT
DRILL DEPTH: 325FT UTM X 555,054.46 UTM Y 4,189,464.61
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: 2 MI S OF RICHLAND ON HWY 7; NO PRODUCTION DATA
S.W.L. (AFTER CASING): _____

LOG ID:
002342

WELL TYPE
Community Public Well

DRILL DATE: 1930/11/11 TOWNSHIP 36N RANGE 13W SECTION 18 ELEVATION: 1,138FT
DRILL DEPTH: 902FT UTM X 552,340.45 UTM Y 4,190,214.61
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: downtown well - OLD WELL (#2342) DEEPENED 880-1170; OLD
S.W.L. (AFTER CASING): 252 WELL (#2342) DEEPENED (#17444) 880-1170' (1957)

LOG ID:
009684

WELL TYPE
Community Public Well

DRILL DATE: 1947/11/01 TOWNSHIP 36N RANGE 13W SECTION 18 ELEVATION: 1,110FT
DRILL DEPTH: 1,202FT UTM X 553,249.46 UTM Y 4,189,989.61
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 240

LOG ID:
017903

WELL TYPE
Private Well

DRILL DATE: 1958/09/ _____ TOWNSHIP 36N RANGE 13W SECTION 18 ELEVATION: 1,107FT
DRILL DEPTH: 436FT UTM X 552,049.47 UTM Y 4,189,317.60
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 220

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013029

WELL TYPE
Private Well

DRILL DATE: 1954// TOWNSHIP 36N RANGE 13W SECTION 21 ELEVATION: 1,052FT
DRILL DEPTH: 380FT UTM X 555,349.50 UTM Y 4,187,297.59
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NO CONSTRUCTION DATA
S.W.L. (AFTER CASING): 265

LOG ID:
013031

WELL TYPE
Private Well

DRILL DATE: 1954/05/21 TOWNSHIP 36N RANGE 13W SECTION 21 ELEVATION: 1,046FT
DRILL DEPTH: 305FT UTM X 555,848.50 UTM Y 4,187,194.60
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI S OF RR ON HWY 35
S.W.L. (AFTER CASING): 250

LOG ID:
013032

WELL TYPE
Private Well

DRILL DATE: 1954/09/01 TOWNSHIP 36N RANGE 13W SECTION 21 ELEVATION: 1,050FT
DRILL DEPTH: 340FT UTM X 555,648.50 UTM Y 4,187,194.59
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 35 1.25 MI S OF HWY 133
S.W.L. (AFTER CASING): 288

LOG ID:
016319

WELL TYPE
Private Well

DRILL DATE: 1957/06/ TOWNSHIP 36N RANGE 13W SECTION 21 ELEVATION: 1,046FT
DRILL DEPTH: 340FT UTM X 555,349.48 UTM Y 4,188,436.60
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI S OF RICHLAND ON HWY 35
S.W.L. (AFTER CASING): 240



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018084

WELL TYPE
Private Well

DRILL DATE: 1959/02/24 TOWNSHIP 36N RANGE 13W SECTION 8 ELEVATION: 1,105FT

DRILL DEPTH: 170FT

DEPTH TO BED: 30FT UTM X 554,680.44 UTM Y 4,190,882.62
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 133 0.25 MI N OF JCT OF HWYS 35 & 133

S.W.L. (AFTER CASING): 90

LOG ID:
019534

WELL TYPE
Private Well

DRILL DATE: 1960/08/ TOWNSHIP 36N RANGE 13W SECTION 8 ELEVATION: 1,112FT

DRILL DEPTH: 280FT

DEPTH TO BED: 35FT UTM X 554,680.44 UTM Y 4,190,882.62
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI N OF JCT HWYS 7 & 133

S.W.L. (AFTER CASING): 165

LOG ID:
027989

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP 36N RANGE 13W SECTION 8 ELEVATION: 1,085FT

DRILL DEPTH: 1,225FT

DEPTH TO BED: 50FT UTM X 553,578.44 UTM Y 4,190,767.62
ZONE 15

S.W.L. (BEFORE CASING): 100 FT REMARKS: "VERY POOR SAMPLES"

S.W.L. (AFTER CASING): 263 FT

LOG ID:
014573

WELL TYPE
Private Well

DRILL DATE: 1956/02/ TOWNSHIP 37N RANGE 10W SECTION 16 ELEVATION:

DRILL DEPTH: 65FT

DEPTH TO BED: UTM X 585,681.40 UTM Y 4,198,350.79
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012758

WELL TYPE
Private Well

DRILL DATE: 1954// TOWNSHIP 37N RANGE 10W SECTION 31 ELEVATION: 686FT
DRILL DEPTH: 58FT UTM X 581,861.45 UTM Y 4,193,600.71
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3.5 MI N OF HWYS 66-28 JCT.
S.W.L. (AFTER CASING): 25

LOG ID:
013738

WELL TYPE
Private Well

DRILL DATE: 1955/05/ TOWNSHIP 37N RANGE 10W SECTION 31 ELEVATION: 749FT
DRILL DEPTH: 100FT UTM X 581,261.45 UTM Y 4,193,600.71
DEPTH TO BED: REMARKS:
S.W.L. (BEFORE CASING): FT
S.W.L. (AFTER CASING): 33

LOG ID:
018216

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 37N RANGE 10W SECTION 31 ELEVATION: 979FT
DRILL DEPTH: 365FT UTM X 582,261.44 UTM Y 4,194,382.72
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
028474

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1963// TOWNSHIP 37N RANGE 10W SECTION 31 ELEVATION: 725FT
DRILL DEPTH: 1,475FT UTM X 581,561.45 UTM Y 4,193,502.70
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: PREWETT OPTION - 63-W-82
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015459

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1956/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	965FT
<u>DRILL DEPTH:</u>	160FT	37N	10W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				584,682.36	4,200,950.83
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	118				<u>REMARKS:</u>	

LOG ID:
016288

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	969FT
<u>DRILL DEPTH:</u>	152FT	37N	10W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				584,482.37	4,199,726.81
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	95				<u>REMARKS:</u>	

LOG ID:
018485

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/09/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,094FT
<u>DRILL DEPTH:</u>	165FT	37N	11W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				580,055.34	4,201,398.82
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100				<u>REMARKS:</u>	

LOG ID:
018490

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/06/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,094FT
<u>DRILL DEPTH:</u>	175FT	37N	11W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				580,055.34	4,201,398.82
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100				<u>REMARKS:</u> ON HWY D 0.25 MI OFF HWY 28	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021169

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1962// TOWNSHIP 37N RANGE 11W SECTION 1 ELEVATION: 1,075FT
DRILL DEPTH: 195FT UTM X 580,155.34 UTM Y 4,201,295.82
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
016643

WELL TYPE
Private Well

DRILL DATE: 1957/08/ TOWNSHIP 37N RANGE 11W SECTION 12 ELEVATION: 1,068FT
DRILL DEPTH: 290FT UTM X 579,855.34 UTM Y 4,201,029.82
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 28 S OF DIXON, 0.25 MI S OF JCT W/ HWYD
S.W.L. (AFTER CASING): 123

LOG ID:
015573

WELL TYPE
Private Well

DRILL DATE: 1956/10/ TOWNSHIP 37N RANGE 11W SECTION 13 ELEVATION: 1,028FT
DRILL DEPTH: 261FT UTM X 580,071.37 UTM Y 4,199,458.79
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 180

LOG ID:
018481

WELL TYPE
Private Well

DRILL DATE: 1959/06/ TOWNSHIP 37N RANGE 11W SECTION 16 ELEVATION: 1,010FT
DRILL DEPTH: 265FT UTM X 575,415.36 UTM Y 4,199,159.78
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 5 MI S OF DIXON ON HWY O
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018327

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 869FT
DRILL DEPTH: 210FT 37N 11W 21
DEPTH TO BED: 40FT UTM X UTM Y
575,035.39 4,196,550.74
S.W.L. (BEFORE CASING): _____ FT REMARKS: 0.5 MI S OF RIDDLE BRIDGE, 0.5 MI W OF HWY Y
S.W.L. (AFTER CASING): 135 ZONE 15

LOG ID:
004704

WELL TYPE
Private Well

DRILL DATE: 1938/04/ _____ TOWNSHIP RANGE SECTION ELEVATION: 996FT
DRILL DEPTH: 333FT 37N 11W 25
DEPTH TO BED: 75FT UTM X UTM Y
579,753.41 4,196,145.74
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 267 ZONE 15

LOG ID:
015070

WELL TYPE
Private Well

DRILL DATE: 1956/05/ _____ TOWNSHIP RANGE SECTION ELEVATION: 992FT
DRILL DEPTH: 300FT 37N 11W 25
DEPTH TO BED: 35FT UTM X UTM Y
580,453.43 4,195,003.73
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 245 ZONE 15

LOG ID:
017174

WELL TYPE
Private Well

DRILL DATE: 1958/05/ _____ TOWNSHIP RANGE SECTION ELEVATION: 963FT
DRILL DEPTH: 337FT 37N 11W 25
DEPTH TO BED: 15FT UTM X UTM Y
579,853.42 4,195,003.73
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 252 ZONE 15

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024117

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 37N RANGE 11W SECTION 25 ELEVATION: 982FT
DRILL DEPTH: 390FT UTM X 580,253.42 UTM Y 4,195,211.73
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING): _____

LOG ID:
026050

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 37N RANGE 11W SECTION 25 ELEVATION: 991FT
DRILL DEPTH: 295FT UTM X 581,053.43 UTM Y 4,194,795.72
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: SCANNED, NO LITHOLOGY, TOPS ONLY
S.W.L. (AFTER CASING): 50

LOG ID:
014087

WELL TYPE
Private Well

DRILL DATE: 1955// _____ TOWNSHIP 37N RANGE 11W SECTION 27 ELEVATION: 720FT
DRILL DEPTH: 60FT UTM X 576,429.41 UTM Y 4,195,688.73
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: _____
S.W.L. (AFTER CASING): 25

LOG ID:
018425

WELL TYPE
Private Well

DRILL DATE: 1959/04/23 _____ TOWNSHIP 37N RANGE 11W SECTION 27 ELEVATION: 764FT
DRILL DEPTH: 125FT UTM X 576,429.41 UTM Y 4,195,688.73
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: formerly in name of H.B. Terry
S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
014137

WELL TYPE
Private Well

DRILL DATE: 1955/09/ TOWNSHIP 37N RANGE 11W SECTION 28 ELEVATION: 726FT
DRILL DEPTH: 95FT UTM X 576,237.40 UTM Y 4,196,132.74
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 17

LOG ID:
014139

WELL TYPE
Private Well

DRILL DATE: 1955/09/ TOWNSHIP 37N RANGE 11W SECTION 28 ELEVATION: 724FT
DRILL DEPTH: 100FT UTM X 576,237.40 UTM Y 4,196,132.74
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 17

LOG ID:
018484

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 37N RANGE 11W SECTION 28 ELEVATION: 845FT
DRILL DEPTH: 150FT UTM X 575,037.41 UTM Y 4,195,150.73
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY Y 8 MI FROM DIXON
S.W.L. (AFTER CASING): 60

LOG ID:
016877

WELL TYPE
Private Well

DRILL DATE: 1957/10/ TOWNSHIP 37N RANGE 11W SECTION 29 ELEVATION: 902FT
DRILL DEPTH: 250FT UTM X 574,427.41 UTM Y 4,194,983.72
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: N OF HWY 66 ENTRANCE TO FT L. WOOD
S.W.L. (AFTER CASING): 160



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007293

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1941// TOWNSHIP 37N RANGE 11W SECTION 36 ELEVATION: 1,004FT
DRILL DEPTH: 511FT UTM X 579,650.43 UTM Y 4,194,614.72
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.25 MI S OF HWY 28 ON W SIDE OF ROAD
S.W.L. (AFTER CASING):

LOG ID:
011411

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1948/09/ TOWNSHIP 37N RANGE 11W SECTION 36 ELEVATION: 736FT
DRILL DEPTH: 55FT UTM X 580,850.44 UTM Y 4,194,412.72
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 35

LOG ID:
017186

WELL TYPE
Private Well

DRILL DATE: 1958/04/ TOWNSHIP 37N RANGE 11W SECTION 36 ELEVATION: 1,009FT
DRILL DEPTH: 380FT UTM X 579,750.43 UTM Y 4,194,513.72
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 280

LOG ID:
023771

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP 37N RANGE 11W SECTION 4 ELEVATION: 1,063FT
DRILL DEPTH: 110FT UTM X 575,502.32 UTM Y 4,202,100.82
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OIL TEST
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012060

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1952// TOWNSHIP 37N RANGE 12W SECTION 17 ELEVATION: 1,119FT
DRILL DEPTH: 130FT UTM X 564,440.34 UTM Y 4,198,387.74
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: IN REAR OF KELSO SERVICE STATION, CROCKER
S.W.L. (AFTER CASING): 20

LOG ID:
021112

WELL TYPE
Private Well

DRILL DATE: 1961/10/18 TOWNSHIP 37N RANGE 12W SECTION 17 ELEVATION: 1,085FT
DRILL DEPTH: 255FT UTM X 564,640.33 UTM Y 4,198,593.75
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL DEEPENED 90-255'; 1 MI W OF CROCKER ON HWY 17
S.W.L. (AFTER CASING): 165

LOG ID:
021266

WELL TYPE
Private Well

DRILL DATE: 1962// TOWNSHIP 37N RANGE 12W SECTION 17 ELEVATION: 1,070FT
DRILL DEPTH: 275FT UTM X 564,040.32 UTM Y 4,199,207.75
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "HORSE SHOW GROUND"
S.W.L. (AFTER CASING):

LOG ID:
025005

WELL TYPE
Private Well

DRILL DATE: 1966/12/27 TOWNSHIP 37N RANGE 12W SECTION 17 ELEVATION: 1,131FT
DRILL DEPTH: 350FT UTM X 564,640.33 UTM Y 4,199,003.75
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 TO 0.75 MI S OF CROCKER ON HWY 17, 1 BLOCK W
S.W.L. (AFTER CASING): 230

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022397

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 1,018FT
DRILL DEPTH: 255FT 37N 12W 24
DEPTH TO BED: 30FT UTM X UTM Y
569,903.36 4,197,901.75
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS:
S.W.L. (AFTER CASING): _____

LOG ID:
021134

WELL TYPE
Private Well

DRILL DATE: 1961/11/04 TOWNSHIP RANGE SECTION ELEVATION: 1,022FT
DRILL DEPTH: 305FT 37N 12W 25
DEPTH TO BED: 55FT UTM X UTM Y
570,282.39 4,195,578.73
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 3 MI E OF HWY 17 ON HWY DD
S.W.L. (AFTER CASING): 255

LOG ID:
021473

WELL TYPE
Private Well

DRILL DATE: 1963/01/04 TOWNSHIP RANGE SECTION ELEVATION: 1,003FT
DRILL DEPTH: 350FT 37N 12W 25
DEPTH TO BED: 30FT UTM X UTM Y
569,882.39 4,195,680.73
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS:
S.W.L. (AFTER CASING): 260

LOG ID:
005159

WELL TYPE
Private Well

DRILL DATE: 1938// TOWNSHIP RANGE SECTION ELEVATION: 1,013FT
DRILL DEPTH: 74FT 37N 12W 26
DEPTH TO BED: 55FT UTM X UTM Y
568,258.37 4,196,414.74
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 4 MI S OF CROCKER
S.W.L. (AFTER CASING): 22



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015033

WELL TYPE
Private Well

DRILL DATE: 1956/06/07 TOWNSHIP 37N RANGE 12W SECTION 34 ELEVATION: 887FT

DRILL DEPTH: 145FT

DEPTH TO BED: 20FT UTM X 567,426.40 UTM Y 4,194,529.71
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 4 MI S OF CROCKER

S.W.L. (AFTER CASING): 100

LOG ID:
015635

WELL TYPE
Private Well

DRILL DATE: 1956/07/24 TOWNSHIP 37N RANGE 12W SECTION 34 ELEVATION: 1,014FT

DRILL DEPTH: 370FT

DEPTH TO BED: 75FT UTM X 567,026.41 UTM Y 4,193,731.70
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 4.5 MI SE OF CROCKER ON HWY DD, 0.5 MI W

S.W.L. (AFTER CASING): 270

LOG ID:
012059

WELL TYPE
Private Well

DRILL DATE: 1952/04/29 TOWNSHIP 37N RANGE 12W SECTION 4 ELEVATION: 1,165FT

DRILL DEPTH: 110FT

DEPTH TO BED: 20FT UTM X 565,280.29 UTM Y 4,202,238.79
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N OF CROCKER ON HWY 17; 1ST HOUSE N OF SALE BARN

S.W.L. (AFTER CASING): 60

LOG ID:
015031

WELL TYPE
Private Well

DRILL DATE: 1956/04/23 TOWNSHIP 37N RANGE 12W SECTION 4 ELEVATION: 1,166FT

DRILL DEPTH: 350FT

DEPTH TO BED: 45FT UTM X 565,080.29 UTM Y 4,202,238.79
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 235



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021136

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 37N RANGE 12W SECTION 4 ELEVATION: 1,167FT
DRILL DEPTH: 300FT UTM X 565,280.28 UTM Y 4,202,456.79
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: 1.25 MI N OF CROCKER ON HWY 17
S.W.L. (AFTER CASING): _____

LOG ID:
021144

WELL TYPE
Private Well

DRILL DATE: 1962/06/14 TOWNSHIP 37N RANGE 12W SECTION 4 ELEVATION: 1,169FT
DRILL DEPTH: 396FT UTM X 565,080.29 UTM Y 4,201,804.78
DEPTH TO BED: 150FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: NO SAMPLES 0-150'
S.W.L. (AFTER CASING): 186

LOG ID:
028116

WELL TYPE
Noncommunity Public Well

DRILL DATE: _____ TOWNSHIP 37N RANGE 12W SECTION 4 ELEVATION: 1,165FT
DRILL DEPTH: 350FT UTM X 565,380.28 UTM Y 4,202,782.80
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING): _____

LOG ID:
019323

WELL TYPE
Private Well

DRILL DATE: 1960/07/16 TOWNSHIP 37N RANGE 12W SECTION 5 ELEVATION: 1,137FT
DRILL DEPTH: 330FT UTM X 564,249.29 UTM Y 4,201,859.78
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 0.75 MI N OF CROCKER, JUST OFF HWY 17
S.W.L. (AFTER CASING): 210

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010817

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1949/05/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,111FT
<u>DRILL DEPTH:</u>	270FT	37N	13W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				559,385.35	4,196,893.70
<u>S.W.L. (BEFORE CASING):</u>	35	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	190	FT	<u>REMARKS:</u>	OLD WELL (#10817) DEEPENED 125-270' (1960, #18619); 0.25 MI E OF SWBG		

LOG ID:
016568

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/03/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,023FT
<u>DRILL DEPTH:</u>	180FT	37N	13W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				559,085.34	4,197,804.71
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	ZONE 15		
<u>S.W.L. (AFTER CASING):</u>	65					

LOG ID:
018619

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1949/05/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,111FT
<u>DRILL DEPTH:</u>	270FT	37N	13W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				559,385.35	4,196,893.70
<u>S.W.L. (BEFORE CASING):</u>	35	FT	<u>REMARKS:</u>	ZONE 15		
<u>S.W.L. (AFTER CASING):</u>	190	FT		OLD WELL (#10817) DEEPENED 125-270' (1960, #18619); 0.25 MI E OF SWBG		

LOG ID:
019080

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/05/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,057FT
<u>DRILL DEPTH:</u>	275FT	37N	13W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				559,185.33	4,198,311.71
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	ZONE 15		
<u>S.W.L. (AFTER CASING):</u>	180			ON HWY 133 0.25 MI E OF SWEDEBORG		

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012341

WELL TYPE
Private Well

DRILL DATE: 1953// TOWNSHIP 37N RANGE 13W SECTION 24 ELEVATION: 1,116FT
DRILL DEPTH: 120FT UTM X 561,382.35 UTM Y 4,197,085.71
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI E OF SWEDEBORG; NO PRODUCTION OR CONSTRUCTION
S.W.L. (AFTER CASING): DATA

LOG ID:
018411

WELL TYPE
Private Well

DRILL DATE: 1959/06/15 TOWNSHIP 37N RANGE 13W SECTION 24 ELEVATION: 1,038FT
DRILL DEPTH: 160FT UTM X 561,182.35 UTM Y 4,196,883.71
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI E OF SWEDEBORG ON HWY 133
S.W.L. (AFTER CASING): 80

LOG ID:
018412

WELL TYPE
Private Well

DRILL DATE: 1959/06/23 TOWNSHIP 37N RANGE 13W SECTION 24 ELEVATION: 1,116FT
DRILL DEPTH: 165FT UTM X 560,982.35 UTM Y 4,196,883.71
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI E OF SWEDEBORG ON HWY 133, S OF RR
S.W.L. (AFTER CASING): 80

LOG ID:
020232

WELL TYPE
Private Well

DRILL DATE: 1961/05/26 TOWNSHIP 37N RANGE 13W SECTION 24 ELEVATION: 1,100FT
DRILL DEPTH: 160FT UTM X 561,182.35 UTM Y 4,197,085.71
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 133 1.5 MI E OF SWEDEBORG
S.W.L. (AFTER CASING): 70

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010395

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1948/03/18 TOWNSHIP 37N RANGE 13W SECTION 26 ELEVATION: 1,087FT

DRILL DEPTH: 425FT

DEPTH TO BED: 25FT UTM X 558,754.36 UTM Y 4,195,890.69
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: old well (see log #10395) deepened 122-425 (see log #12546 & log #15611)

S.W.L. (AFTER CASING): 60

LOG ID:
010397

WELL TYPE
Private Well

DRILL DATE: 1948/02/20 TOWNSHIP 37N RANGE 13W SECTION 26 ELEVATION: 1,124FT

DRILL DEPTH: 83FT

DEPTH TO BED: 30FT UTM X 558,754.35 UTM Y 4,196,498.69
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: AT SWEDEBORG

S.W.L. (AFTER CASING): 30

LOG ID:
010587

WELL TYPE
Private Well

DRILL DATE: 1948/11/18 TOWNSHIP 37N RANGE 13W SECTION 26 ELEVATION: 1,103FT

DRILL DEPTH: 110FT

DEPTH TO BED: 10FT UTM X 558,754.37 UTM Y 4,195,688.69
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI S OF SWEDEBORG, NEAR SCHOOL

S.W.L. (AFTER CASING): 65

LOG ID:
011285

WELL TYPE
Private Well

DRILL DATE: 1949/08/ TOWNSHIP 37N RANGE 13W SECTION 26 ELEVATION: 1,114FT

DRILL DEPTH: 95FT

DEPTH TO BED: 25FT UTM X 559,354.36 UTM Y 4,196,498.70
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: J.B. Ross Estate - 1 BLK S OF HWY 133 IN SWEDEBORG

S.W.L. (AFTER CASING): 35

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017023

WELL TYPE
Private Well

DRILL DATE: 1958/03/13 TOWNSHIP 37N RANGE 13W SECTION 26 ELEVATION: 1,072FT

DRILL DEPTH: 215FT

DEPTH TO BED: 15FT UTM X 558,754.35 UTM Y 4,196,700.70
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 133 IN SWEDEBORG

S.W.L. (AFTER CASING): 50

LOG ID:
017958

WELL TYPE
Private Well

DRILL DATE: 1958/07/29 TOWNSHIP 37N RANGE 13W SECTION 26 ELEVATION: 1,109FT

DRILL DEPTH: 175FT

DEPTH TO BED: 30FT UTM X 558,954.36 UTM Y 4,196,296.69
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: IN SWEDEBORG

S.W.L. (AFTER CASING): 85

LOG ID:
017960

WELL TYPE
Private Well

DRILL DATE: 1958/11/18 TOWNSHIP 37N RANGE 13W SECTION 26 ELEVATION: 1,076FT

DRILL DEPTH: 170FT

DEPTH TO BED: 15FT UTM X 558,954.37 UTM Y 4,195,688.69
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 110

LOG ID:
018400

WELL TYPE
Private Well

DRILL DATE: 1959/07/08 TOWNSHIP 37N RANGE 13W SECTION 26 ELEVATION: 1,078FT

DRILL DEPTH: 350FT

DEPTH TO BED: 10FT UTM X 558,954.36 UTM Y 4,195,890.69
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Otilio Lugo - ON HWY T 0.5 MI S OF
SWEDEBORG NEAR SCHOOL

S.W.L. (AFTER CASING): 150

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025373

WELL TYPE
Private Well

DRILL DATE: 1966/11/07 TOWNSHIP 37N RANGE 13W SECTION 9 ELEVATION: 1,128FT

DRILL DEPTH: 225FT

DEPTH TO BED: 20FT UTM X 556,608.28 UTM Y 4,200,784.72
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI SW OF SWEDEBORG TO HWY BB, THEN 4 MI N

S.W.L. (AFTER CASING): 120

LOG ID:
015110

WELL TYPE
Private Well

DRILL DATE: 1956/05/ TOWNSHIP 38N RANGE 10W SECTION 19 ELEVATION: 1,221FT

DRILL DEPTH: 300FT

DEPTH TO BED: 50FT UTM X 581,439.28 UTM Y 4,205,992.90
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI N OF DIXON ON HWY 28

S.W.L. (AFTER CASING): 225

LOG ID:
015448

WELL TYPE
Private Well

DRILL DATE: 1956/08/ TOWNSHIP 38N RANGE 10W SECTION 19 ELEVATION: 1,147FT

DRILL DEPTH: 325FT

DEPTH TO BED: 15FT UTM X 582,639.27 UTM Y 4,206,770.92
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: N OF DIXON ON HWY 28

S.W.L. (AFTER CASING): 190

LOG ID:
018489

WELL TYPE
Private Well

DRILL DATE: 1959/08/05 TOWNSHIP 38N RANGE 10W SECTION 33 ELEVATION: 924FT

DRILL DEPTH: 155FT

DEPTH TO BED: 15FT UTM X 585,468.32 UTM Y 4,203,730.88
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 5 MI E OF DIXON

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016034

WELL TYPE
Private Well

DRILL DATE: 1957// TOWNSHIP 38N RANGE 11W SECTION 24 ELEVATION: 1,179FT
DRILL DEPTH: 140FT UTM X 580,647.27 UTM Y 4,206,423.90
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: POOR SAMPLES, DO NOT USE FOR CORRELATION
S.W.L. (AFTER CASING): 70

LOG ID:
027349

WELL TYPE
Private Well

DRILL DATE: 1971/10/ TOWNSHIP 38N RANGE 11W SECTION 24 ELEVATION: 1,090FT
DRILL DEPTH: 190FT UTM X 579,747.26 UTM Y 4,207,361.92
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
011950

WELL TYPE
Private Well

DRILL DATE: 1951/04/15 TOWNSHIP 38N RANGE 11W SECTION 25 ELEVATION: 1,218FT
DRILL DEPTH: 275FT UTM X 579,657.30 UTM Y 4,204,416.87
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 230

LOG ID:
001837

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1920/00/00 TOWNSHIP 38N RANGE 11W SECTION 26 ELEVATION: 1,114FT
DRILL DEPTH: 741FT UTM X 579,444.29 UTM Y 4,205,307.88
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NO SAMPLES
S.W.L. (AFTER CASING): 200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005292

WELL TYPE
Community Public Well

DRILL DATE: 1939/03/ TOWNSHIP 38N RANGE 11W SECTION 26 ELEVATION: 1,162FT
DRILL DEPTH: 886FT UTM X 579,096.28 UTM Y 4,205,476.88
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: park well
S.W.L. (AFTER CASING): 180

LOG ID:
006978

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1941/06/03 TOWNSHIP 38N RANGE 11W SECTION 26 ELEVATION: 1,162FT
DRILL DEPTH: 600FT UTM X 579,444.29 UTM Y 4,205,307.88
DEPTH TO BED: FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 285

LOG ID:
011405

WELL TYPE
Private Well

DRILL DATE: 1950// TOWNSHIP 38N RANGE 11W SECTION 26 ELEVATION: 1,086FT
DRILL DEPTH: 100FT UTM X 578,244.29 UTM Y 4,204,697.87
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI SW OF DIXON
S.W.L. (AFTER CASING): 45

LOG ID:
011406

WELL TYPE
Private Well

DRILL DATE: 1949/08/19 TOWNSHIP 38N RANGE 11W SECTION 26 ELEVATION: 1,175FT
DRILL DEPTH: 110FT UTM X 579,244.28 UTM Y 4,205,511.88
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: IN DIXON
S.W.L. (AFTER CASING): 20



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016224

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1957/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,174FT
<u>DRILL DEPTH:</u>	1,000FT	38N	11W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				578,548.27	4,205,892.88
<u>S.W.L. (BEFORE CASING):</u>	155	FT	<u>REMARKS:</u> known locally as Well #2 (Brown)			
<u>S.W.L. (AFTER CASING):</u>	197	FT			ZONE 15	

LOG ID:
021517

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1962/11/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,157FT
<u>DRILL DEPTH:</u>	500FT	38N	11W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				578,644.28	4,205,715.88
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	225				ZONE 15	

LOG ID:
026557

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1969/08/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,193FT
<u>DRILL DEPTH:</u>	1,175FT	38N	11W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				579,056.29	4,205,165.88
<u>S.W.L. (BEFORE CASING):</u>	261	FT	<u>REMARKS:</u> known locally as Well #3 Baden - ACIDIZED, YIELD IMPROVED FROM			
<u>S.W.L. (AFTER CASING):</u>	261	FT	80 GPM TO 157 GPM			

LOG ID:
023572

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,165FT
<u>DRILL DEPTH:</u>	302FT	38N	11W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				575,413.26	4,206,047.87
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	155				ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022515

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP RANGE SECTION ELEVATION: 1,223FT
DRILL DEPTH: 330FT 38N 11W 29
DEPTH TO BED: 230FT UTM X UTM Y
574,001.28 4,204,680.85
ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: NO SAMPLES 0-230', NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING): _____

LOG ID:
020477

WELL TYPE
Private Well

DRILL DATE: 1961// _____ TOWNSHIP RANGE SECTION ELEVATION: 1,084FT
DRILL DEPTH: 170FT 38N 11W 30
DEPTH TO BED: 15FT UTM X UTM Y
572,411.26 4,205,497.85
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 0.5 MI N OF HANCOCK
S.W.L. (AFTER CASING): 110

LOG ID:
021010

WELL TYPE
Private Well

DRILL DATE: 1962/06/04 _____ TOWNSHIP RANGE SECTION ELEVATION: 1,120FT
DRILL DEPTH: 308FT 38N 11W 31
DEPTH TO BED: 25FT UTM X UTM Y
571,791.27 4,204,472.84
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 5 MI W OF DIXON ON HWY 133
S.W.L. (AFTER CASING): 150

LOG ID:
011408

WELL TYPE
Private Well

DRILL DATE: 1950// _____ TOWNSHIP RANGE SECTION ELEVATION: 943FT
DRILL DEPTH: 54FT 38N 11W 35
DEPTH TO BED: 15FT UTM X UTM Y
579,444.32 4,203,066.85
ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: 2 MI FROM DIXON ON HWY 28
S.W.L. (AFTER CASING): 44



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011409

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1949/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,000FT
<u>DRILL DEPTH:</u>	45FT	38N	11W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				578,444.30	4,203,894.85
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	35				ZONE 15	

LOG ID:
013768

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,015FT
<u>DRILL DEPTH:</u>	175FT	38N	11W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				578,844.31	4,203,686.85
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	50				ZONE 15	

LOG ID:
014061

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,011FT
<u>DRILL DEPTH:</u>	135FT	38N	11W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				578,244.30	4,204,308.86
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	60				ZONE 15	

LOG ID:
014065

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	960FT
<u>DRILL DEPTH:</u>	80FT	38N	11W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				578,644.30	4,203,686.85
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	50				ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020846

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1962// TOWNSHIP 38N RANGE 11W SECTION 35 ELEVATION: 1,075FT
DRILL DEPTH: 210FT UTM X 579,444.30 UTM Y 4,203,894.86
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
021972

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 38N RANGE 11W SECTION 35 ELEVATION: 923FT
DRILL DEPTH: 100FT UTM X 579,444.32 UTM Y 4,202,858.84
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: S OF DIXON
S.W.L. (AFTER CASING):

LOG ID:
024059

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 38N RANGE 12W SECTION 20 ELEVATION: 1,020FT
DRILL DEPTH: 200FT UTM X 563,543.22 UTM Y 4,206,545.82
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
013442

WELL TYPE
Private Well

DRILL DATE: 1953/02/ TOWNSHIP 38N RANGE 12W SECTION 21 ELEVATION: 931FT
DRILL DEPTH: 165FT UTM X 565,259.21 UTM Y 4,207,841.85
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011277

WELL TYPE
Private Well

DRILL DATE: 1947/10/27 TOWNSHIP 38N RANGE 13W SECTION 27 ELEVATION: 1,039FT

DRILL DEPTH: 85FT

DEPTH TO BED: 25FT UTM X 557,026.21 UTM Y 4,205,255.76
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 7.5 MI NW OF CROCKER

S.W.L. (AFTER CASING): 45

LOG ID:
022084

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1963/10/02 TOWNSHIP 38N RANGE 13W SECTION 30 ELEVATION: 1,094FT

DRILL DEPTH: 280FT

DEPTH TO BED: 30FT UTM X 553,181.18 UTM Y 4,206,511.74
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: E.P. RAVENSCROFT; 1ST HOUSE S OF JUNK DEALER ON HWY AA

S.W.L. (AFTER CASING): 170

LOG ID:
013790

WELL TYPE
Private Well

DRILL DATE: 1955/06/21 TOWNSHIP 38N RANGE 13W SECTION 31 ELEVATION: 1,024FT

DRILL DEPTH: 125FT

DEPTH TO BED: 20FT UTM X 553,377.21 UTM Y 4,204,900.73
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 80

LOG ID:
021471

WELL TYPE
Private Well

DRILL DATE: 1962/08/20 TOWNSHIP 38N RANGE 13W SECTION 33 ELEVATION: 1,104FT

DRILL DEPTH: 205FT

DEPTH TO BED: 25FT UTM X 556,787.24 UTM Y 4,203,657.75
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:

022335

WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/10/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,152FT
<u>DRILL DEPTH:</u>	200FT	38N	13W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				557,615.24	4,203,827.75
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	95				<u>REMARKS:</u> 1 MI E OF HWY BB ON HWY AA, 0.25 MI N OF HWY, 6 MI W OF CROCKER	

PULASKI